

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/14/2017 13:54:58
 PAGE NUM 1

SLCC - LAFAYETTE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0110	CIVL1240L01	1 1 1	8.00 8.50		6	1,034	210 20 00000
	A000	0110	CIVL2560L01	1 1	8.00 9.15		10	1,034	210 20 00000
	A000	0110	CIVL1480L01	1 1 1	9.00 9.50		8	1,034	210 20 00000
	A000	0110	CIVL2620L01	1 1	9.30 10.45		11	1,034	210 20 00000
	A000	0110	CIVL1430L01	1 1 1	10.00 10.50		9	1,034	210 20 00000
	A000	0110	CIVL1120L01	1 1 1	11.00 11.50		8	1,034	210 20 00000
	A000	0110	CIVL1320L01	1 1	11.00 12.15		11	1,034	210 20 00000
	A000	0110	CIVL1121L01	1	12.20 14.10		8	1,034	210 20 00000
	A000	0110	CIVL1321L01	1	12.30 14.20		11	1,034	210 20 00000
	A000	0110	PSYC2011L02	1	14.00 16.45		18	1,034	210 20 00000
	A000	0112A	CULN1112L01	1 1	8.00 9.15		18	483	110 15 00000
	A000	0112A	CULN2409L01	1 1 1	8.00 12.40		11	483	110 15 00000
	A000	0112A	CULN1203L01	1 1	9.30 10.45		18	483	110 15 00000
	A000	0112A	CULN1223L01	1 1	11.30 12.45		18	483	110 15 00000
	A000	0112B	CULN2303L01	1 1	8.00 12.00		9	3,648	210 20 00000
	A000	0112B	CULN2413L01	1 1	8.00 12.00	1	12	3,648	210 20 00000
	A000	0112B	CULN2413L01	1 1	12.30 13.45		12	3,648	210 20 00000
	A000	0112B	CULN2303L01	1 1	12.30 14.40	1	9	3,648	210 20 00000
	A000	0114	ASDV1205L01	1 1 1	8.00 9.10		25	945	210 30 00000
	A000	0114	ASDV2520L01	1 1	8.00 9.50		10	945	210 30 00000
	A000	0114	ASDV2620L01	1 1 1	9.20 10.30		10	945	210 30 00000
	A000	0114	ASDV1220L01	1 1	10.00 11.50		25	945	210 30 00000
	A000	0114	ASDV2550L01	1 1 1	10.40 11.50		10	945	210 30 00000
	A000	0114	ASDV2440L01	1 1 1	12.00 13.10		25	945	210 30 00000
	A000	0114	ASDV2115L01	1 1	13.10 15.00		27	945	210 30 00000
	A000	0114	WFMA1003L02	1 1	14.30 15.45		23	945	210 30 00000
	A000	0114	GBUS1010L06	1	15.30 16.45		28	945	210 30 00000
	A000	0116	LFEN0083L16	1 1	9.30 10.45		20	945	210 30 00000
	A000	0116	MCIS1005L05	1 1	12.30 13.45		26	945	210 30 00000
	A000	0116	HIST1041L07	1 1	13.00 14.15		6	945	210 30 00000
	A000	0116	SFSE1003L09	1	14.30 15.45		31	945	210 30 00000
	A000	0116	WFMA1003L03	1 1	15.15 16.30		24	945	210 30 00000
	A000	0300	MCIS1005L01	1 1 1	8.00 8.50		27	459	110 30 00000
	A000	0300	DGMD2500L01	1 1	8.00 11.25		14	459	110 30 00000
	A000	0300	DGMD2700L01	1 1	8.00 11.25	1	14	459	110 30 00000
	A000	0300	LFEN0083L15	1 1 1	9.00 10.05		20	459	110 30 00000
	A000	0300	LFEN0083L03	1 1 1	11.00 11.50		21	459	110 30 00000
	A000	0300	SFSE1003L05	1 1 1	12.00 12.50		30	459	110 30 00000
	A000	0300	SFSE1003L13	1	12.30 13.45		30	459	110 30 00000
	A000	0300	INTC2700L01	1 1	13.00 14.50		30	459	110 30 00000
8	A000	0300	INTC2750L01	1 1	13.00 14.50	1	23	459	110 30 00000
	A000	0300	SFSE1003L14	1	14.00 15.15		28	459	110 30 00000
	A000	0300	WFMA1003L01	1 1	16.00 17.15		23	459	110 30 00000
	A000	0300	LFMA0083L22	1 1	19.00 20.35		19	459	110 30 00000
	A000	0301	WELD1003L01	1 1 1	8.00 9.35		20	1,000	110 30 00000
	A000	0301	MATH2020L08	1 1	8.00 10.30		30	1,000	110 30 00000
8	A000	0301	HNUR2433L01	1	8.00 12.00	1	30	1,000	110 30 00000
	A000	0301	CULN1207L01	1 1 1	10.00 12.00		17	1,000	110 30 00000
8	A000	0301	SFSE1003L04	1 1 1	11.00 11.50	1	29	1,000	110 30 00000
	A000	0301	CULN1207L01	1 1 1	12.30 15.10		17	1,000	110 30 00000
	A000	0301	INTC2500L01	1 1	13.00 14.50		24	1,000	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/14/2017 13:54:58
 PAGE NUM 2

SLCC - LAFAYETTE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0302	LFEN0083L14	1 1	8.00 10.30		20	459	210 20 00000
	A000	0302	CULN1103L01	1 1 1	9.00 9.50		17	459	210 20 00000
	A000	0302	MUSC1010L02	1 1	12.00 13.35		28	459	210 20 00000
	A000	0302	PSYC2010L06	1 1	13.00 14.15		29	459	210 20 00000
	A000	0302	PSYC2010L07	1 1	14.30 15.45		29	459	210 20 00000
	A000	0302	ARTS1100L02	1 1	14.30 16.05		30	459	210 20 00000
	A000	0500	ELEC2204L01	11111	8.00 10.05		10	4,709	210 22 00000
	A000	0500	ELEC2109L01	11111	8.00 12.00	1	11	4,709	210 22 00000
	A000	0500	ELEC2205L01	11111	10.15 12.00	1	10	4,709	210 22 00000
	A000	0500	ELEC2205L01	11111	12.30 13.25		10	4,709	210 22 00000
	A000	0500	ELEC2109L01	11111	12.30 13.45	1	11	4,709	210 22 00000
	A000	0501	CLTS1453L01	1 1 1	8.00 9.10		18	2,394	210 20 00000
	A000	0501	CLTS1030L01	1 1	8.30 10.20		19	2,394	210 20 00000
	A000	0501	CLTS2203L01	1 1 1	9.20 10.30		19	2,394	210 20 00000
	A000	0501	CLTS1410L01	1 1	10.30 13.05		18	2,394	210 20 00000
8	A000	0501	CLTS2410L01	1 1	10.30 13.05	1	18	2,394	210 20 00000
	A000	0501	CLTS2060L01	1 1 1	12.40 11.30		18	2,394	210 20 00000
	A000	0501	CLTS2061L01	1	12.00 13.50		10	2,394	210 20 00000
	A000	0501	CLTS2061L02	1	12.00 13.50		8	2,394	210 20 00000
	A000	0501	CLTS2411L01	1	13.35 17.00		10	2,394	210 20 00000
	A000	0501	CLTS2411L02	1	13.35 17.00		8	2,394	210 20 00000
	A000	0502	ETRN1004L01	1 1 1	8.00 9.50		20	3,168	210 20 00000
	A000	0502	ETRN2840L01	1 1	8.00 9.50		20	3,168	210 20 00000
	A000	0502	ETRN2120L01	1 1 1	10.00 11.10		18	3,168	210 20 00000
	A000	0502	ETRN2810L01	1 1	10.00 11.50		17	3,168	210 20 00000
	A000	0502	ETRN1000L01	1 1	11.20 12.10		20	3,168	210 20 00000
	A000	0502	ETRN2001L01	1 1	13.00 13.50		20	3,168	210 20 00000
	A000	0503A	AUTO2114L01	11111	8.00 9.00		12	2,080	210 20 00000
	A000	0503A	AUTO1604L01	11111	9.10 11.50		18	2,080	210 20 00000
8	A000	0503A	AUTO1614L01	11111	9.10 11.50	1	20	2,080	210 20 00000
	A000	0503A	AUTO1504L01	11111	12.20 13.20		18	2,080	210 20 00000
	A000	0503G	AUTO1002L01	1 1	8.00 8.50		18	5,135	210 20 00000
	A000	0503G	AUTO1225L01	11111	9.10 11.50		11	5,135	210 20 00000
	A000	0503G	AUTO2304L01	11111	9.10 11.50	1	13	5,135	210 20 00000
	A000	0503G	AUTO2204L01	11111	12.20 13.50		11	5,135	210 20 00000
	A000	0504	MTTC2304L01	11111	8.00 9.30		7	3,528	210 20 00000
	A000	0504	MTTC2404L01	11111	9.40 11.10		8	3,528	210 20 00000
	A000	0504	MTTC2504L01	11111	11.40 13.10		8	3,528	210 20 00000
	A000	0504	MTTC2604L01	11111	13.20 14.50		8	3,528	210 20 00000
	A000	0506	WELD1103L01	1 1	8.00 10.15		20	3,528	210 40 00000
	A000	0506	WELD1205L01	1 1 1	9.45 12.25		20	3,528	210 40 00000
	A000	0506	WELD1403L01	1 1	10.25 12.40		20	3,528	210 40 00000
8	A000	0601E	INTE1100L01	11111	8.00 9.45		23	644	215 20 00000
	A000	0601E	INTE1110L01	11111	8.00 9.45	1	23	644	215 20 00000
	A000	0601E	INTE1800L01	1 1 1	9.55 11.30		21	644	215 20 00000
	A000	0601E	INTE1200L01	1 1	9.55 12.10		21	644	215 20 00000
	A000	0601E	INTE1210L01	1 1	12.40 14.55		23	644	215 20 00000
	A000	0601G	INTE2033L01	1 1 1	8.00 9.35		12	748	210 15 00000
	A000	0601G	INTE2020L01	1 1	8.00 10.15		7	748	210 15 00000
	A000	0601G	INTE2110L01	1 1 1	9.55 11.30		23	748	210 15 00000
	A000	0601G	INTE2112L01	1 1	10.25 12.40		14	748	210 15 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/14/2017 13:54:58
 PAGE NUM 3

SLCC - LAFAYETTE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0601G	INTE2113L01	1 1 1	12.00 13.35		11	748	210 15 00000
	A000	0602	DRFT1306L01	11111	8.00 11.30		13	459	110 15 00000
8	A000	0602	DRFT1406L01	11111	8.00 11.30	1	15	459	110 15 00000
	A000	0602	DRFT2303L01	11111	12.15 15.05		10	459	110 15 00000
	A000	0602	DRFT2403L01	11111	12.15 15.05	1	10	459	110 15 00000
	A000	0603	DRFT1106L01	11111	8.00 11.30		21	3,111	210 30 00000
	A000	0603	DRFT1206L01	11111	8.00 11.30	1	23	3,111	210 30 00000
	A000	0603	DRFT2203L01	11111	12.15 15.05		16	3,111	210 30 00000
	A000	0603	DRFT2106L01	11111	12.15 15.45	1	14	3,111	210 30 00000
	A000	0605	DGMD1100L01	1 1	8.00 9.50		30	2,967	210 20 00000
	A000	0605	DGMD1120L01	1 1	10.00 11.50		30	2,967	210 20 00000
	A000	0605	DGMD1130L01	1 1	12.00 14.10		30	2,967	210 20 00000
	A000	0605	DGMD2510L01	1 1	12.00 15.25		14	2,967	210 20 00000
8	A000	0605	DGMD2520L01	1 1	12.00 15.25	1	19	2,967	210 20 00000
	A000	0605	CMCN1170L01	1 1	15.30 16.45		24	2,967	210 20 00000
8	A000	0605A	DGMD1140L01	1 1	8.00 10.15		30	744	210 15 00000
	A000	0605A	ARTS2250L01	1 1	11.00 13.15		22	744	210 15 00000
	A000	0605A	ARTS1210L01	1 1	12.00 14.15		22	744	210 15 00000
	A000	0607	INTC1030L01	1 1	8.00 9.50		26	546	110 20 00000
	A000	0607	INTC2200L01	1 1	8.00 9.50		19	546	110 20 00000
	A000	0607	INTC2503L01	1 1	10.00 11.50		19	546	110 20 00000
	A000	0607	INTC2200L02	1 1	10.00 11.50		15	546	110 20 00000
	A000	0607	INTC2300L01	1 1	13.00 14.50		13	546	110 20 00000
	A000	0607	INTC2300L02	1 1	13.00 14.50		15	546	110 20 00000
	A000	0607	INTC2070L01	1 1	15.00 16.50		14	546	110 20 00000
	A000	0607	INTC2070L02	1 1	15.00 16.50		12	546	110 20 00000
	A000	0607	INTC2680L01	1 1	17.00 18.50		29	546	110 20 00000
	A000	0607	INTC2400L01	1 1	17.00 18.50		30	546	110 20 00000
	A000	0609B	HACR1002L01	1 1 1	8.00 8.50		18	374	210 20 00000
	A000	0609B	HACR1106L01	11111	9.00 10.50		18	374	210 20 00000
	A000	0609B	HACR1206L01	11111	11.20 13.10		18	374	210 20 00000
4	G000	0104	AVMT2407L01	11111	8.00 14.30		6	566	110 15 00000
4	G000	0104	AVMT2507L01	11111	8.00 14.30	1	11	566	110 15 00000
4	G000	0105	AVMT2107L01	11111	8.00 14.30		8	445	110 15 00000
4	G000	0105	AVMT2207L01	11111	8.00 14.30	1	12	445	110 15 00000
4	G000	0115	AVMT1107L01	11111	8.00 14.30		15	5,301	210 20 00000
4	G000	0115	AVMT1307L01	11111	8.00 14.30	1	10	5,301	210 20 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	6
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	9
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - - THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	15
TOTAL NUMBER OF RECORDS READ	- - - - -	139
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	139
NUMBER OF JOINT-CLASS RECORDS	- - - - -	21
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2017 13:54:58

PAGE NUM 1

SLCC - LAFAYETTE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			403
WEEKLY STUDENT CONTACT HOURS	4,567	312	4,879
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	659	24	683
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36,270	20,150	56,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,560	560	13,120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,135	624	9,759
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.9	2.3	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.2	3.1	17.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.7	111.4	74.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			403
WEEKLY STUDENT CONTACT HOURS	4,567	312	4,879
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	659	24	683
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36,270	20,150	56,420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,560	560	13,120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,135	624	9,759
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.9	2.3	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	25.2	3.1	17.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.7	111.4	74.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/14/2017 13:54:58
 PAGE NUM 2

SLCC - LAFAYETTE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			789
WEEKLY STUDENT CONTACT HOURS	9,390		9,390
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,960	2,200	6,160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,191		1,191
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	71,010	39,450	110,460
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	26,680		26,680
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,780		18,780
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	30.1	.0	19.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.4	.0	17.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	70.4	.0	70.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			44
TOTAL NUMBER OF STATIONS (CAPACITY)			789
WEEKLY STUDENT CONTACT HOURS	9,390		9,390
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,960	2,200	6,160
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,191		1,191
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	71,010	39,450	110,460
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	26,680		26,680
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,780		18,780
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	30.1	.0	19.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.4	.0	17.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	70.4	.0	70.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY