

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/17/2017 11:47:47
 PAGE NUM 1

SCLTC - LAFOURCHE CAMPUS
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	0112	SPCH1015C01	1 1	9.00 10.30		3	589	240 21 00000
	A000	0112	ENGL1015C01	1 1	9.00 10.35		4	589	240 21 00000
	A000	0112	DVEN0091C01		9.00 13.00		2	589	240 21 00000
	A000	0112	DVEN0092C01		9.00 13.00	1	3	589	240 21 00000
	A000	0112	KYBD1200C01	1 1	11.45 14.15		7	589	240 21 00000
	A000	0114	SURG1033C01	1 1 1	8.15 10.15		11	770	220 24 00000
	A000	0114	SURG1032C01	1 1	10.00 11.30		12	770	220 24 00000
	A000	0114	SURG1133C01	11111	12.00 12.50		12	770	220 24 00000
	A000	0116	OSYS1100C01	1 1	9.45 11.15		6	702	240 22 00000
	A000	0122	SURG2215C01	11111	8.15 10.55		8	972	110 21 00000
	A000	0131	HACR1410C01	11111	7.15 8.15		2	480	110 16 00000
	A000	0131	HACR1150CJ1	11111	7.15 8.35	1	6	480	110 16 00000
	A000	0131	HACR1210CJ1	11111	7.15 8.35	1	2	480	110 16 00000
	A000	0131	HACR1150CJ2	11111	7.30 8.50	1	1	480	110 16 00000
	A000	0131	HACR2530CJ1	11111	10.30 11.30		2	480	110 16 00000
	A000	0131	HACR1170CJ1	11111	11.20 12.55	1	6	480	110 16 00000
	A000	0131	HACR1230CJ1	11111	11.20 12.55	1	2	480	110 16 00000
	A000	0131	HACR2510CJ1	11111	12.25 13.45	1	3	480	110 16 00000
	A000	0131	HACR1420C01	11111	13.50 14.50		2	480	110 16 00000
4	A000	0134	AUTO1660CJ1	11111	12.00 12.25		6	3,128	210 18 00000
4	A000	0134	AUTO1700CJ2	11111	12.00 12.25	1	1	3,128	210 18 00000
4	A000	0134	AUTO1300CJ1	1111	12.00 12.25	1	1	3,128	210 18 00000
	A000	0134	AUTO1100CJ1	11111	12.00 12.50	1	12	3,128	210 18 00000
	A000	0134	AUTO1850CJ1	11111	12.00 12.50	1	1	3,128	210 18 00000
4	A000	0134	AUTO1540CJ1	11111	12.26 12.50	1	4	3,128	210 18 00000
4	A000	0134	AUTO1710CJ2	11111	12.26 12.50	1	1	3,128	210 18 00000
4	A000	0134	AUTO1310CJ1	11111	12.26 12.51	1	1	3,128	210 18 00000
4	8	A000	AUTO1320CJ1	11111	12.26 12.51	1	1	3,128	210 18 00000
4	A000	0134	AUTO1110C01	11111	12.51 13.15		11	3,128	210 18 00000
4	A000	0134	AUTO1700CJ1	11111	12.51 13.15	1	14	3,128	210 18 00000
4	A000	0134	AUTO1720CJ2	11111	12.51 13.15	1	1	3,128	210 18 00000
4	A000	0134	AUTO1330CJ1	11111	13.00 13.25	1	1	3,128	210 18 00000
4	8	A000	AUTO1120CJ1	11111	13.16 13.40	1	12	3,128	210 18 00000
4	8	A000	AUTO1710CJ1	11111	13.16 13.40	1	14	3,128	210 18 00000
4	8	A000	AUTO1730CJ2	11111	13.16 13.40	1	1	3,128	210 18 00000
4	8	A000	AUTO1340CJ1	11111	13.26 13.51	1	1	3,128	210 18 00000
4	8	A000	AUTO1130CJ1	11111	13.41 14.05	1	12	3,128	210 18 00000
4	8	A000	AUTO1720CJ1	11111	13.41 14.05	1	14	3,128	210 18 00000
4	8	A000	AUTO1740CJ2	11111	13.41 14.05	1	1	3,128	210 18 00000
4	A000	0134	AUTO1400CJ1	11111	14.06 14.30		5	3,128	210 18 00000
4	A000	0134	AUTO1730CJ1	11111	14.06 14.30	1	14	3,128	210 18 00000
4	A000	0134	AUTO1410CJ1	11111	14.31 14.55		5	3,128	210 18 00000
4	A000	0134	AUTO1740CJ1	11111	14.31 14.55	1	13	3,128	210 18 00000
4	A000	0134	AUTO1420CJ1	11111	14.56 15.20		5	3,128	210 18 00000
	A000	0134	AUTO1600CJ1	11111	14.56 15.45	1	7	3,128	210 18 00000
4	A000	0134	AUTO1430CJ1	11111	15.21 15.45	1	5	3,128	210 18 00000
4	A000	0134	AUTO1440CJ1	11111	15.46 16.10		5	3,128	210 18 00000
4	A000	0134	AUTO1610CJ1	11111	15.46 16.10	1	7	3,128	210 18 00000
	A000	0134	AUTO1620CJ1	11111	16.11 17.00		7	3,128	210 18 00000
	A000	0134	AUTO1630CJ1	11111	17.30 18.20		7	3,128	210 18 00000
4	A000	0134	AUTO1640CJ1	11111	18.21 18.45		7	3,128	210 18 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/17/2017 11:47:47
 PAGE NUM 2

SCLTC - LAFOURCHE CAMPUS
 BRANCH
 PARISH
 RELATION LAFOURCHE
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	A000	0134	AUTO1650C01	11111	18.45 19.10		5	3,128	210 18 00000
	A000	0135	HACR2540C01	11111	8.20 9.55		2	2,990	210 24 00000
	A000	0135	HACR1160CJ1	11111	8.40 10.15	1	5	2,990	210 24 00000
	A000	0135	HACR1220CJ1	11111	8.40 10.15	1	2	2,990	210 24 00000
	A000	0135	HACR1160CJ2	11111	9.25 11.00	1	1	2,990	210 24 00000
	A000	0135	HACR2550C02	11111	10.45 12.20	1	1	2,990	210 24 00000
	A000	0135	HACR2560C01	11111	12.25 13.25		1	2,990	210 24 00000
	A000	0135	HACR1240CJ1	11111	13.00 14.40	1	3	2,990	210 24 00000
	A000	0136	WELD1110C01	11111	7.30 8.30		5	3,025	210 16 00000
	A000	0136	WELD1110C02	11111	7.30 8.50	1	1	3,025	210 16 00000
	A000	0136	WELD1420C01	11111	7.30 9.30	1	5	3,025	210 16 00000
	A000	0136	WELD2110C01	11111	7.30 9.30	1	5	3,025	210 16 00000
	A000	0136	WELD1510C01	11111	7.30 9.45	1	2	3,025	210 16 00000
	A000	0136	WELD2112C01	11111	7.30 9.45	1	1	3,025	210 16 00000
	A000	0136	WELD2220C01	11111	7.30 9.45	1	2	3,025	210 16 00000
8	A000	0136	WELD1210C01	11111	8.35 10.10	1	4	3,025	210 16 00000
8	A000	0136	WELD1210C02	11111	8.51 10.55	1	1	3,025	210 16 00000
8	A000	0136	WELD1412C01	11111	9.35 11.10	1	4	3,025	210 16 00000
8	A000	0136	WELD1130C01	11111	9.40 10.40	1	5	3,025	210 16 00000
8	A000	0136	WELD1511C01	11111	9.50 12.05	1	3	3,025	210 16 00000
8	A000	0136	WELD2113C01	11111	9.50 12.05	1	1	3,025	210 16 00000
8	A000	0136	WELD1410C01	11111	10.15 12.15	1	6	3,025	210 16 00000
8	A000	0136	WELD2210C01	11111	10.45 12.20	1	2	3,025	210 16 00000
8	A000	0136	WELD2310C01	11111	11.20 13.20	1	2	3,025	210 16 00000
8	A000	0136	WELD1410C02	11111	11.30 13.30	1	1	3,025	210 16 00000
8	A000	0136	WELD1512C01	11111	12.10 14.25	1	4	3,025	210 16 00000
8	A000	0136	WELD1120C01	11111	12.20 13.55	1	4	3,025	210 16 00000
8	A000	0136	WELD2230C01	11111	12.25 14.00	1	1	3,025	210 16 00000
	A100	SC04	OILG2313E01	1	7.30 11.30		2	1,288	110 30 00000
	A100	SC04	OILG2413E01	1	8.00 10.50		1	1,288	110 30 00000
	A100	SC04	OILG2403E01	1	8.00 11.00		2	1,288	110 30 00000
	A100	SC04	OILG1303E01	1	11.00 15.00		1	1,288	110 30 00000
	A100	SC04	OILG2113E01	1	11.30 14.20		2	1,288	110 30 00000
4	A100	SC16	ORNT1000E05	11111	7.30 7.45		5	480	110 12 00000
4	A100	SC16	ORNT1000E06	11111	7.30 7.45	1	6	480	110 12 00000
	A100	SC16	DPET1240E05	11111	7.30 8.45	1	3	480	110 12 00000
8	A100	SC16	DPET1120E05	11111	7.30 8.55	1	5	480	110 12 00000
8	A100	SC16	DPET1130E05	11111	7.30 9.10	1	5	480	110 12 00000
8	A100	SC16	DPET1210E05	11111	7.30 9.10	1	3	480	110 12 00000
	A100	SC16	DPET1120E06	11111	11.30 12.55		6	480	110 12 00000
	A100	SC16	DPET1210E06	11111	11.30 13.10	1	3	480	110 12 00000
	A100	SC16	DPET1130E06	11111	12.30 14.10	1	6	480	110 12 00000
	A100	SC16	DPET1240E06	11111	12.45 14.10	1	3	480	110 12 00000
	N000	N0200	ELEC2520C01	11111	7.30 8.45		7	726	240 20 00000
	N000	N0200	ELEC2540C01	11111	9.00 10.35		6	726	240 20 00000
	N000	N0200	ELEC1330C01	11111	9.50 11.20	1	7	726	240 20 00000
	N000	N0200	ELEC1420C01	11111	9.50 11.20	1	8	726	240 20 00000
	N000	N0200	ELEC2720C01	11111	10.45 12.20	1	5	726	240 20 00000
8	N000	N0200	ELEC1440C01	11111	11.30 13.30	1	6	726	240 20 00000
	N000	N0300	ELEC1230C01	11111	7.30 9.35		7	652	110 20 00000
	N000	N0300	ELEC1120C01	11111	7.30 9.55	1	5	652	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017
 RUN DATE 10/17/2017 11:47:47
 PAGE NUM 3

SCLTC - LAFOURCHE CAMPUS

BRANCH
 PARISH LAFOURCHE
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	N000 N0300	ELEC2460C01	11111	9.00 10.30	1	10	652	110 20	00000
	N000 N0300	ELEC1430C01	11111	9.50 11.55	1	7	652	110 20	00000
	N000 N0300	ELEC1220C01	11111	13.00 14.40		8	652	110 20	00000
	N000 N0400	ELEC1311C01	11111	7.30 10.15		7	1,218	210 22	00000
	N000 N0400	ELEC1210C01	11111	10.00 12.25	1	6	1,218	210 22	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	30
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	25
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	55
TOTAL NUMBER OF RECORDS READ	- - - - -	107
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	107
NUMBER OF JOINT-CLASS RECORDS	- - - - -	70
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/17/2017 11:47:47
 PAGE NUM 1

SCLTC - LAFOURCHE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			378
WEEKLY STUDENT CONTACT HOURS	1,064		1,064
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	454		454
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,020	18,900	52,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,730		7,730
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,129		2,129
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.5	.0	17.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.3	.0	4.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.5	.0	27.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			378
WEEKLY STUDENT CONTACT HOURS	1,064		1,064
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	454		454
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,020	18,900	52,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,730		7,730
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,129		2,129
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.5	.0	17.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.3	.0	4.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.5	.0	27.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/17/2017 11:47:47

PAGE NUM 2

SCLTC - LAFOURCHE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			218
WEEKLY STUDENT CONTACT HOURS	1,584	65	1,649
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	792	20	812
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19,620	10,900	30,520
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,604	360	14,964
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,168	130	3,298
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	80.0	3.6	52.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.1	1.2	10.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.7	36.1	22.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			194
WEEKLY STUDENT CONTACT HOURS	1,422	65	1,487
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	764	20	784
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17,460	9,700	27,160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,932	360	14,292
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,844	130	2,974
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	84.9	4.0	56.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	16.3	1.3	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.4	36.1	20.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/17/2017 11:47:47
 PAGE NUM 3

SCLTC - LAFOURCHE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			1
TOTAL NUMBER OF STATIONS (CAPACITY)			24
WEEKLY STUDENT CONTACT HOURS	162		162
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90	50	140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28		28
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	672		672
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	324		324
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.1	.0	20.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.0	.0	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	48.2	.0	48.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY