

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 1

NWLTC - NATCHITOCHE CAMPUS  
 BRANCH  
 PARISH  
 RELATION NATCHITOCHE  
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0115	COSM2995R01	1 1	8.00 10.00		2	1,722	210 50 00000
	MB0A	0115	COSM1121R01	1 1 1	8.00 12.00		1	1,722	210 50 00000
	MB0A	0115	COSM1211R01	1 1	9.15 10.30		27	1,722	210 50 00000
	MB0A	0115	COSM1130R01	1 1	9.15 10.45		31	1,722	210 50 00000
	MB0A	0115	COSM1430R01	1 1	9.15 10.45	1	1	1,722	210 50 00000
	MB0A	0115	COSM1230R01	1	11.00 14.00		27	1,722	210 50 00000
	MB0A	0115	COSM1321R01	1 1	11.00 14.30		31	1,722	210 50 00000
	MB0A	0115	COSM1311R01	1 1	11.00 14.30		8	1,722	210 50 00000
	MB0A	0115	COSM1220R01	1 1	11.03 12.03	1	1	1,722	210 50 00000
	MB0A	0119	ORNT1000R02	1	8.00 9.00		5	1,764	110 45 00000
	MB0A	0119	IMFG1110R01	1	8.00 9.00		3	1,764	110 45 00000
	MB0A	0119	IMFG1110R01	11	8.00 10.00		3	1,764	110 45 00000
	MB0A	0119	IMFG1120R01	1 1	8.00 10.00	1	6	1,764	110 45 00000
	MB0A	0119	IMFG1300R01	1	8.00 10.00		9	1,764	110 45 00000
	MB0A	0119	IMFG1100R01	1	9.05 12.05		6	1,764	110 45 00000
	MB0A	0119	IMFG1140R01	1	9.10 12.10		5	1,764	110 45 00000
	MB0A	0119	IMFG1140R01	11	10.10 11.10		5	1,764	110 45 00000
	MB0A	0119	IMFG1300R01	1 1	10.10 12.10	1	9	1,764	110 45 00000
	MB0A	0119	IMFG1325R01	1	11.10 15.15		4	1,764	110 45 00000
	MB0A	0119	IMFG1210R01	1 1 1	12.00 14.00	1	4	1,764	110 45 00000
	MB0A	0119	IMFG1120R01	1	12.10 15.10	1	6	1,764	110 45 00000
	MB0A	0119	IMFG1200R01	1 1	12.15 15.15		9	1,764	110 45 00000
	MB0A	0119	IMFG1130R01	1	12.15 15.15		5	1,764	110 45 00000
	MB0A	0119	IMFG1130R01	11	13.15 15.15		5	1,764	110 45 00000
	MB0A	0119	ADMT1100R01	1 1	16.30 17.20		4	1,764	110 45 00000
8	MB0A	0133	JOBS2450R01	1	11.00 14.00		1	625	140 25 00000
	MB0A	0134	ORNT1000R03	1	8.00 9.00		25	400	110 16 00000
	MB0A	0134	CPTR1000R01	1 1	8.00 9.00		22	400	110 16 00000
	MB0A	0134	COSM2520R01	1	8.00 12.00		1	400	110 16 00000
	MB0A	0134	COSM2540R01	1 1	9.15 10.30		2	400	110 16 00000
4	MB0A	0135	ORNT1000R01	1	11.45 13.45		11	490	350 15 00000
	MB0A	0136	HNUR1212R01	11	6.30 12.30		10	1,320	110 40 00000
	MB0A	0136	HNUR1302R01	1 1	8.00 11.00		16	1,320	110 40 00000
	MB0A	0136	HNUR1312R01	1 1	8.00 11.00		33	1,320	110 40 00000
8	MB0A	0136	HNUR1311R01	1	8.00 11.00	1	38	1,320	110 40 00000
	MB0A	0136	HNUR1211R01	1	8.00 11.00		11	1,320	110 40 00000
	MB0A	0136	HNUR1211R01	11	11.45 14.45		11	1,320	110 40 00000
	MB0A	0136	HNUR1311R01	1 1	11.45 14.45	1	38	1,320	110 40 00000
	MB0A	0136	HNUR1311R01	1	12.00 15.00		38	1,320	110 40 00000
	MB0A	0136	CPTR1000R02	1 1	12.00 15.45	1	16	1,320	110 40 00000
	MB0A	0144	OSYS2530R01	1 1 1	8.00 8.50		10	1,900	140 60 00000
	MB0A	0144	JOBS2450R02	1 1	9.30 11.00		18	1,900	140 60 00000
	MB0A	0144	ACCT1100R01	1 1	10.00 12.15	1	9	1,900	140 60 00000
	MB0A	0144	BOTH1120R01	1 1	11.40 13.40	1	6	1,900	140 60 00000
	MB0A	0144	ACCT1200R01	1 1	12.45 14.45	1	6	1,900	140 60 00000
	MB0A	0146	KYBD1010R01	1 1 1	8.00 9.15		9	1,000	140 30 00000
	MB0A	0146	ACCT1500R01	1 1	8.00 9.50		6	1,000	140 30 00000
	MB0A	0146	BADM1050R01	1 1 1	9.00 9.50		8	1,000	140 30 00000
	MB0A	0146	ACCT1250R01	1 1 1	10.00 11.15		5	1,000	140 30 00000
	MB0A	0147	KYBD1010R02	1 1 1	8.00 9.15		1	864	110 40 00000
	MB0A	0147	SPPR2991R01	1 1 1	8.00 9.15	1	2	864	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 2

NWLTC - NATCHITOCHEs CAMPUS  
 BRANCH  
 PARISH  
 RELATION NATCHITOCHEs  
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFs	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MB0A	0147	BOTH1210R01	1 1	8.00 10.00		2	864	110 40 00000
	MB0A	0147	KYBD1200R01	1 1 1	9.20 10.50		14	864	110 40 00000
	MB0A	0147	BOTH2110R01	1 1	10.05 11.35		1	864	110 40 00000
	MB0A	0147	CSRV1000R01	1 1 1	11.00 11.50		25	864	110 40 00000
	MB0A	0147	BOTH1300R01	1 1	11.40 13.40		6	864	110 40 00000
	MB0A	0147	OSYS1100R01	1 1 1	13.00 15.00		8	864	110 40 00000
	MB0A	0147	OSYS1250R01	1 1 1	13.00 15.00	1	9	864	110 40 00000
	MB0A	0156	WELD1112RH2	11111	12.00 13.00		4	2,180	210 15 00000
	MB0A	0156	WELD1120RH2	11111	12.00 13.00	1	3	2,180	210 15 00000
	MB0A	0156	WELD1140RH2	11111	13.02 14.02		4	2,180	210 15 00000
	MB0A	0156	WELD1410RH2	11111	13.02 14.02	1	3	2,180	210 15 00000
	MB0A	0156	WELD1131RH2	11111	14.04 15.04		2	2,180	210 15 00000
	MB0A	0156	WELD1211RH2	11111	14.04 15.04	1	4	2,180	210 15 00000
	MB0A	0156	WELD1411RH1	11111	14.04 15.04	1	1	2,180	210 15 00000
4	MB0A	0162	HACR1210R01	11111	8.00 14.30		14	400	110 20 00000
4	MB0A	0162	HACR1230R01	11111	8.00 14.30	1	14	400	110 20 00000
	MB0A	0163	HACR2920R01	11111	8.00 11.00		1	2,304	210 25 00000
	MB0A	0163	HACR2930R01	11111	8.00 11.00	1	1	2,304	210 25 00000
4	MB0A	0163	HACR1220R01	11111	8.00 14.30	1	14	2,304	210 25 00000
4	MB0A	0163	HACR1240R01	11111	8.00 14.30	1	14	2,304	210 25 00000
	MB0A	163A	IMFG1235R01	11111	8.00 11.30		6	2,050	210 15 00000
	MB0A	163A	IIET1413R01	1 1 1	8.00 11.30	1	5	2,050	210 15 00000
	MB0A	163A	IIET1433R01	1 1 1	8.00 11.30	1	3	2,050	210 15 00000
	MB0A	163A	IIET2733R01	1 1 1	8.00 11.30	1	4	2,050	210 15 00000
	MB0A	163A	IIET2123R01	1 1	8.00 11.30		7	2,050	210 15 00000
	MB0A	163A	INST1110R01	1 1	8.00 11.30	1	3	2,050	210 15 00000
	MB0A	163A	IMFG1250R01	1 1 1	12.00 15.00		1	2,050	210 15 00000
	MB0A	163A	INST1330R01	11111	12.00 15.30	1	5	2,050	210 15 00000
	MB0A	163A	IIET1214R01	1 1 1	12.00 15.30	1	4	2,050	210 15 00000
	MB0A	163A	ELMT2520R01	1 1 1	13.03 15.30	1	4	2,050	210 15 00000
	MB0A	163B	ELEC1330R01	11111	12.00 15.30		1	500	110 10 00000
	MB0A	163B	ELEC1450R01	11111	12.00 15.30	1	2	500	110 10 00000
	MBOC	0184	WELD2993R01	1111	9.00 10.00		1	3,364	210 20 00000
	MBOC	0184	WELD1512R02	1111	9.00 11.00	1	3	3,364	210 20 00000
	MBOC	0184	WELD1421R02	1111	9.30 11.30	1	3	3,364	210 20 00000
	MBOC	0184	WELD1511R01	1111	9.30 11.30	1	7	3,364	210 20 00000
	MBOC	0184	WELD2991R01	1111	10.00 10.58	1	1	3,364	210 20 00000
	MBOC	0184	WELD2231R02	1111	11.10 12.40		3	3,364	210 20 00000
	MBOC	0184	WELD1131R01	1111	11.35 12.35	1	14	3,364	210 20 00000
	MBOC	0184	WELD1211R01	1111	11.40 12.40	1	1	3,364	210 20 00000
	MBOC	0184	WELD1411R01	1111	13.15 14.15		14	3,364	210 20 00000
	MBOC	0184	WELD1512R01	1111	13.15 15.00	1	4	3,364	210 20 00000
	MBOC	0184	WELD1421R01	1111	13.15 15.15	1	2	3,364	210 20 00000
	MBOC	0184	WELD1122R01	1111	14.00 15.15	1	4	3,364	210 20 00000
	MBOC	0184	WELD1511R02	1111	16.00 17.45		1	3,364	210 20 00000
	MBOC	0184	WELD1510R02	1111	16.10 18.10	1	3	3,364	210 20 00000
	MBOC	0184	WELD1131R02	1111	17.02 18.02	1	1	3,364	210 20 00000
	MBOC	0184	WELD1411R02	1111	17.03 18.03	1	3	3,364	210 20 00000
	MBOC	0184	WELD1211R02	1111	17.05 18.05	1	8	3,364	210 20 00000
	MBOC	0184	WELD2995R01	1111	18.03 19.00	1	3	3,364	210 20 00000
	MBOC	0185	WELD2312R01	1111	15.05 16.05		5	2,262	210 5 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017  
 RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 3

NWLTC - NATCHITOCHE CAMPUS

BRANCH  
 PARISH  
 RELATION  
 NATCHITOCHE  
 OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MBOC 0185	WELD2100R01	1111	16.02 18.00	1	4	2,262	210 5	00000
	MBOC 0185	WELD2993R02	1111	18.04 19.04		1	2,262	210 5	00000
	MBOC 184A	WELD2211R02	1111	9.00 10.35		1	440	110 12	00000
	MBOC 184A	WELD2312R03	1111	9.00 11.00	1	1	440	110 12	00000
	MBOC 184A	WELD11112R01	1111	9.30 10.30	1	14	440	110 12	00000
	MBOC 184A	WELD1141R01	1111	10.35 11.32		13	440	110 12	00000
	MBOC 184A	WELD1413R01	1111	14.20 16.00		1	440	110 12	00000
	MBOC 184A	WELD2312R02	1111	15.30 17.00	1	1	440	110 12	00000
	MBOC 184A	WELD1510R01	1111	16.10 18.10	1	6	440	110 12	00000
	MBOC 184A	WELD1421R04	1111	17.02 18.02	1	2	440	110 12	00000
	MBOC 184A	WELD1141R03	1111	18.04 19.04		1	440	110 12	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	5
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	3
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		8
TOTAL NUMBER OF RECORDS READ		113
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		113
NUMBER OF JOINT-CLASS RECORDS		50
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 1

NWLTC - NATCHITOCHEES CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			485
WEEKLY STUDENT CONTACT HOURS	3,187	12	3,199
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	672	16	688
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43,650	24,250	67,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19,969	192	20,161
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,374	24	6,398
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	43.9	1.9	28.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.6	.1	9.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.9	12.5	31.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			370
WEEKLY STUDENT CONTACT HOURS	2,896	12	2,908
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,260	700	1,960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	596	16	612
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33,300	18,500	51,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,579	192	16,771
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,792	24	5,816
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.3	2.3	31.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.4	.1	11.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.9	12.5	34.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 2

NWLTC - NATCHITOCHE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			115
WEEKLY STUDENT CONTACT HOURS	291		291
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	76		76
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	10,350	5,750	16,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,390		3,390
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	582		582
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.1	.0	18.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.6	.0	3.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	17.2	.0	17.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,469	64	2,533
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	763	40	803
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,065	680	17,745
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,939	128	5,067
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.1	7.3	52.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.9	1.1	15.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.9	18.8	28.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 11:00:09  
 PAGE NUM 3

NWLTC - NATCHITOCHE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	2,469	64	2,533
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	763	40	803
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,600	12,000	33,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,065	680	17,745
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,939	128	5,067
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	77.1	7.3	52.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.9	1.1	15.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	28.9	18.8	28.6

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY