

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/13/2017 15:37:49
 PAGE NUM 1

NWLTC - NORTHWEST LA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCS	0112	BOTH1120C01	1 1	8.00 9.30		4	712	110 22 00000
	OMCS	0115	HPHL1013C01	11 11	8.00 11.00		4	712	110 22 00000
	OMCS	0115	HNUR1211C04	1111	9.35 11.00	1	11	712	110 22 00000
	OMCS	0115	HCOR1601C02	1111	13.05 15.05		14	712	110 22 00000
	OMCS	0115	HEKG1113C01	11111	15.51 17.21		6	712	110 22 00000
	OMCS	0134	ZMTH1000C01	111	8.00 9.15		6	696	210 17 00000
	OMCS	0134	ZRED1000C01	111	14.15 15.30		10	696	210 17 00000
	OMCS	0135	OSYS1250C01	1 1	8.00 9.00		9	822	210 25 00000
	OMCS	0135	OSYS1250C01	1	8.00 9.05		9	822	210 25 00000
	OMCS	0135	CPTR1320C01	1 1 1	9.05 10.05		10	822	210 25 00000
	OMCS	0135	CPTR1320C01	1 1	9.10 10.15		10	822	210 25 00000
	OMCS	0135	KYBD1010C02	1111	10.00 11.35	1	3	822	210 25 00000
	OMCS	0135	ISYS1440C01	1 1 1	10.10 11.15	1	1	822	210 25 00000
	OMCS	0135	KYBD1010C01	1 1 1	10.10 11.15	1	5	822	210 25 00000
	OMCS	0135	KYBD1200C01	1 1 1	10.10 11.15	1	3	822	210 25 00000
	OMCS	0135	ACCT1500C01	1 1	10.10 11.15	1	1	822	210 25 00000
	OMCS	0135	BUSM1050C01	1 1	10.10 11.15	1	2	822	210 25 00000
	OMCS	0135	ACCT1500C01	1 1	10.20 11.25		1	822	210 25 00000
	OMCS	0135	BUSM1050C01	1 1	10.20 11.25	1	2	822	210 25 00000
	OMCS	0135	ISYS1440C01	1 1	10.20 11.25	1	1	822	210 25 00000
	OMCS	0135	KYBD1200C01	1 1	10.20 11.25	1	3	822	210 25 00000
	OMCS	0135	BUSE1100C01	1	12.00 13.00		12	822	210 25 00000
	OMCS	0135	CPTR1000C01	1 1	12.00 13.35	1	1	822	210 25 00000
	OMCS	0135	CPTR1002C01	1 1	12.00 13.35	1	4	822	210 25 00000
	OMCS	0135	CPTR1002C02	1 1	12.00 13.35	1	3	822	210 25 00000
	OMCS	0135	BOTH1240C01	1 1	12.15 13.50		4	822	210 25 00000
	OMCS	0135	BUSE1100C01	1 1	12.15 13.50	1	12	822	210 25 00000
	OMCS	0135	CPTR1002C02	1 1	12.15 13.50	1	3	822	210 25 00000
	OMCS	0135	JOBS2450C01	1 1	14.15 15.45		6	822	210 25 00000
	OMCS	0135	BOTH1210C01	1 1	14.15 15.50		9	822	210 25 00000
	OMCS	0135	BOTH1230C01	1 1	14.15 15.50	1	8	822	210 25 00000
	OMCS	0137	HNUR1211C02	1111	15.15 17.45		14	546	210 25 00000
	OMCS	0138	HCOR1801C01	1 1 1	14.15 15.45		6	938	210 35 00000
	OMCS	0140	HNUR2996C01	1 1 1	8.00 9.25		8	1,223	110 41 00000
	OMCS	0140	HNUR1211C01	1 1 1	9.35 11.45		27	1,223	110 41 00000
	OMCS	0141	HNUR1411C01	11111	8.00 9.25		22	1,223	110 41 00000
	OMCS	0141	HNUR1363C01	11111	9.35 11.00		22	1,223	110 41 00000
	OMCS	0141	HNUR1000C01	1 1 1	12.00 13.25		47	1,223	110 41 00000
	OMCS	0141	HNUR1322C01	1 1	12.00 13.25		29	1,223	110 41 00000
	OMCS	0141	HNUR1100C01	11111	13.40 15.05		47	1,223	110 41 00000
	OMCS	0142	HNUR2128C01	1 1	8.00 11.00		17	1,223	210 25 00000
	OMCS	0142	HNUR2722C01	1 1	12.00 13.25		17	1,223	210 25 00000
	OMCS	0142	HNUR2522C01	1 1	13.35 15.00		10	1,223	210 25 00000
4	OMCS	0143	HNUR2138C01	111	6.45 14.45		16	1,223	210 25 00000
	OMCS	0143	HNUR2138C01	1 1	8.00 11.00		16	1,223	210 25 00000
	OMCS	0143	HNUR2712C01	1 1	12.00 13.25		16	1,223	210 25 00000
	OMCS	0143	HNUR2812C01	1 1	13.35 15.00		16	1,223	210 25 00000
4	OMCS	0144	HCOR1212C02	1111	6.45 13.45		14	1,539	210 18 00000
4	OMCS	0144	HCOR1212C04	1	6.45 14.45		11	1,539	210 18 00000
	OMCS	0144	HCOR1200C02	1111	10.00 12.00		14	1,539	210 18 00000
8	OMCS	0145	HNUR1212C01	1 1	6.45 10.45		26	242	210 10 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	OMCS 0145	HNUR2128C01	111	6.45 14.25	1	17	242	210 10 00000
		OMCT 0112	HCOR1200C01	11111	8.00 9.25		8	951	110 21 00000
		OMCT 0112	BOTH1300C01	1 1	8.00 9.30	1	6	951	110 21 00000
		OMCT 0112	INST2750C01	11111	8.00 9.45	1	9	951	110 21 00000
		OMCT 0112	IMMT1440C01	11111	9.30 11.30	1	2	951	110 21 00000
	8	OMCT 0112	INST2731C01	11111	9.50 10.40	1	20	951	110 21 00000
		OMCT 0112	ELEC2620C03	11111	11.45 13.24		6	951	110 21 00000
		OMCT 0112	HCOR1601C01	1111	12.00 13.00	1	14	951	110 21 00000
		OMCT 0112	INST2750CN1	11111	16.00 17.40		14	951	110 21 00000
		OMCT 0112	INST2731CN1	11111	17.45 18.35		14	951	110 21 00000
		OMCT 0114	INST2610C01	11111	8.00 9.15		14	890	110 21 00000
		OMCT 0114	INST1340C01	11111	9.20 10.35		8	890	110 21 00000
		OMCT 0114	INST1430C01	11111	10.40 11.45		23	890	110 21 00000
	8	OMCT 0114	INST1431C01	11111	10.45 12.00	1	19	890	110 21 00000
		OMCT 0114	INST1431CN1	11111	18.40 19.55		14	890	110 21 00000
		OMCT 0119	ETRN1131C01	11111	8.00 9.45		19	1,277	110 32 00000
		OMCT 0119	ELEC1111C03	11111	8.14 9.41	1	11	1,277	110 32 00000
		OMCT 0119	ELEC1131C03	11111	9.42 11.09		12	1,277	110 32 00000
		OMCT 0119	ETRN1221C01	11111	9.50 11.35	1	19	1,277	110 32 00000
		OMCT 0119	ELEC2630C03	11111	10.17 11.44	1	11	1,277	110 32 00000
	8	OMCT 0119	INST1110C01	11111	11.40 12.45	1	19	1,277	110 32 00000
		OMCT 0119	ELEC2630C01	11111	14.06 15.33		11	1,277	110 32 00000
		OMCT 0119	ETRN1131CN1	11111	16.00 17.05		22	1,277	110 32 00000
		OMCT 0119	ETRN1221CN1	11111	17.10 18.50		22	1,277	110 32 00000
		OMCT 0119	INST1110CN1	11111	18.55 20.35		22	1,277	110 32 00000
		OMCT 0121	INST2820C01	11111	11.50 12.55		14	885	210 18 00000
		OMCT 0123	INST2831C01	11111	10.30 11.35		15	1,269	110 18 00000
		OMCT 0123	INST2841C01	11111	11.40 12.45		15	1,269	110 18 00000
		OMCT 0132	IMFG1110C01	11111	8.00 9.00		4	3,642	210 25 00000
		OMCT 0132	IMFG1410C01	11111	8.00 10.00	1	1	3,642	210 25 00000
		OMCT 0132	IMFG2710C01	11111	8.00 10.00	1	2	3,642	210 25 00000
		OMCT 0132	IMFG1310C01	11111	9.15 11.15	1	2	3,642	210 25 00000
		OMCT 0132	IMFG1340C01	11111	9.15 11.15	1	2	3,642	210 25 00000
		OMCT 0132	IMFG2720C01	11111	11.00 12.30	1	2	3,642	210 25 00000
		OMCT 0132	IMFG1440C01	11111	11.30 13.30	1	2	3,642	210 25 00000
4		OMCT 0134	ELEC1000C03	11111	8.00 8.13		11	1,945	210 25 00000
		OMCT 0134	IMMT2995C01	11111	8.00 9.15	1	6	1,945	210 25 00000
		OMCT 0134	IMMT1411C01	11111	8.20 9.30	1	7	1,945	210 25 00000
		OMCT 0134	IMMT1430C01	11111	11.15 13.40		7	1,945	210 25 00000
		OMCT 0134	ELEC1212C01	11111	13.03 14.05	1	16	1,945	210 25 00000
		OMCT 0134	JOBS2450C05	11111	13.45 14.45	1	2	1,945	210 25 00000
		OMCT 0134	ELEC1213C01	11111	14.06 15.07	1	5	1,945	210 25 00000
		OMCT 0135	ELEC1313C01	11111	7.59 9.07		15	1,980	210 25 00000
		OMCT 0135	IMMT1311C01	11111	8.00 8.50	1	6	1,980	210 25 00000
		OMCT 0135	ELEC2995C03	11111	8.00 9.15	1	1	1,980	210 25 00000
		OMCT 0135	IMMT1320C01	11111	8.55 9.30	1	9	1,980	210 25 00000
	8	OMCT 0135	ELEC1314C01	11111	9.08 10.16	1	13	1,980	210 25 00000
	8	OMCT 0135	IMMT1321C01	11111	9.35 10.50	1	9	1,980	210 25 00000
	8	OMCT 0135	ELEC1440C03	11111	10.05 11.56	1	4	1,980	210 25 00000
4	8	OMCT 0135	IMMT1330C01	11111	10.55 11.15	1	10	1,980	210 25 00000
		OMCT 0135	IMMT1331C01	11111	11.20 12.30		10	1,980	210 25 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OMCT	0135	ELEC1220C03	11111	14.27 15.41		13	1,980	210 25 00000	
	OMCT	0136	IMFG1100C01	11111	8.30 9.15		3	606	110 25 00000	
	OMCT	0136	IMFG1120C01	11111	9.30 11.45		3	606	110 25 00000	
	OMCT	0136	JOBS2450C07	11111	10.15 10.45	1	2	606	110 25 00000	
	OMCT	0136	IMFG1200C01	11111	12.00 14.00		4	606	110 25 00000	
	OMCT	0136	IMFG1300C01	11111	14.15 16.30		4	606	110 25 00000	
4	OMCT	0137	IMMT1410C01	11111	8.00 8.15		7	606	110 25 00000	
	OMCT	0137	ELEC2460C03	11111	11.10 11.47		1	606	110 25 00000	
	OMCT	0137	ELEC1230C03	11111	11.48 13.02		6	606	110 25 00000	
	OMCT	0137	IMMT1120C01	11111	13.20 13.50		3	606	110 25 00000	
4	OMCT	0138	IMMT1110C01	11111	8.00 8.15		6	606	110 25 00000	
	OMCT	0138	ELEC1440C09	11111	8.00 9.55	1	10	606	110 25 00000	
	OMCT	0138	ELEC1450C09	11111	10.00 12.10		10	606	110 25 00000	
	OMCT	0138	ELEC1450C03	11111	11.57 13.11	1	3	606	110 25 00000	
4	8	OMCT	0138	INST2991C01	11111	12.50 13.15	1	28	606	110 25 00000
	8	OMCT	0138	ELEC1330C09	11111	12.50 14.05	1	9	606	110 25 00000
	8	OMCT	0138	ELEC1330C03	11111	13.12 14.26	1	3	606	110 25 00000
	8	OMCT	0138	INST2993C01	11111	13.20 14.10	1	28	606	110 25 00000
	OMCT	0138	INST2995C01	11111	14.15 15.30		19	606	110 25 00000	
	OMCT	0140	WELD1411C01	11111	8.00 9.30		6	2,741	210 25 00000	
	OMCT	0140	WELD1511C01	11111	8.00 9.40	1	8	2,741	210 25 00000	
	OMCT	0140	WELD2312C01	11111	8.00 9.40	1	2	2,741	210 25 00000	
	OMCT	0140	IMMT1111C01	11111	8.20 11.00	1	2	2,741	210 25 00000	
	OMCT	0140	WELD1211C01	1111	8.30 10.00	1	6	2,741	210 25 00000	
	OMCT	0140	WELD1131C01	11111	9.35 10.12	1	5	2,741	210 25 00000	
	OMCT	0140	WELD1512C01	11111	9.45 11.20	1	6	2,741	210 25 00000	
	8	OMCT	0140	WELD1510C01	11111	9.45 11.30	1	7	2,741	210 25 00000
	8	OMCT	0140	WELD1413C01	11111	10.05 11.20	1	6	2,741	210 25 00000
	8	OMCT	0140	WELD2100C01	11111	10.15 12.15	1	1	2,741	210 25 00000
	8	OMCT	0140	WELD2211C01	11111	11.35 13.15	1	3	2,741	210 25 00000
	8	OMCT	0140	IMMT1112C01	11111	12.00 13.15	1	2	2,741	210 25 00000
	8	OMCT	0140	WELD1141C01	11111	12.20 13.25	1	5	2,741	210 25 00000
	8	OMCT	0140	WELD1421C01	11111	13.20 15.00	1	5	2,741	210 25 00000
	OMCT	0140	WELD1141CN1	1111	15.00 16.20		5	2,741	210 25 00000	
	OMCT	0140	IMMT1111C02	1111	15.00 17.00	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1421CN1	1111	15.00 17.05	1	2	2,741	210 25 00000	
	OMCT	0140	WELD2211CN1	1111	15.00 17.05	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1511CN1	1111	15.45 17.50	1	3	2,741	210 25 00000	
	OMCT	0140	WELD2312CN1	1111	16.25 18.30	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1411CN1	1111	17.10 19.00	1	5	2,741	210 25 00000	
	OMCT	0140	WELD2100CN1	1111	17.10 19.30	1	3	2,741	210 25 00000	
	OMCT	0140	IMMT1112C02	1111	17.10 20.00	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1512CN1	1111	18.00 20.10	1	2	2,741	210 25 00000	
	OMCT	0140	WELD1131CN1	1111	18.35 19.30	1	1	2,741	210 25 00000	
	OMCT	0140	WELD1413CN1	1111	18.45 20.20	1	4	2,741	210 25 00000	
	OMCT	0140	WELD1510CN1	1111	18.45 20.50	1	1	2,741	210 25 00000	
4	OMCT	0144	WELD1111C01	11111	8.00 8.25		6	175	110 25 00000	
4	OMCT	0144	JOBS2450C04	11111	11.25 11.50		3	175	110 25 00000	
	OMCT	0144	WELD1122C01	11111	11.25 12.15	1	3	175	110 25 00000	
	OMCT	0144	JOBS2450CN4	1111	15.00 15.35		2	175	110 25 00000	
	OMCT	0144	WELD1111CN1	1111	15.00 15.35	1	5	175	110 25 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/13/2017 15:37:49
 PAGE NUM 4

NWLTC - NORTHWEST LA CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0144	WELD1122CN1	1111	17.35 18.40		4	175	110 25 00000
	OMIA	0105	HCVO1110IY1	1 1 1	12.00 13.10		14	469	110 30 00000
	OMIA	0105	HCVO1120IY1	1 1	12.00 13.10		14	469	110 30 00000
	OMIA	0105	HCVO1111IY1	1 1 1	13.15 14.25		14	469	110 30 00000
	OMIA	0105	HCVO1131IY1	1 1	13.15 14.25		14	469	110 30 00000
	OMIA	0105	HCVO1130IY1	1 1 1	14.30 15.40		14	469	110 30 00000
	OMIA	0105	HCVO1200IY1	1 1	14.30 15.40		14	469	110 30 00000
	OMIA	0105	HCVO1210IY1	1 1 1	15.45 16.55		14	469	110 30 00000
	OMIA	0105	HCVO1220IY1	1 1	15.45 16.55		14	469	110 30 00000
	OMIA	0105	HCVO1230IY1	1 1	17.00 18.10		14	469	110 30 00000
	OMIA	0105	HCVO1121IY1	1 1 1	17.00 18.35		14	469	110 30 00000
	OMIA	0108	HCVO1110I01	1 1 1	8.00 9.00		20	463	110 30 00000
	OMIA	0108	HCVO1120I01	1 1	8.00 9.00		20	463	110 30 00000
	OMIA	0108	HCVO1131I01	1 1	9.01 10.01		20	463	110 30 00000
	OMIA	0108	HCVO1111I01	1 1 1	9.04 10.01		20	463	110 30 00000
	OMIA	0108	HCVO1130I01	1 1 1	10.02 11.02		20	463	110 30 00000
	OMIA	0108	HCVO1200I01	1 1	10.02 11.02		20	463	110 30 00000
	OMIA	0108	HCVO1210I01	1 1 1	12.00 13.00		20	463	110 30 00000
	OMIA	0108	HCVO1220I01	1 1	12.00 13.00		20	463	110 30 00000
	OMIA	0108	HCVO1230I01	1 1	13.01 14.15		20	463	110 30 00000
	OMIA	0108	HCVO1121I01	1 1 1	13.01 14.30		20	463	110 30 00000
	OMIA	0110	HCVO1212I01	1 1 1	7.00 11.00		14	463	110 30 00000
	OMIA	0110	HCVO1140I01	1 1	7.00 11.00		14	463	110 30 00000
	OMIA	0110	CTDP1110I01	1 1	12.00 13.30		14	463	110 30 00000
	OMIA	0110	CTDP1211I01	1 1 1	12.00 14.30		14	463	110 30 00000
	OMIA	0110	CTDP1120I01	1 1	13.31 14.31		14	463	110 30 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	11
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	20
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		31
TOTAL NUMBER OF RECORDS READ		179
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		179
NUMBER OF JOINT-CLASS RECORDS		79
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/13/2017 15:37:49
 PAGE NUM 1

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			517
WEEKLY STUDENT CONTACT HOURS	6,194	765	6,959
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	957	95	1,052
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	46,530	25,850	72,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,934	2,645	28,579
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,389	1,530	13,919
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	56.0	10.0	39.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.6	5.9	19.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.8	57.8	48.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			517
WEEKLY STUDENT CONTACT HOURS	6,194	765	6,959
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	957	95	1,052
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	46,530	25,850	72,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,934	2,645	28,579
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,389	1,530	13,919
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	56.0	10.0	39.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.6	5.9	19.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.8	57.8	48.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/13/2017 15:37:49
 PAGE NUM 2

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			502
WEEKLY STUDENT CONTACT HOURS	4,467	148	4,615
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,200	124	1,324
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45,180	25,100	70,280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28,265	3,100	31,365
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,934	296	9,230
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.6	11.3	43.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.8	1.2	13.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.6	9.5	29.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			502
WEEKLY STUDENT CONTACT HOURS	4,467	148	4,615
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,200	124	1,324
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	45,180	25,100	70,280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28,265	3,100	31,365
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,934	296	9,230
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.6	11.3	43.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	19.8	1.2	13.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	31.6	9.5	29.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY