

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 09/28/2017 09:49:02  
 PAGE NUM 1

CLTCC - OAKDALE CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETING<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|----------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|
|                              | A000               | 1070                | FRTY2610D01                | 1                    | 7.30 10.20                    |              | 8                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | FRTY2710D01                | 1                    | 7.30 10.20                    |              | 7                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | FRTY2620D01                | 1                    | 8.00 9.50                     |              | 8                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | FRTY2620D01                | 1                    | 10.15 13.50                   |              | 8                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | FRTY2420D01                | 1                    | 11.00 12.00                   |              | 8                      | 988                        | 110 20 00000 |
| 4                            | A000               | 1070                | FRTY2610D01                | 1                    | 11.00 16.30                   |              | 8                      | 988                        | 110 20 00000 |
| 4                            | A000               | 1070                | FRTY2710D01                | 1                    | 11.00 16.30                   |              | 7                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | ACCT1300D01                | 1 1 1                | 11.15 12.55                   |              | 3                      | 988                        | 110 20 00000 |
|                              | A000               | 1070                | FRTY2420D01                | 1                    | 12.00 13.50                   | 1            | 8                      | 988                        | 110 20 00000 |
| 4                            | A000               | 1080                | WELD1110D01                | 11111                | 8.00 8.29                     |              | 14                     | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD1120D01                | 11111                | 8.00 9.00                     | 1            | 2                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD2210D01                | 11111                | 8.00 9.30                     | 1            | 2                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD2222D01                | 11111                | 8.00 9.30                     | 1            | 1                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD1310D01                | 11111                | 8.30 9.00                     | 1            | 3                      | 1,924                      | 210 18 00000 |
| 4                            | A000               | 1080                | WELD1140D01                | 11111                | 9.00 9.29                     |              | 16                     | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD2110D01                | 11111                | 9.01 10.29                    | 1            | 1                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD2310D01                | 11111                | 9.01 10.29                    | 1            | 3                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD1210D01                | 11111                | 9.30 10.29                    | 1            | 4                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1080                | WELD2310D02                | 11111                | 9.31 11.00                    | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1310D02                | 11111                | 10.00 11.30                   | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD2995D01                | 11111                | 10.00 11.30                   | 1            | 1                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1410D01                | 11111                | 10.30 11.30                   | 1            | 5                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD2111D01                | 11111                | 10.30 11.59                   | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1412D01                | 11111                | 10.31 11.59                   | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD2311D02                | 11111                | 11.30 12.59                   | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1411D01                | 11111                | 12.00 13.29                   | 1            | 5                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1420D01                | 11111                | 13.00 14.30                   | 1            | 1                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD1512D01                | 11111                | 13.00 14.30                   | 1            | 2                      | 1,924                      | 210 18 00000 |
| 8                            | A000               | 1080                | WELD2311D03                | 11111                | 13.30 15.00                   | 1            | 3                      | 1,924                      | 210 18 00000 |
|                              | A000               | 1090                | IIET1330D01                | 11111                | 8.00 10.00                    |              | 11                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | IIET1413D01                | 1 1 1                | 10.01 12.00                   |              | 11                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | IIET2813D01                | 1 1                  | 10.01 13.00                   |              | 15                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | IIET1123D01                | 1 1 1                | 12.01 14.00                   |              | 24                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | IIET1433D01                | 1 1                  | 13.01 16.00                   |              | 22                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | INST1110D01                | 1                    | 14.01 15.00                   |              | 11                     | 2,280                      | 210 20 00000 |
|                              | A000               | 1090                | INST1110D01                | 1 1                  | 14.01 16.00                   |              | 11                     | 2,280                      | 210 20 00000 |
| 4                            | A000               | 1130                | HNUR2123D01                | 11                   | 6.30 14.30                    |              | 21                     | 1,760                      | 110 35 00000 |
| 4                            | A000               | 1130                | HNUR2143D01                | 11                   | 6.30 14.30                    | 1            | 21                     | 1,760                      | 110 35 00000 |
|                              | A000               | 1130                | HNUR2123D01                | 1 1                  | 8.00 11.00                    |              | 21                     | 1,760                      | 110 35 00000 |
|                              | A000               | 1130                | HNUR2183D01                | 11                   | 11.45 14.45                   |              | 21                     | 1,760                      | 110 35 00000 |
| 9                            | A000               | 1130                | HNUR2183D01                | 1                    | 11.45 14.45                   |              | 21                     | 1,760                      | 110 35 00000 |
|                              | A000               | 1130                | HNUR2143D01                | 11                   | 11.45 14.45                   |              | 21                     | 1,760                      | 110 35 00000 |
| 9                            | A000               | 1130                | HNUR2143D01                | 1                    | 11.45 14.45                   |              | 21                     | 1,760                      | 110 35 00000 |

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

|  |  |    |
|--|--|----|
| 1 = ERROR  | - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -                  |    |
|  | THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,        |    |
|  | THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.  |    |
| 2 = ERROR  | - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -                       |    |
| 3 = ERROR  | - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -  |    |
| 4 = WARNING  | - CLASS TIME EXCEEDS 5 HOURS. - - - - -  | 6  |
| 5 = ERROR  | - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -         |    |
|  | CIRCULATION, CUSTODIAL OR MECHANICAL.  |    |
| 7 = ERROR  | - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -   |    |
| 8 = WARNING  | - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - | 10 |
|  | PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.  |    |
| 9 = WARNING  | - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -                    | 2  |
|  | THERE SHOULD BE NO DUPLICATES.   |    |
| ----- T O T A L S -----  |  |    |
| TOTAL ERRORS   | - - - - -  |    |
| TOTAL WARNINGS   | - - - - -  | 18 |
| TOTAL NUMBER OF RECORDS READ                                       | - - - - -  | 43 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | - - - - -  | 41 |
| NUMBER OF JOINT-CLASS RECORDS                                      | - - - - -  | 20 |
| NUMBER OF ALTERATE WEEKS RECORDS                                   | - - - - -  |    |
| NUMBER OF DIFFERENT TIMES RECORDS                                  | - - - - -  |    |
| NUMBER OF INCONSISTENT RECORDS                                     | - - - - -  |    |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 09:49:02

PAGE NUM 1

CLTCC - OAKDALE CAMPUS

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| <b>*CLASSROOM FACILITIES</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 7                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 144                      |
| WEEKLY STUDENT CONTACT HOURS   | 1,267                  |                          | 1,267                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 630                    | 350                      | 980                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 164                    |                          | 164                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 12,960                 | 7,200                    | 20,160                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4,780                  |                          | 4,780                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 2,535                  |                          | 2,535                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 26.0                   | .0                       | 16.7                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 19.6                   | .0                       | 12.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 53.0                   | .0                       | 53.0                     |
|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| <b>CLASSROOM</b>   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 7                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 144                      |
| WEEKLY STUDENT CONTACT HOURS   | 1,267                  |                          | 1,267                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 630                    | 350                      | 980                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 164                    |                          | 164                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 12,960                 | 7,200                    | 20,160                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 4,780                  |                          | 4,780                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 2,535                  |                          | 2,535                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 26.0                   | .0                       | 16.7                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 19.6                   | .0                       | 12.6                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 53.0                   | .0                       | 53.0                     |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 09/28/2017 09:49:02

PAGE NUM 2

CLTCC - OAKDALE CAMPUS

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| <b>*LABORATORY FACILITIES</b>  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 7                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 138                      |
| WEEKLY STUDENT CONTACT HOURS   | 952                    |                          | 952                      |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 630                    | 350                      | 980                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 333                    |                          | 333                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 12,420                 | 6,900                    | 19,320                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6,150                  |                          | 6,150                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 1,904                  |                          | 1,904                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 52.9                   | .0                       | 34.0                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 15.3                   | .0                       | 9.9                      |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 31.0                   | .0                       | 31.0                     |
|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| <b>CLASS LABORATORY</b>  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 7                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 138                      |
| WEEKLY STUDENT CONTACT HOURS   | 952                    |                          | 952                      |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 630                    | 350                      | 980                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 333                    |                          | 333                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 12,420                 | 6,900                    | 19,320                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 6,150                  |                          | 6,150                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 1,904                  |                          | 1,904                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 52.9                   | .0                       | 34.0                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 15.3                   | .0                       | 9.9                      |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 31.0                   | .0                       | 31.0                     |

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY