

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/16/2017 14:30:15
 PAGE NUM 1

SCLTC - RESERVE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	A000	A203	HNUR2715B01	11111	8.00 8.50		14	884	110 30 00000
	A000	A203	HNUR2725B01	11111	9.00 9.50		14	884	110 30 00000
	A000	A203	HNUR2313B01	11111	12.00 15.50		14	884	110 30 00000
	A000	A300	MAST1111B01	1	8.00 10.50		20	1,113	110 40 00000
	A000	A300	MAST1221B01	1	8.00 10.50		23	1,113	110 40 00000
	A000	A300	BOTH1300B01	1	8.00 11.20		21	1,113	110 40 00000
	A000	A303	BOTH1210B01	1	8.00 10.50		31	786	220 24 00000
	A000	A303	HEKG1113B01	11	8.00 11.20		22	786	220 24 00000
	A000	A303	BOTH1120B01	1	14.30 17.50		22	786	220 24 00000
	C000	C100	ACCT1100B01	1 1	8.00 9.50		6	970	210 28 00000
	C000	C200	HACR1230B01	1 1 1	8.00 11.20		10	5,062	210 40 00000
	C000	C200	HACR2540B01	1 1	8.00 11.20		10	5,062	210 40 00000
	C000	C200	HACR2550B01	1 1	8.00 11.20	1	10	5,062	210 40 00000
	C000	C200	HACR2560B01	1 1	8.00 11.20	1	10	5,062	210 40 00000
	C000	C200	HACR1220B01	1 1 1	12.00 13.50		11	5,062	210 40 00000
	C000	C200	HACR2550B01	1	12.00 15.50		10	5,062	210 40 00000
	C000	C200	HACR2540B01	1	13.00 15.50		10	5,062	210 40 00000
	C000	C200	HACR2560B01	1	13.00 15.50	1	10	5,062	210 40 00000
8	C000	C202	HACR1210B01	1 1 1	8.00 11.20		11	210	220 6 00000
8	C000	C202	HACR1220B01	1 1 1	8.00 11.20	1	11	210	220 6 00000
8	C000	C202	HACR1210B01	1 1 1	12.00 13.50		11	210	220 6 00000
8	C000	C202	HACR1230B01	1 1 1	12.00 13.50	1	10	210	220 6 00000
8	C000	C202	HACR2540B01	1	12.00 15.50		10	210	220 6 00000
8	C000	C202	HACR2560B01	1	12.00 15.50	1	10	210	220 6 00000
8	C000	C202	HACR2550B01	1	13.00 15.50		10	210	220 6 00000
8	C000	C202	HACR1240B01	1 1 1	14.00 15.50		10	210	220 6 00000
	C000	C300	INST2820B02	1	8.00 11.50		8	1,925	210 60 00000
	C000	C300	IMMT1120B01	1	12.30 16.20		18	1,925	210 60 00000
	C000	C300	IMMT1122B01	1	12.30 16.20	1	16	1,925	210 60 00000
	C000	C300	WELD1120B01	1111	13.00 14.50	1	16	1,925	210 60 00000
	C000	C300	INST1410B01	1 1	14.00 15.50	1	11	1,925	210 60 00000
	C000	C400	ENGL1015BJ3	1	9.00 11.50		23	1,833	210 30 00000
	C000	C400	ENGL1015BJ1	1 1	10.00 11.20		25	1,833	210 30 00000
	C000	C400	ENGL1060BJ2	1 1	13.00 14.20		11	1,833	210 30 00000
	C000	C400	ENGL1060BJ1	1 1	14.30 15.50		16	1,833	210 30 00000
	C000	C400	ENGL1015BJ2	1	17.30 20.20		24	1,833	210 30 00000
	C000	C400	ENGL1060BJ3	1	17.30 20.20		11	1,833	210 30 00000
	C000	C500	IMMT2103B01	11	8.00 10.20		5	3,363	210 30 00000
	C000	C500	IMMT2102B01	11	13.30 16.20		5	3,363	210 30 00000
	C000	C500	IMMT2113B01	1	16.00 20.50		10	3,363	210 30 00000
	C000	C503	IMMT1013B01	1	8.00 10.50		16	450	110 20 00000
	C000	C600	WELD2210B01			1	4	2,552	210 25 00000
	C000	C600	WELD2230B01			1	2	2,552	210 25 00000
	C000	C600	WELD1210B01	1111	8.00 11.20		13	2,552	210 25 00000
	C000	C600	WELD1410B01	1111	8.00 11.20	1	16	2,552	210 25 00000
	C000	C600	WELD1412B01	1111	8.00 11.20	1	5	2,552	210 25 00000
8	C000	C600	WELD2310B01	1111	8.00 11.20	1	6	2,552	210 25 00000
	C000	C600	WELD1130B01	1	12.00 13.50		9	2,552	210 25 00000
	C000	C600	WELD1210B01	111	12.00 15.50		13	2,552	210 25 00000
	C000	C600	WELD1410B01	111	12.00 15.50	1	16	2,552	210 25 00000
	C000	C600	WELD1210B01	1	13.00 15.50		13	2,552	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/16/2017 14:30:15
 PAGE NUM 2

SCLTC - RESERVE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	C000	C600	WELD1410B01	1	13.00 15.50	1	16	2,552	210 25 00000
	C000	C601	WELD1130B01	1	8.00 11.20		9	450	110 20 00000
	D000	D102	PTEC1000B01	1 1	8.00 8.50		16	727	110 26 00000
	D000	D102	PTEC2030B02	1 1	8.00 9.20		13	727	110 26 00000
	D000	D102	PTEC1000B03	1 1	10.00 10.50		16	727	110 26 00000
	D000	D102	PTEC2070B01	1 1	10.00 11.20		19	727	110 26 00000
	D000	D102	PTEC2030B01	1 1	13.00 14.20		18	727	110 26 00000
	D000	D102	PTEC2070B03	1 1	16.00 17.20		8	727	110 26 00000
	D000	D102	PTEC1000B02	1	18.00 19.50		22	727	110 26 00000
	D000	D102	PTEC1010B06	1	18.00 20.50		13	727	110 26 00000
	D000	D102	PTEC1010B03	1	18.00 20.50		14	727	110 26 00000
	D000	D102	PTEC2070B02	1	18.00 20.50		15	727	110 26 00000
	D000	D106	PTEC1000B05	1 1	8.00 8.50		15	615	110 23 00000
	D000	D106	PTEC1310B07	1 1	8.00 9.50		15	615	110 23 00000
	D000	D106	PTEC1610B01	1 1	10.00 11.50		19	615	110 23 00000
	D000	D106	PTEC2420B02	1 1	13.00 15.20		20	615	110 23 00000
	D000	D106	PTEC2420B03	1 1	13.00 15.20		20	615	110 23 00000
	D000	D106	PTEC2420B04	1	16.30 21.20		16	615	110 23 00000
	D000	D107	MATH1015BJ1	1 1	8.30 9.50		25	633	110 51 00000
	D000	D107	MATH1020BJ3	1 1	8.30 9.50		10	633	110 51 00000
	D000	D107	MATH1020BJ2	1 1	10.00 11.20		8	633	110 51 00000
	D000	D107	MATH1015BJ3	1 1	13.00 14.20		22	633	110 51 00000
	D000	D107	MATH1015BJ2	1 1	13.00 14.20		24	633	110 51 00000
	D000	D109	PTEC1320B01	1 1	9.30 11.20		19	604	240 26 00000
	D000	D109	INST1130B02	1 1	13.00 15.50		23	604	240 26 00000
	D000	D109	INST1120B01	1 1	13.00 15.50		17	604	240 26 00000
	D000	D109	INST1215B01	1 1	16.30 18.20		19	604	240 26 00000
	D000	D117	PTEC2430B01	1	7.00 11.50		10	3,245	220 80 00000
	D000	D117	PTEC2430B02	1	7.00 11.50		12	3,245	220 80 00000
	D000	D117	PTEC2430B06	1	16.00 20.50		8	3,245	220 80 00000
	D000	D117	PTEC2430B05	1	16.00 20.50		11	3,245	220 80 00000
	D000	D200	INST1425B01	1	8.00 12.50		17	790	210 31 00000
	D000	D200	INST2625B01	1 1	14.00 16.50		5	790	210 31 00000
	D000	D200	INST2820B01	1 1	16.00 17.50		11	790	210 31 00000
	D000	D200	PTEC1320B04	1	17.30 21.20		13	790	210 31 00000
	D000	D204	INST1110B03	1 1	16.00 17.50		16	479	110 20 00000
	D000	D204	INST1331B01	1 1	17.00 18.50		18	479	110 20 00000
	D000	D204	INST2650B01	1 1	19.00 20.50		14	479	110 20 00000
	D000	D300	PTEC1010B01	1 1	8.00 9.20		20	2,007	210 41 00000
	D000	D300	PTEC1010B02	1 1	8.00 9.20		17	2,007	210 41 00000
	D000	D300	PTEC1310B01	1 1	10.00 11.50		12	2,007	210 41 00000
	D000	D300	PTEC1310B02	1 1	10.00 11.50		23	2,007	210 41 00000
	D000	D300	PTEC2030B03	1	18.00 20.50		7	2,007	210 41 00000
	D000	D305	INST1110B01	1 1	8.00 9.20		16	161	215 16 00000
	D000	D305	INST2741B01	1 1	8.00 10.50		6	161	215 16 00000
	D000	D305	INST1430B01	1 1	9.30 10.50		10	161	215 16 00000
	D000	D305	INST1420B01	1 1	11.30 12.50		10	161	215 16 00000
	D000	D305	INST1120B04	1111	16.30 18.20		19	161	215 16 00000
8	D000	D305	INST1130B03	1111	16.30 18.20	1	21	161	215 16 00000
	J000	J100	PHSC1015B01	1 1	10.30 11.50		25	750	210 50 00000
	J000	J100	CHEM1410B01	1 1	13.00 14.20		25	750	210 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/16/2017 14:30:15
 PAGE NUM 3

SCLTC - RESERVE CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	J000	J100	CHEM1410BJ1	1 1	16.00 17.20		25	750	210 50 00000
	J000	J100	PHSC1015BJ1	1	18.00 20.50		20	750	210 50 00000
	J000	J200	CHEM1411B04	1	16.00 17.50		16	750	210 25 00000
	J000	J200	PHSC1016B01	1	16.00 17.50		17	750	210 25 00000
	J000	J200	PHSC1016B02	1	16.00 17.50		13	750	210 25 00000
	J000	J200	CHEM1411B01	1	18.00 19.50		16	750	210 25 00000
	J000	J200	CHEM1411B03	1	18.00 19.50		17	750	210 25 00000
	J000	J200	CHEM1411B02	1	18.00 19.50		11	750	210 25 00000
	J000	J200	PHSC1016B03	1	18.30 20.20		19	750	210 25 00000
	K000	K0211	PTEC2630B01	1 1	13.00 14.20		19	441	110 18 00000
	K000	K0211	PTEC2630B02	1	16.00 18.50		18	441	110 18 00000
	K000	K0212	JOBS2450B03	1	9.00 10.50		14	666	110 24 00000
	K000	K0212	JOBS2450B02	1	11.00 12.50		25	666	110 24 00000
	K000	K0212	JOBS2450B01	1	18.00 19.50		22	666	110 24 00000
	K000	K0213	PTEC1610B02	1 1	13.00 14.50		23	684	110 24 00000
	K000	K0213	PTEC2912B02	1	15.00 17.50		8	684	110 24 00000
	K000	K0213	PTEC2420B01	1	16.30 21.20		9	684	110 24 00000
	K000	K0213	PTEC1610B05	1	17.30 21.20		20	684	110 24 00000
	K000	K0214	PTEC2440B01	1	13.00 15.50		20	739	140 27 00000
	K000	K0214	PTEC2440B03	1	13.00 15.50		17	739	140 27 00000
	K000	K0214	PTEC2440B02	1	18.00 20.50		15	739	140 27 00000
	K000	K0214	PTEC2440B04	1	18.00 20.50		16	739	140 27 00000
	K000	K0215	ORNT1000B03	1	16.30 17.20		21	743	110 24 00000
	K000	K0216	PTEC1010B04	1 1	12.30 13.50		14	741	110 24 00000
	K000	K0216	PTEC1010B05	1 1	13.00 14.20		15	741	110 24 00000
	K000	K0216	PTEC1310B05	1 1	15.00 16.50		14	741	110 24 00000
	K000	K0216	PTEC1310B03	1	17.30 21.20		21	741	110 24 00000
	K000	K0216	PTEC1310B04	1	17.30 21.20		13	741	110 24 00000
	K000	K0216	PTEC2912B01	1	18.00 20.50		19	741	110 24 00000
	K000	K0314	MATH1015B01	1 1	16.00 17.20		24	663	110 32 00000
	K000	K0316	DVMA0090B01	1 1	8.00 9.50		24	1,185	210 32 00000
	K000	K0316	DVEN0090B01	1 1	8.00 9.50		14	1,185	210 32 00000
	K000	K0316	DVEN0091B01	1 1	8.00 9.50	1	18	1,185	210 32 00000
	K000	K0316	DVMA0091B01	1 1	10.00 11.50		26	1,185	210 32 00000
	K000	K0316	IMMT1133B01	1 1	13.00 14.20		7	1,185	210 32 00000
	K000	K0316	DVMA0092B01	1 1	13.00 14.50	1	31	1,185	210 32 00000
	K000	K0316	DVEN0092B01	1 1	13.00 14.50		42	1,185	210 32 00000
	K000	K0316	DVMA0090B02	1 1	17.00 18.50		15	1,185	210 32 00000
	K000	K0316	DVMA0091B02	1 1	17.00 18.50	1	12	1,185	210 32 00000
8	K000	K0316	DVMA0092B02	1 1	17.00 18.50	1	24	1,185	210 32 00000
	K000	K0319	ORNT1000BJ5	1 1	10.00 10.50		28	664	110 30 00000
	K000	K0319	ORNT1000BJ6	1 1	10.00 10.50		25	664	110 30 00000
	K000	K0319	ORNT1000B04	1	13.00 13.50		25	664	110 30 00000
	K000	K0319	ORNT1000B01	1	16.30 17.20		26	664	110 30 00000
	K000	K0319	ORNT1000B02	1	17.00 17.50		19	664	110 30 00000
	K000	K0319	PTEC2630B03	1	18.00 20.50		17	664	110 30 00000
	K000	K0319	SPCH1015BJ1	1	18.00 20.50		22	664	110 30 00000
	K000	K0319	SPCH1015BJ2	1	18.00 20.50		22	664	110 30 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	11
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	11
TOTAL NUMBER OF RECORDS READ	- - - - -	150
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	148
NUMBER OF JOINT-CLASS RECORDS	- - - - -	19
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/16/2017 14:30:15

PAGE NUM 1

SCLTC - RESERVE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			688
WEEKLY STUDENT CONTACT HOURS	2,571	910	3,481
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,160	1,200	3,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	308	104	412
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	61,920	34,400	96,320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,880	2,632	11,512
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,142	1,820	6,962
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.3	8.7	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.3	5.3	7.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.9	69.1	60.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			636
WEEKLY STUDENT CONTACT HOURS	2,460	817	3,277
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	296	92	388
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57,240	31,800	89,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,556	2,308	10,864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,920	1,634	6,554
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.9	8.4	12.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.6	5.1	7.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.5	70.8	60.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/16/2017 14:30:15

PAGE NUM 2

SCLTC - RESERVE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			52
WEEKLY STUDENT CONTACT HOURS	111	93	204
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12	12	24
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,680	2,600	7,280
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	324	324	648
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	222	186	408
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	6.7	12.0	8.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.7	7.2	5.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.5	57.4	63.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			661
WEEKLY STUDENT CONTACT HOURS	4,426	568	4,994
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,800	1,000	2,800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	668	72	740
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,490	33,050	92,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21,468	2,322	23,790
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,852	1,136	9,988
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.1	7.2	26.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	14.9	3.4	10.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	41.2	48.9	42.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/16/2017 14:30:15
 PAGE NUM 3

SCLTC - RESERVE CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			407
WEEKLY STUDENT CONTACT HOURS	3,370	568	3,938
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	501	72	573
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	36,630	20,350	56,980
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17,020	2,322	19,342
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,740	1,136	7,876
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.4	12.0	34.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.4	5.6	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.6	48.9	40.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			254
WEEKLY STUDENT CONTACT HOURS	1,056		1,056
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1,120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	167		167
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22,860	12,700	35,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,448		4,448
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,112		2,112
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	23.2	.0	14.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.2	.0	5.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.5	.0	47.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY