

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.		
	MEAA	A0101	BARB2131E01	11111	7.45 10.10		7	341	630	23	00000
	MEAA	A0101	BARB1231E01	11111	10.15 11.30		1	341	630	23	00000
4	MEAA	A0101	BARB2630E01	11111	12.00 12.25		1	341	630	23	00000
	MEAA	A0101	BARB1341E01	11111	13.08 14.18		7	341	630	23	00000
	MEAA	A0101	BARB2111E01	11111	14.20 15.30		6	341	630	23	00000
	MEAA	A0104	BARB1420E01	11111	10.12 10.47		6	495	110	32	00000
	MEAA	A0104	BARB2120E01	11111	10.50 11.25		7	495	110	32	00000
	MEAA	A0104	BARB1330E01	11111	11.55 13.05		6	495	110	32	00000
	MEAA	A0104	BARB1350E01	11111	12.30 13.25	1	1	495	110	32	00000
	MEAA	A0104	BARB1430E01	11111	13.30 14.25		1	495	110	32	00000
	MEAA	A0104	BARB2996EA1	1	17.00 20.00		8	495	110	32	00000
	MEAA	A0104	BARB2996EA2	1	17.00 20.00	1	9	495	110	32	00000
	MEAA	A0202	INTE1100E01	1 1	8.00 11.00		8	27	140	22	00000
	MEAA	A0202	INTE1110E01	1 1	11.45 14.45		10	27	140	22	00000
	MEAA	A0205	INTE2850E01	1 1	8.00 11.00		8	499	210	15	00000
4	MEAA	A0205	INTE2110E01	1 1	8.00 14.45	1	1	499	210	15	00000
4	MEAA	A0205	INTE2120E01	1 1	8.00 14.45	1	1	499	210	15	00000
4	MEAA	A0205	INTE2130E01	1 1	8.00 14.45	1	1	499	210	15	00000
4	MEAA	A0205	INTE2140E01	1 1	8.00 14.45	1	2	499	210	15	00000
4	MEAA	A0205	INTE1200E01	1 1	8.00 14.45		5	499	210	15	00000
	MEAA	A0205	INTE1330E01	1 1	11.45 14.45		4	499	210	15	00000
	MEAA	A0207	INTE1210E01	1 1	12.30 15.30		1	451	210	14	00000
	MEAA	A0207	INTE2020E01	1 1	13.45 14.45		2	451	210	14	00000
	MEAA	A0207	INTE2030E01	1 1	13.45 14.45	1	2	451	210	14	00000
	MEAA	A0208	SPPR2991E01	1 1 1	11.45 12.45		1	511	210	15	00000
	MEAA	A0209	INTE2902E01	1 1 1	8.00 11.00		1	1,149	220	22	00000
4	MEAA	A0209	JOBS2450EH1	11111	8.30 8.55	1	3	1,149	220	22	00000
4	MEAA	A0209	JOBS2450EH2	11111	8.30 8.55	1	1	1,149	220	22	00000
	MEAA	A0209	AHMA1000E01	1111	9.15 11.15		9	1,149	220	22	00000
	MEAA	A0209	AHMA1000E02	1111	9.15 11.15	1	1	1,149	220	22	00000
	MEAA	A0209	DVMA0091E02	1111	9.15 11.15	1	16	1,149	220	22	00000
	MEAA	A0209	JOBS2450E01	1 1	12.30 13.30		27	1,149	220	22	00000
	MEAA	A0209	AHEN1000E01	1111	12.30 14.30	1	1	1,149	220	22	00000
8	MEAA	A0209	DVEN0091E01	1111	12.30 14.30	1	10	1,149	220	22	00000
8	MEAA	A0209	AHEN1000E02	11111	13.00 14.30	1	1	1,149	220	22	00000
8	MEAA	A0209	AHRE1000E01	1111	13.30 15.30	1	1	1,149	220	22	00000
8	MEAA	A0209	AHRE1000E02	1111	13.30 15.30	1	1	1,149	220	22	00000
8	MEAA	A0209	DVRE0091E01	1111	13.30 15.30	1	7	1,149	220	22	00000
8	MEAA	A0209	CPTR1000E01	1 1	14.00 15.30	1	29	1,149	220	22	00000
8	MEAA	A0209	CPTR1002E01	1 1	14.00 15.30	1	5	1,149	220	22	00000
8	MEAA	A0209	CPTR1002E03	1 1	14.00 15.30	1	1	1,149	220	22	00000
	MEAA	A0209	ORNT1000E03	1	15.00 17.00		1	1,149	220	22	00000
	MEAA	A0209	ORNT1000EV1	1	15.00 17.00		17	1,149	220	22	00000
8	MEAA	A0209	ORNT1000E01	1	15.00 17.00	1	58	1,149	220	22	00000
	MEAA	A0209	CPTR1000E02	1 1	15.30 17.00		2	1,149	220	22	00000
	MEAA	A0209	CPTR1000E03	1 1	15.30 17.00	1	14	1,149	220	22	00000
	MEAA	A0209	CPTR1002E02	1 1	15.30 17.00	1	1	1,149	220	22	00000
	MECC	C0102	HACR1150E01	11111	8.00 9.25		13	274	110	13	00000
	MECC	C0102	HACR1210E01	11111	8.00 9.25	1	4	274	110	13	00000
	MECC	C0102	HACR1240E02	11111	8.00 9.25	1	1	274	110	13	00000
8	MECC	C0102	HACR1410E01	11111	8.00 9.25	1	3	274	110	13	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/12/2017 09:26:32
 PAGE NUM 2

NWLTC - SHREVEPORT-BOSSIER CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MECC C0102	HACR2530E01	11111	8.00 9.25	1	2	274	110 13	00000
	MECC C0102	HACR1160E01	11111	9.35 10.55		12	274	110 13	00000
	MECC C0102	HACR1220E01	11111	9.35 10.55	1	3	274	110 13	00000
	MECC C0102	HACR1420E01	11111	9.35 10.55	1	3	274	110 13	00000
	MECC C0102	HACR2540E01	11111	9.35 10.55	1	1	274	110 13	00000
	MECC C0102	HACR1230E01	11111	12.05 13.25		3	274	110 13	00000
	MECC C0102	HACR2510E01	11111	12.05 13.25	1	3	274	110 13	00000
	MECC C0102	HACR1170E01	11111	12.05 13.25	1	11	274	110 13	00000
	MECC C0102	SPPR2993E01	1 1 1	12.15 13.35	1	1	274	110 13	00000
	MECC C0102	HACR1180E01	11111	13.35 14.55		12	274	110 13	00000
	MECC C0102	HACR1240E01	11111	13.35 14.55	1	5	274	110 13	00000
	MECC C0102	HACR2520E01	11111	13.35 14.55	1	2	274	110 13	00000
	MECC C0102	SPPR2995E01	11111	13.35 14.55	1	1	274	110 13	00000
	MECC C0102	HACR1150EN1	11	16.00 16.45		2	274	110 13	00000
	MECC C0102	HACR1180EN1	11	16.00 16.45	1	1	274	110 13	00000
	MECC C0102	HACR1410EN1	11	16.00 16.45	1	1	274	110 13	00000
	MECC C0102	HACR2530EN1	11	16.00 16.45	1	2	274	110 13	00000
	MECC C0102	HACR1420EN1	11	16.55 18.00		1	274	110 13	00000
	MECC C0102	HACR1160EN1	11	16.55 18.25	1	2	274	110 13	00000
	MECC C0102	HACR2520EN1	11	16.55 18.25	1	3	274	110 13	00000
	MECC C0102	HACR1170EN1	11	18.35 20.00		2	274	110 13	00000
	MECC C0102	HACR2510EN1	11	18.35 20.00	1	3	274	110 13	00000
	MECC C0102	HACR2560EN1	11	18.35 20.00	1	1	274	110 13	00000
	MEDD D0102	WELD1413E01	11111	8.00 8.50		4	1,040	110 43	00000
	MEDD D0102	WELD1111E01	1111	8.00 8.55	1	16	1,040	110 43	00000
	MEDD D0102	WELD2211E01	11111	8.00 9.15	1	17	1,040	110 43	00000
	MEDD D0102	WELD1411E01	11111	9.00 10.30	1	4	1,040	110 43	00000
	MEDD D0102	WELD2231E01	11111	9.30 10.45	1	18	1,040	110 43	00000
8	MEDD D0102	WELD1141E01	1111	10.35 11.10	1	17	1,040	110 43	00000
	MEDD D0102	WELD1122E01	1111	12.00 13.10		17	1,040	110 43	00000
	MEDD D0102	WELD1421E01	11111	12.00 13.30	1	14	1,040	110 43	00000
	MEDD D0102	WELD2312E01	11111	12.00 14.45	1	6	1,040	110 43	00000
	MEDD D0102	WELD1131E01	1111	13.15 14.10	1	19	1,040	110 43	00000
8	MEDD D0102	WELD2100E01	1111	13.45 15.30	1	14	1,040	110 43	00000
8	MEDD D0102	WELD1211E01	1111	14.15 15.10	1	18	1,040	110 43	00000
	MEDD D0102	WELD2100EN1	111	16.00 19.00		1	1,040	110 43	00000
	MEDD D0102	WELD1510EN1	1	16.00 21.00	1	1	1,040	110 43	00000
	MEDD D0106	DPET1120E01	11111	8.00 8.45		8	67	110 25	00000
	MEDD D0106	DPET1150E01	11111	8.46 9.20		2	67	110 25	00000
4	MEDD D0106	DPET1310E01	11111	9.21 9.45		9	67	110 25	00000
	MEDD D0106	DPET1320E01	11111	9.46 10.30		10	67	110 25	00000
4	MEDD D0106	DPET1330E01	11111	10.31 11.00		8	67	110 25	00000
	MEDD D0106	DPET2130E01	11111	12.00 13.00		10	67	110 25	00000
	MEDD D0106	DPET2210ES1	11111	12.00 15.00	1	2	67	110 25	00000
	MEDD D0106	ORNT1000ES1	11111	12.00 15.00	1	2	67	110 25	00000
	MEDD D0106	DPET1120ES1	111 1	12.00 15.00	1	2	67	110 25	00000
	MEDD D0106	DPET2140ES1	1 1	12.00 15.00	1	2	67	110 25	00000
4	MEDD D0106	DPET2140E01	11111	13.01 13.30	1	7	67	110 25	00000
4	MEDD D0106	DPET2210E01	11111	13.31 14.00		8	67	110 25	00000
	MEDD D0106	DPET2240E01	11111	14.01 14.45		11	67	110 25	00000
	MEDD D0109	WELD2231EN1	111	17.00 21.00		1	176	210 35	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/12/2017 09:26:32
 PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEDD	D0109	WELD1211EN1	111	18.50 21.10	1	6	176	210 35 00000
	MEDD	D0112	WELD1420E01	11111	8.00 9.30		6	72	210 30 00000
	MEDD	D0112	WELD2220E01	11111	8.00 9.30	1	1	72	210 30 00000
	MEDD	D0112	WELD1510E01	11111	9.35 11.05		9	72	210 30 00000
	MEDD	D0112	WELD2221E01	11111	9.35 11.05	1	1	72	210 30 00000
	MEDD	D0112	WELD1511E01	11111	12.00 13.30		7	72	210 30 00000
	MEDD	D0112	WELD2222E01	11111	12.00 13.30	1	1	72	210 30 00000
	MEDD	D0112	WELD1512E01	11111	13.35 15.05		10	72	210 30 00000
	MEDD	D0112	WELD1111EN1	111	16.00 17.00		6	72	210 30 00000
	MEDD	D0112	WELD1511EN1	1	16.00 21.00	1	1	72	210 30 00000
	MEDD	D0112	WELD1512EN1	1	16.00 21.00		1	72	210 30 00000
	MEDD	D0112	WELD1141EN1	111	17.05 18.45	1	6	72	210 30 00000
	MEEE	E0116	HNUR1212E01	1 1	7.30 8.30		34	84	210 46 00000
	MEEE	E0116	HCOR1212E01	111	7.30 11.30	1	4	84	210 46 00000
	MEEE	E0118	HNUR2712E01	111	7.30 9.00		17	621	110 35 00000
	MEEE	E0118	HNUR1411E01	1	8.35 10.30	1	9	621	110 35 00000
	MEEE	E0118	HNUR1363E01	1	9.00 11.00		34	621	110 35 00000
	MEEE	E0118	HNUR2722E01	111	9.30 11.00	1	17	621	110 35 00000
4	MEEE	E0123	HNUR2118E01	11	7.30 14.30		28	300	110 48 00000
4	MEEE	E0123	HPHL1013E01	11	7.30 14.30		6	300	110 48 00000
4	MEEE	E0123	HNUR2128E01	11	7.30 16.30		16	300	110 48 00000
	MEEE	E0123	HNUR1100E01	111	8.35 10.35	1	52	300	110 48 00000
	MEEE	E0123	HNUR1000E01	11	10.40 12.40		38	300	110 48 00000
	MEEE	E0124	HNUR1211E02	1	7.30 12.30		34	987	110 34 00000
4	MEEE	E0124	HNUR1211E01	11	7.30 13.00	1	4	987	110 34 00000
8	MEEE	E0124	HNUR2522E01	11	9.05 11.15	1	28	987	110 34 00000
	MEEE	E0124	HNUR1322E01	11	12.45 13.45		42	987	110 34 00000
	MEEE	E0127	HEKG1113E01	111	7.30 10.30		2	60	210 35 00000
4	MEEE	E0127	BOTH1210E01	1	7.30 14.30	1	3	60	210 35 00000
4	MEEE	E0127	HCOR1601E01	1	7.30 16.00		3	60	210 35 00000
4	MEEE	E0127	HCOR1200E01	1	7.30 16.00		3	60	210 35 00000
	MEEE	E0127	HCOR1801E01	111	12.15 14.30	1	2	60	210 35 00000
	MEEE	E0147	HNUR1460E01	11	7.30 9.00		28	739	110 49 00000
	MEEE	E0149	HNUR2611E01	1	10.35 12.35		9	503	110 35 00000
	MEEE	E0167	CULN1130E01	1	8.00 9.00		4	46	110 30 00000
	MEEE	E0167	CULN1140E01	1111	8.00 12.00		5	46	110 30 00000
	MEEE	E0167	CULN1240E01	1111	8.00 12.00	1	3	46	110 30 00000
	MEEE	E0167	CULN1321E01	1111	8.00 12.00	1	4	46	110 30 00000
	MEEE	E0167	CULN2310E01	1111	8.00 12.00	1	5	46	110 30 00000
	MEEE	E0167	CULN2410E01	1111	8.00 12.00	1	2	46	110 30 00000
	MEEE	E0167	CULN2420E01	1111	8.00 12.00	1	2	46	110 30 00000
	MEEE	E0167	CULN2430E01	1111	8.00 12.00	1	5	46	110 30 00000
	MEEE	E0167	CULN1110E01	1	9.00 10.00		5	46	110 30 00000
	MEEE	E0167	CULN1160E01	1	10.00 11.00		3	46	110 30 00000
	MEEE	E0167	CULN1170E01	1	11.00 12.00		5	46	110 30 00000
	MEEE	E0167	CULN1130E01	1 1	12.00 13.00		4	46	110 30 00000
	MEEE	E0167	CULN1220E01	1 1	12.00 13.00		3	46	110 30 00000
	MEEE	E0167	CULN1170E01	1 1	12.00 13.30		5	46	110 30 00000
	MEEE	E0167	CULN1110E01	1 1	13.00 14.00		5	46	110 30 00000
	MEEE	E0167	CULN1220E01	1 1	13.30 15.00		3	46	110 30 00000
	MEEE	E0167	CULN1160E01	1 1	14.00 15.00		3	46	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 10/12/2017 09:26:32
 PAGE NUM 4

NWLTC - SHREVEPORT-BOSSIER CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J N T	A L T	D I F	I N C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	MEFF F0108	AUTO1200E01	11111	8.00 8.25					3	583	110 31	00000
	MEFF F0108	AUTO1100E01	11111	8.00 8.50	1				2	583	110 31	00000
	MEFF F0108	AUTO1140E01	11111	8.00 9.20	1				3	583	110 31	00000
4	MEFF F0108	AUTO1110E01	11111	9.00 9.25	1				3	583	110 31	00000
4	MEFF F0108	AUTO1002E01	1111	13.30 13.55					18	583	110 31	00000
	MEFF F0108	AUTO1542E01	11111	13.30 15.35	1				5	583	110 31	00000
4	MEFF F0109	AUTO1750E01	11111	8.00 8.25					21	583	110 20	00000
4	MEFF F0110	AUTO1120E01	11111	9.30 9.55					3	731	110 20	00000
	MEFF F0110	AUTO1451E01	11111	10.10 12.35					23	731	110 20	00000
	MEFF F0115	ELEC1330E01	1 1	8.00 9.00					10	782	110 30	00000
	MEFF F0115	ELEC2993E01	1	8.00 9.15	1				1	782	110 30	00000
	MEFF F0115	ELEC1120EH1	11111	8.00 9.55	1				1	782	110 30	00000
	MEFF F0115	ELEC1120E01	111	8.00 9.55	1				5	782	110 30	00000
	MEFF F0115	ELEC1420E01	1 1	8.00 10.45	1				6	782	110 30	00000
	MEFF F0115	ELEC1210E01	111	8.00 11.00	1				3	782	110 30	00000
	MEFF F0115	ELEC2460E01	111	10.00 11.00	1				8	782	110 30	00000
	MEFF F0115	ELEC1440E01	1111	11.45 13.30					6	782	110 30	00000
	MEFF F0115	ELEC1311E01	1 1	11.45 14.45	1				6	782	110 30	00000
	MEFF F0115	ELEC1410E01	1111	13.35 14.45	1				7	782	110 30	00000
	MEFF F0115	ELEC1120EN2	111	16.30 18.00					1	782	110 30	00000
	MEFF F0115	ELEC1120EN1	1 1	16.30 18.00	1				5	782	110 30	00000
	MEFF F0115	ELEC2460EN1	1 1	18.00 18.35	1				5	782	110 30	00000
	MEFF F0115	ELEC1420EN1	1	18.05 21.00	1				1	782	110 30	00000
	MEFF F0115	ELEC1440EN1	1	19.05 20.01	1				1	782	110 30	00000
	MEFF F0115	ELEC1330EN1	1	20.00 20.30	1				3	782	110 30	00000
	MEFF F0115	ELEC1330EN2	1	20.00 20.30	1				1	782	110 30	00000
	MEFF F0115	ELEC1410EN1	1	20.05 21.00					1	782	110 30	00000
4	MEFF F0118	AUTO1430E01	11111	8.00 8.25					1	500	210 100	00000
4	MEFF F0118	AUTO1210E01	11111	8.30 8.55					4	500	210 100	00000
4	MEFF F0118	AUTO1220E01	11111	9.00 9.25					4	500	210 100	00000
4	MEFF F0118	AUTO1230E01	11111	9.30 9.55					6	500	210 100	00000
4	MEFF F0118	AUTO1700E01	11111	10.00 10.25					2	500	210 100	00000
4	MEFF F0118	AUTO1240E01	11111	10.01 10.25	1				5	500	210 100	00000
	MEFF F0118	AUTO1870E01	11111	10.10 12.15	1				2	500	210 100	00000
4	MEFF F0118	AUTO1500E01	11111	10.30 10.55	1				5	500	210 100	00000
4	MEFF F0118	AUTO1710E01	11111	10.30 10.55	1				3	500	210 100	00000
4	MEFF F0118	AUTO1510E01	11111	12.00 12.25					5	500	210 100	00000
4	MEFF F0118	AUTO1720E01	11111	12.00 12.25	1				2	500	210 100	00000
4	MEFF F0118	AUTO1520E01	11111	12.30 12.55					5	500	210 100	00000
4	MEFF F0118	AUTO1730E01	11111	12.30 12.55	1				3	500	210 100	00000
4	MEFF F0118	AUTO1530E01	11111	13.00 13.25					5	500	210 100	00000
4	MEFF F0118	AUTO1740E01	11111	13.00 13.25	1				3	500	210 100	00000
4	MEFF F0118	AUTO1540E01	11111	13.30 13.55					5	500	210 100	00000
	MEFF F0118	AUTO1671E01	11111	13.30 15.35	1				9	500	210 100	00000
	MEFF F0118	AUTO1800E01	11111	14.00 15.15	1				4	500	210 100	00000
	MEFF F0118	AUTO1850E01	11111	15.20 16.10					5	500	210 100	00000
	MEFF F0119	ELEC2460EN2	1	18.00 19.30					1	550	210 150	00000

DESCRIPTION AND SUMMARY OF ERRORS & WARNINGS

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	39
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	15
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		54
TOTAL NUMBER OF RECORDS READ		200
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		200
NUMBER OF JOINT-CLASS RECORDS		104
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/12/2017 09:26:32

PAGE NUM 1

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1,336
WEEKLY STUDENT CONTACT HOURS	5,481	86	5,567
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,870	2,150	6,020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,390	46	1,436
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120,240	66,800	187,040
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40,578	1,098	41,676
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,963	172	11,135
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	35.9	2.1	23.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.1	.3	6.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.0	15.7	26.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			40
TOTAL NUMBER OF STATIONS (CAPACITY)			1,270
WEEKLY STUDENT CONTACT HOURS	5,373	86	5,459
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,600	2,000	5,600
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,366	46	1,412
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	114,300	63,500	177,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40,050	1,098	41,148
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,747	172	10,919
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	37.9	2.3	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.4	.3	6.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.8	15.7	26.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/12/2017 09:26:32

PAGE NUM 2

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			66
WEEKLY STUDENT CONTACT HOURS	108		108
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24		24
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5,940	3,300	9,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	528		528
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	216		216
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	8.9	.0	5.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	3.6	.0	2.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	40.9	.0	40.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			785
WEEKLY STUDENT CONTACT HOURS	1,796	94	1,891
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	787	54	841
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	70,650	39,250	109,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,509	2,175	32,684
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,593	189	3,782
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	41.6	5.1	28.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.1	.5	3.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	11.8	8.7	11.6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/12/2017 09:26:32

PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			743
WEEKLY STUDENT CONTACT HOURS	1,040	94	1,134
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	564	54	618
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	66,870	37,150	104,020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	25,603	2,175	27,778
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,080	189	2,269
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.0	5.7	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	3.1	.5	2.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	8.1	8.7	8.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	756		756
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	223		223
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,780	2,100	5,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,906		4,906
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,513		1,513
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	123.9	.0	79.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.0	.0	25.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.8	.0	30.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY