

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 1

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	CALC	0310	BIOL1010 04	1 1	8.00 9.15		29	1,756	210 25 00000	
	CALC	0310	PHSC1000 01	1 1 1	9.00 9.50		28	1,756	210 25 00000	
	CALC	0310	BIOL1010 05	1 1	9.25 10.40		28	1,756	210 25 00000	
	CALC	0310	PHSC1000 02	1 1 1	10.00 10.50		27	1,756	210 25 00000	
	CALC	0310	PHYS2100 01	1 1	12.00 13.15		16	1,756	210 25 00000	
	CALC	0310	PHSC1100 02	1	12.15 14.45		12	1,756	210 25 00000	
	CALC	0310	PHYS2110 01	1	13.30 16.00		13	1,756	210 25 00000	
	CALC	0310	PHSC1100 01	1	13.30 16.30		9	1,756	210 25 00000	
	CALC	0310	PHSC1500 01	1	17.30 20.10		10	1,756	210 25 00000	
	CALC	0312	CHEM1010 01	1 1 1	9.00 9.50		24	1,177	210 24 00000	
	CALC	0312	CHEM1010 04	1 1	9.25 10.40		26	1,177	210 24 00000	
	CALC	0312	CHEM1010 02	1 1 1	11.00 11.50		26	1,177	210 24 00000	
	CALC	0312	CHEM1020 01	1 1	12.15 13.30		9	1,177	210 24 00000	
	CALC	0312	CHEM1010 03	1 1	13.00 14.15		23	1,177	210 24 00000	
	CALC	0313	ZHVC101 01	1111	17.30 21.00		15	3,160	210 15 00000	
4	CALC	0315	ZAED0101 01	1111	8.00 16.00		15	596	210 25 00000	
	CALC	0315	ZAED0101 02	1111	17.00 20.00		15	596	210 25 00000	
4	CALC	0316	ZAED0101 01	1111	8.00 16.00		15	587	110 25 00000	
	CALC	0316	ZAED0101 02	1111	17.00 20.00		15	587	110 25 00000	
4	CALC	0319	ZAED0101 01	1111	8.00 16.00		15	619	110 25 00000	
	CALC	0319	ZAED0101 02	1111	17.00 20.00		15	619	110 25 00000	
4	CHAR	1142	CULN1603 01	1	6.00 13.50		10	715	210 15 00000	
4	CHAR	1142	CULN1323 01	1	6.35 14.50		10	715	210 15 00000	
4	CHAR	1142	CULN2413 01	1	6.35 14.50		8	715	210 15 00000	
4	CHAR	1142	CULN1233 01	1	7.00 12.50		11	715	210 15 00000	
4	CHAR	1142	CULN1953 01	1	7.00 13.50		11	715	210 15 00000	
4	CHAR	1142	CULN2013 01	1	7.00 13.50		6	715	210 15 00000	
4	CHAR	1142	CULN1023 01	1	7.00 13.50		10	715	210 15 00000	
4	CHAR	1142	CULN2037 01	111	7.00 16.50	1	3	715	210 15 00000	
	CHAR	1142	CULN1103 01	1	8.00 12.05		15	715	210 15 00000	
4	8	CHAR	1142	CULN1506 01	1 1	8.00 13.50		24	715	210 15 00000
4		CHAR	1142	CULN1172 01	1	9.25 14.50		23	715	210 15 00000
4		CHAR	1144	CULN1603 01	1	6.00 13.50		10	981	210 20 00000
4		CHAR	1144	CULN2413 01	1	6.35 14.50		8	981	210 20 00000
4		CHAR	1144	CULN1233 01	1	7.00 12.50		11	981	210 20 00000
4		CHAR	1144	CULN1953 01	1	7.00 13.50		11	981	210 20 00000
4		CHAR	1144	CULN2013 01	1	7.00 13.50		6	981	210 20 00000
4		CHAR	1144	CULN1023 01	1	7.00 13.50		10	981	210 20 00000
4		CHAR	1144	CULN2037 01	111	7.00 16.50	1	3	981	210 20 00000
	CHAR	1144	CULN1103 01	1	8.00 12.05		15	981	210 20 00000	
4		CHAR	1144	CULN1506 01	1 1	8.00 13.50		24	981	210 20 00000
4		CHAR	1144	CULN1172 01	1	9.25 14.50		23	981	210 20 00000
4	8	CHAR	1147	CULN1603 01	1	6.00 13.50		10	160	210 5 00000
4	8	CHAR	1147	CULN1323 01	1	6.35 14.50		10	160	210 5 00000
4		CHAR	1147	CULN2413 01	1	6.35 14.50		8	160	210 5 00000
4	8	CHAR	1147	CULN1233 01	1	7.00 12.50		11	160	210 5 00000
4	8	CHAR	1147	CULN1953 01	1	7.00 13.50		11	160	210 5 00000
4		CHAR	1147	CULN2013 01	1	7.00 13.50		6	160	210 5 00000
4	8	CHAR	1147	CULN1023 01	1	7.00 13.50		10	160	210 5 00000
4	8	CHAR	1147	CULN2037 01	111	7.00 16.50	1	3	160	210 5 00000
	8	CHAR	1147	CULN1103 01	1	8.00 12.05		15	160	210 5 00000

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	CHAR 1147	CULN1506 01	1 1	8.00 13.50		24	160	210 5 00000
4	8	CHAR 1147	CULN1172 01	1	9.25 14.50		23	160	210 5 00000
4		CHAR 1149	CULN1603 01	1	6.00 13.50		10	512	210 15 00000
4		CHAR 1149	CULN1323 01	1	6.35 14.50		10	512	210 15 00000
4		CHAR 1149	CULN2413 01	1	6.35 14.50		8	512	210 15 00000
4		CHAR 1149	CULN1233 01	1	7.00 12.50		11	512	210 15 00000
4		CHAR 1149	CULN1953 01	1	7.00 13.50		11	512	210 15 00000
4		CHAR 1149	CULN2013 01	1	7.00 13.50		6	512	210 15 00000
4		CHAR 1149	CULN1023 01	1	7.00 13.50		10	512	210 15 00000
4		CHAR 1149	CULN2037 01	111	7.00 16.50	1	3	512	210 15 00000
4		CHAR 1149	CULN1103 01	1	8.00 12.05		15	512	210 15 00000
4	8	CHAR 1149	CULN1506 01	1 1	8.00 13.50		24	512	210 15 00000
4		CHAR 1149	CULN1172 01	1	9.25 14.50		23	512	210 15 00000
4		CHAR 1151	CULN1603 01	1	6.00 13.50		10	1,900	210 51 00000
4		CHAR 1151	CULN1223 01	1	6.35 7.50		13	1,900	210 51 00000
4		CHAR 1151	CULN1323 01	1	6.35 14.50	1	10	1,900	210 51 00000
4		CHAR 1151	CULN2413 01	1	6.35 14.50		8	1,900	210 51 00000
4		CHAR 1151	CULN1223 01	1 1 1	7.00 7.50	1	13	1,900	210 51 00000
4		CHAR 1151	CULN1233 01	1	7.00 12.50		11	1,900	210 51 00000
4		CHAR 1151	CULN1953 01	1	7.00 13.50		11	1,900	210 51 00000
4		CHAR 1151	CULN2013 01	1	7.00 13.50		6	1,900	210 51 00000
4		CHAR 1151	CULN1023 01	1	7.00 13.50		10	1,900	210 51 00000
4		CHAR 1151	CULN2037 01	111	7.00 16.50	1	3	1,900	210 51 00000
4		CHAR 1151	CULN1103 01	1	8.00 12.05		15	1,900	210 51 00000
4		CHAR 1151	CULN1506 01	1 1	8.00 13.50		24	1,900	210 51 00000
4		CHAR 1151	CULN1172 01	1	9.25 14.50		23	1,900	210 51 00000
4		CHAR 1151	CULN2110 01	1 1 1	14.00 21.50		10	1,900	210 51 00000
4		CHAR 1152	CULN1603 01	1	6.00 13.50		10	703	210 15 00000
4		CHAR 1152	CULN1323 01	1	6.35 14.50		10	703	210 15 00000
4		CHAR 1152	CULN2413 01	1	6.35 14.50		8	703	210 15 00000
4		CHAR 1152	CULN1233 01	1	7.00 12.50		11	703	210 15 00000
4		CHAR 1152	CULN1953 01	1	7.00 13.50		11	703	210 15 00000
4		CHAR 1152	CULN2013 01	1	7.00 13.50		6	703	210 15 00000
4		CHAR 1152	CULN1023 01	1	7.00 13.50		10	703	210 15 00000
4		CHAR 1152	CULN2037 01	111	7.00 16.50	1	3	703	210 15 00000
4		CHAR 1152	CULN1103 01	1	8.00 12.05		15	703	210 15 00000
4	8	CHAR 1152	CULN1506 01	1 1	8.00 13.50		24	703	210 15 00000
4		CHAR 1152	CULN1172 01	1	9.25 14.50		23	703	210 15 00000
		CHAR 1200	MATH0099 06	1 1	8.00 9.15		23	514	110 30 00000
		CHAR 1200	MATH0099 07	1 1	9.25 10.40		22	514	110 30 00000
		CHAR 1200	MATH1020 01	1 1 1	10.00 10.50		24	514	110 30 00000
		CHAR 1200	MATH1100 02	1 1	10.50 12.05		24	514	110 30 00000
		CHAR 1202	MATH0099 01	1 1 1	8.00 8.50		25	514	110 24 00000
		CHAR 1202	MATH1100 01	1 1	8.00 9.15		23	514	110 24 00000
		CHAR 1202	MATH1110 01	1 1 1	9.00 9.50		14	514	110 24 00000
		CHAR 1202	MATH1020 02	1 1	9.25 10.40		25	514	110 24 00000
		CHAR 1202	MATH0099 09	1 1 1	10.00 10.50		26	514	110 24 00000
		CHAR 1202	MATH0099 11	11111	11.00 11.50		26	514	110 24 00000
	8	CHAR 1202	MATH1100 11	11111	11.00 11.50	1	16	514	110 24 00000
		CHAR 1202	MATH0098 13	1 1	12.00 13.15		24	514	110 24 00000
		CHAR 1202	MATH0098 02	1 1	12.15 13.30		24	514	110 24 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHAR 1204	MATH1100 08	1 1 1	8.00 8.50		24	514	110 34	00000
	CHAR 1204	MATH0098 01	1 1	8.00 9.15		27	514	110 34	00000
	CHAR 1204	MATH0099 04	1 1 1	9.00 9.50		25	514	110 34	00000
	CHAR 1204	MATH1100 09	1 1	9.25 10.40		25	514	110 34	00000
	CHAR 1204	MATH1100 05	1 1 1	10.00 10.50		25	514	110 34	00000
	CHAR 1204	MATH0098 15	11111	11.00 11.50		23	514	110 34	00000
	CHAR 1204	MATH0099 12	11111	11.00 11.50	1	23	514	110 34	00000
	CHAR 1205	I TEC2995 01			1	2	1,597	240 40	00000
	CHAR 1205	I TEC2110 01	1 1 1	8.30 9.50		13	1,597	240 40	00000
	CHAR 1205	I TEC1016 01	1 1 1	10.00 10.50		25	1,597	240 40	00000
	CHAR 1205	I TEC1200 01	1 1	10.50 12.05		25	1,597	240 40	00000
	CHAR 1205	I TEC1100 01	1 1 1	11.00 11.50		24	1,597	240 40	00000
	CHAR 1205	I TEC1101 01	1 1	12.00 12.50		24	1,597	240 40	00000
	CHAR 1206B	MATH1100 07	1 1 1	8.00 8.50		28	1,001	110 50	00000
	CHAR 1206B	MATH0099 13	1 1	9.25 10.40		26	1,001	110 50	00000
	CHAR 1206B	MATH2100 02	1 1 1	10.00 10.50		30	1,001	110 50	00000
	CHAR 1206B	MATH0098 07	1 1	10.50 12.05		28	1,001	110 50	00000
	CHAR 1206B	MATH0098 05	1 1 1	11.00 11.50		27	1,001	110 50	00000
	CHAR 1206B	MATH0098 03	1 1	12.00 13.15		27	1,001	110 50	00000
	CHAR 1206B	MATH0099 02	1 1	12.15 13.30		28	1,001	110 50	00000
	CHAR 1206B	MATH0098 04	1 1	13.25 14.40		29	1,001	110 50	00000
	CHAR 1207	BUSI1030 01	1 1 1	9.00 9.50		18	1,137	210 35	00000
	CHAR 1207	I TEC1000 03	1 1	9.25 10.40		25	1,137	210 35	00000
	CHAR 1207	BUSI1090 01	1 1 1	10.00 10.50		22	1,137	210 35	00000
	CHAR 1207	I TEC1210 01	1 1 1	11.00 11.50		26	1,137	210 35	00000
	CHAR 1207	I TEC2570 01	1 1	12.00 13.15		6	1,137	210 35	00000
	CHAR 1208	CULN1223 01	1	6.35 7.50		13	1,032	110 45	00000
	CHAR 1208	CULN1223 01	1 1 1	7.00 7.50		13	1,032	110 45	00000
	CHAR 1208	CULN1103 01	1	8.00 12.05		15	1,032	110 45	00000
	CHAR 1209	I TEC2995 02			1	10	1,337	210 32	00000
	CHAR 1209	I TEC1000 02	1 1 1	8.00 8.50		25	1,337	210 32	00000
	CHAR 1209	I TEC1500 01	1 1 1	9.00 9.50		12	1,337	210 32	00000
	CHAR 1209	I TEC1010 01	1 1	9.25 10.40		25	1,337	210 32	00000
	CHAR 1209	I TEC1550 01	1 1 1	10.00 10.50		24	1,337	210 32	00000
	CHAR 1209	I TEC1320 01	1 1	10.50 12.05		18	1,337	210 32	00000
	CHAR 1209	I TEC1250 01	1 1 1	11.00 11.50		17	1,337	210 32	00000
	CHAR 1209	I TEC1000 01	1 1	12.00 12.50		27	1,337	210 32	00000
	CHAR 1212	BUSI2330 02	1 1	8.00 9.15		10	504	110 24	00000
	CHAR 1212	ACCT1250 01	1 1 1	9.00 9.50		10	504	110 24	00000
	CHAR 1212	BUSI2310 02	1 1	9.25 10.40		11	504	110 24	00000
	CHAR 1212	BUSI1030 02	1 1	10.50 12.05		21	504	110 24	00000
	CHAR 1214	ACCT2995 01			1	1	528	110 25	00000
	CHAR 1214	ACCT1110 01	1 1 1	8.00 8.50		15	528	110 25	00000
	CHAR 1214	ACCT1110 03	1 1	8.00 9.15		18	528	110 25	00000
	CHAR 1214	ACCT2040 01	1 1	9.25 10.40		10	528	110 25	00000
	CHAR 1214	ACCT2030 01	1 1 1	10.00 10.50		24	528	110 25	00000
	CHAR 1214	ACCT1120 01	1 1	10.50 12.05		14	528	110 25	00000
	CHAR 1214	ACCT1110 02	1 1 1	11.00 11.50		15	528	110 25	00000
	CHAR 1215	ACCT1210 01	1 1 1	8.00 8.50		10	651	210 30	00000
	CHAR 1215	OADM2640 01	1 1	8.00 9.15		8	651	210 30	00000
	CHAR 1215	OADM1330 01	1 1	9.25 10.40		11	651	210 30	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	CHAR	1215	OADM1450 01	1 1 1	10.00 10.50		6	651	210 30 00000
	CHAR	1215	OADM1550 01	1 1 1	11.00 11.50		1	651	210 30 00000
	CHAR	1217	BUSI2995 01			1	3	718	210 30 00000
	CHAR	1217	BUSI2300 01	1 1 1	8.00 8.50	1	12	718	210 30 00000
	CHAR	1217	OADM1100 02	1 1 1	9.00 9.50		11	718	210 30 00000
	CHAR	1217	BUSI1080 01	1 1	9.25 10.40		21	718	210 30 00000
	CHAR	1217	OADM1100 01	1 1	10.50 12.05		11	718	210 30 00000
	CHAR	1234A	MATH0098 09	1 1 1	8.00 8.50		29	873	110 30 00000
	CHAR	1234A	MATH0099 05	1 1	8.00 9.15		27	873	110 30 00000
	CHAR	1234A	MATH1100 03	1 1 1	9.00 9.50		30	873	110 30 00000
	CHAR	1234A	MATH0098 06	1 1	9.25 10.40		27	873	110 30 00000
	CHAR	1234A	MATH0099 03	1 1 1	10.00 10.50		30	873	110 30 00000
	CHAR	1234A	MATH0099 08	1 1	10.50 12.05		30	873	110 30 00000
	CHAR	1234A	MATH1100 06	1 1 1	11.00 11.50		30	873	110 30 00000
	CHAR	1234B	MATH0098 11	1 1	8.00 9.15		29	1,065	110 30 00000
	CHAR	1234B	MATH0098 10	1 1 1	9.00 9.50		28	1,065	110 30 00000
	CHAR	1234B	MATH1100 10	1 1	9.25 10.40		27	1,065	110 30 00000
	CHAR	1234B	MATH1100 04	1 1 1	10.00 10.50		30	1,065	110 30 00000
	CHAR	1234B	MATH2100 01	1 1	10.50 12.05		30	1,065	110 30 00000
	CHAR	1234B	MATH1100 19	1 1	12.00 13.15		30	1,065	110 30 00000
	CHAR	1234B	MATH0098 08	1 1	12.15 13.30		27	1,065	110 30 00000
8	CHAR	1238	MATH0098 09	1 1 1	8.00 8.50		29	830	240 16 00000
8	CHAR	1238	MATH0099 01	1 1 1	8.00 8.50	1	25	830	240 16 00000
8	CHAR	1238	MATH1100 07	1 1 1	8.00 8.50	1	28	830	240 16 00000
8	CHAR	1238	MATH1100 08	1 1 1	8.00 8.50	1	24	830	240 16 00000
8	CHAR	1238	MATH0098 01	1 1	8.00 9.15		27	830	240 16 00000
8	CHAR	1238	MATH0098 11	1 1	8.00 9.15	1	29	830	240 16 00000
8	CHAR	1238	MATH0099 05	1 1	8.00 9.15	1	27	830	240 16 00000
8	CHAR	1238	MATH0099 06	1 1	8.00 9.15	1	23	830	240 16 00000
8	CHAR	1238	MATH1100 01	1 1	8.00 9.15	1	23	830	240 16 00000
8	CHAR	1238	MATH0098 10	1 1 1	9.00 9.50		28	830	240 16 00000
8	CHAR	1238	MATH0099 04	1 1 1	9.00 9.50	1	25	830	240 16 00000
8	CHAR	1238	MATH1100 03	1 1 1	9.00 9.50	1	30	830	240 16 00000
8	CHAR	1238	MATH0098 06	1 1	9.25 10.40		27	830	240 16 00000
8	CHAR	1238	MATH0099 07	1 1	9.25 10.40	1	22	830	240 16 00000
8	CHAR	1238	MATH0099 13	1 1	9.25 10.40	1	26	830	240 16 00000
8	CHAR	1238	MATH1100 09	1 1	9.25 10.40	1	25	830	240 16 00000
8	CHAR	1238	MATH1100 10	1 1	9.25 10.40	1	27	830	240 16 00000
8	CHAR	1238	MATH0099 03	1 1 1	10.00 10.50		30	830	240 16 00000
8	CHAR	1238	MATH0099 09	1 1 1	10.00 10.50	1	26	830	240 16 00000
8	CHAR	1238	MATH1100 04	1 1 1	10.00 10.50	1	30	830	240 16 00000
8	CHAR	1238	MATH1100 05	1 1 1	10.00 10.50	1	25	830	240 16 00000
8	CHAR	1238	MATH0098 07	1 1	10.50 12.05		28	830	240 16 00000
8	CHAR	1238	MATH0099 08	1 1	10.50 12.05	1	30	830	240 16 00000
8	CHAR	1238	MATH1100 02	1 1	10.50 12.05	1	24	830	240 16 00000
8	CHAR	1238	MATH0098 15	11111	11.00 11.50	1	23	830	240 16 00000
8	CHAR	1238	MATH0099 11	11111	11.00 11.50	1	26	830	240 16 00000
8	CHAR	1238	MATH0099 12	11111	11.00 11.50	1	23	830	240 16 00000
8	CHAR	1238	MATH1100 11	11111	11.00 11.50	1	16	830	240 16 00000
8	CHAR	1238	MATH0098 05	1 1 1	11.00 11.50	1	27	830	240 16 00000
8	CHAR	1238	MATH1100 06	1 1 1	11.00 11.50	1	30	830	240 16 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	CHAR	1238	MATH0098 03	1 1	12.00 13.15		27	830	240 16 00000
8	CHAR	1238	MATH0098 13	1 1	12.00 13.15	1	24	830	240 16 00000
8	CHAR	1238	MATH1100 19	1 1	12.00 13.15	1	30	830	240 16 00000
	CHAR	1238	MATH0098 02	1 1	12.15 13.30		24	830	240 16 00000
89	CHAR	1238	MATH0098 02	1 1	12.15 13.30		24	830	240 16 00000
8	CHAR	1238	MATH0098 08	1 1	12.15 13.30	1	27	830	240 16 00000
8	CHAR	1238	MATH0099 02	1 1	12.15 13.30	1	28	830	240 16 00000
8	CHAR	1238	MATH0098 04	1 1	13.25 14.40		29	830	240 16 00000
	CHEN	0400	AMTA2060 01	111111	12.00 14.50		17	19,594	210 49 00000
	CHEN	0400	AMTA2080 01	111111	12.00 14.50	1	20	19,594	210 49 00000
	CHEN	0400	AMTP2290 01	111111	12.00 15.00	1	5	19,594	210 49 00000
8	CHEN	0401	AMTA2060 01	111111	12.00 14.50		17	416	210 8 00000
8	CHEN	0401	AMTG1020 01	111111	12.00 15.00	1	13	416	210 8 00000
8	CHEN	0401	AMTG1090 01	111111	12.00 15.00	1	12	416	210 8 00000
8	CHEN	0401	AMTP2260 01	111111	12.00 15.00	1	9	416	210 8 00000
8	CHEN	0401	AMTP2270 01	1111	12.00 15.00	1	3	416	210 8 00000
	CHEN	0404	AMTG1010 01	111111	8.00 11.30		14	647	110 43 00000
	CHEN	0404	AMTG1020 01	111111	8.00 11.30	1	13	647	110 43 00000
	CHEN	0404	AMTG1030 01	111111	8.00 11.30	1	14	647	110 43 00000
	CHEN	0404	AMTG1040 01	111111	8.00 11.30	1	11	647	110 43 00000
	CHEN	0404	AMTG1050 01	111111	8.00 11.30	1	12	647	110 43 00000
8	CHEN	0404	AMTG1060 01	111111	8.00 11.30	1	12	647	110 43 00000
8	CHEN	0404	AMTG1070 01	111111	8.00 11.30	1	13	647	110 43 00000
8	CHEN	0404	AMTG1080 01	111111	8.00 11.30	1	14	647	110 43 00000
8	CHEN	0404	AMTG1090 01	111111	8.00 11.30	1	12	647	110 43 00000
	CHEN	0404	AMTG1010 01	111111	12.00 15.00		14	647	110 43 00000
	CHEN	0404	AMTG1020 01	111111	12.00 15.00	1	13	647	110 43 00000
	CHEN	0404	AMTG1030 01	111111	12.00 15.00	1	14	647	110 43 00000
	CHEN	0404	AMTG1040 01	111111	12.00 15.00	1	11	647	110 43 00000
	CHEN	0404	AMTG1050 01	111111	12.00 15.00	1	12	647	110 43 00000
8	CHEN	0404	AMTG1060 01	111111	12.00 15.00	1	12	647	110 43 00000
8	CHEN	0404	AMTG1070 01	111111	12.00 15.00	1	13	647	110 43 00000
8	CHEN	0404	AMTG1080 01	111111	12.00 15.00	1	14	647	110 43 00000
8	CHEN	0404	AMTG1090 01	111111	12.00 15.00	1	12	647	110 43 00000
	CHEN	0409	AMTP2210 01	111111	8.00 11.30		10	1,005	210 12 00000
	CHEN	0409	AMTP2230 01	111111	8.00 11.30	1	3	1,005	210 12 00000
8	CHEN	0409	AMTP2250 01	111111	8.00 11.30	1	7	1,005	210 12 00000
8	CHEN	0409	AMTP2260 01	111111	8.00 11.30	1	9	1,005	210 12 00000
8	CHEN	0409	AMTP2290 01	111111	8.00 11.30	1	5	1,005	210 12 00000
8	CHEN	0409	AMTP2270 01	1111	8.00 11.30	1	3	1,005	210 12 00000
8	CHEN	0409	AMTP2310 01	1111	8.00 11.30	1	3	1,005	210 12 00000
8	CHEN	0412	AMTA2070 01	111111	12.00 14.50		20	471	210 9 00000
8	CHEN	0412	AMTG1050 01	111111	12.00 15.00	1	12	471	210 9 00000
8	CHEN	0412	AMTP2250 01	111111	12.00 15.00	1	7	471	210 9 00000
8	CHEN	0413	AMTG1060 01	111111	12.00 15.00		12	365	210 7 00000
8	CHEN	0414	AMTG1060 01	111111	12.00 15.00		12	277	210 6 00000
8	CHEN	0414	AMTP2210 01	111111	12.00 15.00	1	10	277	210 6 00000
	CHEN	0415	AMTG1030 01	111111	12.00 15.00		14	1,271	210 25 00000
	CHEN	0415	AMTG1050 01	111111	12.00 15.00	1	12	1,271	210 25 00000
	CHEN	0415	AMTP2230 01	111111	12.00 15.00	1	3	1,271	210 25 00000
	CHEN	0415	AMTP2260 01	111111	12.00 15.00	1	9	1,271	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 6

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	CHEN	0415	AMTP2270 01	1111	12.00 15.00	1	3	1,271	210 25 00000
8	CHEN	0415	AMTP2310 01	1111	12.00 15.00	1	3	1,271	210 25 00000
8	CHEN	0416	AMTP2210 01	11111	12.00 15.00		10	603	210 6 00000
	CHEN	0417	AMTG1030 01	11111	12.00 15.00		14	471	210 9 00000
8	CHEN	0417	AMTP2210 01	11111	12.00 15.00	1	10	471	210 9 00000
	CHEN	0418	AMTA2030 01	11111	12.00 14.50		17	753	210 15 00000
8	CHEN	0418	AMTA2040 01	11111	12.00 14.50	1	18	753	210 15 00000
8	CHEN	0419	AMTA2050 01	11111	12.00 14.50		19	556	210 11 00000
	CHEN	0421	AMTP2210 01	11111	12.00 15.00		10	13,140	210 49 00000
4	CMSC	0102	ANUR2312 30	11	6.30 17.00		8	296	210 35 00000
	CMSC	0102	ANUR2310 30	11	8.00 10.50		8	296	210 35 00000
	CMSC	0102	ANUR2243 30	11	11.00 11.50		8	296	210 35 00000
	CMSC	0102	ANUR2340 30	11	13.00 13.50		8	296	210 35 00000
	CMSC	0102	ANUR2353 30	11	14.00 14.50		8	296	210 35 00000
	CMSC	0201	MATH1100 30	1 1 1	8.00 8.50		12	907	210 20 00000
	CMSC	0201	CULN1133 30	1 1	8.00 9.50		7	907	210 20 00000
	CMSC	0201	CULN1223 30	1 1 1	9.00 9.50		7	907	210 20 00000
	CMSC	0201	MATH0098 30	1 1 1	10.00 10.50		20	907	210 20 00000
	CMSC	0201	MATH0099 30	1 1 1	11.00 11.50		15	907	210 20 00000
	CMSC	0203	CULN1103 30	1 1 1	8.00 8.50		7	730	210 20 00000
	CMSC	0203	OADM1150 30	1 1	8.00 9.15		17	730	210 20 00000
	CMSC	0203	BUSI1030 30	1 1 1	9.00 9.50		6	730	210 20 00000
	CMSC	0203	OADM1450 02	1 1 1	10.00 11.15		23	730	210 20 00000
	CMSC	0203	BUSI1090 30	1 1	10.00 11.15		26	730	210 20 00000
	CMSC	0203	INST1111 04	1 1	11.20 13.25		10	730	210 20 00000
	CMSC	0207	BUSI2300 01	1 1 1	8.00 8.50		12	720	210 20 00000
	CMSC	0207	ENGL0098 30	1 1 1	9.00 9.50		29	720	210 20 00000
	CMSC	0207	ENGL0099 30	1 1 1	10.00 10.50		27	720	210 20 00000
	CMSC	0207	BUSI2330 30	1 1 1	11.00 11.50		7	720	210 20 00000
	CMSC	0207	PTEC1010 30	1 1 1	12.00 12.50		13	720	210 20 00000
	CMSC	0207	ENGL1010 05	1	12.00 12.50		20	720	210 20 00000
	CMSC	0207	PTEC2030 30	1 1 1	13.00 13.50		13	720	210 20 00000
	CMSC	0300	ANUR1233 50	11111	9.00 9.50		12	1,032	210 25 00000
	CMSC	03040	ELEC1230 30	1 1	9.00 11.05		11	2,177	210 24 00000
	CMSC	03040	ELEC1122 30	1 1	9.25 11.30		16	2,177	210 24 00000
	CMSC	03040	INST1010 51	1 1 1	11.00 11.50		22	2,177	210 24 00000
	CMSC	03040	INST1111 52	1 1	11.00 11.50		23	2,177	210 24 00000
	CMSC	03040	ELEC1122 50	1 1 1	12.00 12.50		6	2,177	210 24 00000
	CMSC	03040	ELEC2460 50	1 1	12.00 12.50		6	2,177	210 24 00000
	CMSC	03040	INST1010 30	1 1	12.00 13.40	1	20	2,177	210 24 00000
	CMSC	03040	ELEC2220 30	1 1	13.45 15.50		9	2,177	210 24 00000
	CMSC	03040	ELEC2460 01	1 1 1	14.00 14.50	1	1	2,177	210 24 00000
8	CMSC	0401	WELD1110 30	11111	8.00 10.55		33	410	110 20 00000
8	CMSC	0401	WELD1120 30	11111	8.00 10.55	1	4	410	110 20 00000
8	CMSC	0401	WELD1130 30	11111	8.00 10.55	1	4	410	110 20 00000
8	CMSC	0401	WELD1210 30	11111	8.00 10.55	1	3	410	110 20 00000
8	CMSC	0401	WELD1410 30	11111	8.00 10.55	1	4	410	110 20 00000
8	CMSC	0401	WELD1420 30	11111	8.00 10.55	1	6	410	110 20 00000
8	CMSC	0401	WELD1510 30	11111	8.00 10.55	1	7	410	110 20 00000
8	CMSC	0401	WELD1514 30	11111	8.00 10.55	1	7	410	110 20 00000
8	CMSC	0401	WELD2210 02	11111	8.00 10.55	1	5	410	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 7

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	CMSC	0401	WELD2220 02	11111	8.00 10.55	1	5	410	110 20 00000
8	CMSC	0401	WELD2221 02	11111	8.00 10.55	1	2	410	110 20 00000
8	CMSC	0401	WELD2230 30	11111	8.00 10.55	1	6	410	110 20 00000
8	CMSC	0401	WELD2310 30	11111	8.00 10.55	1	2	410	110 20 00000
8	CMSC	0401	WELD2312 30	11111	8.00 10.55	1	4	410	110 20 00000
	CMSC	0405	WELD1310 30	11111	8.00 10.55		3	2,000	210 20 00000
	CMSC	0405	WELD1411 30	11111	8.00 10.55	1	5	2,000	210 20 00000
	CMSC	0405	WELD1515 30	11111	8.00 10.55	1	5	2,000	210 20 00000
	CMSC	0405	WELD2311 30	11111	8.00 10.55	1	1	2,000	210 20 00000
8	CMSC	0405	WELD1110 30	11111	11.55 14.30		33	2,000	210 20 00000
8	CMSC	0405	WELD1120 30	11111	11.55 14.30	1	4	2,000	210 20 00000
8	CMSC	0405	WELD1130 30	11111	11.55 14.30	1	4	2,000	210 20 00000
8	CMSC	0405	WELD1210 30	11111	11.55 14.30	1	3	2,000	210 20 00000
8	CMSC	0405	WELD1310 30	11111	11.55 14.30	1	3	2,000	210 20 00000
8	CMSC	0405	WELD1410 30	11111	11.55 14.30	1	4	2,000	210 20 00000
8	CMSC	0405	WELD1411 30	11111	11.55 14.30	1	5	2,000	210 20 00000
8	CMSC	0405	WELD1420 30	11111	11.55 14.30	1	6	2,000	210 20 00000
8	CMSC	0405	WELD1510 30	11111	11.55 14.30	1	7	2,000	210 20 00000
8	CMSC	0405	WELD1514 30	11111	11.55 14.30	1	7	2,000	210 20 00000
8	CMSC	0405	WELD1515 30	11111	11.55 14.30	1	5	2,000	210 20 00000
8	CMSC	0405	WELD2210 02	11111	11.55 14.30	1	5	2,000	210 20 00000
8	CMSC	0405	WELD2220 02	11111	11.55 14.30	1	5	2,000	210 20 00000
8	CMSC	0405	WELD2221 02	11111	11.55 14.30	1	2	2,000	210 20 00000
8	CMSC	0405	WELD2230 30	11111	11.55 14.30	1	6	2,000	210 20 00000
8	CMSC	0405	WELD2310 30	11111	11.55 14.30	1	2	2,000	210 20 00000
8	CMSC	0405	WELD2311 30	11111	11.55 14.30	1	1	2,000	210 20 00000
8	CMSC	0405	WELD2312 30	11111	11.55 14.30	1	4	2,000	210 20 00000
4	CYPR	0601	ZSTW0101 01	11111	8.00 16.00		15	552	110 13 00000
4	CYPR	0603	ZSTW0101 01	11111	8.00 16.00		15	744	210 13 00000
4	CYPR	0612	ZSTW0101 01	11111	8.00 16.00		15	1,872	210 24 00000
4	CYPR	0613A	ZSTW0101 01	11111	8.00 16.00		15	5,587	210 24 00000
4	CYPR	0613B	ZSTW0101 01	11111	8.00 16.00		15	1,410	210 24 00000
	GRST	0805	AMTP2210 01	11111	8.00 11.30		10	742	110 30 00000
	GRST	0805	AMTP2230 01	11111	8.00 11.30	1	3	742	110 30 00000
	GRST	0805	AMTP2250 01	11111	8.00 11.30	1	7	742	110 30 00000
	GRST	0805	AMTP2260 01	11111	8.00 11.30	1	9	742	110 30 00000
	GRST	0805	AMTP2290 01	11111	8.00 11.30	1	5	742	110 30 00000
	GRST	0805	AMTP2270 01	1111	8.00 11.30	1	3	742	110 30 00000
	GRST	0805	AMTP2310 01	1111	8.00 11.30	1	3	742	110 30 00000
	GRST	0805	AMTP2210 01	11111	12.00 15.00		10	742	110 30 00000
	GRST	0805	AMTP2230 01	11111	12.00 15.00	1	3	742	110 30 00000
	GRST	0805	AMTP2250 01	11111	12.00 15.00	1	7	742	110 30 00000
	GRST	0805	AMTP2260 01	11111	12.00 15.00	1	9	742	110 30 00000
	GRST	0805	AMTP2290 01	11111	12.00 15.00	1	5	742	110 30 00000
	GRST	0805	AMTP2270 01	1111	12.00 15.00	1	3	742	110 30 00000
	GRST	0805	AMTP2310 01	1111	12.00 15.00	1	3	742	110 30 00000
	GRST	0805	GAPC1100 01	11	18.00 19.30		15	742	110 30 00000
	GRST	0805	GAPC1110 01	11	19.35 21.00		15	742	110 30 00000
	GRST	0814	AMTA2030 01	11111	8.00 11.30		17	600	210 25 00000
	GRST	0814	AMTA2040 01	11111	8.00 11.30	1	18	600	210 25 00000
8	GRST	0814	AMTA2050 01	11111	8.00 11.30	1	19	600	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 8

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	GRST	0814	AMTA2060 01	11111	8.00 11.30	1	17	600	210 25 00000
8	GRST	0814	AMTA2070 01	11111	8.00 11.30	1	20	600	210 25 00000
8	GRST	0814	AMTA2080 01	11111	8.00 11.30	1	20	600	210 25 00000
8	GRST	0814	AMTG1010 01	11111	8.00 11.30	1	14	600	210 25 00000
8	GRST	0814	AMTG1020 01	11111	8.00 11.30	1	13	600	210 25 00000
8	GRST	0814	AMTG1030 01	11111	8.00 11.30	1	14	600	210 25 00000
8	GRST	0814	AMTG1040 01	11111	8.00 11.30	1	11	600	210 25 00000
8	GRST	0814	AMTG1050 01	11111	8.00 11.30	1	12	600	210 25 00000
8	GRST	0814	AMTG1060 01	11111	8.00 11.30	1	12	600	210 25 00000
8	GRST	0814	AMTG1070 01	11111	8.00 11.30	1	13	600	210 25 00000
8	GRST	0814	AMTG1080 01	11111	8.00 11.30	1	14	600	210 25 00000
8	GRST	0814	AMTG1090 01	11111	8.00 11.30	1	12	600	210 25 00000
8	GRST	0814	AMTP2210 01	11111	8.00 11.30	1	10	600	210 25 00000
8	GRST	0814	AMTP2230 01	11111	8.00 11.30	1	3	600	210 25 00000
8	GRST	0814	AMTP2250 01	11111	8.00 11.30	1	7	600	210 25 00000
8	GRST	0814	AMTP2260 01	11111	8.00 11.30	1	9	600	210 25 00000
8	GRST	0814	AMTP2290 01	11111	8.00 11.30	1	5	600	210 25 00000
8	GRST	0814	AMTP2270 01	11111	8.00 11.30	1	3	600	210 25 00000
8	GRST	0814	AMTP2310 01	11111	8.00 11.30	1	3	600	210 25 00000
	GRST	0814	AMTA2030 01	11111	12.00 14.50		17	600	210 25 00000
	GRST	0814	AMTA2040 01	11111	12.00 14.50	1	18	600	210 25 00000
8	GRST	0814	AMTA2050 01	11111	12.00 14.50	1	19	600	210 25 00000
8	GRST	0814	AMTA2060 01	11111	12.00 14.50	1	17	600	210 25 00000
8	GRST	0814	AMTA2070 01	11111	12.00 14.50	1	20	600	210 25 00000
8	GRST	0814	AMTA2080 01	11111	12.00 14.50	1	20	600	210 25 00000
8	GRST	0814	AMTG1010 01	11111	12.00 15.00	1	14	600	210 25 00000
8	GRST	0814	AMTG1020 01	11111	12.00 15.00	1	13	600	210 25 00000
8	GRST	0814	AMTG1030 01	11111	12.00 15.00	1	14	600	210 25 00000
8	GRST	0814	AMTG1040 01	11111	12.00 15.00	1	11	600	210 25 00000
8	GRST	0814	AMTG1050 01	11111	12.00 15.00	1	12	600	210 25 00000
8	GRST	0814	AMTG1060 01	11111	12.00 15.00	1	12	600	210 25 00000
8	GRST	0814	AMTG1070 01	11111	12.00 15.00	1	13	600	210 25 00000
8	GRST	0814	AMTG1080 01	11111	12.00 15.00	1	14	600	210 25 00000
8	GRST	0814	AMTG1090 01	11111	12.00 15.00	1	12	600	210 25 00000
8	GRST	0814	AMTP2210 01	11111	12.00 15.00	1	10	600	210 25 00000
8	GRST	0814	AMTP2230 01	11111	12.00 15.00	1	3	600	210 25 00000
8	GRST	0814	AMTP2250 01	11111	12.00 15.00	1	7	600	210 25 00000
8	GRST	0814	AMTP2260 01	11111	12.00 15.00	1	9	600	210 25 00000
8	GRST	0814	AMTP2290 01	11111	12.00 15.00	1	5	600	210 25 00000
8	GRST	0814	AMTP2270 01	11111	12.00 15.00	1	3	600	210 25 00000
8	GRST	0814	AMTP2310 01	11111	12.00 15.00	1	3	600	210 25 00000
	GRST	0818	AMTG1010 01	11111	8.00 11.30		14	720	110 28 00000
	GRST	0818	AMTG1020 01	11111	8.00 11.30	1	13	720	110 28 00000
	GRST	0818	AMTG1030 01	11111	8.00 11.30	1	14	720	110 28 00000
8	GRST	0818	AMTG1040 01	11111	8.00 11.30	1	11	720	110 28 00000
8	GRST	0818	AMTG1050 01	11111	8.00 11.30	1	12	720	110 28 00000
8	GRST	0818	AMTG1060 01	11111	8.00 11.30	1	12	720	110 28 00000
8	GRST	0818	AMTG1070 01	11111	8.00 11.30	1	13	720	110 28 00000
8	GRST	0818	AMTG1080 01	11111	8.00 11.30	1	14	720	110 28 00000
8	GRST	0818	AMTG1090 01	11111	8.00 11.30	1	12	720	110 28 00000
	GRST	0818	AMTG1010 01	11111	12.00 15.00		14	720	110 28 00000



ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	GRST	0818	AMTG1040 01	11111	12.00 15.00	1	11	720	110 28 00000
	GRST	0818	AMTG1070 01	11111	12.00 15.00	1	13	720	110 28 00000
8	GRST	0818	AMTG1080 01	11111	12.00 15.00	1	14	720	110 28 00000
	GRST	0818	GAPC1200 01	11	18.00 19.30		13	720	110 28 00000
	GRST	0818	GAPC1210 01	11	19.35 21.00		13	720	110 28 00000
	GRST	0820	AMTA2030 01	11111	8.00 11.30		17	720	110 28 00000
	GRST	0820	AMTA2040 01	11111	8.00 11.30	1	18	720	110 28 00000
8	GRST	0820	AMTA2050 01	11111	8.00 11.30	1	19	720	110 28 00000
8	GRST	0820	AMTA2060 01	11111	8.00 11.30	1	17	720	110 28 00000
8	GRST	0820	AMTA2070 01	11111	8.00 11.30	1	20	720	110 28 00000
8	GRST	0820	AMTA2080 01	11111	8.00 11.30	1	20	720	110 28 00000
	GRST	0820	GAPC1300 01	11	18.00 21.00		14	720	110 28 00000
	MAGN	0100	DRFT1201 01	1 1 1	12.35 13.50		9	696	210 20 00000
	MAGN	0100	DRFT1205 01	1 1 1	14.00 14.50		9	696	210 20 00000
	MAGN	0101	BIOL1010 09	1 1	12.15 13.30		21	638	110 30 00000
	MAGN	0103	GART1010 01	1 1	8.00 9.15		25	696	210 25 00000
	MAGN	0103	GART1240 01	1 1	8.00 9.50		21	696	210 25 00000
	MAGN	0103	GART1230 01	1 1 1	9.25 10.40		23	696	210 25 00000
	MAGN	0103	GART1210 01	1 1	10.00 11.50		14	696	210 25 00000
	MAGN	0103	GART1040 01	1 1 1	12.00 13.15		23	696	210 25 00000
	MAGN	0108	CADD1101 01	1 1	7.50 10.45		23	705	210 20 00000
	MAGN	0108	DRFT1101 01	1 1 1	8.00 9.50		21	705	210 20 00000
8	MAGN	0108	DRFT1103 01	1 1 1	8.00 9.50	1	16	705	210 20 00000
	MAGN	0108	DRFT1102 01	1 1 1	10.00 11.50		22	705	210 20 00000
8	MAGN	0108	DRFT1104 01	1 1 1	10.00 11.50	1	18	705	210 20 00000
	MAGN	0108	DRFT2301 01	1 1	12.15 13.25		11	705	210 20 00000
8	MAGN	0109	DRFT2305 01	1 1	7.50 9.05		23	686	210 14 00000
	MAGN	0109	CADD1201 01	1 1 1	7.50 9.50		10	686	210 14 00000
8	MAGN	0109	DRFT2302 01	1 1	9.15 10.30		23	686	210 14 00000
8	MAGN	0109	DRFT2303 01	1 1	10.40 11.55		22	686	210 14 00000
	MAGN	0109	DRFT2404 01	1 1	12.30 14.30		10	686	210 14 00000
	MAGN	0110	CADD1101 01	1 1	7.50 10.45		23	704	210 19 00000
	MAGN	0110	DRFT1101 01	1 1 1	8.00 9.50		21	704	210 19 00000
8	MAGN	0110	DRFT1103 01	1 1 1	8.00 9.50	1	16	704	210 19 00000
	MAGN	0110	DRFT1102 01	1 1 1	10.00 11.50		22	704	210 19 00000
8	MAGN	0110	DRFT1104 01	1 1 1	10.00 11.50	1	18	704	210 19 00000
	MAGN	0110	DRFT2301 01	1 1	12.15 13.25		11	704	210 19 00000
	MAGN	0111	BIOL1010 01	1 1 1	8.00 8.50		31	1,189	210 30 00000
	MAGN	0111	BIOL1020 01	1 1	8.00 9.15		29	1,189	210 30 00000
	MAGN	0111	BIOL1020 02	1 1 1	9.00 9.50		31	1,189	210 30 00000
	MAGN	0111	BIOL1010 06	1 1	9.25 10.40		31	1,189	210 30 00000
	MAGN	0111	BIOL1010 07	1 1 1	10.00 10.50		30	1,189	210 30 00000
	MAGN	0111	BIOL1010 02	1 1	12.00 13.15		29	1,189	210 30 00000
	MAGN	0111	BIOL1010 03	1 1	12.15 13.30		31	1,189	210 30 00000
	MAGN	0111	BIOL1011 01	1	13.00 15.30		11	1,189	210 30 00000
	MAGN	0114	CHEM1011 03	1	10.50 13.20		20	1,160	210 23 00000
	MAGN	0114	CHEM1021 01	1	12.00 14.30		7	1,160	210 23 00000
	MAGN	0114	CHEM1011 01	1	12.30 15.00		17	1,160	210 23 00000
	MAGN	0114	CHEM1011 02	1	13.25 15.05		19	1,160	210 23 00000
	MAGN	0114	CHEM1010 22	1 1	15.30 16.45		12	1,160	210 23 00000
	MAGN	0114	CHEM1011 21	1	16.50 19.10		17	1,160	210 23 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 10

SOWELA TECHNICAL COMMUNITY COLLEGE

BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MAGN	0114	CHEM1011 22	1	16.50 19.10		9	210 23	00000
	MAGN	0300	GART2240 01	1 1	8.00 9.50		13	210 20	00000
	MAGN	0300	GART1030 01	1 1	10.00 11.50		24	210 20	00000
	MAGN	0300	GART2110 01	1 1	12.45 14.35		15	210 20	00000
	MAGN	0302	GART2260 01			1	2,725	210 35	00000
	MAGN	0302	GART2500 01			6	2,725	210 35	00000
	MAGN	0302	GART1220 01	1 1 1	8.00 9.15	1	18	210 35	00000
	MAGN	0302	GART1020 01	1 1 1	9.25 10.40		23	210 35	00000
	MAGN	0302	GART2210 01	1 1	10.00 11.50		20	210 35	00000
	MAGN	0302	GART2250 01	1 1 1	12.00 13.15		7	210 35	00000
	MAGN	0302	GART1030 02	1 1	15.00 17.00		1	210 35	00000
	MAGN	0311	GART2240 01	1 1	8.00 9.50		13	210 30	00000
	MAGN	0311	GART1030 01	1 1	10.00 11.50		24	210 30	00000
	MAGN	0311	GART2110 01	1 1	12.45 14.35		15	210 30	00000
	NAAH	0106	NURS2300 01	11	8.30 11.00		13	110 32	00000
	NAAH	0107	NURS1100 01	11	8.30 10.30		37	110 62	00000
	NAAH	0108	BIOL2253 01	1 1 1	9.00 9.50		37	110 62	00000
	NAAH	0108	BIOL2103 01	1 1	9.25 10.40		29	110 62	00000
	NAAH	0108	BIOL2253 02	1 1 1	11.00 11.50		40	110 62	00000
	NAAH	0108	BIOL2263 01	1 1	12.10 13.25		33	110 62	00000
	NAAH	0109A	CSSK1010 01	1	9.00 9.50		14	110 32	00000
	NAAH	0109A	CSSK1010 02	1	10.00 10.50		13	110 32	00000
	NAAH	0109A	CSSK1010 03	1	11.00 11.50		15	110 32	00000
	NAAH	0109A	CSSK1010 04	1	12.00 12.50		13	110 32	00000
	NAAH	0109A	MEDL1300 01	1	17.30 20.05		24	110 32	00000
	NAAH	0109B	ANUR2210 01	11	8.00 10.50		19	110 32	00000
	NAAH	0109B	ANUR2223 01	11	11.00 11.50		10	110 32	00000
	NAAH	0109B	ANUR2230 01	11	12.30 13.20		13	110 32	00000
	NAAH	0109B	ANUR2323 01	11	13.30 14.20		14	110 32	00000
	NAAH	0110	ANUR2230 01	11	12.30 13.20		13	110 32	00000
4	8	NAAH	0111A ANUR2312 01	11	6.30 17.00		14	210 2	00000
	8	NAAH	0111A ANUR2310 01	11	8.00 10.50		14	210 2	00000
4	8	NAAH	0111A NURS1110 01	11	8.00 14.30	1	37	210 2	00000
4	8	NAAH	0111A NURS2310 01	11	8.00 14.30	1	13	210 2	00000
	8	NAAH	0111A ANUR2243 01	11	11.00 11.50	1	12	210 2	00000
	8	NAAH	0111A ANUR2340 01	11	13.00 13.50		13	210 2	00000
4	8	NAAH	0111B ANUR2212 01	11	6.45 17.00		19	210 2	00000
4	8	NAAH	0111B NURS1110 01	11	8.00 14.30		37	210 2	00000
4	8	NAAH	0111B ANUR1233 01	11	8.00 14.50		38	210 2	00000
	8	NAAH	0111B ANUR1240 01	111	14.30 16.00		44	210 2	00000
4	8	NAAH	0111C ANUR2212 01	11	6.45 17.00		19	210 2	00000
4	8	NAAH	0111C NURS1110 01	11	8.00 14.30		37	210 2	00000
4	8	NAAH	0111C ANUR1233 01	11	8.00 14.50		38	210 2	00000
	8	NAAH	0111C ANUR1240 01	111	14.30 16.00		44	210 2	00000
4	8	NAAH	0111D ANUR2212 01	11	6.45 17.00		19	210 2	00000
4	8	NAAH	0111D NURS1110 01	11	8.00 14.30		37	210 2	00000
4	8	NAAH	0111D ANUR1233 01	11	8.00 14.50		38	210 2	00000
	8	NAAH	0111D ANUR1240 01	111	14.30 16.00		44	210 2	00000
4		NAAH	0112 NURS1110 01	11	8.00 14.30		37	110 32	00000
4	8	NAAH	0112 NURS2310 01	11	8.00 14.30	1	13	110 32	00000
4	8	NAAH	0113 NURS1110 01	11	8.00 14.30		37	210 24	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 11

SOWELA TECHNICAL COMMUNITY COLLEGE

BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
4	NAAH	0114	ANUR2312 01	11	6.30 17.00		14	210 24	00000	
4	NAAH	0114	ANUR2212 01	11	6.45 17.00	1	19	210 24	00000	
	NAAH	0114	ANUR2210 01	11	8.00 10.50		19	210 24	00000	
	NAAH	0114	ANUR2310 01	11	8.00 10.50	1	14	210 24	00000	
8	NAAH	0114	ANUR1350 01	1	8.00 11.50	1	45	210 24	00000	
8	NAAH	0114	ANUR1060 01	1	8.00 11.50		47	210 24	00000	
4	NAAH	0114	NURS1110 01	11	8.00 14.30	1	37	210 24	00000	
4	8	NAAH	0114	ANUR1233 01	11	8.00 14.50		38	210 24	00000
	NAAH	0114	ANUR2223 01	11	11.00 11.50		10	210 24	00000	
	NAAH	0114	ANUR2243 01	11	11.00 11.50	1	12	210 24	00000	
	NAAH	0114	ANUR2230 01	11	12.30 13.20		13	210 24	00000	
	NAAH	0114	ANUR2323 01	11	13.30 14.20		14	210 24	00000	
8	NAAH	0114	ANUR1240 01	111	14.30 16.00		44	210 24	00000	
	NAAH	0202	BIOL2251 03	1	9.25 12.10		18	680 28	00000	
	NAAH	0202	BIOL2251 04	1	9.25 12.10		19	680 28	00000	
	NAAH	0202	BIOL2251 01	1	13.00 16.00		20	680 28	00000	
	NAAH	0202	BIOL2251 02	1	13.00 16.00		20	680 28	00000	
	NAAH	0203	ANUR1350 01	1	8.00 11.50		45	110 54	00000	
	NAAH	0203	ANUR1060 01	1	8.00 11.50		47	110 54	00000	
4	NAAH	0203	ANUR1233 01	11	8.00 14.50		38	110 54	00000	
	NAAH	0203	ANUR1040 01	11	12.30 14.20		47	110 54	00000	
	NAAH	0203	ANUR1240 01	111	14.30 16.00		44	110 54	00000	
	NAAH	0204	ANUR2310 01	11	8.00 10.50		14	110 54	00000	
	NAAH	0204	ANUR2243 01	11	11.00 11.50		12	110 54	00000	
	NAAH	0204	ANUR2340 01	11	13.00 13.50		13	110 54	00000	
	NAAH	0204	ANUR2353 01	11	14.00 14.50		13	110 54	00000	
	NAAH	0205	BIOL2101 01	1	8.00 10.50		13	210 32	00000	
	NAAH	0205	BIOL2261 01	1	9.00 12.00		15	210 32	00000	
	NAAH	0205	BIOL2261 02	1	13.00 16.00		18	210 32	00000	
	NAAH	0205	BIOL2101 02	1	13.00 16.00		16	210 32	00000	
4	NAAH	0208	ANUR2312 01	11	6.30 17.00		14	240 54	00000	
4	NAAH	0208	ANUR2212 01	11	6.45 17.00	1	19	240 54	00000	
	NAAH	0208	ANUR2210 01	11	8.00 10.50		19	240 54	00000	
	NAAH	0208	ANUR2310 01	11	8.00 10.50	1	14	240 54	00000	
	NAAH	0208	ANUR1350 01	1	8.00 11.50	1	45	240 54	00000	
	NAAH	0208	ANUR1060 01	1	8.00 11.50		47	240 54	00000	
4	NAAH	0208	ANUR1233 01	11	8.00 14.50		38	240 54	00000	
	NAAH	0208	ANUR2223 01	11	11.00 11.50		10	240 54	00000	
	NAAH	0208	ANUR2243 01	11	11.00 11.50	1	12	240 54	00000	
	NAAH	0208	ANUR2230 01	11	12.30 13.20		13	240 54	00000	
	NAAH	0208	ANUR2340 01	11	13.00 13.50	1	13	240 54	00000	
	NAAH	0208	ANUR2323 01	11	13.30 14.20	1	14	240 54	00000	
	NAAH	0208	ANUR2353 01	11	14.00 14.50	1	13	240 54	00000	
8	NAAH	0208	ANUR1240 01	111	14.30 16.00	1	44	240 54	00000	
	PELI	0103	WELD1420 01	11111	7.00 10.55		8	210 10	00000	
	PELI	0103	WELD1510 01	11111	7.00 10.55	1	3	210 10	00000	
	PELI	0103	WELD1514 01	11111	7.00 10.55	1	4	210 10	00000	
8	PELI	0103	WELD2312 01	11111	7.00 10.55	1	2	210 10	00000	
	PELI	0104	WELD1110 01	11111	7.00 10.55		25	210 20	00000	
8	PELI	0104	WELD1120 01	11111	7.00 10.55	1	28	210 20	00000	
8	PELI	0104	WELD1130 01	11111	7.00 10.55	1	27	210 20	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 12

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	PELI 0104	WELD1210 01	11111	7.00 10.55	1	26	530	210 20	00000
8	PELI 0104	WELD1410 01	11111	7.00 10.55	1	28	530	210 20	00000
8	PELI 0104	WELD2210 01	11111	7.00 10.55	1	1	530	210 20	00000
8	PELI 0104	WELD2220 01	11111	7.00 10.55	1	1	530	210 20	00000
8	PELI 0104	WELD2310 01	11111	7.00 10.55	1	2	530	210 20	00000
4	PELI 0105	ZMCH0101 01	11111	8.00 15.00		3	3,915	210 15	00000
	PELI 0105	ZMCH0101 02	1111	16.00 20.00		8	3,915	210 15	00000
	PELI 0106	WELD1310 01	11111	7.00 10.55		28	4,186	210 36	00000
8	PELI 0106	WELD1411 01	11111	7.00 10.55	1	29	4,186	210 36	00000
8	PELI 0106	WELD2221 01	11111	7.00 10.55	1	2	4,186	210 36	00000
8	PELI 0106	WELD2222 01	11111	7.00 10.55	1	2	4,186	210 36	00000
8	PELI 0106	WELD2311 01	11111	7.00 10.55	1	1	4,186	210 36	00000
	PELI 0106	WELD1110 01	11111	11.55 16.00		25	4,186	210 36	00000
	PELI 0106	WELD1120 01	11111	11.55 16.00	1	28	4,186	210 36	00000
8	PELI 0106	WELD1130 01	11111	11.55 16.00	1	27	4,186	210 36	00000
8	PELI 0106	WELD1210 01	11111	11.55 16.00	1	26	4,186	210 36	00000
8	PELI 0106	WELD1410 01	11111	11.55 16.00	1	28	4,186	210 36	00000
8	PELI 0106	WELD1411 01	11111	11.55 16.00	1	29	4,186	210 36	00000
8	PELI 0106	WELD2210 01	11111	11.55 16.00	1	1	4,186	210 36	00000
8	PELI 0106	WELD2220 01	11111	11.55 16.00	1	1	4,186	210 36	00000
8	PELI 0106	WELD2221 01	11111	11.55 16.00	1	2	4,186	210 36	00000
8	PELI 0106	WELD2222 01	11111	11.55 16.00	1	2	4,186	210 36	00000
8	PELI 0106	WELD2310 01	11111	11.55 16.00	1	2	4,186	210 36	00000
8	PELI 0106	WELD2311 01	11111	11.55 16.00	1	1	4,186	210 36	00000
	PELI 0107	WELD1110 01	11111	7.00 10.55		25	3,091	210 24	00000
8	PELI 0107	WELD1120 01	11111	7.00 10.55	1	28	3,091	210 24	00000
8	PELI 0107	WELD1130 01	11111	7.00 10.55	1	27	3,091	210 24	00000
8	PELI 0107	WELD1210 01	11111	7.00 10.55	1	26	3,091	210 24	00000
8	PELI 0107	WELD1310 01	11111	7.00 10.55	1	28	3,091	210 24	00000
8	PELI 0107	WELD1410 01	11111	7.00 10.55	1	28	3,091	210 24	00000
8	PELI 0107	WELD1411 01	11111	7.00 10.55	1	29	3,091	210 24	00000
8	PELI 0107	WELD2210 01	11111	7.00 10.55	1	1	3,091	210 24	00000
8	PELI 0107	WELD2220 01	11111	7.00 10.55	1	1	3,091	210 24	00000
8	PELI 0107	WELD2221 01	11111	7.00 10.55	1	2	3,091	210 24	00000
8	PELI 0107	WELD2222 01	11111	7.00 10.55	1	2	3,091	210 24	00000
8	PELI 0107	WELD2310 01	11111	7.00 10.55	1	2	3,091	210 24	00000
8	PELI 0107	WELD2311 01	11111	7.00 10.55	1	1	3,091	210 24	00000
	PELI 0107	WELD1110 01	11111	11.55 16.00		25	3,091	210 24	00000
	PELI 0107	WELD1120 01	11111	11.55 16.00	1	28	3,091	210 24	00000
8	PELI 0107	WELD1130 01	11111	11.55 16.00	1	27	3,091	210 24	00000
8	PELI 0107	WELD1210 01	11111	11.55 16.00	1	26	3,091	210 24	00000
8	PELI 0107	WELD1310 01	11111	11.55 16.00	1	28	3,091	210 24	00000
8	PELI 0107	WELD1410 01	11111	11.55 16.00	1	28	3,091	210 24	00000
8	PELI 0107	WELD1411 01	11111	11.55 16.00	1	29	3,091	210 24	00000
8	PELI 0107	WELD2210 01	11111	11.55 16.00	1	1	3,091	210 24	00000
8	PELI 0107	WELD2220 01	11111	11.55 16.00	1	1	3,091	210 24	00000
8	PELI 0107	WELD2221 01	11111	11.55 16.00	1	2	3,091	210 24	00000
8	PELI 0107	WELD2222 01	11111	11.55 16.00	1	2	3,091	210 24	00000
8	PELI 0107	WELD2310 01	11111	11.55 16.00	1	2	3,091	210 24	00000
8	PELI 0107	WELD2311 01	11111	11.55 16.00	1	1	3,091	210 24	00000
	PELI 0111	WELD1515 01	11111	7.00 10.55		4	433	110 29	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 13

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PELI 0111	WELD1516 01	11111	7.00 10.55	1	6	433	110 29	00000
	PELI 0111	WELD1517 01	11111	7.00 10.55	1	3	433	110 29	00000
	PELI 0111	WELD1420 01	11111	11.55 16.00		8	433	110 29	00000
	PELI 0111	WELD1510 01	11111	11.55 16.00	1	3	433	110 29	00000
	PELI 0111	WELD1514 01	11111	11.55 16.00	1	4	433	110 29	00000
	PELI 0111	WELD1515 01	11111	11.55 16.00	1	4	433	110 29	00000
	PELI 0111	WELD1516 01	11111	11.55 16.00	1	6	433	110 29	00000
	PELI 0111	WELD1517 01	11111	11.55 16.00	1	3	433	110 29	00000
	PELI 0111	WELD2312 01	11111	11.55 16.00	1	2	433	110 29	00000
	PELI 0117	WELD1310 01	11111	11.55 16.00		28	3,210	210 20	00000
	PTEC 0101	PTEC2430 01	1 1 1	7.40 9.00		19	1,776	210 30	00000
	PTEC 0101	PTEC2911 02	1 1	8.00 12.00		9	1,776	210 30	00000
	PTEC 0101	PTEC2911 01	1 1 1	9.05 11.45		16	1,776	210 30	00000
	PTEC 0101	PTEC2430 02	1 1	12.30 14.30		16	1,776	210 30	00000
	PTEC 0101	PTEC2430 03	111	16.30 17.50		19	1,776	210 30	00000
	PTEC 0101	PTEC2911 03	111	18.05 20.45		20	1,776	210 30	00000
	PTEC 0102	PTEC2420 02	1 1	8.00 9.15		21	590	210 30	00000
	PTEC 0102	PTEC2911 02	1 1	8.00 12.00	1	9	590	210 30	00000
	PTEC 0102	PTEC2420 04	1 1 1	9.00 9.50		10	590	210 30	00000
	PTEC 0102	PTEC2911 01	1 1 1	9.05 11.45	1	16	590	210 30	00000
	PTEC 0102	PTEC2421 02	1 1	9.25 10.15		17	590	210 30	00000
	PTEC 0102	PTEC2421 04	1 1	10.00 10.50		12	590	210 30	00000
	PTEC 0102	PTEC2421 03	1 1	11.00 11.50		21	590	210 30	00000
	PTEC 0102	PTEC2420 03	1 1	12.15 13.30		19	590	210 30	00000
	PTEC 0102	PTEC2420 01	1 1	18.00 19.15		18	590	210 30	00000
8	PTEC 0102	PTEC2911 03	111	18.05 20.45	1	20	590	210 30	00000
	PTEC 0102	PTEC2421 01	1 1	19.20 20.10	1	16	590	210 30	00000
	PTEC 0103	PTEC2912 01	1 1	9.40 12.20		6	590	240 30	00000
	PTEC 0104	PTEC2430 01	1 1 1	7.40 9.00		19	590	210 30	00000
	PTEC 0104	PTEC1010 04	1 1	8.00 9.15		20	590	210 30	00000
	PTEC 0104	PTEC2440 01	1 1 1	10.00 10.50		7	590	210 30	00000
	PTEC 0104	PTEC2440 02	1 1	10.50 12.05		13	590	210 30	00000
	PTEC 0104	PTEC1010 08	1 1 1	12.00 12.50		14	590	210 30	00000
	PTEC 0104	PTEC2430 02	1 1	12.30 14.30		16	590	210 30	00000
	PTEC 0104	PTEC1000 02	1 1	13.00 13.50		14	590	210 30	00000
	PTEC 0104	PTEC2430 03	111	16.30 17.50		19	590	210 30	00000
	PTEC 0106	PTEC1610 02	1 1	7.40 9.20		22	590	210 30	00000
	PTEC 0106	PTEC2420 04	1 1 1	9.00 9.50		10	590	210 30	00000
	PTEC 0106	PTEC2421 04	1 1	10.00 10.50		12	590	210 30	00000
	PTEC 0106	PTEC2630 02	1 1	10.50 12.05		21	590	210 30	00000
	PTEC 0106	PTEC1000 01	1 1	12.30 13.20		14	590	210 30	00000
	PTEC 0106	PTEC2440 03	1 1	13.00 14.05		4	590	210 30	00000
	PTEC 0106	PTEC1610 01	1 1	13.40 15.20		24	590	210 30	00000
	PTEC 0106	PTEC2070 04	1 1	17.00 18.15		9	590	210 30	00000
	PTEC 0107	PTEC2030 01	1 1 1	8.00 8.50		20	590	210 30	00000
	PTEC 0107	PTEC1000 03	1 1	8.00 9.15		12	590	210 30	00000
	PTEC 0107	PTEC2030 02	1 1	9.25 10.40		24	590	210 30	00000
	PTEC 0107	PTEC2030 04	1 1 1	11.00 11.50		25	590	210 30	00000
	PTEC 0107	PTEC2421 03	1 1	11.00 11.50		21	590	210 30	00000
	PTEC 0107	PTEC1010 02	1 1 1	12.00 12.50		21	590	210 30	00000
	PTEC 0107	PTEC2420 03	1 1	12.15 13.30		19	590	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 14

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	PTEC 0107	PTEC2030 06	1 1 1	13.00 13.50		20	590	210 30	00000
	PTEC 0107	PTEC2440 04	1 1	13.40 14.55		16	590	210 30	00000
	PTEC 0107	PTEC1010 03	1 1	14.00 15.15		19	590	210 30	00000
	PTEC 0107	PTEC1610 04	1 1	15.00 16.40		20	590	210 30	00000
	PTEC 0107	PTEC2030 05	1 1	17.00 18.15		19	590	210 30	00000
	PTEC 0107	PTEC2620 02	1 1	17.00 18.15		6	590	210 30	00000
	PTEC 0107	PTEC2621 02	1 1	18.20 19.10		6	590	210 30	00000
8	PTEC 0108	PTEC1610 02	1 1	7.40 9.20		22	590	210 10	00000
8	PTEC 0108	PTEC1610 03	1 1 1	7.45 8.50		19	590	210 10	00000
8	PTEC 0108	PTEC1610 01	1 1	13.40 15.20		24	590	210 10	00000
8	PTEC 0108	PTEC1610 04	1 1	15.00 16.40	1	20	590	210 10	00000
	PTEC 0124	PTEC1610 03	1 1 1	7.45 8.50		19	610	210 30	00000
	PTEC 0124	PTEC2420 02	1 1	8.00 9.15		21	610	210 30	00000
	PTEC 0124	PTEC1010 01	1 1 1	9.00 9.50		23	610	210 30	00000
	PTEC 0124	PTEC2421 02	1 1	9.25 10.15		17	610	210 30	00000
	PTEC 0124	PTEC2070 01	1	10.50 11.40		30	610	210 30	00000
	PTEC 0124	PTEC2070 02	1	10.50 11.40		17	610	210 30	00000
	PTEC 0124	PTEC2630 01	1 1	12.00 13.15		24	610	210 30	00000
	PTEC 0124	PTEC2620 01	1 1	12.15 13.30		25	610	210 30	00000
	PTEC 0124	PTEC2621 01	1 1	13.35 14.25		25	610	210 30	00000
	PTEC 0124	PTEC2420 01	1 1	18.00 19.15		18	610	210 30	00000
	PTEC 0124	PTEC1010 06	1 1	18.00 19.15		14	610	210 30	00000
	PTEC 0124	PTEC2421 01	1 1	19.20 20.10		16	610	210 30	00000
	PTEC 0125	PTEC1310 04	1 1	7.40 9.20		20	610	210 30	00000
	PTEC 0125	PTEC1320 01	1 1	7.45 9.25		20	610	210 30	00000
	PTEC 0125	PTEC1310 02	1 1	9.30 11.10		20	610	210 30	00000
	PTEC 0125	PTEC1320 02	1 1	10.00 11.40		23	610	210 30	00000
	PTEC 0125	PTEC1010 07	1 1	12.15 13.30		18	610	210 30	00000
	PTEC 0125	PTEC1310 01	1 1	15.00 16.40		22	610	210 30	00000
	PTEC 0125	PTEC1310 03	1 1	17.00 18.40		18	610	210 30	00000
	PTEC 0125	PTEC1320 03	1 1	17.00 18.40		24	610	210 30	00000
	PTEC 0128	PTEC2911 02	1 1	8.00 12.00		9	165	210 7	00000
8	PTEC 0128	PTEC2911 01	1 1 1	9.05 11.45		16	165	210 7	00000
8	PTEC 0128	PTEC2911 03	111	18.05 20.45		20	165	210 7	00000
	RAAH 0102	PSYC2010 02	1 1 1	9.00 9.50		30	756	110 32	00000
	RAAH 0102	PSYC2010 04	1 1 1	10.00 10.50		29	756	110 32	00000
	RAAH 0102	MATH0099 10	1 1	17.30 18.45		28	756	110 32	00000
	RAAH 0102	MATH1100 15	1	18.50 20.05		18	756	110 32	00000
	RAAH 0102	MATH1020 10	1	18.50 20.05		20	756	110 32	00000
	RAAH 0114	HIST2020 04	1 1 1	10.00 10.50		29	1,181	110 36	00000
	RAAH 0114	HIST2010 02	1 1	10.50 12.05		31	1,181	110 36	00000
	RAAH 0114	HIST1220 02	1 1 1	11.00 11.50		30	1,181	110 36	00000
	RAAH 0114	HIST2010 01	1 1	12.15 13.30		23	1,181	110 36	00000
	RAAH 0114	HIST2020 03	1 1	13.25 14.40		29	1,181	110 36	00000
	RAAH 0114	GAEC2300 01	1 1	18.00 21.00		12	1,181	110 36	00000
	RAAH 0114	GAEC2300 02	1 1	18.00 21.00	1	10	1,181	110 36	00000
	RAAH 0124	ENGL1010 15	1 1 1	9.00 9.50		30	799	110 32	00000
	RAAH 0124	ENGL1010 04	1 1 1	11.00 11.50		29	799	110 32	00000
	RAAH 0124	JOBS2450 01	1 1	12.00 12.50		20	799	110 32	00000
	RAAH 0124	GAEC2200 01	1 1	18.00 21.00		12	799	110 32	00000
	RAAH 0125	ENGL1010 01	1	9.00 9.50		31	759	110 32	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 15

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0125	ENGL1010 09	1	10.00 10.50		26	759	110 32 00000
	RAAH	0125	ENGL0099 10	1 1	17.30 18.45		25	759	110 32 00000
	RAAH	0125	GAEC1200 01	1 1	18.00 19.30		10	759	110 32 00000
	RAAH	0125	ENGL1010 11	1	18.55 20.05		29	759	110 32 00000
	RAAH	0125	GAEC1210 01	1 1	19.35 21.00		10	759	110 32 00000
	RAAH	0126	PSYC2010 07	1	8.00 8.50		20	763	110 32 00000
	RAAH	0126	ARTS1200 01	1 1 1	9.00 9.50		32	763	110 32 00000
	RAAH	0126	ARTS1200 02	1 1 1	10.00 10.50		33	763	110 32 00000
	RAAH	0126	ARTS1200 04	1 1	10.50 12.05		36	763	110 32 00000
	RAAH	0126	ARTS1200 03	1 1	12.00 13.15		37	763	110 32 00000
	RAAH	0126	ARTS1200 05	1 1	12.15 13.30		31	763	110 32 00000
	RAAH	0126	ARTS1200 10	1	17.30 18.45		31	763	110 32 00000
	RAAH	0126	ENGL1010 10	1	18.00 19.15		27	763	110 32 00000
	RAAH	0126	GAEC1100 01	1 1	18.00 19.30		17	763	110 32 00000
	RAAH	0126	GAEC1110 01	1 1	19.35 21.00		17	763	110 32 00000
	RAAH	0127	HIST2020 01	1 1 1	8.00 8.50		32	776	110 32 00000
	RAAH	0127	HIST2020 02	1 1 1	9.00 9.50		31	776	110 32 00000
	RAAH	0127	HIST2020 05	1 1 1	10.00 10.50		32	776	110 32 00000
	RAAH	0127	GAEC1300 01	1 1	18.00 21.00		10	776	110 32 00000
	RAAH	0127	GAEC1300 02	1 1	18.00 21.00	1	10	776	110 32 00000
	RAAH	0144	SPCH1200 02	1 1 1	9.00 9.50		24	745	110 30 00000
	RAAH	0144	SPCH1200 06	1 1	9.25 10.40		20	745	110 30 00000
	RAAH	0144	SPCH1200 01	1 1 1	10.00 10.50		27	745	110 30 00000
	RAAH	0144	SPCH1200 07	1 1	10.50 12.05		19	745	110 30 00000
	RAAH	0144	MATH0098 12	1 1	16.15 17.30		24	745	110 30 00000
	RAAH	0226	PSYC2010 01	1 1 1	8.00 8.50		30	1,059	110 40 00000
	RAAH	0226	PSYC2335 01	1 1	8.00 9.15		36	1,059	110 40 00000
	RAAH	0226	PSYC2335 02	1 1 1	9.00 9.50		33	1,059	110 40 00000
	RAAH	0226	SOCL2010 03	1 1	9.25 10.40		32	1,059	110 40 00000
	RAAH	0226	PSYC2010 05	1 1	10.50 12.05		34	1,059	110 40 00000
	RAAH	0226	PSYC2010 03	1 1 1	11.00 11.50		36	1,059	110 40 00000
	RAAH	0226	PSYC2010 08	1 1	12.00 13.15		22	1,059	110 40 00000
	RAAH	0226	PSYC2010 06	1 1	12.15 13.30		31	1,059	110 40 00000
	RAAH	0226	PSYC2335 10	1 1	16.00 17.15		34	1,059	110 40 00000
	RAAH	0226	PSYC2010 11	1	17.30 20.10		12	1,059	110 40 00000
	RAAH	0227	CRMJ1120 01	1 1 1	8.00 8.50		16	1,059	110 40 00000
	RAAH	0227	SOCL2010 02	1 1	8.00 9.15		28	1,059	110 40 00000
	RAAH	0227	CRMJ2340 01	1	9.00 9.50		9	1,059	110 40 00000
	RAAH	0227	CRMJ1110 01	1	9.25 10.40		23	1,059	110 40 00000
	RAAH	0227	SOCL2010 01	1	10.50 12.05		21	1,059	110 40 00000
	RAAH	0227	CRMJ2420 01	1 1	12.00 13.15		11	1,059	110 40 00000
	RAAH	0227	POLI1110 01	1	17.25 20.05		7	1,059	110 40 00000
	RAAH	0227	CRMJ1220 02	1	17.25 20.05		5	1,059	110 40 00000
	RAAH	0228	READ0099 01	1 1 1	8.00 8.50		30	1,097	240 35 00000
	RAAH	0228	READ0099 04	1 1	8.00 9.15		29	1,097	240 35 00000
8	RAAH	0228	ENGL1010 07	1	8.00 9.15	1	29	1,097	240 35 00000
	RAAH	0228	ENGL0099 01	1 1 1	9.00 9.50		31	1,097	240 35 00000
8	RAAH	0228	ENGL1010 15	1 1 1	9.00 9.50	1	30	1,097	240 35 00000
	RAAH	0228	ENGL0099 03	1 1	9.25 10.40		30	1,097	240 35 00000
8	RAAH	0228	ENGL1020 01	1 1	9.25 10.40	1	30	1,097	240 35 00000
8	RAAH	0228	READ0099 05	1 1	9.25 10.40	1	30	1,097	240 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 16

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	RAAH	0228	READ0099 08	1 1	9.25 10.40	1	25	1,097	240 35 00000
8	RAAH	0228	ENGL2530 01	1 1	9.25 10.44	1	26	1,097	240 35 00000
	RAAH	0228	ENGL0099 02	1 1 1	10.00 10.50		31	1,097	240 35 00000
8	RAAH	0228	ENGL0099 30	1 1 1	10.00 10.50	1	27	1,097	240 35 00000
8	RAAH	0228	ENGL1010 02	1 1 1	10.00 10.50	1	27	1,097	240 35 00000
8	RAAH	0228	READ0099 02	1 1 1	10.00 10.50	1	24	1,097	240 35 00000
8	RAAH	0228	ENGL1010 09	1	10.00 10.50	1	26	1,097	240 35 00000
	RAAH	0228	ENGL1020 02	1 1	10.50 12.05		28	1,097	240 35 00000
8	RAAH	0228	READ0099 06	1 1	10.50 12.05	1	28	1,097	240 35 00000
8	RAAH	0228	ENGL2535 01	1	10.50 12.05	1	17	1,097	240 35 00000
	RAAH	0228	ENGL1010 03	1 1 1	11.00 11.50		28	1,097	240 35 00000
8	RAAH	0228	ENGL1010 04	1 1 1	11.00 11.50	1	29	1,097	240 35 00000
8	RAAH	0228	READ0099 03	1 1 1	11.00 11.50	1	30	1,097	240 35 00000
	RAAH	0228	ENGL2010 01	1 1	12.00 13.15		17	1,097	240 35 00000
	RAAH	0228	ENGL1010 06	1	12.00 13.15	1	30	1,097	240 35 00000
	RAAH	0228	ENGL1010 08	1 1	12.15 13.30		30	1,097	240 35 00000
8	RAAH	0228	ENGL1020 03	1 1	12.15 13.30	1	29	1,097	240 35 00000
8	RAAH	0228	READ0099 07	1 1	12.15 13.30	1	26	1,097	240 35 00000
8	RAAH	0228	ENGL2535 02	1	12.15 13.30	1	23	1,097	240 35 00000
	RAAH	0228	MATH0099 14	1 1	16.10 17.25		17	1,097	240 35 00000
	RAAH	0228	MATH0098 12	1 1	16.15 17.30		24	1,097	240 35 00000
	RAAH	0228	READ0099 10	1 1	17.20 18.35		29	1,097	240 35 00000
8	RAAH	0228	ENGL0099 10	1 1	17.30 18.45	1	25	1,097	240 35 00000
8	RAAH	0228	MATH0098 14	1 1	17.30 18.45	1	16	1,097	240 35 00000
	RAAH	0228	MATH0099 10	1 1	17.30 18.45		28	1,097	240 35 00000
	RAAH	0228	ENGL1010 10	1	18.00 19.15		27	1,097	240 35 00000
	RAAH	0228	MATH1100 15	1	18.50 20.05		18	1,097	240 35 00000
	RAAH	0228	ENGL1010 11	1	18.55 20.05		29	1,097	240 35 00000
	RAAH	0229	HIST1220 01	1 1 1	8.00 8.50		31	754	110 32 00000
	RAAH	0229	READ0099 08	1 1	9.25 10.40		25	754	110 32 00000
	RAAH	0229	ENGL0099 02	1 1 1	10.00 10.50		31	754	110 32 00000
	RAAH	0229	PTEC2030 30	1 1 1	13.00 13.50		13	754	110 32 00000
	RAAH	0230	CRMJ2410 01	1 1	8.00 9.15		7	82	110 32 00000
	RAAH	0230	CRMJ2322 01	1 1 1	9.00 9.50		13	82	110 32 00000
	RAAH	0230	CRMJ2422 01	1 1 1	10.00 10.50		10	82	110 32 00000
	RAAH	0230	CRMJ1220 01	1 1	10.50 12.05		19	82	110 32 00000
	RAAH	0230	CRMJ2510 01	1	11.00 11.50		10	82	110 32 00000
	RAAH	0230	CRMJ1110 02	1 1	12.15 13.30		23	82	110 32 00000
	RAAH	0230	CRMJ2552 01	1	13.00 13.50		7	82	110 32 00000
	RAAH	0230	CRMJ1120 02	1 1	13.40 14.55		22	82	110 32 00000
	RAAH	0241	ENGL0098 30	1 1 1	9.00 9.50		29	776	110 32 00000
	RAAH	0241	ENGL1020 01	1 1	9.25 10.40		30	776	110 32 00000
	RAAH	0241	ENGL0099 30	1 1 1	10.00 10.50		27	776	110 32 00000
	RAAH	0241	ENGL1020 02	1 1	10.50 12.05		28	776	110 32 00000
	RAAH	0241	ENGL0098 03	1 1 1	11.00 11.50		26	776	110 32 00000
	RAAH	0241	ENGL1020 03	1 1	12.15 13.30		29	776	110 32 00000
	RAAH	0241	MATH0099 14	1 1	16.10 17.25		17	776	110 32 00000
	RAAH	0241	MATH0098 14	1 1	17.30 18.45		16	776	110 32 00000
	RAAH	0242	ENGL2530 01	1 1	9.25 10.40		26	763	110 32 00000
	RAAH	0242	ENGL0098 01	1 1 1	10.00 10.50		29	763	110 32 00000
	RAAH	0242	ENGL2535 01	1	10.50 12.05		17	763	110 32 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 17

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	RAAH	0242	ENGL0098 02	1 1 1	11.00 11.50		28	763	110 32 00000
	RAAH	0242	ENGL1010 06	1	12.00 13.15		30	763	110 32 00000
	RAAH	0242	ENGL1010 08	1 1	12.15 13.30		30	763	110 32 00000
	RAAH	0243	ENGL1010 07	1	8.00 9.15		29	759	110 32 00000
	RAAH	0243	ENGL0099 01	1 1 1	9.00 9.50		31	759	110 32 00000
	RAAH	0243	ENGL0099 03	1 1	9.25 10.40		30	759	110 32 00000
	RAAH	0243	ENGL1010 02	1 1 1	10.00 10.50		27	759	110 32 00000
	RAAH	0243	ENGL1010 03	1 1 1	11.00 11.50		28	759	110 32 00000
	RAAH	0243	ENGL2010 01	1 1	12.00 13.15		17	759	110 32 00000
	RAAH	0243	ENGL2535 02	1	12.15 13.30		23	759	110 32 00000
	RAAH	0243	ENGL0098 11	1 1	17.20 18.35		22	759	110 32 00000
	RAAH	0243	ENGL0098 12	1	18.45 20.00		27	759	110 32 00000
	RAAH	0244	READ0099 01	1 1 1	8.00 8.50		30	799	110 35 00000
	RAAH	0244	READ0099 04	1 1	8.00 9.15		29	799	110 35 00000
	RAAH	0244	READ0099 05	1 1	9.25 10.40		30	799	110 35 00000
	RAAH	0244	READ0099 02	1 1 1	10.00 10.50		24	799	110 35 00000
	RAAH	0244	READ0099 06	1 1	10.50 12.05		28	799	110 35 00000
	RAAH	0244	READ0099 03	1 1 1	11.00 11.50		30	799	110 35 00000
	RAAH	0244	READ0099 07	1 1	12.15 13.30		26	799	110 35 00000
	RAAH	0244	READ0099 10	1 1	17.20 18.35		29	799	110 35 00000
4	SRTC	0307	ZSAS0101 01	11111	7.30 16.30		15	718	240 40 00000
	SRTC	0403	INST1310 01	1 1	9.00 11.05		24	720	210 32 00000
	SRTC	0403	INST2722 01	1 1	12.15 14.20		20	720	210 32 00000
	SRTC	0404	INST1010 02	1 1	8.00 9.40		29	722	110 32 00000
	SRTC	0404	ELEC1230 01	1 1 1	10.00 11.25		23	722	110 32 00000
	SRTC	0404	INST1410 02	1 1	10.00 12.05		23	722	110 32 00000
	SRTC	0404	INST1010 03	1 1	12.30 14.10		30	722	110 32 00000
	SRTC	0404	INST1410 01	1 1 1	14.00 15.25		26	722	110 32 00000
	SRTC	0404	ELEC1430 01	1 1	16.25 18.30		20	722	110 32 00000
	SRTC	0404	ELEC1430 02	1 1	18.35 20.40		14	722	110 32 00000
	SRTC	0405	ELEC1312 01	1 1	8.00 9.15		30	722	110 32 00000
	SRTC	0405	ELEC1122 01	1 1 1	10.00 11.20		24	722	110 32 00000
	SRTC	0405	ELEC1122 02	1 1	10.10 12.10		25	722	110 32 00000
	SRTC	0405	ELEC1312 02	1 1	13.00 14.15		15	722	110 32 00000
	SRTC	0405	INST1310 03	1 1	16.30 18.30		23	722	110 32 00000
	SRTC	0406	INST2420 01	1 1	8.00 10.05		24	722	110 32 00000
	SRTC	0406	ELEC1230 02	1 1	10.00 12.05		13	722	110 32 00000
	SRTC	0406	INST1010 01	1 1	12.00 13.40		29	722	110 32 00000
	SRTC	0406	INST2732 02	1 1	13.00 14.45		24	722	110 32 00000
	SRTC	0406	INST1010 04	1 1	17.00 18.30		14	722	110 32 00000
	SRTC	0407	INST2812 01	1 1 1	8.00 9.30		16	720	210 32 00000
	SRTC	0407	INST2420 02	1 1	9.25 11.30		24	720	210 32 00000
	SRTC	0407	INST2722 02	1 1	12.30 14.35		21	720	210 32 00000
	SRTC	0407	INST2812 02	1 1	17.30 19.30		21	720	210 32 00000
	SRTC	0502	INST2812 01	1 1 1	8.00 9.30		16	1,425	210 26 00000
	SRTC	0502	INST2812 02	1 1	17.30 19.30		21	1,425	210 26 00000
4	SRTC	0503	ZSAS0101 01	11111	7.30 16.30		15	910	210 25 00000
	SRTC	0504	INST2812 01	1 1 1	8.00 9.30		16	918	210 25 00000
	SRTC	0504	INST2722 01	1 1	12.15 14.20		20	918	210 25 00000
	SRTC	0504	INST2722 02	1 1	12.30 14.35		21	918	210 25 00000
	SRTC	0504	INST2812 02	1 1	17.30 19.30		21	918	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 18

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	SRTC 0505	ZSAS0101 01	11111	7.30 16.30		15	908	210 25	00000
4	SRTC 0507	ZSAS0101 01	11111	7.30 16.30		15	908	210 32	00000
	SRTC 0508	INST1010 02	1 1	8.00 9.40		29	918	210 19	00000
8	SRTC 0508	INST2420 01	1 1	8.00 10.05	1	24	918	210 19	00000
	SRTC 0508	INST2420 02	1 1	9.25 11.30		24	918	210 19	00000
	SRTC 0508	INST1010 01	1 1	12.00 13.40		29	918	210 19	00000
8	SRTC 0508	INST1010 03	1 1	12.30 14.10		30	918	210 19	00000
	SRTC 0508	INST1010 04	1 1	17.00 18.30		14	918	210 19	00000
8	SRTC 0510	INST1010 02	1 1	8.00 9.40		29	202	210 4	00000
8	SRTC 0510	INST2420 01	1 1	8.00 10.05	1	24	202	210 4	00000
8	SRTC 0510	INST2420 02	1 1	9.25 11.30		24	202	210 4	00000
8	SRTC 0510	INST1010 01	1 1	12.00 13.40		29	202	210 4	00000
8	SRTC 0510	INST1010 03	1 1	12.30 14.10		30	202	210 4	00000
8	SRTC 0510	INST1010 04	1 1	17.00 18.30		14	202	210 4	00000
	SRTC 0510X	INST1010 02	1 1	8.00 9.40		29	2,065	210 25	00000
8	SRTC 0510X	INST2420 01	1 1	8.00 10.05	1	24	2,065	210 25	00000
	SRTC 0510X	INST2420 02	1 1	9.25 11.30		24	2,065	210 25	00000
	SRTC 0510X	INST1010 01	1 1	12.00 13.40		29	2,065	210 25	00000
	SRTC 0510X	INST1010 03	1 1	12.30 14.10		30	2,065	210 25	00000
	SRTC 0510X	INST1010 04	1 1	17.00 18.30		14	2,065	210 25	00000
	SRTC 0512	CHEM2030 01	1 1 1	9.00 9.50		14	1,314	210 25	00000
	SRTC 0512	CLTE1000 01	1 1 1	10.00 10.50		20	1,314	210 25	00000
	SRTC 0512	CLTE2002 01	1 1	10.00 13.00		14	1,314	210 25	00000
	SRTC 0512	CLTE2000 01	1 1 1	11.00 11.50		14	1,314	210 25	00000
	SRTC 0512	CHEM2031 01	1	12.00 15.00		14	1,314	210 25	00000
	SRTC 0513	CHEM2030 01	1 1 1	9.00 9.50		14	453	210 10	00000
8	SRTC 0513	CLTE1000 01	1 1 1	10.00 10.50		20	453	210 10	00000
	SRTC 0513	CLTE2002 01	1 1	10.00 10.50		14	453	210 10	00000
	SRTC 0513	CLTE2000 01	1 1 1	11.00 11.50		14	453	210 10	00000
	SRTC 0513	CHEM2031 01	1	12.00 15.00		14	453	210 10	00000
	SRTC 0606	INST1310 01	1 1	9.00 11.05		24	941	210 20	00000
8	SRTC 0606	INST1410 02	1 1	10.00 12.05	1	23	941	210 20	00000
	SRTC 0606	INST2732 01	1 1	10.15 12.00		24	941	210 20	00000
	SRTC 0606	INST1310 02	1 1 1	12.05 13.30		22	941	210 20	00000
	SRTC 0606	INST2732 02	1 1	13.00 14.45		24	941	210 20	00000
	SRTC 0606	INST1410 01	1 1 1	14.00 15.25		26	941	210 20	00000
	SRTC 0606	INST1310 03	1 1	16.30 18.30		23	941	210 20	00000
	SRTC 0607	INST1111 02	1 1	8.00 10.05		29	1,416	210 32	00000
	SRTC 0607	INST1111 01	1 1 1	10.00 11.30		28	1,416	210 32	00000
	SRTC 0607	INST1112 02	1 1	11.30 13.35		18	1,416	210 32	00000
	SRTC 0607	INST1112 01	1 1 1	12.30 14.00		17	1,416	210 32	00000
	SRTC 0607	INST1111 03	1 1	16.30 18.35		20	1,416	210 32	00000
	SRTC 0608	ELEC1220 01	1 1 1	8.00 9.20		15	1,400	210 32	00000
	SRTC 0608	ELEC2220 03	1 1	8.00 10.05		9	1,400	210 32	00000
	SRTC 0608	ELEC1220 02	1 1 1	10.00 11.20		19	1,400	210 32	00000
	SRTC 0608	ELEC2220 02	1 1	10.30 12.35		10	1,400	210 32	00000
	SRTC 0608	ELEC2220 01	1 1	12.30 14.35		20	1,400	210 32	00000
	SRTC 0608	ELEC1220 03	1 1	12.40 14.45		8	1,400	210 32	00000
4	SRTC 0609	ZSAS0101 01	11111	7.30 16.30		15	2,024	210 20	00000
4	SRTC 0610	ZMIL0101 01	1111	7.30 15.30		10	1,108	210 14	00000
4	SRTC 0611	ZMIL0101 01	1111	7.30 15.30		10	1,108	210 14	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2017  
 RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 19

SOWELA TECHNICAL COMMUNITY COLLEGE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	SRTC 0612	ZMIL0101 01	11111	7.30 15.30		10	1,108	210 14	00000
	TRAN 0001	AUTO1102 01	11111	8.00 10.55		19	698	210 30	00000
	TRAN 0001	AUTO1302 01	11111	8.00 10.55	1	18	698	210 30	00000
8	TRAN 0001	AUTO1702 01	11111	8.00 10.55	1	15	698	210 30	00000
4	TRAN 0003	AUTO1002 01	11111	8.00 14.30		13	698	210 30	00000
4	TRAN 0003	CLRP1230 01	11111	8.00 14.45	1	10	698	210 30	00000
4	TRAN 0003	CLRP2130 01	11111	8.00 14.45	1	10	698	210 30	00000
	TRAN 0100	AUTO1102 01	11111	12.05 15.10		19	4,322	210 40	00000
	TRAN 0100	AUTO1302 01	11111	12.05 15.10	1	18	4,322	210 40	00000
	TRAN 0100	AUTO1702 01	11111	12.05 15.10	1	15	4,322	210 40	00000
	TRAN 0200	AUTO1102 01	11111	8.00 10.55		19	4,362	210 40	00000
	TRAN 0200	AUTO1302 01	11111	8.00 10.55	1	18	4,362	210 40	00000
	TRAN 0200	AUTO1702 01	11111	8.00 10.55	1	15	4,362	210 40	00000
4	8 TRAN 0200	AUTO1002 01	11111	8.00 14.30	1	13	4,362	210 40	00000
	8 TRAN 0200	AUTO1102 01	11111	12.05 15.10	1	19	4,362	210 40	00000
	8 TRAN 0200	AUTO1302 01	11111	12.05 15.10	1	18	4,362	210 40	00000
	8 TRAN 0200	AUTO1702 01	11111	12.05 15.10	1	15	4,362	210 40	00000
4	TRAN 0300	AUTO1002 01	11111	8.00 14.30		13	3,954	210 40	00000
4	TRAN 0300	CLRP1230 01	11111	8.00 14.45	1	10	3,954	210 40	00000
4	TRAN 0300	CLRP2130 01	11111	8.00 14.45	1	10	3,954	210 40	00000
	TRAN 0300	CLRP2111 01	11111	14.50 16.00		8	3,954	210 40	00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	108
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	284
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	1
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		393
TOTAL NUMBER OF RECORDS READ		939
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		932
NUMBER OF JOINT-CLASS RECORDS		304
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		6

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 1

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1,697
WEEKLY STUDENT CONTACT HOURS	27,970	1,942	29,912
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,717	256	3,973
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	152,730	84,850	237,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	117,271	7,994	125,265
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	55,941	3,884	59,825
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.0	10.0	55.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	36.6	4.6	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.7	48.6	47.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1,697
WEEKLY STUDENT CONTACT HOURS	27,970	1,942	29,912
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,590	2,550	7,140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,717	256	3,973
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	152,730	84,850	237,580
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	117,271	7,994	125,265
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	55,941	3,884	59,825
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.0	10.0	55.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	36.6	4.6	25.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.7	48.6	47.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2017 15:47:24  
 PAGE NUM 2

SOWELA TECHNICAL COMMUNITY COLLEGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			99
TOTAL NUMBER OF STATIONS (CAPACITY)			2,191
WEEKLY STUDENT CONTACT HOURS	76,327	1,834	78,161
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,910	4,950	13,860
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,542	218	9,760
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	197,190	109,550	306,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	221,394	5,248	226,642
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	152,655	3,668	156,323
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	107.1	4.4	70.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	77.4	3.3	51.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.0	69.9	69.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			99
TOTAL NUMBER OF STATIONS (CAPACITY)			2,191
WEEKLY STUDENT CONTACT HOURS	76,327	1,834	78,161
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,910	4,950	13,860
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9,542	218	9,760
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	197,190	109,550	306,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	221,394	5,248	226,642
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	152,655	3,668	156,323
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	107.1	4.4	70.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	77.4	3.3	51.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.0	69.9	69.0

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY