

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 1

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OLAA 0101	BUSO1100A01	1 1	8.00 9.15		6	679	110 25	00000
	OLAA 0101	ACCT2100A01	1 1	8.15 9.30		9	679	110 25	00000
	OLAA 0101	BOTH1230A01	1 1	11.00 12.15		4	679	110 25	00000
	OLAA 0104	CSRV1000A01	1 1	9.45 11.00		33	610	110 32	00000
	OLAA 0104	BUSN1100A01	1 1	13.00 14.15		8	610	110 32	00000
	OLAA 0104	BOTH1210A01	1 1	14.30 15.45		4	610	110 32	00000
	OLAA 0106	BUSO1440A01	1 1	14.20 15.40		3	982	210 25	00000
	OLAA 0106	CPTR1000A02	1	15.41 18.41		23	982	210 25	00000
	OLAA 0107	BUSO1320A01	1 1	11.16 12.35		5	884	210 23	00000
	OLAA 0107	BUSO1310A01	1 1	13.00 14.15		3	884	210 23	00000
4	OLAA 0108	HCOR1211A01	1	8.00 15.00		10	724	110 35	00000
	OLAA 0108	HCOR1601A01	1 1	8.30 11.00		14	724	110 35	00000
4	OLAA 0108	HCOR1113A01	1 1	8.30 14.00		16	724	110 35	00000
	OLAA 0202	CDYC1110A01	1 1	9.00 10.15		11	583	110 40	00000
	OLAA 0202	CDYC1420A01	1 1	10.30 11.45		13	583	110 40	00000
	OLAA 0208	HPHM1513A01	1 1	15.00 18.00		4	608	110 18	00000
	OLAA 0208	SPCH1015A01	1	18.00 21.00		20	608	110 18	00000
	OLAA 0208	HPHM2000A01	1 1	18.15 20.15		4	608	110 18	00000
	OLAA 0301	HNUR1301A01	1 1 1	8.00 11.00		34	1,100	110 32	00000
4	OLAA 0301	HNUR1211A02	1 1	8.00 15.00		31	1,100	110 32	00000
4	8	OLAA 0301	HNUR1411A01	1 1	8.00 15.00	1	1,100	110 32	00000
	OLAA 0301	HNUR1270A01	1 1 1	12.00 13.20		34	1,100	110 32	00000
	OLAA 0301	HNUR2523A02	1 1 1	12.00 15.00	1	9	1,100	110 32	00000
	8	OLAA 0301	HNUR1320A01	1 1 1	13.30 14.50	1	1,100	110 32	00000
	OLAA 0406	Adul A02	1 1 1	8.30 12.30		15	1,168	280 31	00000
	OLAA 0406	Adul A01	1 1	17.00 21.00		15	1,168	280 31	00000
	OLAA 0501	INTE2010A01	1 1 1	9.00 10.50		7	951	210 29	00000
	OLAA 0501	INTE1800A01	1 1 1	10.52 12.52		3	951	210 29	00000
	OLAA 0501	INTE2110A01	1 1	11.06 13.11		2	951	210 29	00000
	OLAA 0501	INTE2120A01	1 1	11.06 13.11	1	4	951	210 29	00000
	OLAA 0501	INTE1330A01	1 1	13.30 14.59		5	951	210 29	00000
	OLAA 0504	INTE2020A01	1 1 1	8.00 9.50		1	773	210 21	00000
	OLAA 0504	INTE2840A01	1 1 1	8.00 10.50	1	2	773	210 21	00000
	OLAA 0504	INTE1000A01	1 1 1	9.00 9.50	1	7	773	210 21	00000
	OLAA 0504	INTE1200A01	1 1	9.00 11.15		1	773	210 21	00000
	OLAA 0504	INTE1100A01	1 1 1	10.00 10.50		7	773	210 21	00000
	OLAA 0504	INTE1110A01	1 1 1	12.00 14.30		7	773	210 21	00000
	OLAA 0504	INTE1210A01	1	15.31 19.45		6	773	210 21	00000
	OLAA 0601	HNUR2133A01	1 1 1	8.00 11.00		10	870	110 25	00000
4	OLAA 0601	HNUR2991A01	11111	8.00 15.00	1	9	870	110 25	00000
	OLAA 0601	HNUR2723A01	1 1 1	12.00 15.00	1	9	870	110 25	00000
	OLAA 0601	ENGL1015A01	1	18.00 21.00		12	870	110 25	00000
	OLAA 0602	ENGL0098A01	1 1	8.00 9.25		7	858	210 19	00000
	OLAA 0602	KYBD1111A01	1 1 1	9.20 10.27	1	5	858	210 19	00000
	OLAA 0602	KYBD1010A01	1 1 1	9.30 10.20	1	3	858	210 19	00000
	OLAA 0602	CSSK1000A02	1 1	11.01 11.50		4	858	210 19	00000
	OLAA 0602	ENGL0098A02	1 1	11.05 12.20		18	858	210 19	00000
	OLAA 0602	MATH0098A02	1 1	13.00 14.25		21	858	210 19	00000
	OLAA 0602	ENGL0099A01	1 1	15.00 16.15		13	858	210 19	00000
	OLAA 0604	MATH0099A01	1 1	13.00 14.25		5	682	210 21	00000
8	OLAA 0604	MATH1160A01	1	13.00 15.38		38	682	210 21	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 2

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OLAA	0604	MATH0098A01	1 1	15.02 16.30		25	682	210 21 00000	
	OLAA	0608	HNUR2123A01	1 11	8.00 11.00		13	708	110 31 00000	
4	OLAA	0608	HNUR2611A01	11	8.00 15.00		14	708	110 31 00000	
	OLAA	0608	HNUR1361A01	1 11	12.00 15.00		15	708	110 31 00000	
	OLAA	0608	HNUR2713A01	1 11	12.00 15.00	1	14	708	110 31 00000	
	OLAA	0608	HNUR2813A01	1 11	12.00 15.00	1	9	708	110 31 00000	
	OLAA	0608	MATH0099A02	1 1	16.01 17.21		8	708	110 31 00000	
	OLAA	0608	MATH1500A01	1 1	18.00 19.20		10	708	110 31 00000	
	OLAA	0610	HPHM1600A01	1 1	12.45 14.45		4	854	210 16 00000	
	OLAA	0610	HIST2020A01	1	18.00 21.00		6	854	210 16 00000	
	OLAA	2003	ELEC1210A01	11 11	7.00 10.00		12	560	110 15 00000	
	OLAA	2003	ELEC1420A01	1111	7.00 11.00	1	9	560	110 15 00000	
8	OLAA	2003	ELEC1440A01	1111	7.00 11.00	1	9	560	110 15 00000	
8	OLAA	2003	ELEC1430A01	1111	7.00 11.00	1	4	560	110 15 00000	
8	OLAA	2003	ELEC2460A01	1111	7.00 11.00	1	4	560	110 15 00000	
4	8	OLAA	2003	ELEC1120A01	11 11	7.00 15.00	1	12	560	110 15 00000
8	8	OLAA	2003	ELEC1330A01	1111	12.00 15.00	1	8	560	110 15 00000
8	8	OLAA	2003	ELEC2993A01	1111	12.00 15.00	1	6	560	110 15 00000
8	8	OLAA	2003	ELEC1230A01	11 11	12.00 15.00	1	13	560	110 15 00000
8	8	OLAA	2003	ELEC1220A01	1111	12.00 15.00	1	4	560	110 15 00000
8	8	OLAA	2003	ELEC1311A01	1111	12.00 15.00	1	4	560	110 15 00000
8	8	OLAA	2003	ELEC1120A02	11111	13.00 15.00	1	4	560	110 15 00000
8	8	OLAA	2003	ELEC1210A02	11111	13.00 15.00	1	1	560	110 15 00000
8	OLAC	2102	JIND A00	1111	17.00 21.00		15	154	310 1 00000	
4	OLAD	1800	WELD2220A01	11111	7.00 14.59		1	2,306	220 20 00000	
4	OLAD	1800	WELD2221A01	11111	7.00 14.59	1	1	2,306	220 20 00000	
4	OLAD	1800	WELD1110A01	11111	7.00 15.00	1	9	2,306	220 20 00000	
4	OLAD	1800	WELD1120A01	11111	7.00 15.00	1	15	2,306	220 20 00000	
4	8	OLAD	1800	WELD1130A01	11111	7.00 15.00	1	13	2,306	220 20 00000
4	8	OLAD	1800	WELD1210A01	11111	7.00 15.00	1	10	2,306	220 20 00000
4	8	OLAD	1800	WELD1310A01	11111	7.00 15.00	1	13	2,306	220 20 00000
4	8	OLAD	1800	WELD1410A01	11111	7.00 15.00	1	8	2,306	220 20 00000
4	8	OLAD	1800	WELD1410A02	11111	7.00 15.00	1	4	2,306	220 20 00000
4	8	OLAD	1800	WELD1411A01	11111	7.00 15.00	1	3	2,306	220 20 00000
4	8	OLAD	1800	WELD1411A02	11111	7.00 15.00	1	3	2,306	220 20 00000
4	8	OLAD	1800	WELD1412A01	11111	7.00 15.00	1	4	2,306	220 20 00000
4	8	OLAD	1800	WELD1412A02	11111	7.00 15.00	1	2	2,306	220 20 00000
4	8	OLAD	1800	WELD1420A01	11111	7.00 15.00	1	5	2,306	220 20 00000
4	8	OLAD	1800	WELD1420A02	11111	7.00 15.00	1	2	2,306	220 20 00000
4	8	OLAD	1800	WELD1510A01	11111	7.00 15.00	1	11	2,306	220 20 00000
4	8	OLAD	1800	WELD1511A01	11111	7.00 15.00	1	6	2,306	220 20 00000
4	8	OLAD	1800	WELD1511A02	11111	7.00 15.00	1	4	2,306	220 20 00000
4	8	OLAD	1800	WELD1512A01	11111	7.00 15.00	1	1	2,306	220 20 00000
4	8	OLAD	1800	WELD1512A02	11111	7.00 15.00	1	4	2,306	220 20 00000
4	8	OLAD	1800	WELD2110A01	11111	7.00 15.00	1	1	2,306	220 20 00000
4	8	OLAD	1800	WELD2112A01	11111	7.00 15.00	1	2	2,306	220 20 00000
4	8	OLAD	1800	WELD2113A01	11111	7.00 15.00	1	2	2,306	220 20 00000
4	8	OLAD	1800	WELD2114A01	11111	7.00 15.00	1	1	2,306	220 20 00000
4	8	OLAD	1800	WELD2114A02	11111	7.00 15.00	1	1	2,306	220 20 00000
4	8	OLAD	1800	WELD2210A01	11111	7.00 15.00	1	7	2,306	220 20 00000
4	8	OLAD	1800	WELD2230A01	11111	7.00 15.00	1	1	2,306	220 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 3

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	8	OLAD 1800	WELD2310A01	11111	7.00 15.00	1	8	2,306	220 20 00000
	8	OLAD 1800	WELD1120A02	11111	13.00 15.00	1	4	2,306	220 20 00000
	8	OLAD 1800	WELD1110A02	111 1	13.00 15.00	1	8	2,306	220 20 00000
	8	OLAD 1800	WELD1140A01	111 1	13.00 15.00	1	1	2,306	220 20 00000
		OLAD 1800	WELD1210A02	1	13.00 15.00		4	2,306	220 20 00000
		OLAD 1800	WELD1411A03	1	13.00 15.00	1	1	2,306	220 20 00000
4	8	OLAF 1900	BLDG1210A01	11111	8.00 15.00		6	1,080	731 20 00000
4	8	OLAF 1900	BLDG1220A01	11111	8.00 15.00	1	5	1,080	731 20 00000
4	8	OLAF 1900	BLDG1310A01	11111	8.00 15.00	1	5	1,080	731 20 00000
4	8	OLAF 1900	BLDG1320A02	11111	8.00 15.00	1	1	1,080	731 20 00000
4	8	OLAF 1900	BLDG1410A01	11111	8.00 15.00	1	4	1,080	731 20 00000
4	8	OLAF 1900	BLDG1120A01	1	8.00 15.00	1	1	1,080	731 20 00000
4		OLAM 1001	MTTC2110A01	11111	8.00 14.50		4	2,457	220 20 00000
4		OLAM 1001	MTTC2120A01	11111	8.00 14.50	1	4	2,457	220 20 00000
4		OLAM 1001	MTTC2210A01	11111	8.00 14.50	1	4	2,457	220 20 00000
4		OLAM 1001	MTTC2220A01	11111	8.00 14.50	1	3	2,457	220 20 00000
		OLAM 1001	MTTC2210A02	11111	10.30 12.05	1	9	2,457	220 20 00000
4		OLAM 1206	DPET1140A01	11111	8.00 8.15		14	529	110 16 00000
		OLAM 1206	DPET1310A01	11111	8.00 8.45	1	5	529	110 16 00000
		OLAM 1206	DPET1231A01	11111	8.00 9.15	1	1	529	110 16 00000
8		OLAM 1206	DPET1330A01	11111	8.46 9.25	1	7	529	110 16 00000
8		OLAM 1206	DPET1150A01	11111	9.20 10.20	1	1	529	110 16 00000
8		OLAM 1206	DPET2130A01	11111	9.26 11.26	1	19	529	110 16 00000
8		OLAM 1206	DPET1141A01	11111	9.27 11.00	1	15	529	110 16 00000
		OLAM 1206	DPET1330A02	11111	12.00 12.40		4	529	110 16 00000
		OLAM 1206	DPET1130A01	11111	12.00 13.30	1	11	529	110 16 00000
8		OLAM 1206	DPET1210A01	11111	12.00 13.30	1	11	529	110 16 00000
8		OLAM 1206	DPET1320A02	11111	12.00 13.30	1	8	529	110 16 00000
8		OLAM 1206	DPET2130A02	11111	13.00 14.45	1	4	529	110 16 00000
8		OLAM 1206	DPET2220A01	11111	13.31 14.45	1	2	529	110 16 00000
8		OLAM 1206	DPET2240A01	11111	13.31 14.45	1	3	529	110 16 00000
8		OLAM 1206	DPET1220A01	11111	13.31 14.59	1	11	529	110 16 00000
8		OLAM 1206	DPET2110A01	11111	13.45 14.15	1	14	529	110 16 00000
		OLAY 0109	BLDG1110H01	11111	7.00 8.00		15	625	110 19 00000
		OLAY 0109	BLDG1110H02	11111	7.30 8.30	1	1	625	110 19 00000
8		OLAY 0109	BLDG1120H01	11111	8.05 9.00	1	15	625	110 19 00000
8		OLAY 0109	BLDG1120H02	11111	8.35 9.30	1	1	625	110 19 00000
8		OLAY 0109	BLDG1130H01	11111	9.05 10.00	1	15	625	110 19 00000
8		OLAY 0109	BLDG1130H02	11111	9.35 10.30	1	1	625	110 19 00000
		OLAY 0110	CSSK1000H02	11111	13.30 15.30		1	471	110 15 00000
		OLAY 0110	CSSK1000H01	11111	13.35 15.30	1	15	471	110 15 00000
		OLAY 0114	BLDG1140H01	11111	10.05 11.00		15	460	240 18 00000
		OLAY 0114	BLDG1140H02	11111	10.35 11.30	1	1	460	240 18 00000
8		OLAY 0114	BLDG1150H01	11111	11.05 12.00	1	15	460	240 18 00000
8		OLAY 0114	BLDG1150H02	11111	11.35 12.30	1	1	460	240 18 00000
		OLBA 0126	MATH1500B01	1	15.30 18.45		11	1,029	240 30 00000
		OLBA 0127	MATH0099B01	1	15.30 18.30		12	1,029	240 26 00000
		OLBA 0127	MATH0098B01	1	15.30 18.30		24	1,029	240 26 00000
8		OLBA 0127	MATH1160B01	1	15.30 18.30	1	22	1,029	240 26 00000
		OLBA 0127	BUSN1010B01	1 1	18.31 20.05		4	1,029	240 26 00000
		OLBA 0127	MATH0098B02	1 1	18.31 20.05	1	19	1,029	240 26 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LBA	0128	HCOR1211B01	11111	8.15 9.30		18	714	110 25 00000
	0LBA	0128	HPHL1013B01	11111	9.45 12.00		4	714	110 25 00000
	0LBA	0128	HCOR1113B01	11111	12.30 14.15		7	714	110 25 00000
	0LBA	0129	Adul B01	1 1	8.30 12.30		20	722	110 25 00000
4	0LBA	0135A	MAST11110B01	11111	8.00 8.25		6	811	110 25 00000
	0LBA	0135A	MAST2140B01	11111	8.00 9.40	1	11	811	110 25 00000
	0LBA	0135A	HCOR1120B01	11111	8.30 9.20	1	8	811	110 25 00000
	0LBA	0135A	MAST1120B01	11111	9.30 10.20		6	811	110 25 00000
	0LBA	0135A	MAST2130B01	11111	9.45 12.10	1	11	811	110 25 00000
	0LBA	0135A	MAST1220B01	11111	11.00 13.30	1	7	811	110 25 00000
4	0LBA	0135A	HCOR1160B01	11111	13.00 13.25	1	7	811	110 25 00000
	0LBA	0135B	HPHM1200B01	1 1	9.00 10.30		13	810	110 25 00000
4	0LBA	0135B	HPHM1500B01	1	9.00 15.29		14	810	110 25 00000
	0LBA	0135B	HPHM1503B01	1 1	12.30 15.30		13	810	110 25 00000
	0LBA	0138	HNUR1270B01	11111	8.00 11.00		15	1,565	110 50 00000
	0LBA	0138	HNUR1301B01	11111	8.00 11.00	1	17	1,565	110 50 00000
	0LBA	0138	HNUR1320B01	11111	8.00 11.00	1	15	1,565	110 50 00000
	0LBA	0138	HNUR1211B01	11111	12.00 15.00		17	1,565	110 50 00000
	0LBA	0138	HNUR1411B01	11111	12.00 15.00	1	11	1,565	110 50 00000
	0LBA	0140	HPHM1400B01	1 1	10.31 12.05		13	881	220 25 00000
	0LBA	0144A	VETT2108B01	1	13.00 15.00		5	688	110 20 00000
	0LBA	0146	VETT2107B01	1	10.00 12.00		4	983	210 20 00000
8	0LBA	0146	VETA1104B01	1	10.00 12.00		37	983	210 20 00000
	0LBA	0148	KYBD1010B01	1	8.00 11.00		15	963	240 26 00000
	0LBA	0148	KYBD1111B01	1	9.00 13.00	1	3	963	240 26 00000
	0LBA	0148	CPTR1000B01	1	13.01 16.00		8	963	240 26 00000
	0LBA	0148	ENGL0099B01	1	16.15 19.15		5	963	240 26 00000
	0LBA	0148	ENGL0098B01	1	16.15 19.30	1	15	963	240 26 00000
	0LBA	0160	CULN1101B01	1 1	8.00 9.30		5	1,666	220 15 00000
	0LBA	0160	CULN1130B02	1 1	8.15 9.15	1	9	1,666	220 15 00000
	0LBA	0160	CULN1130B01	1 1	9.31 10.35		3	1,666	220 15 00000
	0LBA	0160	CULN1221B01	1 1	10.36 12.40		8	1,666	220 15 00000
	0LBA	0160	CULN1219B01	1 1	10.36 13.15		10	1,666	220 15 00000
	0LBA	0163	CULN1222B01	1 1	8.00 10.35		7	766	110 30 00000
4	0LBA	0163	CULN1410B01	1	8.00 15.30		9	766	110 30 00000
	0LBA	0163	CULN1101B02	1 1 1	8.15 9.30	1	9	766	110 30 00000
	0LBA	0163	CULN2410B01	1 1	13.00 15.00		8	766	110 30 00000
	0LBA	0163	CULN1170B01	1 1	13.30 15.05		9	766	110 30 00000
	0LBB	T0100	AUTO1801B01	11111	8.00 8.40		5	3,525	220 20 00000
8	0LBB	T0101	AUTO1101B01	11111	8.15 9.30		36	826	110 20 00000
8	0LBB	T0101	ELLT1210B01	11111	8.51 9.40	1	11	826	110 20 00000
	0LBB	T0101	ELLT1300B01	11111	9.41 10.30		11	826	110 20 00000
	0LBB	T0101	ELLT1310B01	11111	10.31 12.35		11	826	110 20 00000
	0LBB	T0101	ELLT1320B01	11111	13.00 15.05		11	826	110 20 00000
	0LBB	T0107	AUTO1802B01	11111	8.45 10.10		5	517	220 3 00000
	0LBB	T0107	AUTO1803B01	11111	10.20 13.35		5	517	220 3 00000
4	0LBB	T0108	ELLT1330B01	11111	7.44 8.00		11	943	220 10 00000
	0LBB	T0108	ELLT1200B01	11111	8.01 8.50		9	943	220 10 00000
	0LBB	T0108	ELEC1120B01	1 11	14.30 15.29		10	943	220 10 00000
	0LBB	T0108	ELEC1330B01	1111	14.30 18.00	1	1	943	220 10 00000
	0LBB	T0108	ELEC1210B01	1 11	15.50 17.05	1	3	943	220 10 00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LBB T0108	ELEC1220B01	1 11	18.05 19.20		7	943	220 10	00000
	0LBB T0108	ELEC1230B01	1 11	19.25 20.40		8	943	220 10	00000
	0LBB T0110	ELEC2460B01	1 11	17.10 18.00		8	826	110 20	00000
4	0LBB T0113	WELD1410B01	11111	8.00 14.20		20	3,742	220 40	00000
4	0LBB T0113	WELD1110B01	11111	8.00 14.30	1	17	3,742	220 40	00000
4	0LBB T0113	WELD1210B01	11111	8.00 14.30	1	15	3,742	220 40	00000
4	8 0LBB T0113	WELD1310B01	11111	8.00 14.30	1	15	3,742	220 40	00000
4	8 0LBB T0113	WELD1411B01	11111	8.00 14.30	1	17	3,742	220 40	00000
4	0LBB T0114	WELD2110B01	11111	8.00 14.20		7	778	110 20	00000
4	0LBB T0114	WELD2210B01	11111	8.00 14.20	1	5	778	110 20	00000
4	0LBB T0114	WELD2310B01	11111	8.00 14.20	1	2	778	110 20	00000
4	0LBB T0114	WELD1120B01	11111	8.00 14.30	1	3	778	110 20	00000
4	0LBB T0114	WELD1130B01	11111	8.00 14.30	1	6	778	110 20	00000
4	0LBB T0114	WELD1412B01	11111	8.00 14.30	1	3	778	110 20	00000
4	0LBB T0114	WELD1420B01	11111	8.00 14.30	1	2	778	110 20	00000
4	8 0LBB T0114	WELD1510B01	11111	8.00 14.30	1	8	778	110 20	00000
4	8 0LBB T0114	WELD1511B01	11111	8.00 14.30	1	6	778	110 20	00000
4	8 0LBB T0114	WELD1512B01	11111	8.00 14.30	1	5	778	110 20	00000
4	8 0LBB T0114	WELD2220B01	11111	8.00 14.30	1	2	778	110 20	00000
4	8 0LBB T0114	WELD2221B01	11111	8.00 14.30	1	1	778	110 20	00000
	0LCA 0206	CDYC1320C01	1 1	8.00 9.50		20	441	110 25	00000
	0LCA 0206	CDYC1241C02	1 1 1	8.30 11.30		1	441	110 25	00000
	0LCA 0206	CDYC1332C01	1 1	10.00 11.50		25	441	110 25	00000
	0LCA 0206	CDYC1230C01	1 1	12.30 13.50		19	441	110 25	00000
	0LCA 0206	MATH1160C03	1 1	12.30 15.00		4	441	110 25	00000
8	0LCA 0207	Adul C02	1 1	8.30 12.30		20	399	110 10	00000
8	0LCA 0207	Adul C01	1 1	16.30 20.30		20	399	110 10	00000
	0LCA 0208	HMDT1170C03	1 1 1	8.00 8.40		19	504	110 24	00000
	0LCA 0208	HMDT1170C01	1 1	8.00 8.50		11	504	110 24	00000
	0LCA 0208	HCOR1120C02	1 1 1	8.45 10.00		20	504	110 24	00000
	0LCA 0208	MATH0098C05	1	17.30 20.30		11	504	110 24	00000
	0LCA 0209	MATH0098C04	1 1 1	8.00 8.55		15	504	140 21	00000
	0LCA 0209	MATH1160C01	1 1	8.00 9.15	1	9	504	140 21	00000
8	0LCA 0209	MATH0098C01	1 1 1	9.00 9.55	1	10	504	140 21	00000
	0LCA 0209	MATH0098C02	1 1 1	10.00 10.55		13	504	140 21	00000
	0LCA 0209	MATH1160C02	1 1	11.00 12.20		12	504	140 21	00000
	0LCA 0209	MATH0099C01	1 1 1	11.30 12.25		4	504	140 21	00000
	0LCA 0209	MATH0099C02	1 1 1	13.00 13.55		2	504	140 21	00000
	0LCA 0209	MATH0099C03	1 1 1	15.00 15.55		4	504	140 21	00000
	0LCA 0209	MATH0098C03	1 1	16.00 17.15		13	504	140 21	00000
	0LCA 0210	ENGL0098C01	1 1	8.00 9.25		4	504	110 25	00000
	0LCA 0210	ENGL0099C01	1 1	9.30 10.45		13	504	110 25	00000
	0LCA 0210	ENGL0098C02	1 1	11.30 12.45		12	504	110 25	00000
	0LCA 0210	ENGL0099C02	1 1	13.00 14.25		3	504	110 25	00000
	0LCA 0210	ENGL0098C03	1	16.00 19.00		7	504	110 25	00000
	0LCA 0210	ENGL0099C03	1	16.00 19.00	1	9	504	110 25	00000
	0LCA 0211	MAST1130C01	1 1 1	10.01 11.50		19	1,720	220 27	00000
	0LCA 0211	CPTR1000C01	1	16.30 19.30		7	1,720	220 27	00000
4	0LCA 0401	HNUR2813C01	111	6.00 15.00		34	1,479	110 40	00000
4	8 0LCA 0401	HNUR2713C01	1	6.00 15.00	1	34	1,479	110 40	00000
4	0LCA 0401	HNUR2133C01	11	6.30 15.00		34	1,479	110 40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 6

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4 8	0LCA 0401	HNUR2991C01	1111	8.00 15.00	1	35	1,479	110 40	00000
4 8	0LCA 0401	HNUR2723C01	1	8.00 15.00	1	34	1,479	110 40	00000
	0LCA 0401	HIST2020C01	1	17.00 20.00		15	1,479	110 40	00000
	0LCA 0401	MATH1500C01	1	17.00 20.00		10	1,479	110 40	00000
	0LCA 0402	HCOR1160C01	1 1	8.00 8.55		20	600	110 25	00000
	0LCA 0402	MAST2140C03	1 1 1	8.00 10.30		17	600	110 25	00000
	0LCA 0402	MAST2210C01	1 1 1	8.00 11.45	1	8	600	110 25	00000
	0LCA 0402	MAST2140C02	1 1	8.00 11.45		9	600	110 25	00000
	0LCA 0402	MAST1120C02	1 1	9.00 10.50	1	21	600	110 25	00000
	0LCA 0402	MAST2130C01	1 1 1	11.00 15.45		15	600	110 25	00000
	0LCA 0402	MAST1110C02	1 1 1	12.30 13.10	1	19	600	110 25	00000
	0LCA 0402	MAST1220C02	1 1 1	13.15 17.00		18	600	110 25	00000
	0LCA 0403	HPHM1513C01	1 1	11.00 12.20		12	630	110 25	00000
	0LCA 0403	HPHM2000C01	1 1	12.30 13.50		10	630	110 25	00000
	0LCA 0403	HPHM1300C01	1 1	14.00 15.30		9	630	110 25	00000
	0LCA 0404	HPHM1600C01	1	11.00 16.00		10	600	210 12	00000
	0LCA 0414	HNUR1301C01	1 1 1	8.00 11.00		48	1,891	110 60	00000
4	0LCA 0414	HNUR1211C01	1 1	8.00 15.00		49	1,891	110 60	00000
4 8	0LCA 0414	HNUR1411C01	1 1	8.00 15.00	1	45	1,891	110 60	00000
	0LCA 0414	HNUR1270C01	1 1 1	12.00 15.00		42	1,891	110 60	00000
	0LCA 0414	HNUR1320C01	1 1 1	12.00 15.00	1	48	1,891	110 60	00000
	0LCA 0414	PSYC2015C01	1	16.00 18.30		13	1,891	110 60	00000
	0LCA 0414	BIOL1010C01	1	17.00 20.00		26	1,891	110 60	00000
	0LCA 0434	INTE1800C01	1 1	8.00 9.50		17	2,666	210 48	00000
	0LCA 0434	INTE2110C01	1 1	8.00 9.50	1	18	2,666	210 48	00000
	0LCA 0434	INTE1000C01	1 1	8.00 9.50		25	2,666	210 48	00000
	0LCA 0434	INTE2010C01	1 1	8.00 10.10	1	18	2,666	210 48	00000
	0LCA 0434	INTE1900C01	1	9.00 12.45		19	2,666	210 48	00000
	0LCA 0434	INTE1210C01	1	9.00 13.40	1	23	2,666	210 48	00000
	0LCA 0434	INTE1200C01	1 1	10.00 12.10		20	2,666	210 48	00000
	0LCA 0434	INTE2120C01	1 1	10.10 12.10	1	19	2,666	210 48	00000
	0LCA 0434	INTE1100C01	1 1	10.10 12.10		22	2,666	210 48	00000
	0LCA 0434	INTE2830C01	1 1	10.30 12.20	1	11	2,666	210 48	00000
	0LCA 0434	INTE2902C01	1 1	12.30 14.00		13	2,666	210 48	00000
	0LCA 0434	INTE2140C01	1 1	12.30 14.40	1	10	2,666	210 48	00000
	0LCA 0434	INTE1110C01	1 1	12.30 14.40		21	2,666	210 48	00000
	0LCA 0434	INTE2020C01	1 1	13.00 15.10		11	2,666	210 48	00000
	0LCA 0434	INTE2030C01	1 1	13.00 15.10		12	2,666	210 48	00000
	0LCA 0434	INTE2840C01	1 1	15.00 16.50		6	2,666	210 48	00000
	0LCA 0434	ENGL1015C01	1	16.00 19.00		21	2,666	210 48	00000
	0LCA 0500	HACR1150C01	111	8.00 9.35		2	5,268	220 100	00000
	0LCA 0500	ELEC2460C01	11	8.00 9.50	1	21	5,268	220 100	00000
	0LCA 0500	HACR2510C01	11	8.00 10.20	1	12	5,268	220 100	00000
	0LCA 0500	ELEC1430C01	11	9.00 11.50		15	5,268	220 100	00000
	0LCA 0500	HACR1160C01	111	9.45 11.20	1	16	5,268	220 100	00000
	0LCA 0500	ELEC1120C01	11	10.00 12.00	1	26	5,268	220 100	00000
	0LCA 0500	ELEC1210C01	11	10.00 12.00	1	25	5,268	220 100	00000
	0LCA 0500	HACR2520C01	11	10.25 12.45	1	12	5,268	220 100	00000
	0LCA 0500	HACR1170C01	111	11.50 13.25		16	5,268	220 100	00000
	0LCA 0500	ELEC2720C02	11	12.30 14.20	1	4	5,268	220 100	00000
	0LCA 0500	ELEC1440C02	11	12.30 15.30		1	5,268	220 100	00000

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCA	0500	ELEC1120C01	11	12.30 16.10		26	5,268	220 100 00000
	0LCA	0500	ELEC1210C01	11	12.30 16.10	1	25	5,268	220 100 00000
4	0LCA	0500	ELEC1420C01	11	12.30 18.10		9	5,268	220 100 00000
4	0LCA	0500	ELEC1440C01	11	12.30 18.10	1	11	5,268	220 100 00000
	0LCA	0500	HACR1240C01	11	13.15 15.35		14	5,268	220 100 00000
	0LCA	0500	HACR1180C01	111	13.35 15.10		18	5,268	220 100 00000
	0LCA	0520	WELD1110C01	11111	8.00 8.45		7	2,206	220 30 00000
	0LCA	0520	WELD1130C03	11111	8.00 8.45	1	1	2,206	220 30 00000
	0LCA	0520	WELD1120C01	11111	8.00 9.00	1	6	2,206	220 30 00000
	0LCA	0520	WELD2210C01	11111	8.00 9.20	1	7	2,206	220 30 00000
	0LCA	0520	WELD1420C01	11111	8.00 9.30	1	4	2,206	220 30 00000
	0LCA	0520	WELD1110C05	1	8.00 11.45		3	2,206	220 30 00000
4	0LCA	0520	WELD1420C03	1	8.00 15.30	1	3	2,206	220 30 00000
4	0LCA	0520	WELD2220C01	1	8.00 15.30	1	1	2,206	220 30 00000
	0LCA	0520	WELD1210C01	11111	8.50 9.50		9	2,206	220 30 00000
	0LCA	0520	WELD1130C04	11111	9.05 9.50	1	5	2,206	220 30 00000
	0LCA	0520	WELD2112C01	11111	9.30 11.00	1	5	2,206	220 30 00000
	0LCA	0520	WELD1510C01	11111	9.35 11.10	1	9	2,206	220 30 00000
	0LCA	0520	WELD1410C01	11111	10.00 10.45	1	10	2,206	220 30 00000
8	0LCA	0520	WELD2110C01	11111	10.00 11.20	1	8	2,206	220 30 00000
8	0LCA	0520	WELD1411C01	11111	10.50 12.10	1	6	2,206	220 30 00000
8	0LCA	0520	WELD2112C02	11111	11.11 12.00	1	1	2,206	220 30 00000
	0LCA	0520	WELD2310C03	11111	12.00 13.20		5	2,206	220 30 00000
	0LCA	0520	WELD1511C01	11111	12.00 13.30	1	8	2,206	220 30 00000
	0LCA	0520	WELD2113C01	11111	12.00 13.30	1	3	2,206	220 30 00000
	0LCA	0520	WELD2113C02	11111	12.01 13.45	1	2	2,206	220 30 00000
	0LCA	0520	WELD1310C01	11111	12.15 13.00	1	11	2,206	220 30 00000
	0LCA	0520	WELD1210C04	1	12.15 15.05		4	2,206	220 30 00000
	0LCA	0520	WELD1310C03	1 1 1	12.30 13.30		6	2,206	220 30 00000
	0LCA	0520	WELD1110C04	1 1	12.30 14.30		6	2,206	220 30 00000
	0LCA	0520	WELD1110C03	11111	13.00 13.45	1	2	2,206	220 30 00000
	0LCA	0520	WELD1412C01	11111	13.25 14.45	1	6	2,206	220 30 00000
	0LCA	0520	WELD1410C03	1 1 1	13.31 14.40	1	7	2,206	220 30 00000
	0LCA	0520	WELD1512C01	11111	13.35 15.10	1	8	2,206	220 30 00000
	0LCA	0520	WELD2114C01	11111	13.35 15.10	1	5	2,206	220 30 00000
	0LCA	0520	WELD1210C03	1 1	14.35 16.00	1	6	2,206	220 30 00000
	0LCA	0520	WELD1411C03	1 1 1	14.41 16.59		8	2,206	220 30 00000
	0LCA	0520	WELD1110C02	1 1 1	17.00 18.20		3	2,206	220 30 00000
	0LCA	0520	WELD1120C02	1 1 1	17.00 18.35	1	4	2,206	220 30 00000
	0LCA	0520	WELD1130C02	1 1	17.00 19.00		2	2,206	220 30 00000
	0LCA	0520	WELD1410C02	1 1	17.00 19.00	1	3	2,206	220 30 00000
	0LCA	0520	WELD2310C02	1 1 1	17.00 19.15		3	2,206	220 30 00000
	0LCA	0520	WELD1411C02	1 1	17.00 21.00		5	2,206	220 30 00000
	0LCA	0520	WELD1412C02	1 1	17.00 21.00	1	2	2,206	220 30 00000
	0LCA	0520	WELD1420C02	1 1	17.00 21.00	1	1	2,206	220 30 00000
	0LCA	0520	WELD1510C02	1 1	17.00 21.00	1	3	2,206	220 30 00000
	0LCA	0520	WELD1511C02	1 1	17.00 21.00	1	1	2,206	220 30 00000
	0LCA	0520	WELD1310C02	1 1 1	18.21 19.21		4	2,206	220 30 00000
	0LCA	0520	WELD1512C02	1 1 1	18.25 21.00	1	2	2,206	220 30 00000
	0LCA	0520	WELD2110C02	1 1 1	18.45 21.00	1	7	2,206	220 30 00000
	0LCA	0520	WELD1210C02	1 1 1	19.22 20.50	1	5	2,206	220 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 8

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LCA	0531	MTTC2991C01	1	8.00 10.00		2	2,470	210 30 00000
	0LCA	0531	MTTC2110C01	1	8.00 11.45		1	2,470	210 30 00000
	0LCA	0531	MTTC2230C01	11	8.00 12.00		1	2,470	210 30 00000
	0LCA	0531	MTTC2120C01	1 1	8.00 12.15	1	1	2,470	210 30 00000
4	0LCA	0531	MTTC2310C01	1	8.00 14.30		1	2,470	210 30 00000
4	0LCA	0531	MTTC2410C01	1	8.00 14.30	1	3	2,470	210 30 00000
4	0LCA	0531	MTTC2310C02	1	8.00 14.30		1	2,470	210 30 00000
4	0LCA	0531	MTTC2410C02	1	8.00 14.30	1	3	2,470	210 30 00000
4	0LCA	0531	MTTC2331C01	1	8.00 15.30		1	2,470	210 30 00000
4	0LCA	0531	MTTC2431C01	1	8.00 15.30	1	2	2,470	210 30 00000
4	0LCA	0531	MTTC2331C02	1	8.00 15.30		1	2,470	210 30 00000
4	0LCA	0531	MTTC2431C03	1	8.00 15.30		1	2,470	210 30 00000
4	0LCA	0531	MTTC2331C03	1	8.00 15.30		3	2,470	210 30 00000
4	0LCA	0531	MTTC2431C04	1 1	8.00 15.30	1	1	2,470	210 30 00000
	0LCA	0531	MTTC2510C01	1	9.00 12.45		2	2,470	210 30 00000
	0LCA	0531	MTTC2510C02	1	11.45 15.30		3	2,470	210 30 00000
	0LCA	0531	MTTC2210C01	1	12.00 15.45		2	2,470	210 30 00000
	0LCA	0531	MTTC2220C01	1	12.00 15.45	1	1	2,470	210 30 00000
	0LCA	0531	MTTC2710C01	111	15.00 17.45	1	7	2,470	210 30 00000
4	0LCA	0541	AUTO1801C01	11111	8.00 14.30		7	392	110 20 00000
4	0LCA	0541	AUTO1802C01	11111	8.00 14.30	1	7	392	110 20 00000
4	0LCA	0541	AUTO1803C01	11111	8.00 14.30	1	7	392	110 20 00000
4	0LCA	0544	AUTO1101C01	11111	8.00 14.25		17	278	110 25 00000
4	0LCA	0544	AUTO1601C01	11111	8.00 14.25	1	17	278	110 25 00000
4	8	0LCA	AUTO1602C01	11111	8.00 14.25	1	19	278	110 25 00000
	0LFA	0105A	Adul F01	1 1	17.00 21.00		10	1,340	110 36 00000
	0LFA	0120	MATH0098F01	1 1	8.00 9.15		22	873	110 24 00000
	0LFA	0120	MATH0099F02	1 1	8.00 9.15		19	873	110 24 00000
	0LFA	0120	MATH1005F01	1111	9.30 10.45		25	873	110 24 00000
	0LFA	0120	MATH1015F01	1 1	11.00 12.15		16	873	110 24 00000
	0LFA	0120	MATH1500F01	1 1	11.00 12.15		13	873	110 24 00000
	0LFA	0120	BIOL1020F01	1 1	13.00 14.15		5	873	110 24 00000
	0LFA	0120	MGMT2010F01	1 1	14.30 15.45		5	873	110 24 00000
	0LFA	0120	SOCL2015F01	1 1	16.00 17.15		12	873	110 24 00000
	0LFA	0120	ARTS1010F01	1 1	17.30 18.45		16	873	110 24 00000
	0LFA	0120	ENGL1015F02	1 1	17.30 18.45		18	873	110 24 00000
	0LFA	0121	DRFT1130F01	1 1	7.30 9.00		14	975	140 30 00000
	0LFA	0121	DRFT1145F01	1 1	7.30 10.00	1	16	975	140 30 00000
	0LFA	0121	DRFT2310F01	1 1	7.30 10.00	1	4	975	140 30 00000
	0LFA	0121	DRFT2340F01	1 1	7.30 10.00		9	975	140 30 00000
	0LFA	0121	DRFT2350F01	1 1	7.30 10.00	1	11	975	140 30 00000
	0LFA	0121	DRFT1215F01	1 1	7.30 11.00	1	8	975	140 30 00000
	0LFA	0121	DRFT1120F01	1 1	9.00 10.30		14	975	140 30 00000
	0LFA	0121	DRFT2320F01	1 1	9.00 11.30	1	8	975	140 30 00000
	0LFA	0121	DRFT1160F01	1 1	10.00 11.30		10	975	140 30 00000
	0LFA	0121	DRFT2330F01	1 1	10.00 12.30		7	975	140 30 00000
	0LFA	0121	DRFT2360F01	1 1	10.00 12.30		4	975	140 30 00000
	0LFA	0121	CADD1220F01	1 1	10.30 13.30		2	975	140 30 00000
	0LFA	0121	CADD1215F01	1 1	11.00 13.00		2	975	140 30 00000
	0LFA	0121	BIOL1100F01	1 1	11.30 12.45		11	975	140 30 00000
	0LFA	0121	DRFT1110F01	1 1	11.30 13.00		12	975	140 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 9

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OLFA	0121	DRFT2400F01	1 1	11.30 13.00		3	975	140 30 00000
	OLFA	0121	CADD1210F01	1 1	12.30 13.30		14	975	140 30 00000
	OLFA	0121	DRFT1161F01	1 1	12.30 14.00		8	975	140 30 00000
	OLFA	0121	DRFT1230F01	1 1	13.00 14.00	1	7	975	140 30 00000
	OLFA	0121	MUSC1010F01	1 1	16.00 17.15		19	975	140 30 00000
	OLFA	0121	ENGL0098F02	1 1	16.00 17.15		11	975	140 30 00000
	OLFA	0122	ENGL1025F01	1 1	8.00 9.15		26	865	110 24 00000
	OLFA	0122	MATH0098F04	1 1	9.30 10.45		23	865	110 24 00000
	OLFA	0122	ENGL1015F03	1 1	9.30 10.45		17	865	110 24 00000
	OLFA	0122	CRMJ1110F01	1 1	11.00 12.15		25	865	110 24 00000
	OLFA	0122	ENGL2010F01	1 1	11.00 12.15		9	865	110 24 00000
	OLFA	0122	CRMJ1120F01	1 1	13.00 14.15		8	865	110 24 00000
	OLFA	0122	ENGL0099F02	1 1	13.00 14.15		19	865	110 24 00000
	OLFA	0122	CRMJ1330F01	1 1	14.30 15.45		6	865	110 24 00000
	OLFA	0122	PARL1000F01	1 1	16.00 17.15		2	865	110 24 00000
	OLFA	0122	BUSN1100F01	1	16.00 17.15		7	865	110 24 00000
	OLFA	0122	HIST2010F01	1 1	17.30 18.45		16	865	110 24 00000
	OLFA	0122	MATH0098F02	1 1	17.30 18.45		17	865	110 24 00000
	OLFA	0123	HIST1010F01	1 1	8.00 9.15		24	492	110 20 00000
	OLFA	0123	ENGL1015F01	1 1	9.30 10.45		24	492	110 20 00000
	OLFA	0123	HIST2020F01	1 1	9.30 10.45		29	492	110 20 00000
	OLFA	0123	ENGL0098F01	1 1	11.00 12.15		13	492	110 20 00000
	OLFA	0123	MATH0098F03	1111	13.00 14.15		9	492	110 20 00000
	OLFA	0123	MATH0099F03	1111	13.00 14.15	1	8	492	110 20 00000
	OLFA	0123	BUSN1200F01	1	16.00 17.15		6	492	110 20 00000
	OLFA	0123	SPCH1015F01	1	16.00 18.45		22	492	110 20 00000
	OLFA	0124	BIOL1200F01	1 1	8.00 9.15		7	859	110 24 00000
	OLFA	0124	BIOL2200F01	1 1	9.30 10.45		9	859	110 24 00000
	OLFA	0124	BIOL1100F02	1 1	11.00 12.15		16	859	110 24 00000
	OLFA	0124	ENGL0099F01	1 1	13.00 14.15		15	859	110 24 00000
	OLFA	0124	MATH0098F05	1 1	13.15 14.30	1	9	859	110 24 00000
	OLFA	0124	PSYC2015F01	1 1	14.30 15.45		19	859	110 24 00000
	OLFA	0124	PSYC1500F01	1 1	16.00 17.15		12	859	110 24 00000
	OLFA	0124	MATH0099F01	1 1	17.30 18.45		18	859	110 24 00000
	OLFA	0131	BIOL1015F01	1	8.30 11.15	1	17	1,690	210 28 00000
	OLFA	0131	BIOL1010F01	1 1	9.30 10.45		16	1,690	210 28 00000
	OLFA	0131	BIOL1025F01	1	9.30 12.15	1	3	1,690	210 28 00000
	OLFA	0131	BIOL1015F02	1	13.00 15.45	1	16	1,690	210 28 00000
	OLFA	0131	BIOL2215F01	1	13.00 15.45	1	6	1,690	210 28 00000
	OLFA	0131	BIOL2315F01	1	13.00 15.45	1	6	1,690	210 28 00000
	OLFA	0131	BIOL2300F02	1	18.00 20.45	1	7	1,690	210 28 00000
	OLFA	0135	SSPA1100F01	1 1	11.00 12.15		9	1,704	210 28 00000
	OLFA	0135	PHYS1010F01	1 1	14.30 15.45		3	1,704	210 28 00000
	OLFA	0135	IMTV1510F01	1	18.00 20.45	1	8	1,704	210 28 00000
	OLII	0218	SSPA1000I01	1 1	9.30 10.45		12	396	110 16 00000
	OLII	0218	SSPA1000I02	1 1	11.00 12.15		11	396	110 16 00000
	OLII	0218	SOCL2220I01	1 1	11.00 12.15		12	396	110 16 00000
	OLII	0218	SSPA1000I03	1 1	13.00 14.15		12	396	110 16 00000
	OLII	0218	ENGL0099I51	1 1	14.30 15.45		16	396	110 16 00000
	OLII	0218	BUSN1200I01	1	16.00 17.15		9	396	110 16 00000
	OLII	0220	MATH0098I09	1 1	8.00 9.15		20	638	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 10

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LI1	0220	SSPA1100I05	1 1	9.30 10.45		31	638	110 40 00000
	0LI1	0220	SPCH1015I04	1 1	11.00 12.15		23	638	110 40 00000
	0LI1	0220	HIST1010I02	1 1	11.00 12.15		27	638	110 40 00000
	0LI1	0220	MATH0098I10	1 1	13.00 14.15		6	638	110 40 00000
	0LI1	0220	MATH0098I61	1 1	13.00 14.15	1	23	638	110 40 00000
	0LI1	0220	ENGL0099I04	1 1	13.00 14.15		27	638	110 40 00000
	0LI1	0220	MATH0098I11	1 1	14.30 15.45		9	638	110 40 00000
	0LI1	0222	MATH0098I65	1 1	8.00 9.15		23	839	110 40 00000
	0LI1	0222	ENGL0098I05	1 1	8.00 9.15		5	839	110 40 00000
	0LI1	0222	ENGL0098I52	1 1	8.00 9.15	1	7	839	110 40 00000
	0LI1	0222	ENGL1015I01	1 1	9.30 10.45		27	839	110 40 00000
	0LI1	0222	ENGL0098I02	1 1	9.30 10.45		18	839	110 40 00000
	0LI1	0222	ENGL0098I51	1 1	11.00 12.15		16	839	110 40 00000
	0LI1	0222	ENGL0098I03	1 1	11.00 12.15		14	839	110 40 00000
	0LI1	0222	MATH0098I05	1 1	13.00 14.15		16	839	110 40 00000
	0LI1	0222	SSPA1100I02	1	13.00 14.15		19	839	110 40 00000
	0LI1	0222	SSPA1100I01	1	13.00 14.15		16	839	110 40 00000
	0LI1	0222	MGMT2010I01	1 1	14.30 15.45		17	839	110 40 00000
	0LI1	0222	MATH0098I57	1 1	14.30 15.45		19	839	110 40 00000
	0LI1	0222	CPTR1002I01	1 1	16.00 17.15		19	839	110 40 00000
	0LI1	0222	MATH0098I66	1 1	16.00 17.15		24	839	110 40 00000
	0LI1	0223	HIST2020I01	1 1	8.00 9.15		29	704	110 37 00000
	0LI1	0223	HIST2010I02	1 1	8.00 9.15		30	704	110 37 00000
	0LI1	0223	HIST1020I01	1 1	9.30 10.45		28	704	110 37 00000
	0LI1	0223	HIST2010I01	1 1	9.30 10.45		33	704	110 37 00000
	0LI1	0223	PSYC2040I01	1 1	11.00 12.15		25	704	110 37 00000
	0LI1	0223	PSYC2100I01	1 1	11.00 12.15		10	704	110 37 00000
	0LI1	0223	HIST1010I01	1 1	13.00 14.15		31	704	110 37 00000
	0LI1	0223	MATH0099I04	1	16.00 17.15		7	704	110 37 00000
	0LI1	0225	ENGL1025I01	1 1	8.00 9.15		26	741	110 39 00000
	0LI1	0225	ENGL1025I02	1 1	9.30 10.45		21	741	110 39 00000
	0LI1	0225	ENGL1025I03	1 1	9.30 10.45		19	741	110 39 00000
	0LI1	0225	ENGL2010I01	1 1	11.00 12.15		12	741	110 39 00000
	0LI1	0225	ENGL1025I04	1 1	11.00 12.15		22	741	110 39 00000
	0LI1	0225	ENGL2020I01	1 1	13.00 14.15		25	741	110 39 00000
	0LI1	0225	MATH0098I12	1 1	14.30 15.45		1	741	110 39 00000
	0LI1	0225	MATH0098I59	1 1	14.30 15.45	1	11	741	110 39 00000
	0LI1	0225	ENGL1015I02	1	16.00 18.45		27	741	110 39 00000
	0LI1	0228	MATH0099I01	1 1	8.00 9.15		23	741	110 35 00000
	0LI1	0228	ENGL0099I03	1 1	8.00 9.15		25	741	110 35 00000
	0LI1	0228	SOCL2015I01	1 1	9.30 10.45		30	741	110 35 00000
	0LI1	0228	BIOL1010I01	1 1	9.30 10.45		32	741	110 35 00000
	0LI1	0228	SOCL2120I01	1 1	11.00 12.15		15	741	110 35 00000
	0LI1	0228	SSPA1000I04	1 1	11.00 12.15		23	741	110 35 00000
	0LI1	0228	MUSC1010I01	1 1	13.00 14.15		33	741	110 35 00000
	0LI1	0228	SOCL2015I02	1 1	13.00 14.15		27	741	110 35 00000
	0LI1	0228	HMAN2015I01	1	14.30 15.45		14	741	110 35 00000
	0LI1	0229	ENGL0099I01	1 1	8.00 9.15		18	700	110 36 00000
	0LI1	0229	BIOL1100I01	1 1	8.00 9.15		27	700	110 36 00000
	0LI1	0229	MATH2410I01	1 1	9.30 10.45		25	700	110 36 00000
	0LI1	0229	MATH0098I55	1 1	9.30 10.45		24	700	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 11

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0LI1	0229	BIOL1200I01	1 1	11.00 12.15		28	700	110 36 00000
	0LI1	0229	ENGL1015I04	1 1	11.00 12.15		22	700	110 36 00000
	0LI1	0229	MATH1500I01	1 1	13.00 14.15		14	700	110 36 00000
	0LI1	0229	BIOL1100I04	1	13.00 15.50		8	700	110 36 00000
	0LI1	0229	MATH0099I06	1 1	14.30 15.45		12	700	110 36 00000
	0LI1	0229	SPCH1015I01	1 1	16.00 17.15		21	700	110 36 00000
	0LI1	0230	MATH1500I02	1 1	8.00 9.15		21	720	110 40 00000
	0LI1	0230	MATH0098I04	1 1	8.00 9.15		19	720	110 40 00000
	0LI1	0230	MATH1005I02	1111	9.30 10.45		18	720	110 40 00000
	0LI1	0230	MATH0099I07	1 1	9.30 10.45	1	15	720	110 40 00000
	0LI1	0230	MATH0098I06	1 1	11.00 12.15		16	720	110 40 00000
	0LI1	0230	MATH0098I03	1 1	11.00 12.15		21	720	110 40 00000
	0LI1	0230	MATH1005I01	1111	13.00 14.15		19	720	110 40 00000
	0LI1	0230	MATH1005I03	1111	14.30 15.45		22	720	110 40 00000
	0LI1	0230	MATH0098I67	1 1	14.30 15.45	1	19	720	110 40 00000
	0LI1	0234	ARTS1010I01	1 1	9.30 10.45		24	709	110 29 00000
	0LI1	0234	ARTS1010I03	1 1	9.30 10.45		26	709	110 29 00000
	0LI1	0234	ARTS1010I02	1 1	11.00 12.15		23	709	110 29 00000
	0LI1	0234	ARTS1010I04	1 1	11.00 12.15		24	709	110 29 00000
	0LI1	0234	ARTS1005I01	1 1	13.00 15.30		11	709	110 29 00000
	0LI1	0234	ARTS1000I01	1 1	13.00 15.30		10	709	110 29 00000
	0LI1	0237	SSPA1100I06	1 1	8.00 9.15		10	672	110 24 00000
	0LI1	0237	ENGL0098I01	1 1	9.30 10.45		16	672	110 24 00000
	0LI1	0237	KYBD1010I01	1 1	9.30 10.45		16	672	110 24 00000
	0LI1	0237	KYBD1111I01	1 1	9.30 10.45	1	4	672	110 24 00000
	0LI1	0237	BUSN1010I01	1 1	11.00 12.15		9	672	110 24 00000
	0LI1	0237	ACCT2100I01	1 1	11.00 12.15		8	672	110 24 00000
	0LI1	0237	BUSN1100I01	1 1	13.00 14.15		17	672	110 24 00000
	0LI1	0237	MATH0099I02	1 1	13.00 14.15		21	672	110 24 00000
	0LI1	0237	CSSK1000I01	1	14.30 15.30		12	672	110 24 00000
	0LI1	0237	MATH0098I58	1 1	16.00 17.15		21	672	110 24 00000
	0LI1	0238	SPCH1015I02	1 1	8.00 9.15		18	576	110 36 00000
	0LI1	0238	SPCH1015I03	1 1	8.00 9.15		24	576	110 36 00000
	0LI1	0238	MATH0098I01	1 1	9.30 10.45		26	576	110 36 00000
	0LI1	0238	SSPA1100I03	1 1	9.30 10.45		24	576	110 36 00000
	0LI1	0238	MATH0098I08	1 1	11.00 12.15		14	576	110 36 00000
	0LI1	0238	BUSN2530I01	1 1	11.00 12.15		5	576	110 36 00000
	0LI1	0238	CSR1000I01	1 1	13.00 14.15		18	576	110 36 00000
	0LI1	0238	SSPA1100I04	1 1	14.30 15.45		21	576	110 36 00000
	0LI1	0238	POLI2010I01	1	14.30 17.15		23	576	110 36 00000
	0LI1	0239	PSYC2015I01	1 1	8.00 9.15		27	594	110 30 00000
	0LI1	0239	ENGL1015I03	1 1	8.00 9.15		22	594	110 30 00000
	0LI1	0239	BIOL1020I01	1 1	9.30 10.45		29	594	110 30 00000
	0LI1	0239	ENGL0099I52	1 1	9.30 10.45		19	594	110 30 00000
	0LI1	0239	MATH0099I03	1 1	11.00 12.15		17	594	110 30 00000
	0LI1	0239	BIOL1010I02	1 1	11.00 12.15		28	594	110 30 00000
	0LI1	0239	ECON2010I01	1 1	13.00 14.15		22	594	110 30 00000
	0LI1	0239	BIOL1100I02	1	13.00 15.50		26	594	110 30 00000
	0LI1	0239	ECON2020I01	1 1	14.30 15.45		6	594	110 30 00000
	0LI1	0240	PSYC2015I02	1 1	8.00 9.15		23	480	110 25 00000
	0LI1	0240	CRMJ1110I02	1 1	9.30 10.45		16	480	110 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2017
 RUN DATE 11/15/2017 10:43:13
 PAGE NUM 12

NTCC - SULLIVAN CAMPUS
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0L11	0240	MATH0098I02	1 1	9.30 10.45		19	480	110 25 00000
	0L11	0240	CRMJ1110I01	1 1	11.00 12.15		26	480	110 25 00000
	0L11	0240	MATH1015I01	1 1	11.00 12.15		15	480	110 25 00000
	0L11	0240	CRMJ1120I01	1 1	13.00 14.15		17	480	110 25 00000
	0L11	0240	CRMJ1110I03	1 1	13.00 14.15		20	480	110 25 00000
	0L11	0240	ENGL1015I05	1 1	14.30 15.45		24	480	110 25 00000
	0L11	0240	ENGL0099I05	1 1	14.30 15.45		5	480	110 25 00000
	0L11	K0401D	MATH0099I58	11111	10.00 10.50		37	912	220 40 00000
	0L11	K0401D	MATH0099I61	1111	14.00 15.05		37	912	220 40 00000
	0L11	K0401T	MATH0099I57	11111	8.00 8.50		37	758	220 45 00000
	0L11	K0401T	MATH0099I60	1111	12.30 13.35		31	758	220 45 00000
	0L11	K0401T	MATH0099I62	1111	15.30 16.35		40	758	220 45 00000
	0L11	K0417	MATH0099I59	11111	11.00 11.50		39	906	110 35 00000
	0L11	M0208	MATH0099I52	1 1	8.00 9.15		31	920	110 40 00000
	0L11	M0208	MATH0099I53	1 1	9.30 10.45		32	920	110 40 00000
	0L11	M0208	MATH0099I57	1 1	9.30 10.45		32	920	110 40 00000
	0L11	M0208	MATH0099I54	1 1	11.00 12.15		32	920	110 40 00000
	0L11	M0208	MATH0099I58	1 1	11.00 12.15		32	920	110 40 00000
	0L11	M0208	MATH0099I59	1 1	12.30 13.45		32	920	110 40 00000
	0L11	M0208	MATH0099I55	1 1	14.00 15.15		32	920	110 40 00000
	0L11	M0208	MATH0099I60	1 1	14.00 15.15		32	920	110 40 00000
	0L11	M0208	MATH0099I56	1 1	15.30 16.45		11	920	110 40 00000
	0L11	M0208	MATH0099I61	1 1	15.30 16.45		25	920	110 40 00000
8	0L11	U0211	MATH0098I63	1 1	8.00 9.15		25	800	310 2 00000
8	0L11	U0211	MATH0098I53	1 1	8.00 9.15		25	800	310 2 00000
8	0L11	U0211	MATH0098I64	1 1	9.30 10.45		25	800	310 2 00000
8	0L11	U0211	MATH0098I68	1 1	9.30 10.45		25	800	310 2 00000
8	0L11	U0211	MATH0098I56	1 1	11.00 12.15		25	800	310 2 00000
8	0L11	U0211	MATH0099I53	1 1	11.00 12.15		23	800	310 2 00000
8	0L11	U0211	MATH0099I08	1 1	13.00 14.15		5	800	310 2 00000
8	0L11	U0211	MATH0099I51	1 1	13.00 14.15	1	19	800	310 2 00000
8	0L11	U0211	MATH0099I09	1 1	13.00 14.15		4	800	310 2 00000
8	0L11	U0211	MATH0099I52	1 1	13.00 14.15	1	16	800	310 2 00000
8	0L11	U0211	MATH0098I54	1 1	14.30 15.45		25	800	310 2 00000
8	0L11	U0211	MATH0098I60	1 1	14.30 15.45		22	800	310 2 00000
	0LI2	0334	Adul L00	1111	8.30 12.30		15	618	110 30 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - - THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.
- 2 = ERROR - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -
- 3 = ERROR - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -
- 4 = WARNING - CLASS TIME EXCEEDS 5 HOURS. - - - - - 95
- 5 = ERROR - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - - CIRCULATION, CUSTODIAL OR MECHANICAL.
- 7 = ERROR - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -
- 8 = WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - 99
 PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.
- 9 = WARNING - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -
 THERE SHOULD BE NO DUPLICATES.

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		194
TOTAL NUMBER OF RECORDS READ		597
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		597
NUMBER OF JOINT-CLASS RECORDS		203
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2017 10:43:13
 PAGE NUM 1

NTCC - SULLIVAN CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			78
TOTAL NUMBER OF STATIONS (CAPACITY)			2,085
WEEKLY STUDENT CONTACT HOURS	30,987	687	31,674
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,020	3,900	10,920
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,296	102	3,398
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	187,650	104,250	291,900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	97,311	2,988	100,299
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	61,975	1,374	63,349
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	47.0	2.6	31.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.0	1.3	21.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	63.7	46.0	63.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			68
TOTAL NUMBER OF STATIONS (CAPACITY)			1,844
WEEKLY STUDENT CONTACT HOURS	30,039	687	30,726
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,120	3,400	9,520
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,103	102	3,205
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	165,960	92,200	258,160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	92,007	2,988	94,995
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	60,078	1,374	61,452
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.7	3.0	33.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	36.2	1.5	23.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.3	46.0	64.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2017 10:43:13
 PAGE NUM 2

NTCC - SULLIVAN CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			241
WEEKLY STUDENT CONTACT HOURS	948		948
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	193		193
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21,690	12,050	33,740
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,304		5,304
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,897		1,897
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	21.4	.0	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.7	.0	5.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	35.8	.0	35.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			49
TOTAL NUMBER OF STATIONS (CAPACITY)			1,106
WEEKLY STUDENT CONTACT HOURS	15,984	411	16,395
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4,410	2,450	6,860
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,880	216	2,096
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	99,540	55,300	154,840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	66,703	6,012	72,715
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,968	823	32,791
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	42.6	8.8	30.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	32.1	1.5	21.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.9	13.7	45.1

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2017 10:43:13

PAGE NUM 3

NTCC - SULLIVAN CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			457
WEEKLY STUDENT CONTACT HOURS	2,618	63	2,681
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,980	1,100	3,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	657	18	675
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	41,130	22,850	63,980
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	20,477	432	20,909
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5,237	126	5,363
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.2	1.6	21.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	12.7	.6	8.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	25.6	29.2	25.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			649
WEEKLY STUDENT CONTACT HOURS	13,365	348	13,714
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,430	1,350	3,780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,223	198	1,421
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	58,410	32,450	90,860
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46,226	5,580	51,806
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	26,731	697	27,428
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.3	14.7	37.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	45.8	2.1	30.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.8	12.5	52.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY