

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 1

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	LAMA	FRZ1	89	15		11 635		LAMA	FRZ2	89	15		11 635
	LAMA	H101	25	15		00 020		LAMA	KITT	31	15		00 030
	LAMA	MEQ1	235	15		00 030		LAMA	MEQ2	49	15		00 030
	LAMA	MT01	39	15		63 315		LAMA	MT02	149	15		00 030
	LAMA	SW01	233	15		00 020		LAMA	SW02	233	15		00 020
	LAMA	SW03	37	15		00 020		LAMA	SW12	76	15		00 020
	LAMA	SW22	76	15		00 020		LAMA	S101	37	15		47 315
	LAMA	WT01	39	15		63 315		LAMA	WT02	154	15		00 030
	LAMA	OBS1	61	15		63 315		LAMA	OC10E	1234	15		00 020
	LAMA	OC10W	1236	15		00 020		LAMA	OJA1	80	15		00 030
	LAMA	OJA2	172	15		00 030		LAMA	OJA3	31	15		00 030
	LAMA	0101	264	15		55 310		LAMA	0101A	136	15		56 310
	LAMA	0101B	102	15		53 315		LAMA	0102	314	15		51 314
	LAMA	0102A	154	15		51 310		LAMA	0103	210	15		48 350
	LAMA	0104	192	15		48 310		LAMA	0104A	192	15		74 710
	LAMA	0105	167	15		48 310		LAMA	0105A	66	15		47 730
	LAMA	0106	636	15		11 731		LAMA	0107	635	20		11 110
	LAMA	0108	632	10		11 115		LAMA	0109	639	30		11 210
	LAMA	0110	453	15		11 215		LAMA	0111	636	50		11 215
	LAMA	0112	642	30		11 210		LAMA	0113	639	20		11 215
	LAMA	0114	639	20		11 210		LAMA	0115	639	20		11 215
	LAMA	0116	2419	15		11 650		LAMA	0120	458	15		11 630
	LAMA	0120A	139	15		11 635		LAMA	0120B	81	15		11 635
	LAMA	0120C	133	15		11 635	9	LAMA	0201	1167	20		11 110
	LAMA	0202	1457	50		11 110		LAMA	0202A	68	15		47 730
	LAMA	0203	841	15		11 630		LAMA	0203A	336	15		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 2

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	
	LAMA	0210A	30	15	00 030		LAMA	0301	767	16	11 110	
									TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:			20,288
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE			15,871
									TOTAL NUMBER CLASSROOMS			4
									TOTAL NUMBER COMPUTER CLASSROOMS			
									TOTAL NUMBER LABS 210			3
									TOTAL NUMBER SPECIAL LABS 220			
	LAMB	0301	767	16	11 110		LAMB	0302	1585	15	72 730	
	LAMB	0303	1585	16	11 210		LAMB	0304	96	15	48 310	
	LAMB	0305	393	4	00 030		LAMB	0306	232	2	00 030	
									TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:			4,658
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE			4,033
									TOTAL NUMBER CLASSROOMS			1
									TOTAL NUMBER COMPUTER CLASSROOMS			
									TOTAL NUMBER LABS 210			1
									TOTAL NUMBER SPECIAL LABS 220			
	LAMC	OMT1	178	5	00 030		LAMC	OMT2	314	2	00 030	
	LAMC	OSW1	229	15	00 020		LAMC	OSW2	256	15	00 020	
	LAMC	OSW3	246	15	00 020		LAMC	OSW4	273	15	00 020	
	LAMC	OWT1	166	3	00 030		LAMC	OWT2	217	2	00 030	
	LAMC	0101	464	12	12 110		LAMC	0102	3210	15	12 210	
	LAMC	0103	40	15	00 010		LAMC	0104	159	15	00 030	
	LAMC	0105	66	15	00 030		LAMC	0106	51	15	00 030	
	LAMC	0107	815	22	12 110		LAMC	0108	536	16	12 110	
	LAMC	0109	96	15	48 310		LAMC	0110	103	15	12 731	
	LAMC	0111	212	15	12 315		LAMC	0112	96	15	48 310	
	LAMC	0113	91	15	73 310		LAMC	0114	526	15	91 650	
	LAMC	0115	344	15	00 030		LAMC	0200	518	12	12 110	
9	LAMC	0201	743	12	12 110	9	LAMC	0202	914	12	12 110	
	LAMC	0203	595	12	12 110		LAMC	0204	879	24	12 110	
	LAMC	0205	428	15	12 220		LAMC	0206	741	18	12 140	
	LAMC	0207	86	15	00 030		LAMC	0208	755	6	12 240	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 4

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER	
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE		
	LEFA	0112	632	24		11	110		LEFA	0114	2306		21		11	210	
	LEFA	0115	962	25		11	110	9	LEFA	0116	1156		20		11	110	
	LEFA	0117	1267		15	00	010		LEFA	0118	142			15	91	655	
	LEFA	0119	236		15	64	710		LEFA	0120	93			15	00	030	
	LEFA	0121	1232		15	91	650		LEFA	0122	645		28		11	110	
	LEFA	0123	634	22		11	110		LEFA	0124	592		24		11	110	
	LEFA	0125	2819		20	11	210	9	LEFA	0202	2422			15	41	430	
	LEFA	0203	825	40		11	110		LEFA	0204	812		18		11	140	
	LEFA	0205	812	21		11	140		LEFA	0206	752		23		11	140	
	LEFA	0207	286		15	48	310		LEFA	0208	152			15	73	730	
	LEFA	101A	176		15	48	310		LEFA	101B	124			15	48	310	
	LEFA	101C	176		15	48	310		LEFA	101D	100			15	48	310	
	LEFA	101E	85		15	48	310		LEFA	101F	85			15	48	310	
	LEFA	101G	172		15	11	315		LEFA	102A	163			15	48	310	
	LEFA	102B	150		15	11	315		LEFA	102C	55			15	00	030	
	LEFA	107A	101		15	14	310		LEFA	108A	101			15	14	310	
	LEFA	110A	810	26		11	110		LEFA	110B	1439		18		11	210	
	LEFA	110C	98		15	48	310		LEFA	110D	92		15		11	115	
	LEFA	110E	95	15		11	115		LEFA	111A	95		15		11	115	
	LEFA	112A	98		15	48	310		LEFA	112B	91		15		11	115	
	LEFA	114A	106		15	48	310		LEFA	114B	258			15	11	215	
	LEFA	114C	114		15	11	215		LEFA	115A	41		15		11	115	
	LEFA	116A	120		15	48	310		LEFA	116B	326		15		11	115	
	LEFA	116C	1018		15	11	210		LEFA	117A	538			15	00	010	
	LEFA	117B	128		15	73	310		LEFA	117C	267			15	00	010	
	LEFA	122A	104		15	48	310		LEFA	122B	230			8	11	220	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 5

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	LEFA	122C	2526	28		11 210		LEFA	123A	145	15		48 310
9	LEFA	123B	100	22		11 210		LEFA	123C	5788	22		11 210
	LEFA	124A	113	15		48 310		LEFA	124B	117	15		48 310
	LEFA	124C	3374	32		11 210		LEFA	124D	216	20		11 210
	LEFA	125A	98	15		48 310		LEFA	125B	480	20		11 110
	LEFA	125C	208	15		11 210		LEFA	201A	667	24		11 110
	LEFA	201B	667	30		11 110		LEFA	201C	667	32		11 110
	LEFA	201D	96	15		48 310		LEFA	202A	191	15		41 310
9	LEFA	202B	606	8		41 410		LEFA	202C	92	15		41 731
	LEFA	203A	352	15		48 310		LEFA	204A	344	15		48 310
	LEFA	205A	344	15		48 310		LEFA	206A	324	15		48 310
	LEFA	207A	78	15		48 315		LEFA	A0100	10849	15		00 020
	LEFA	A0200	2229	15		00 020		TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:					73,526
	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE										54,221		
	TOTAL NUMBER CLASSROOMS										17		
	TOTAL NUMBER COMPUTER CLASSROOMS										3		
	TOTAL NUMBER LABS 210										11		
	TOTAL NUMBER SPECIAL LABS 220										1		
	LEFB	0100	2762	15		73 730		TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:					2,762
	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE										2,762		
	TOTAL NUMBER CLASSROOMS												
	TOTAL NUMBER COMPUTER CLASSROOMS												
	TOTAL NUMBER LABS 210												
	TOTAL NUMBER SPECIAL LABS 220												
	LEFC	0PB1	736	15		11 730		TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:					736
	TOTAL NET ASSIGN SQ. FT. IN ROOM FILE										736		
	TOTAL NUMBER CLASSROOMS												
	TOTAL NUMBER COMPUTER CLASSROOMS												
	TOTAL NUMBER LABS 210												
	TOTAL NUMBER SPECIAL LABS 220												
	LEFD	PB2A	736	15		11 730		LEFD	PB2B	736	15		11 730
	TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:										1,472		

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 6

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---ROOM FUNC. TYPE	OTHER
									TOTAL	NET ASSIGN SQ. FT. IN ROOM FILE		1,472
									TOTAL	NUMBER CLASSROOMS		
									TOTAL	NUMBER COMPUTER CLASSROOMS		
									TOTAL	NUMBER LABS 210		
									TOTAL	NUMBER SPECIAL LABS 220		
	SCH1	A102	104	15	00 030		SCH1	A154	84	15	00 030	
	SCH1	A155	91	15	63 310		SCH1	A206	56	15	00 010	
	SCH1	A252	88	15	00 030		SCH1	MWT1	56	1	11 315	
	SCH1	MWT2	56	1	11 315		SCH1	OMT1	224	4	00 030	
	SCH1	OMT2	224	4	00 030		SCH1	OMT3	56	1	11 315	
	SCH1	OMT4	56	1	11 315		SCH1	OMT5	224	4	00 030	
	SCH1	OMT6	224	4	00 030		SCH1	OMT7	56	1	11 315	
	SCH1	OMT8	56	1	11 315		SCH1	OMT9	56	1	11 315	
	SCH1	OSW1	352	15	00 020		SCH1	OSW2	352	15	00 020	
	SCH1	OSW3	352	15	00 020		SCH1	OWT1	224	4	00 030	
	SCH1	OWT2	224	4	00 030		SCH1	OWT3	56	1	11 315	
	SCH1	OWT4	56	1	11 315		SCH1	OWT5	224	4	00 030	
	SCH1	OWT6	224	4	00 030		SCH1	OWT7	56	1	11 315	
	SCH1	OWT8	56	1	11 315		SCH1	OWT9	56	1	11 315	
	SCH1	0100	505	15	51 315		SCH1	0101	696	28	11 140	
	SCH1	0102	696	25	11 140		SCH1	0103	348	15	00 030	
	SCH1	0104	900	32	55 240		SCH1	0106	667	15	63 730	
	SCH1	0107	162	15	54 310		SCH1	0108	162	15	54 310	
	SCH1	0109	192	15	73 730		SCH1	0110	129	15	00 010	
	SCH1	0111	667	35	11 110		SCH1	0112	696	32	11 110	
	SCH1	0113	132	15	64 310		SCH1	0114	216	15	64 310	
	SCH1	0115	378	15	63 315		SCH1	0116	1496	29	11 210	
	SCH1	0117	110	15	48 310		SCH1	0118	110	15	48 310	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 7

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	SCH1	0119	198	15		31 310		SCH1	0120	1023	32		11 140
	SCH1	0121	1023	35		11 140		SCH1	0122	1044	48		11 110
	SCH1	0123	667	36		11 110		SCH1	0124	348		15	00 030
	SCH1	0125	620		22	14 410		SCH1	0126	667		15	14 410
9	SCH1	0127	885		15	14 410		SCH1	0128	4321		15	41 420
	SCH1	0129	900		15	55 240		SCH1	0130	130		15	91 665
	SCH1	0131	696	25		11 140		SCH1	0132	696		15	91 660
	SCH1	0133	731		15	91 630		SCH1	0134	2548		15	91 650
	SCH1	0200	240		15	63 315		SCH1	0201	780	38		11 110
	SCH1	0202	667	32		11 110		SCH1	0203	1073	33		11 140
	SCH1	0204	180		15	63 750		SCH1	0205	30		15	48 731
	SCH1	0206	285		15	63 315		SCH1	0207	696		15	48 314
	SCH1	0208	132		15	73 730		SCH1	0209	363		15	46 315
	SCH1	0210	130		15	45 310		SCH1	0212	130		15	45 310
	SCH1	0213	1350		54	11 210		SCH1	0214	1023		24	11 210
	SCH1	0215	144		15	48 310		SCH1	0216	132		15	48 310
	SCH1	0217	1350		48	11 210		SCH1	0218	899		15	11 210
	SCH1	0219	874	44		11 110		SCH1	0220	874	44		11 110
	SCH1	0221	775	36		11 110		SCH1	0222	696	24		11 110
	SCH1	0223	868	46		11 110		SCH1	0224	693	25		11 110
	SCH1	0225	660	32		11 110		SCH1	0226	598		15	31 350
	SCH1	0227	1116	38		11 140		SCH1	0228	744	36		11 110
	SCH1	0229	990	36		11 140		SCH1	0230	667	32		11 110
	SCH1	0231	1073	33		11 140		SCH1	0232	667	30		11 110
	SCH1	0233	168		15	73 730		SCH1	0234	150		15	52 310
	SCH1	0300	88		15	00 020		SCH1	0301	1323		15	00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 8

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	OTHER
	SCH1	0302	264	15		00 030		SCH1	0303	1073	15		00 030	
	SCH1	100A	99	15		55 310		SCH1	100B	132	15		55 310	
	SCH1	100C	99	15		56 310		SCH1	100D	108	15		55 310	
	SCH1	100E	99	15		56 310		SCH1	100F	84	15		55 310	
	SCH1	100G	99	15		56 310		SCH1	100H	120	15		56 315	
	SCH1	100I	99	15		53 310		SCH1	100J	132	15		55 315	
	SCH1	100K	99	15		53 310		SCH1	100L	704	15		53 315	
	SCH1	105A	140	15		62 313		SCH1	105B	156	15		62 315	
	SCH1	105C	121	15		62 310		SCH1	105D	176	15		62 310	
	SCH1	105E	176	15		62 310		SCH1	105F	110	15		62 310	
	SCH1	105G	312	15		62 350		SCH1	105H	168	15		62 731	
	SCH1	105I	132	15		62 315		SCH1	105J	143	15		62 310	
	SCH1	105K	132	15		62 310		SCH1	105L	396	15		62 750	
	SCH1	105M	120	15		62 315		SCH1	109A	156	15		00 030	
	SCH1	114A	150	15		64 315		SCH1	114B	150	15		64 710	
	SCH1	114C	150	15		64 731		SCH1	116A	405	15		11 215	
	SCH1	116B	72	15		11 215		SCH1	127A	132	15		14 310	
	SCH1	127B	132	15		14 310		SCH1	127C	132	15		14 310	
	SCH1	128A	126	15		41 410		SCH1	128B	124	15		41 410	
	SCH1	128C	127	15		41 410		SCH1	128D	631	15		41 410	
	SCH1	128E	160	15		41 310		SCH1	128F	160	15		41 310	
	SCH1	128G	160	15		41 310		SCH1	128H	298	15		41 440	
	SCH1	128I	209	15		41 731		SCH1	200A	60	15		63 731	
	SCH1	200B	176	15		63 315		SCH1	200C	120	15		63 310	
	SCH1	200D	204	15		63 310		SCH1	200E	204	15		61 310	
	SCH1	200F	120	15		65 310		SCH1	200G	108	15		65 310	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 10

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE	
	SCH2	ELC1	108		15	00	030		SCH2	ELC2	102		15	00	030	
	SCH2	LOUN	198		15	91	650		SCH2	MEC1	456		15	00	030	
	SCH2	MEC2	59		15	00	030		SCH2	MEC3	163		15	00	030	
	SCH2	STO1	87		15	12	731		SCH2	STO2	41		15	00	010	
	SCH2	STO3	62		15	12	731		SCH2	STO4	51		15	00	010	
	SCH2	OMT1	250		4	00	030		SCH2	OMT2	176		1	00	030	
	SCH2	OMT3	253		4	00	030		SCH2	OSW1	356		15	00	020	
	SCH2	OSW2	447		15	00	020		SCH2	OWT1	281		4	00	030	
	SCH2	OWT2	176		1	00	030		SCH2	OWT3	288		4	00	030	
	SCH2	0101	721	24		12	110		SCH2	0102	721	24		12	140	
	SCH2	0103	721	24		12	140		SCH2	0104	139		15	46	310	
	SCH2	0105	136		15	48	310		SCH2	0106	136		15	12	310	
	SCH2	0107	784	24		12	110		SCH2	0108	3430		40	12	210	
	SCH2	0201	721	24		12	140		SCH2	0202	721	24		12	110	
	SCH2	0203	721	24		12	140		SCH2	0204	668	24		12	140	
	SCH2	0205	687	24		12	110		SCH2	0206	851	40		12	110	
	SCH2	100A	178		15	63	310		SCH2	100B	332		15	63	350	
	SCH2	100C	232		15	63	315		SCH2	100D	190		15	22	310	
	SCH2	100D1	64		15	22	315		SCH2	104A	60		15	46	315	
	SCH2	108A	168		15	00	030		SCH2	108B	290		15	12	215	
	SCH2	200A	180		15	63	310		SCH2	200B	246		15	63	310	
	SCH2	200B1	123		15	63	310		SCH2	200C	121		15	63	310	
	SCH2	200D	137		15	48	310		SCH2	200E	168		15	48	310	
	SCH2	200F	144		15	48	310		SCH2	200G	177		15	63	315	
	SCH2	A0100	2657		15	00	020		SCH2	A0200	1478		15	00	020	
													TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		21,830	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2017
 RUN DATE 11/13/2017 14:42:48
 PAGE NUMBER 11

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
------------------------------	------------	------------	-----------------------	--	---	------------------------------	------------	------------	-----------------------	--	---

TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	14,320
TOTAL NUMBER CLASSROOMS	5
TOTAL NUMBER COMPUTER CLASSROOMS	5
TOTAL NUMBER LABS 210	1
TOTAL NUMBER SPECIAL LABS 220	

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - BLD NUMBER OF THE ROOM FILE DOES NOT MATCH THE BLD NUMBER OF THE BLD FILE. - - - - -
 THE BUILDING NUMBERS SHOULD BE EXACTLY THE SAME ON THE BUILDING FILE AND THE ROOM FILE.
- 2 = ERROR - DUPLICATE RECORD IN THE ROOM FILE. - - - - -
- 3 = ERROR - NET ASSIGNABLE SQUARE FEET IS BLANK OR IS NOT NUMERIC. - - - - -
- 4 = ERROR - CAPACITY IS NOT ENTERED FOR ROOM TYPE 110, 210, 220, 230, 250, 410, 430, 610, 910, 920. - - - - -
- 5 = ERROR - BUILDING DOES NOT CONTAIN ANY ROOMS. - - - - -
 IF THE BUILDING IS A WAREHOUSE, BARN, ETC. WITH NO ROOMS, CODE ONE ROOM WITH THE GROSS AND NET EQUAL.
- 6 = ERROR - FUNCTION USE OF ROOMS IS 00 AND ROOM TYPE NOT 010, 020, 030, 051, 052, OR 053. - - - - -
- 7 = ERROR - ROOM TYPE IS NOT A VALID ROOM USE CODE OR PCS FUNCTION USE CODE IS NOT A VALID CODE - - - - -
- 8 = ERROR - ROOM TYPE IS WRONG (000). - - - - -

TOTAL ERRORS - - - - -

- 9 = WARNING -- RATIO OF NET ASSIGN SQ. FT. TO CAPACITY IS NOT 5 TO 50 SQ. FT. FOR ROOM TYPES 110 410 430
 OR IS NOT 10 TO 400 SQ. FT. FOR ROOM TYPES 210 220 230 250
 OR IS NOT 5 TO 25 SQ. FT. FOR ROOM TYPE 610. - - - - -

8

TOTAL NUMBER OF ROOM RECORDS - - - - -	463
TOTAL CLASSROOM CAPACITY	2,005
TOTAL LAB CAPACITY - - - - -	878
TOTAL OTHER CAPACITY	4,685
TOTAL NON ASSIGN AREA - ROOMS (FUNCT 00) - - - - -	77,015
TOTAL UNASSIGNED AREA - ROOMS (FUNCT 81, 82, 83)	
TOTAL FACIL IN USE - ROOMS (FUNCT 10 THROUGH 70) - - - - -	166,864
TOTAL ASSIGNABLE AREA - ROOMS (FUNCT 10 THROUGH 83)	166,864
TOTAL NUMBER OF NON-ASSIGN ROOMS (FUNCT 00) - - - - -	101
TOTAL NUMBER OF INSTRUCTIONAL, RESEARCH, ACADEMIC SUPPORT, AND STUDENT SERVICE ROOMS (FUNCTS 10, 20, 40 AND 50)	281
TOTAL NUMBER OF PUBLIC SERVICE, INSTITUTIONAL SUPPORT AND INDEPENDENT OPERATIONS ROOMS (FUNCTS 30, 60 AND 70) - - - - -	72
TOTAL NUMBER OF UNASSIGNED ROOMS (FUNCT 81, 82, 83)	
TOTAL NUMBER OF ASSIGNABLE ROOMS (FUNCT 10 TO 83) - - - - -	362
TOTAL NUMBER OF CLASSROOMS (110)	51
TOTAL NUMBER OF COMPUTER CLASSROOMS (140) - - - - -	18
TOTAL NUMBER OF LABS (210)	22
TOTAL NUMBER OF SPECIAL LABS (220) - - - - -	2