

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	B000 0B11	MATH110 002	1 1 1	9.00 9.50		2			00000
1 4	C000 00C2	ELEC542 002	11111	7.00 14.30		38			00000
1	C000 00C2	ELEC720 001	1 1 1	8.00 10.00		1			00000
1	C000 00C2	ELEC520 001	1 1 1	8.00 11.00		1			00000
1 4	C000 00C2	ELEC210 001	1 1	8.00 14.30		11			00000
1	C000 00C2	ELEC540 001	1 1 1	11.30 14.30		1			00000
1 4	C000 00C5	ELEC542 001	11111	7.00 14.30		3			00000
1	C000 00C5	ELEC120 001	1 1 1	8.00 12.00		15			00000
1	C000 00C6	APRP231 001	11 1	8.00 10.00		9			00000
1	C000 00C6	APRP441 001	11 1	8.00 10.00		3			00000
1 4	C000 00C6	APRP341 001	1	8.00 14.00		9			00000
1 4	C000 00C6	APRP411 001	1	8.00 14.00		3			00000
1	C000 00C6	APRP321 001	1111	10.00 13.00		12			00000
1	C000 00C6	APRP331 001	1111	13.00 15.00		10			00000
1	C000 00C6	APRP110 001	1	14.00 15.00		4			00000
1	C000 00C6	APRP150 001	1	14.00 15.00		2			00000
1 4	E000 E18	HNUR212 002	11111	6.30 14.30		10			00000
1	E000 OE16	HNUR351 001	11111	8.00 11.00		39			00000
1	E000 OE16	HNUR300 001	1 1 1	8.00 11.00		39			00000
1	E000 OE16	HNUR360 001	1 1	8.00 11.00		39			00000
1	E000 OE16	HNUR330 001	1 1	11.30 13.00		38			00000
1 7	E000 OE16	HNUR300 002	1 1 1	12.00 14.00					00000
1	E000 OE16	HNUR340 001	1 1 1	12.00 14.00		39			00000
1	E000 OE16	HNUR211 001	1 1 1	12.00 15.00		6			00000
1	E000 OE16	ORNT000 007	1 1 1	12.00 15.00		15			00000
1 7	E000 OE17	AHSC000 003	1 1	7.00 11.20					00000
1	E000 OE17	AHSC000 001	1 1 1	7.30 9.30		6			00000
1	E000 OE17	AHSC000 006	1 1	7.30 9.30		6			00000
1	E000 OE17	AHSC000 002	1 1 1	9.30 11.20		7			00000
1 7	E000 OE17	AHSC000 005	1 1 1	9.30 11.30					00000
1	E000 OE17	AHSC000 007	1 1	9.30 11.30		9			00000
1 4	E000 OE17	AHSC000 008	1 1	11.30 17.30		6			00000
1 4	E000 OE18	HNUR212 001	11111	6.30 14.30		9			00000
1 4	E000 OE18	HNUR212 004	11111	6.30 14.30		10			00000
1 4	E000 OE23	HNUR212 003	11111	6.30 14.30		10			00000
1 4	E000 OE23	HNUR122 002	111	6.30 14.30		6			00000
1 4	E000 OE23	HNUR132 002	111	6.30 14.30		6			00000
1	E000 OE23	ORNT000 001	1 1	8.00 11.20		7			00000
1 7	E000 OE23	HNUR211 002	11111	12.00 15.00					00000
1 7	E000 OE23	ORNT000 009	1 1 1	12.00 15.00					00000
1 7	E000 OE23	HNUR351 002	1 1	12.00 15.00					00000
1 7	E000 OE23	ORNT000 008	1 1	12.00 15.00					00000
1	E000 OE23	ORNT000 001	11111	15.00 18.00		6			00000
1 4	E000 OE24	HNUR122 001	111	6.30 14.30		7			00000
1 4	E000 OE24	HNUR132 001	111	6.30 14.30		7			00000
1 4	E000 OE24	HNUR120 001	11	8.00 14.30		7			00000
1 4	E000 OE24	HNUR120 002	11	8.00 14.30		6			00000
1 4	E000 OE24	HNUR130 001	11	8.00 14.30		7			00000
1 4	E000 OE24	HNUR130 002	11	8.00 14.30		6			00000
1	E000 OE24	ORNT000 005	1 1	9.25 10.40		14			00000
1	E000 OE24	ORNT000 006	1 1	9.25 10.40		7			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	E000 0E24	ORNT000 001	1 1	10.05 10.55		15			00000
1	E000 0E24	ORNT000 003	1 1	10.05 10.55		10			00000
1	E000 0E24	ORNT000 002	1 1	13.25 14.15		13			00000
1	E000 0E24	ORNT000 004	1 1	13.25 14.15		8			00000
1	E000 0E25	HNUR211 003	11111	15.00 20.00		7			00000
1	E000 0E25	HNUR212 005	11111	15.00 20.00		7			00000
1	E000 0E29	ORNT000 001	1 1 1	12.00 15.00		11			00000
1 4 7	F000 F11	WELD311 001	11111	7.30 14.00					00000
1 4	F000 F11	WELD995 001	11111	7.30 14.00		3			00000
1 4	F000 0F11	WELD110 001	11111	7.30 14.00		10			00000
1 4	F000 0F11	WELD110 001	11111	7.30 14.00		1			00000
1 4	F000 0F11	WELD111 001	11111	7.30 14.00		6			00000
1 4	F000 0F11	WELD113 001	11111	7.30 14.00		5			00000
1 4	F000 0F11	WELD114 001	11111	7.30 14.00		2			00000
1 4	F000 0F11	WELD120 001	11111	7.30 14.00		12			00000
1 4	F000 0F11	WELD130 001	11111	7.30 14.00		15			00000
1 4	F000 0F11	WELD140 001	11111	7.30 14.00		15			00000
1 4	F000 0F11	WELD210 001	11111	7.30 14.00		10			00000
1 4	F000 0F11	WELD210 001	11111	7.30 14.00		2			00000
1 4 7	F000 0F11	WELD230 001	11111	7.30 14.00					00000
1 4	F000 0F11	WELD310 001	11111	7.30 14.00		11			00000
1 4	F000 0F11	WELD310 001	11111	7.30 14.00		1			00000
1 4	F000 0F11	WELD410 001	11111	7.30 14.00		9			00000
1 4 7	F000 0F11	WELD411 001	11111	7.30 14.00					00000
1 4	F000 0F11	WELD412 001	11111	7.30 14.00		7			00000
1 4	F000 0F11	WELD420 001	11111	7.30 14.00		4			00000
1 4	F000 0F11	WELD510 001	11111	7.30 14.00		3			00000
1	F000 0F29	CLRP121 001	1 1	8.00 11.05		14			00000
1	F000 0F29	CLRP130 001	11111	8.00 11.30		7			00000
1	F000 0F29	CLRP110 001	1 1 1	10.05 10.55		15			00000
1	F000 0F29	CLRP320 001	11111	11.35 14.55		8			00000
1	F000 0F29	CLRP131 001	1 1	12.00 15.05		10			00000
1	F000 0F30	DPET320 001	1 1 1	8.00 8.50		2			00000
1 4	F000 0F30	DPET150 001	11111	8.00 14.00		1			00000
1 4	F000 0F30	DPET231 001	11111	8.00 14.00		1			00000
1 4	F000 0F30	DPET310 001	11111	8.00 14.00		1			00000
1 4	F000 0F30	DPET330 001	11111	8.00 14.00		1			00000
1 4	F000 0F30	AUTO200 001	11111	8.00 14.30		28			00000
1 4	F000 0F30	AUTO210 001	11111	8.00 14.30		29			00000
1 4	F000 0F30	AUTO220 001	11111	8.00 14.30		30			00000
1 4	F000 0F30	AUTO230 001	11111	8.00 14.30		28			00000
1 4	F000 0F30	AUTO240 001	11111	8.00 14.30		28			00000
1 4	F000 0F30	AUTO300 001	11111	8.00 14.30		28			00000
1 4	F000 0F30	AUTO310 001	11111	8.00 14.30		25			00000
1 4	F000 0F30	AUTO320 001	11111	8.00 14.30		25			00000
1 4	F000 0F30	AUTO330 001	11111	8.00 14.30		24			00000
1 4	F000 0F30	AUTO340 001	11111	8.00 14.30		23			00000
1 4	F000 0F30	AUTO400 001	11111	8.00 14.30		3			00000
1 4 7	F000 0F30	AUTO410 001	11111	8.00 14.30					00000
1 4	F000 0F30	AUTO420 001	11111	8.00 14.30		22			00000
1 4	F000 0F30	AUTO430 001	11111	8.00 14.30		23			00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-ALEXANDRIA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	F000 0F30	DPET110 001	1 1 1	9.00 9.50		2			00000
1	F000 0F30	DPET140 001	1 1 1	10.00 11.50		1			00000
1	I000 0001	JOBS450 001	1 1	9.00 9.50		13			00000
1	7 I000 0001	JOBS450 003	1 1	10.00 10.50					00000
1	I000 0001	CSRV000 001	11111	11.05 11.55		17			00000
1	I000 0001	JOBS450 002	1 1	14.00 14.50		7			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	108
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	56
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	12
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	176
TOTAL NUMBER OF RECORDS READ	108
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	
NUMBER OF JOINT-CLASS RECORDS	
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY