

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0007	DVEN0090001	11111	8.00 8.50		1	110 40	00000	
	A000	0007	DVMA0090001	11111	8.00 8.50	1	12	110 40	00000	
	A000	0007	DVRE0091001	11111	8.00 8.50	1	1	110 40	00000	
	A000	0007	DVMA0090002	11111	9.00 9.50		7	110 40	00000	
	A000	0007	DVMA0091002	11111	9.00 9.50	1	1	110 40	00000	
	A000	0007	DVRE0090002	11111	9.00 9.50	1	5	110 40	00000	
	A000	0007	DVEN0090003	11111	10.00 10.50		1	110 40	00000	
	A000	0007	DVEN0091002	11111	10.00 10.50	1	1	110 40	00000	
	A000	0007	DVEN0091003	11111	10.00 10.50	1	1	110 40	00000	
	A000	0007	DVMA0090003	11111	10.00 10.50	1	9	110 40	00000	
	A000	0007	DVRE0090003	11111	10.00 10.50	1	5	110 40	00000	
	A000	0007	DVRE0091003	11111	10.00 10.50	1	1	110 40	00000	
	A000	0007	DVEN0090004	11111	11.00 11.50		11	110 40	00000	
	A000	0007	DVMA0090004	11111	11.00 11.50	1	3	110 40	00000	
	A000	0007	DVRE0090004	11111	11.00 11.50	1	3	110 40	00000	
	A000	0007	DVRE0091004	11111	11.00 11.50	1	1	110 40	00000	
	A000	0007	DVMA0090005	11111	12.30 13.30		1	110 40	00000	
	A000	0007	DVMA0090006	11111	13.30 14.20		13	110 40	00000	
	A000	0007	DVRE0090005	11111	13.30 14.20	1	1	110 40	00000	
	A000	0007	DVRE0090006	11111	13.30 14.20	1	1	110 40	00000	
	A000	0007	DVMA0090009	11111	14.20 15.20		1	110 40	00000	
	A000	0007	DVMA0090008	11	17.30 20.30		14	110 40	00000	
4	A000	0022	AUTO1610004	1111	9.00 14.20		1	110 20	00000	
4	A000	0024	AUTO1620005	1111	8.00 14.20		1	210 20	00000	
4	A000	0024	AUTO1630005	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1640005	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1650005	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1800001	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1810002	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1820002	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1830002	1111	8.00 14.20	1	1	210 20	00000	
4	A000	0024	AUTO1840002	1111	8.00 15.20	1	1	210 20	00000	
	A000	0024	AUTO1630006	1111	9.00 13.20	1	1	210 20	00000	
4	A000	0024	AUTO1320001	11111	9.00 14.20	1	3	210 20	00000	
4	A000	0024	AUTO1600005	11111	9.00 14.20	1	6	210 20	00000	
4	A000	0024	AUTO1300001	1111	9.00 14.20	1	3	210 20	00000	
4	A000	0024	AUTO1310001	1111	9.00 14.20	1	3	210 20	00000	
4	A000	0024	AUTO1330001	1111	9.00 14.20	1	3	210 20	00000	
4	8	A000	0024	AUTO1350001	1111	9.00 14.20	1	3	210 20	00000
4	8	A000	0024	AUTO1600006	1111	9.00 14.20	1	1	210 20	00000
4	8	A000	0024	AUTO1610003	1111	9.00 14.20	1	5	210 20	00000
4	8	A000	0024	AUTO1610004	1111	9.00 14.20	1	1	210 20	00000
4	8	A000	0024	AUTO1610006	1111	9.00 14.20	1	1	210 20	00000
4	8	A000	0024	AUTO1620003	1111	9.00 14.20	1	5	210 20	00000
4	8	A000	0024	AUTO1620006	1111	9.00 14.20	1	1	210 20	00000
4	8	A000	0024	AUTO1630003	1111	9.00 14.20	1	5	210 20	00000
4	8	A000	0024	AUTO1640003	1111	9.00 14.20	1	5	210 20	00000
4	8	A000	0024	AUTO1650003	1111	9.00 14.20	1	5	210 20	00000
4	8	A000	0024	AUTO1830003	1111	9.00 14.20	1	3	210 20	00000
4	8	A000	0024	AUTO1850002	1111	9.00 14.20	1	3	210 20	00000
	B000	0002	CPTR1000003	1 1 1	8.00 8.50		15	210 20	00000	

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	B000	0002	OSYS1100001	1 1 1	8.00 8.50	1	12	1,000	210 20	00000	
	B000	0002	JOBS2450002	1 1 1	8.00 9.15		12	1,000	210 20	00000	
	B000	0002	KYBD1000001	1 1 1	9.00 9.50		11	1,000	210 20	00000	
	B000	0002	KYBD1110001	1 1 1	9.00 9.50	1	7	1,000	210 20	00000	
	B000	0002	MACH1350001	1 1 1	9.00 9.50	1	1	1,000	210 20	00000	
	B000	0002	KYBD1110001	1 1 1	9.25 10.40		7	1,000	210 20	00000	
	B000	0002	ACCT1200001	1 1 1	10.00 10.50		4	1,000	210 20	00000	
	B000	0002	ACCT1250001	1 1 1	10.00 10.50	1	7	1,000	210 20	00000	
	B000	0002	ACCT1200001	1 1 1	10.50 12.05		4	1,000	210 20	00000	
	B000	0002	ACCT1100001	1 1 1	11.00 11.50		6	1,000	210 20	00000	
	B000	0002	ACCT1250002	1 1 1	11.00 11.50	1	1	1,000	210 20	00000	
	B000	0002	KYBD1210001	1 1 1	11.00 11.50	1	9	1,000	210 20	00000	
	B000	0002	KYBD1310001	1 1 1	11.00 11.50	1	8	1,000	210 20	00000	
	B000	0002	MACH1350002	1 1 1	11.00 11.50	1	2	1,000	210 20	00000	
	B000	0002	ACCT1300001	1 1 1	12.30 13.20		1	1,000	210 20	00000	
	B000	0002	MATH1050001	1 1 1	12.30 13.20	1	19	1,000	210 20	00000	
	B000	0002	ACCT1100001	1 1 1	12.35 13.50		6	1,000	210 20	00000	
	B000	0002	KYBD1210001	1 1 1	12.35 13.50	1	9	1,000	210 20	00000	
	B000	0002	KYBD1310001	1 1 1	12.35 13.50	1	8	1,000	210 20	00000	
4	8	B000	0007	ORNT1000007	1 1 1	8.00 11.00	37	15	315	00000	
4	8	B000	0007	ORNT1000007	1 1 1	8.00 14.20	37	15	315	00000	
	B000	0017	ISYS1650001	1 1 1	8.00 8.50		1	814	210 20	00000	
	B000	0017	OSYS2530001	1 1 1	8.00 8.50	1	6	814	210 20	00000	
	B000	0017	ENGL1030001	1 1 1	8.00 9.15		12	814	210 20	00000	
	B000	0017	ISYS1550001	1 1 1	9.00 10.40		9	814	210 20	00000	
	B000	0017	ISYS1550001	1 1 1	9.25 10.40		9	814	210 20	00000	
	B000	0017	ISYS1450001	1 1 1	10.00 10.50		7	814	210 20	00000	
	B000	0017	ISYS1450001	1 1 1	10.50 12.05		7	814	210 20	00000	
	B000	0017	CPTR1300001	1 1 1	12.30 13.20		13	814	210 20	00000	
	B000	0017	OSYS1250001	1 1 1	12.30 13.20	1	3	814	210 20	00000	
	B000	0018	BUSI1000001	1 1 1	13.30 14.20		11	594	210 18	00000	
4		B000	0022	JOBS2450003	11111	8.00 14.20	1	3,172	730 30	00000	
4		B000	0022	MATH1000001	11111	8.00 14.20	1	3,172	730 30	00000	
	B000	0029	WELD2110001	11111	8.00 11.50		1	3,120	210 16	00000	
	B000	0029	WELD2111002	11111	8.00 11.50	1	1	3,120	210 16	00000	
	B000	0029	WELD2210001	11111	8.00 11.50	1	1	3,120	210 16	00000	
4		B000	0029	WELD1110002	11111	8.00 13.20	1	6	3,120	210 16	00000
4		B000	0029	WELD1210002	11111	8.00 13.20	1	6	3,120	210 16	00000
4		B000	0029	WELD1310002	11111	8.00 13.20	1	6	3,120	210 16	00000
4	8	B000	0029	WELD1410002	11111	8.00 13.20	1	6	3,120	210 16	00000
4	8	B000	0029	WELD1411002	11111	8.00 13.20	1	6	3,120	210 16	00000
4	8	B000	0029	WELD1412003	11111	8.00 13.20	1	8	3,120	210 16	00000
4	8	B000	0029	WELD1412004	11111	8.00 13.20	1	2	3,120	210 16	00000
4	8	B000	0029	WELD1420003	11111	8.00 13.20	1	2	3,120	210 16	00000
4	8	B000	0029	WELD1510003	11111	8.00 13.20	1	1	3,120	210 16	00000
4	8	B000	0029	WELD1512002	11111	8.00 13.20	1	1	3,120	210 16	00000
4	8	B000	0029	WELD1512003	11111	8.00 13.20	1	5	3,120	210 16	00000
4	8	B000	0029	WELD2110003	11111	8.00 13.20	1	1	3,120	210 16	00000
4	8	B000	0029	WELD2110004	11111	8.00 13.20	1	2	3,120	210 16	00000
4	8	B000	0029	WELD2110005	11111	8.00 13.20	1	1	3,120	210 16	00000
4	8	B000	0029	WELD2111004	11111	8.00 13.20	1	1	3,120	210 16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -AVOYELLES
 BRANCH
 PARISH AVOYELLES
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	B000 0029	WELD2210002	11111	8.00 13.20	1	3	3,120	210 16 00000
4	8	B000 0029	WELD2220001	11111	8.00 13.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD2220002	11111	8.00 13.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2230002	11111	8.00 13.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2230003	11111	8.00 13.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD2310003	11111	8.00 13.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2310004	11111	8.00 13.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD2310005	11111	8.00 13.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2311002	11111	8.00 13.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1511003	11111	8.00 13.30	1	1	3,120	210 16 00000
4	8	B000 0029	WELD1110001	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1210001	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1310001	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1410001	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1411001	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1412002	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD1420001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD1420004	11111	8.00 14.20	1	2	3,120	210 16 00000
4	8	B000 0029	WELD1510001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD1511001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD1512001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2111001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2113001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2114001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2310001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2311001	11111	8.00 14.20	1	1	3,120	210 16 00000
4	8	B000 0029	WELD2330001	11111	8.00 14.20	1	1	3,120	210 16 00000
4		C000 0001	MATH1110001	11111	9.00 14.20		7	437	110 10 00000
		C000 0005	ETRN2130001	11111	8.00 11.50		1	1,989	210 18 00000
4		C000 0005	CPTR2710001	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	CPTR2830001	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	CPTR2830002	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	ETRN1140001	11111	8.00 14.20	1	4	1,989	210 18 00000
4		C000 0005	ETRN1150001	11111	8.00 14.20	1	4	1,989	210 18 00000
4		C000 0005	IDEL2620001	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	IDEL2620002	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	IDEL2720001	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	IDEL2720002	11111	8.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	CPTR1000007	11111	9.00 14.20	1	5	1,989	210 18 00000
4		C000 0005	ETRN1120003	11111	9.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	ETRN1120005	11111	9.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	ETRN1120006	11111	9.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	ETRN1130006	11111	9.00 14.20	1	1	1,989	210 18 00000
4		C000 0005	ETRN1220001	11111	9.00 14.20	1	2	1,989	210 18 00000
4	8	C000 0005	ETRN1230001	11111	9.00 14.20	1	2	1,989	210 18 00000
4	8	C000 0005	JOBS2450005	11111	9.00 14.20	1	2	1,989	210 18 00000
4	8	C000 0005	JOBS2450006	11111	9.00 14.20	1	1	1,989	210 18 00000
	8	I000 0002	HNUR1220001	11	8.00 11.00		22	205	310 1 00000
	8	I000 0002	HNUR2996001	11	9.00 12.30	1	1	205	310 1 00000
	8	I000 0002	HNUR1130001	1	10.00 11.00		21	205	310 1 00000
	8	I000 0002	HNUR1220002	11	11.30 14.30		29	205	310 1 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-AVOYELLES
 BRANCH
 PARISH
 RELATION

AVOYELLES
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	I000 0002	HNUR1130002	1	13.30 14.30		29	205	310 1	00000
8	I000 0013	HNUR1110001	11	8.00 11.00		23	24	315	00000
8	I000 0013	HNUR1110002	11	8.00 11.00	1	28	24	315	00000
4 8	I000 0013	HNUR1450001	111111	8.00 14.30	1	35	24	315	00000
8	I000 0013	HNUR1120001	11	11.30 14.30	1	23	24	315	00000
8	I000 0013	HNUR1140001	11	11.30 14.30	1	23	24	315	00000
8	I000 0013	HNUR1410001	11	11.30 14.30		34	24	315	00000
	I000 0014	HNUR1160001	1	8.00 9.00		23	647	110 30	00000
	I000 0014	HNUR1230001	111	8.00 11.00	1	22	647	110 30	00000
4 8	I000 0014	HNUR2610001	11	8.00 14.30	1	37	647	110 30	00000
	I000 0014	HNUR1170001	1	9.00 10.00		23	647	110 30	00000
	I000 0014	HNUR1160002	1	11.30 12.30		28	647	110 30	00000
	I000 0014	HNUR1120002	11	11.30 14.30		28	647	110 30	00000
	I000 0014	HNUR1230002	111	11.30 14.30		28	647	110 30	00000
8	I000 0014	HNUR1170002	1	12.30 13.30	1	28	647	110 30	00000
	I000 0016	HIHC1110001	1 1	9.00 11.00		19	647	210 20	00000
4	I000 0016	NRSA1140001	1 1 1	9.00 14.30		19	647	210 20	00000
	I000 0016	NBAP1120001	1 1	11.30 13.30		19	647	210 20	00000
	I000 0016	HIHC1160001	1 1	13.30 14.30		19	647	210 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 94

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 69
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 163

TOTAL NUMBER OF RECORDS READ 172
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 172
NUMBER OF JOINT-CLASS RECORDS 124
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - AVOYELLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			488
WEEKLY STUDENT CONTACT HOURS	1306	84	1390
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	313	12	325
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43920	24400	68320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9750	480	10230
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2613	168	2781
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.5	1.4	13.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.9	.7	4.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.8	35.0	27.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			488
WEEKLY STUDENT CONTACT HOURS	1306	84	1390
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	313	12	325
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43920	24400	68320
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9750	480	10230
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2613	168	2781
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.5	1.4	13.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	5.9	.7	4.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.8	35.0	27.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			387
WEEKLY STUDENT CONTACT HOURS	5377		5377
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4420		4420
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34830	19350	54180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	78280		78280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10754		10754
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	288.9	.0	185.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.9	.0	19.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	13.7	.0	13.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			387
WEEKLY STUDENT CONTACT HOURS	5377		5377
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1530	850	2380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4420		4420
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34830	19350	54180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	78280		78280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10754		10754
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	288.9	.0	185.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	30.9	.0	19.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	13.7	.0	13.7

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - AVOYELLES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			875
WEEKLY STUDENT CONTACT HOURS	6683	84	6767
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3060	1700	4760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4733	12	4745
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	78750	43750	122500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	88030	480	88510
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13367	168	13535
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	154.7	.7	99.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.0	.4	11.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	15.2	35.0	15.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY