

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	A0101	OSYS1100001	1 1 1	10.00 10.50		19	579	110 20 00000	
	A000	A0101	OSYS1250001	1 1 1	11.00 11.50		19	579	110 20 00000	
	A000	A0102	Opti0000001	11111	8.00 8.50		15	995	110 45 00000	
	A000	A0102	Opti0000002	11111	9.00 9.50		13	995	110 45 00000	
	A000	A0102	Opti0000003	11111	10.00 10.50		11	995	110 45 00000	
	A000	A0102	Opti0000004	11111	11.00 11.50		16	995	110 45 00000	
	A000	A0102	Opti0000005	11111	12.30 13.20		15	995	110 45 00000	
	A000	A0102	Opti0000006	11111	13.30 14.20		15	995	110 45 00000	
	A000	A0103	HNUR2510001	11111	7.45 12.00		18	866	110 35 00000	
	A000	A0103	HNUR2993001	11111	9.15 14.15	1	18	866	110 35 00000	
8	A000	A0103	HNUR2630001	11	9.15 14.15	1	18	866	110 35 00000	
	B000	W0101	WELD1110002	11111	8.00 12.00		1	486	110 21 00000	
	B000	W0101	WELD1120002	11111	8.00 12.00	1	1	486	110 21 00000	
	B000	W0101	WELD1130002	11111	8.00 12.00	1	1	486	110 21 00000	
	B000	W0101	WELD1140002	11111	8.00 12.00	1	1	486	110 21 00000	
	B000	W0101	WELD1140003	11111	8.00 12.00	1	1	486	110 21 00000	
	B000	W0101	WELD1110006	11111	9.00 12.00	1	7	486	110 21 00000	
	B000	W0101	WELD1120006	11111	9.00 12.00	1	7	486	110 21 00000	
	B000	W0101	WELD1130005	11111	9.00 12.00	1	7	486	110 21 00000	
	B000	W0101	WELD1140006	11111	9.00 12.00	1	1	486	110 21 00000	
4	B000	W0101	WELD1110005	11111	9.00 14.30	1	2	486	110 21 00000	
4	B000	W0101	WELD1120005	11111	9.00 14.30	1	2	486	110 21 00000	
4	8	B000	W0101	WELD1130004	11111	9.00 14.30	2	486	110 21 00000	
4	8	B000	W0101	WELD1140005	11111	9.00 14.30	2	486	110 21 00000	
	8	B000	W0101	WELD1110007	11111	13.30 14.30	1	6	486	110 21 00000
	B000	W0102	WELD1210002	11111	8.00 12.00		1	2,467	720 26 00000	
	B000	W0102	WELD1310002	11111	8.00 12.00	1	1	2,467	720 26 00000	
	B000	W0102	WELD1410002	11111	8.00 12.00	1	1	2,467	720 26 00000	
	B000	W0102	WELD1420004	11111	8.00 12.00	1	2	2,467	720 26 00000	
	B000	W0102	WELD1510005	11111	8.00 12.00	1	2	2,467	720 26 00000	
	B000	W0102	WELD1512004	11111	8.00 12.00	1	1	2,467	720 26 00000	
	B000	W0102	WELD2310003	11111	8.00 12.00	1	1	2,467	720 26 00000	
	B000	W0102	WELD2311001	11111	8.00 12.00	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1410001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1411001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1411002	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1412001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1412002	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1412003	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1412004	11111	8.00 13.30	1	2	2,467	720 26 00000	
4	B000	W0102	WELD1420001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1420002	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1420003	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1420005	11111	8.00 13.30	1	3	2,467	720 26 00000	
4	B000	W0102	WELD1510001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1510002	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1510003	11111	8.00 13.30	1	3	2,467	720 26 00000	
4	B000	W0102	WELD1511001	11111	8.00 13.30	1	1	2,467	720 26 00000	
4	B000	W0102	WELD1511002	11111	8.00 13.30	1	3	2,467	720 26 00000	
4	B000	W0102	WELD1512001	11111	8.00 13.30	1	3	2,467	720 26 00000	
4	B000	W0102	WELD2110001	11111	8.00 13.30	1	1	2,467	720 26 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	B000 W0102	WELD2110002	11111	8.00 13.30	1	4	2,467	720 26	00000
4	8	B000 W0102	WELD2111001	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2111002	11111	8.00 13.30	1	4	2,467	720 26	00000
4	8	B000 W0102	WELD2112001	11111	8.00 13.30	1	4	2,467	720 26	00000
4	8	B000 W0102	WELD2112002	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2113001	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2114001	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2320002	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2321002	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2322001	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2330001	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2330002	11111	8.00 13.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD1511005	11111	8.00 14.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD1512003	11111	8.00 14.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2310002	11111	8.00 14.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2311003	11111	8.00 14.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD2320003	11111	8.00 14.30	1	1	2,467	720 26	00000
4	8	B000 W0102	WELD1210003	11111	9.00 14.30	1	2	2,467	720 26	00000
4	8	B000 W0102	WELD1310003	11111	9.00 14.30	1	2	2,467	720 26	00000
		C000 M0101	HACR1120003	111 1	8.00 8.50		13	2,212	720 12	00000
	8	C000 M0101	HACR1410001	111 1	8.00 8.50	1	13	2,212	720 12	00000
	8	C000 M0101	HACR1210001	1 111	8.00 8.50	1	1	2,212	720 12	00000
4	8	C000 M0101	HACR1150003	1 11	8.00 14.20	1	1	2,212	720 12	00000
4	8	C000 M0101	HACR1151003	1 11	8.00 14.20	1	1	2,212	720 12	00000
	8	C000 M0101	HACR1411001	11111	9.00 11.50	1	13	2,212	720 12	00000
4	8	C000 M0101	HACR1211001	1 1 1	9.00 14.20	1	1	2,212	720 12	00000
	8	C000 M0101	HACR1150001	111 1	12.30 13.20	1	14	2,212	720 12	00000
	8	C000 M0101	HACR1120001	1 1	12.30 13.20	1	1	2,212	720 12	00000
		C000 M0101	HACR1120002	11111	13.30 14.20		14	2,212	720 12	00000
	8	C000 M0101	HACR1151001	11111	13.30 14.20	1	14	2,212	720 12	00000
		C000 M0102	DVEN0090001	1 1 1	7.40 8.50		1	276	110 15	00000
		C000 M0102	DVEN0091001	1 1 1	7.40 8.50	1	2	276	110 15	00000
		C000 M0102	DVEN0092001	1 1 1	7.40 8.50	1	3	276	110 15	00000
		C000 M0102	DVMA0090001	1 1 1	7.40 8.50	1	8	276	110 15	00000
		C000 M0102	DVRE0092001	1 1 1	7.40 8.50	1	1	276	110 15	00000
		C000 M0102	OSYS1100002	1 1 1	8.00 8.50	1	3	276	110 15	00000
		C000 M0102	DVEN0091002	1 1	8.00 9.50		2	276	110 15	00000
		C000 M0102	DVMA0090002	1 1	8.00 9.50	1	7	276	110 15	00000
		C000 M0102	DVMA0091002	1 1	8.00 9.50	1	1	276	110 15	00000
		C000 M0102	MACH1350001	1 1 1	12.30 13.20		2	276	110 15	00000
		C000 M0102	DVEN0090003	1 1	12.30 14.20		1	276	110 15	00000
		C000 M0102	DVEN0091003	1 1	12.30 14.20	1	1	276	110 15	00000
		C000 M0102	DVEN0092003	1 1	12.30 14.20	1	1	276	110 15	00000
		C000 M0102	DVMA0090003	1 1	12.30 14.20	1	6	276	110 15	00000
		C000 M0102	DVMA0091003	1 1	12.30 14.20	1	2	276	110 15	00000
		C000 M0102	DVRE0090003	1 1	12.30 14.20	1	2	276	110 15	00000
		C000 M0102	DVRE0091003	1 1	12.30 14.20	1	1	276	110 15	00000
		C000 M0102	DVRE0092003	1 1	12.30 14.20	1	1	276	110 15	00000
		C000 M0103	AUTO1100001	11111	8.00 8.50		9	5,702	720 15	00000
		C000 M0103	AUTO1120002	1 1	8.00 8.50	1	3	5,702	720 15	00000
		C000 M0103	AUTO1300002	1 1	8.00 8.50	1	3	5,702	720 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	M0103	AUTO1100003	11111	9.00 11.50		1	5,702	720 15	00000
	C000	M0103	AUTO1500002	11111	9.00 11.50	1	1	5,702	720 15	00000
	C000	M0103	AUTO1640001	11111	9.00 11.50	1	2	5,702	720 15	00000
	C000	M0103	AUTO1800001	11111	9.00 11.50	1	12	5,702	720 15	00000
8	C000	M0103	AUTO1840001	11111	9.00 11.50	1	15	5,702	720 15	00000
	C000	M0103	AUTO1720002	1 111	12.30 13.20		16	5,702	720 15	00000
	C000	M0103	AUTO1610001	11111	12.30 14.20	1	5	5,702	720 15	00000
	C000	M0103	AUTO1620001	11111	12.30 14.20	1	1	5,702	720 15	00000
8	C000	M0103	AUTO1710001	11111	12.30 14.20	1	21	5,702	720 15	00000
8	C000	M0103	AUTO1720001	11111	12.30 14.20	1	5	5,702	720 15	00000
8	C000	M0103	AUTO1830001	11111	12.30 14.20	1	3	5,702	720 15	00000
8	C000	M0103	AUTO1100002	11111	13.30 14.20	1	16	5,702	720 15	00000
	D000	I0102	Opti0000007	11111	8.00 8.50		17	475	110 20	00000
	D000	I0102	Opti0000008	11111	9.00 9.50		17	475	110 20	00000
	D000	I0102	Opti0000009	11111	10.00 10.50		16	475	110 20	00000
	D000	I0102	Opti0000010	11111	11.00 11.50		15	475	110 20	00000
	D000	I0102	Opti0000011	11111	12.30 13.20		17	475	110 20	00000
	D000	I0102	Opti0000012	11111	13.30 14.20		16	475	110 20	00000
	E000	B0110	ACCT1100002	1 1	7.30 9.50		11	689	110 15	00000
	E000	B0110	ACCT1300001	1 1 1	8.00 8.50		7	689	110 15	00000
	E000	B0110	ORNT1000005	1	8.00 8.50	1	14	689	110 15	00000
	E000	B0110	ORNT1000002	1	8.00 8.50		10	689	110 15	00000
	E000	B0110	ORNT1000003	1	8.00 8.50		13	689	110 15	00000
	E000	B0110	ECON1020001	1 1 1	10.00 10.50		11	689	110 15	00000
	E000	B0110	ACCT2991001	1 1	10.00 10.50		17	689	110 15	00000
	E000	B0110	ACCT1250001	1 1 1	11.00 11.50		11	689	110 15	00000
	E000	B0110	ORNT1000001	1 1	11.00 11.50	1	10	689	110 15	00000
8	E000	B0110	ORNT1000004	1	12.30 13.20		45	689	110 15	00000
	E000	B0110	ENGL1030001	1 1 1	13.30 14.20		12	689	110 15	00000
	E000	B0110	ENGL1050001	1 1 1	13.30 14.20	1	3	689	110 15	00000
	E000	B0111	CPTR1000001	1 1 1	8.00 8.50		11	689	110 15	00000
	E000	B0111	ISYS1650001	1 1 1	8.00 8.50	1	3	689	110 15	00000
	E000	B0111	ISYS1450001	11111	9.00 9.50		2	689	110 15	00000
	E000	B0111	ISYS1550001	11111	9.00 9.50	1	10	689	110 15	00000
	E000	B0111	CPTR1300001	1 1 1	12.30 13.20		6	689	110 15	00000
	E000	B0111	CPTR2640001	1 1 1	12.30 13.20	1	7	689	110 15	00000
	E000	B0111	CPTR1000004	1 1	12.30 13.50	1	10	689	110 15	00000
	E000	B0111	CPTR1310001	1 1	12.30 13.50	1	6	689	110 15	00000
	E000	B0114	CPTR2650001	1 1 1	9.00 9.50		1	738	110 15	00000
	E000	B0114	KYBD1000001	1 1 1	9.00 9.50	1	11	738	110 15	00000
	E000	B0114	CPTR1000003	1 1 1	13.30 14.20		16	738	110 15	00000
	E000	B0115	KYBD1210003	1 1 1	9.00 9.50		1	738	110 15	00000
	E000	B0115	KYBD1110002	11111	10.00 10.50		1	738	110 15	00000
	E000	B0115	KYBD1210002	11111	10.00 10.50	1	1	738	110 15	00000
	E000	B0115	KYBD1000003	1 1 1	10.00 10.50	1	12	738	110 15	00000
	E000	B0115	KYBD1210003	1 1	10.00 10.50		1	738	110 15	00000
	E000	B0115	KYBD1110001	11111	11.00 11.50		1	738	110 15	00000
	E000	B0115	KYBD1210001	11111	11.00 11.50	1	2	738	110 15	00000
	E000	B0115	KYBD1310001	11111	11.00 11.50	1	1	738	110 15	00000
	E000	B0115	KYBD1000002	1 1 1	11.00 11.50	1	8	738	110 15	00000
	E000	B0115	CPTR1000002	1 1 1	12.30 13.20		16	738	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2004

RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.

PAGE NUM 4

L.T.C.-CHARLES B. COREIL

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	G000 P0113	Opti0000013	11111	8.00 8.50		7	180	110 17	00000
	G000 P0113	Opti0000014	11111	9.00 9.50		12	180	110 17	00000
	G000 P0113	Opti0000015	11111	10.00 10.50		7	180	110 17	00000
	G000 P0113	Opti0000016	11111	11.00 11.50		7	180	110 17	00000
	G000 P0113	Opti0000017	11111	12.30 13.20		10	180	110 17	00000
	G000 P0113	Opti0000018	11111	13.30 14.30		6	180	110 17	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 44

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 38
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 82

TOTAL NUMBER OF RECORDS READ 159
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 159
NUMBER OF JOINT-CLASS RECORDS 107
NUMBER OF ALTERNATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			248
WEEKLY STUDENT CONTACT HOURS	3042		3042
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1080	600	1680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	482		482
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22320	12400	34720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10950		10950
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6084		6084
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.6	.0	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.3	.0	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.6	.0	55.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			248
WEEKLY STUDENT CONTACT HOURS	3042		3042
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1080	600	1680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	482		482
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22320	12400	34720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10950		10950
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6084		6084
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	44.6	.0	28.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.3	.0	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.6	.0	55.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			253
WEEKLY STUDENT CONTACT HOURS	3042		3042
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	482		482
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22770	12650	35420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10950		10950
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6084		6084
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	41.2	.0	26.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.7	.0	17.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.6	.0	55.6

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY