

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 03/17/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	A0102	HNUR1351	1	1 1	8.00 10.40	23	995	110 45	00000	
	000A	A0102	HNUR1211	2	1 1 1	8.00 11.50	10	995	110 45	00000	
	000A	A0102	HNUR1411	2	1 1 1	8.00 11.50	1	995	110 45	00000	
	000A	A0102	HNUR1340	1	1 1	13.00 15.20	35	995	110 45	00000	
8	000A	A0102	HNUR1360	1	1 1	13.00 15.20	1	995	110 45	00000	
	000A	A0103	HNUR1351	2	1 1	8.00 10.40	17	869	110 35	00000	
	000A	A0103	HNUR1411	1	1 1 1	8.00 11.50	23	869	110 35	00000	
	000A	A0103	HNUR1330	1	1 1	10.50 12.05	38	869	110 35	00000	
	000A	A0103	HNUR1300	1	1 1 1	13.00 14.50	34	869	110 35	00000	
3	000A	A0103	AHSC1000	1	1 1 1	14.00 13.20	1	869	110 35	00000	
4	000B	W0101	WELD1120	1	11111	8.00 14.50	8	486	110 30	00000	
4	000B	W0101	WELD1130	1	11111	8.00 14.50	1	486	110 30	00000	
4	000B	W0101	WELD1140	1	11111	8.00 14.50	1	486	110 30	00000	
	000B	W0101	WELD1130	3	11111	12.00 14.50	1	486	110 30	00000	
	000B	W0101	WELD1140	3	11111	12.00 14.50	1	486	110 30	00000	
	000B	W0101	WELD1310	3	11111	12.00 14.50	1	486	110 30	00000	
	000B	W0101	WELD1110	3	11111	12.30 15.00	1	486	110 30	00000	
	000B	W0101	WELD1210	3	11111	12.30 15.00	1	486	110 30	00000	
	000B	W0101	WELD1410	3	11111	12.30 15.00	1	486	110 30	00000	
3	000B	W0101	WELD1110	1	11111	80.00 14.50	12	486	110 30	00000	
4	000B	W0102	WELD1210	1	11111	8.00 14.50	11	2,758	210 30	00000	
4	000B	W0102	WELD1310	1	11111	8.00 14.50	1	2,758	210 30	00000	
4	000B	W0102	WELD1410	1	11111	8.00 14.50	1	2,758	210 30	00000	
4	000B	W0102	WELD1411	1	11111	8.00 14.50	1	2,758	210 30	00000	
4	8	000B	W0102	WELD1412	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD1420	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD1510	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD1511	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2110	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2111	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2114	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2210	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2222	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2230	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2310	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2311	1	11111	8.00 14.50	1	2,758	210 30	00000
4	8	000B	W0102	WELD2322	1	11111	8.00 14.50	1	2,758	210 30	00000
	000B	W0102	WELD1110	2	111	17.00 20.30	15	2,758	210 30	00000	
	000B	W0102	WELD1140	2	111	17.00 20.30	1	2,758	210 30	00000	
	000C	M0102	WKEY0061	2	1 1	8.00 9.15	1	483	110 15	00000	
	000C	M0102	WKEY0061	5	1 1	8.00 11.00	1	483	110 15	00000	
	000C	M0102	WKEY0070	6	1 1	8.00 11.00	1	483	110 15	00000	
	000C	M0102	WKEY0070	3	1 1	9.25 10.40	1	483	110 15	00000	
	000C	M0102	WKEY0060	1	1 1	13.40 14.55	1	483	110 15	00000	
	000C	M0103	AUTO1100	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1120	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1130	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1210	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1240	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1320	1	11111	8.00 10.00	1	5,700	210 15	00000	
	000C	M0103	AUTO1630	1	11111	8.00 10.00	1	5,700	210 15	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 03/17/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000C M0103	AUTO1700	1	11111	8.00 10.00	1	5,700	210 15	00000
	000C M0103	AUTO1730	1	11111	8.00 10.00	1	5,700	210 15	00000
	000C M0103	AUTO1660	1	11111	8.00 11.00	1	5,700	210 15	00000
	000C M0103	AUTO1800	1	11111	8.00 12.00	1	5,700	210 15	00000
	000C M0103	AUTO1810	1	11111	8.00 12.00	1	5,700	210 15	00000
	000C M0103	AUTO1220	1	11111	10.00 12.00	1	5,700	210 15	00000
	000C M0103	AUTO1300	1	11111	10.00 12.00	1	5,700	210 15	00000
	000C M0103	AUTO1330	1	11111	10.00 12.00	1	5,700	210 15	00000
8	000C M0103	AUTO1610	1	11111	10.00 12.00	1	5,700	210 15	00000
8	000C M0103	AUTO1640	1	11111	10.00 12.00	1	5,700	210 15	00000
8	000C M0103	AUTO1740	1	11111	10.00 12.00	1	5,700	210 15	00000
	000C M0103	ORNT1000	3	11111	12.30 13.00		5,700	210 15	00000
	000C M0103	AUTO1610	4	1 1	12.30 13.30	1	5,700	210 15	00000
	000C M0103	AUTO1310	1	11111	13.00 15.00	1	5,700	210 15	00000
	000C M0103	AUTO1340	1	11111	13.00 15.00	1	5,700	210 15	00000
	000C M0103	AUTO1520	1	11111	13.00 15.00	1	5,700	210 15	00000
	000C M0103	AUTO1540	1	11111	13.00 15.00	1	5,700	210 15	00000
	000C M0103	AUTO1620	1	11111	13.00 15.00	1	5,700	210 15	00000
8	000C M0103	AUTO1650	1	11111	13.00 15.00	1	5,700	210 15	00000
8	000C M0103	AUTO1800	1	11111	13.00 15.00	1	5,700	210 15	00000
8	000C M0103	AUTO1810	1	11111	13.00 15.00	1	5,700	210 15	00000
3	000C M0103	AUTO1600	1	11111	80.00 10.00		5,700	210 15	00000
	000E B0110	ORNT1000	1		8.00 8.50		675	110 15	00000
	000E B0110	ENGL1030	1	1 1	8.00 9.15		675	110 15	00000
	000E B0110	ACCT1100	1	1 1	8.00 9.50		675	110 15	00000
	000E B0110	ACCT1100	1		9.00 9.50		675	110 15	00000
	000E B0110	ENGL1050	1	1 1	9.25 10.40		675	110 15	00000
	000E B0110	ACCT1200	1		10.00 10.50		675	110 15	00000
	000E B0110	ACCT1250	1		10.00 10.50	1	675	110 15	00000
	000E B0110	ACCT1200	1	1 1	10.00 11.50		675	110 15	00000
	000E B0110	ACCT1250	1	1 1	10.00 11.50	1	675	110 15	00000
	000E B0110	JOBS2450	1	1 1	10.50 12.05		675	110 15	00000
	000E B0110	OSYS1250	2	1 1	10.50 12.05	1	675	110 15	00000
8	000E B0110	ORNT1000	2		12.00 12.50		675	110 15	00000
	000E B0110	DVRE0090	2	1 1	13.00 14.50		675	110 15	00000
	000E B0110	ACCT1300	1		13.00 14.50		675	110 15	00000
	000E B0110	ACCT1300	1	1 1	13.40 14.55		675	110 15	00000
	000E B0110	OSYS1250	1	1 1	13.40 14.55	1	675	110 15	00000
	000E B0111	DVEN0090	1	1 1	13.00 14.50		675	110 15	00000
	000E B0111	DVEN0092	1	1 1	13.00 14.50	1	675	110 15	00000
	000E B0111	DVRE0092	2	1 1	13.00 14.50	1	675	110 15	00000
	000E B0114	KYBD1110	2		8.00 8.50		752	110 15	00000
	000E B0114	KYBD1110	2	1 1	8.00 9.50		752	110 15	00000
3	000E B0114	ISYS1450	1		8.00 85.00		752	110 15	00000
3	000E B0114	ISYS1550	1		8.00 85.00	1	752	110 15	00000
3	000E B0114	CPTR1300	1	1 1	8.00 91.50		752	110 15	00000
3	000E B0114	ISYS1450	1	1 1	8.00 95.00		752	110 15	00000
3	000E B0114	ISYS1550	1	1 1	8.00 95.00	1	752	110 15	00000
3	000E B0114	CPTR1000	2	1 1	9.25 10.40		752	110 15	00000
	000E B0114	KYBD1110	1		10.00 10.50		752	110 15	00000
	000E B0114	KYBD1210	1	1	10.00 10.50	1	752	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 03/17/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-CHARLES B. COREIL
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000E B0114	KYBD1310	1	10.00 10.50	1	1	752	110 15	00000
	000E B0114	KYBD1110	1 1	10.00 11.50		7	752	110 15	00000
	000E B0114	KYBD1210	1 1	10.00 11.50	1	3	752	110 15	00000
	000E B0114	KYBD1310	1 1	10.00 11.50	1	1	752	110 15	00000
	000E B0114	CPTR1300	1	12.00 12.50		6	752	110 15	00000
	000E B0114	CPTR2640	1	12.00 12.50	1	2	752	110 15	00000
	000E B0114	DVRE0090	1 1	12.15 14.55		3	752	110 15	00000
	000E B0114	DVRE0091	1 1	12.15 14.55	1	3	752	110 15	00000
	000E B0114	DVRE0092	1 1	12.15 14.55	1	3	752	110 15	00000
	000E B0114	CPTR1000	1 1 1	13.00 13.50		8	752	110 15	00000
3	000E B0114	ISYS1650	1 1	14.00 13.20		1	752	110 15	00000
	000E B0114	KYBD1000	1 1 1	14.00 14.50		14	752	110 15	00000
	000E B0114	ISYS1650	1	14.00 14.50	1	1	752	110 15	00000
3	000E B0114	CPTR2640	1 1	80.00 91.50		2	752	110 15	00000
	000E B0115	DVMA0090B91	1 1	8.00 9.15		7	752	110 15	00000
	000E B0115	MAST1120	1	8.00 9.50		12	752	110 15	00000
	000E B0115	MACH1350B91	1	8.00 9.50		4	752	110 15	00000
	000E B0115	MAST2110B91	1 1	8.00 10.40		2	752	110 15	00000
	000E B0115	MEDL1300B91	1 1 1	10.00 10.50		14	752	110 15	00000
	000E B0115	MAST1230B91	1 1 1	12.00 12.50		10	752	110 15	00000
	000E B0115	CPTR1310	1 1	12.15 13.30		1	752	110 15	00000
	000E B0115	OSYS1100B91	1 1	12.15 13.30	1	15	752	110 15	00000
	000E B0115	MAST2110B92	1 1	12.15 14.55	1	1	752	110 15	00000
	000E B0115	MACH1350B91	1	13.00 13.50		4	752	110 15	00000
	000E B0115	MAST1210B91	1 1	13.00 14.50		12	752	110 15	00000
	000E B0115	DVMA0090B92	1 1	13.40 15.20		10	752	110 15	00000
	000E B0115	DVMA0091B92	1 1	13.40 15.20	1	1	752	110 15	00000
	000E B0115	CPTR1310	1	14.00 14.50		1	752	110 15	00000
	000F P0101	HNUR1211	1 1 1	8.00 11.50		11	396	110 25	00000
	000F P0101	HCOR2991	1 1	10.50 12.05		21	396	110 25	00000
	000F P0101	HEKG1011	1 1 1	13.00 15.20		13	396	110 25	00000
	000F P0101	HCOR2993	1 1	13.40 15.20		11	396	110 25	00000
1	000F P0102	HMDT1170	1	13.00 13.50		18			00000
1	000F P0102	HMDT1170	2	13.40 14.55		4			00000
1	000G P0101	HCOR1160	1	14.00 14.50		16			00000
	000G P0102	MAST1110	1	8.00 8.50		12	396	110 25	00000
	000G P0102	MAST2140	1 1	8.00 10.40		8	396	110 25	00000
	000G P0102	MAST1220	1 1 1	10.00 11.50		12	396	110 25	00000
	000G P0102	HCOR1120	1 1	12.15 13.30		22	396	110 25	00000
	000G P0102	HCOR1160	2	13.40 14.55		6	396	110 25	00000
	0000 COLHM	HNUR1212	1 1 1	6.30 11.30	1	2			00000
	0000 COLPM	HCOR1212	1 1 1	6.45 11.15	1	10			00000
	0000 COLPM	HCOR1212	2 1 1	6.45 11.15	1	4			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	3
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	10
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	20
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	21
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	54
TOTAL NUMBER OF RECORDS READ	145
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	129
NUMBER OF JOINT-CLASS RECORDS	74
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	3

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			250
WEEKLY STUDENT CONTACT HOURS	3129		3129
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	759		759
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22500	12500	35000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19355		19355
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6258		6258
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.7	.0	49.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.8	.0	17.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.3	.0	32.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			250
WEEKLY STUDENT CONTACT HOURS	3129		3129
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	759		759
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	22500	12500	35000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	19355		19355
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	6258		6258
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	76.7	.0	49.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.8	.0	17.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.3	.0	32.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			65
WEEKLY STUDENT CONTACT HOURS	2668	315	2983
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1416	42	1458
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5850	3250	9100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35520	1260	36780
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5336	630	5966
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	524.4	28.0	347.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	91.2	19.4	65.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	15.0	50.0	16.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			65
WEEKLY STUDENT CONTACT HOURS	2668	315	2983
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1416	42	1458
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5850	3250	9100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	35520	1260	36780
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	5336	630	5966
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	524.4	28.0	347.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	91.2	19.4	65.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	15.0	50.0	16.2

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-CHARLES B. COREIL

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			315
WEEKLY STUDENT CONTACT HOURS	5797	315	6112
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2175	42	2217
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28350	15750	44100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	54875	1260	56135
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11594	630	12224
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	172.6	6.0	113.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	40.9	4.0	27.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.1	50.0	21.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY