

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| | A000 | 0100 | CPTR1400001 | 1 1 | 9.00 12.00 | | 18 | 210 18 | 00000 |
| | A000 | 0100 | CISX1100001 | 11111 | 14.00 15.00 | | 15 | 210 18 | 00000 |
| | A000 | 0101 | HEMS1100001 | 1 1 | 17.00 22.00 | | 13 | 110 27 | 00000 |
| | A000 | 0101 | HEMS1120001 | 1 1 | 17.00 22.00 | 1 | 13 | 110 27 | 00000 |
| | A000 | 0101 | HEMS1140001 | 1 1 | 17.00 22.00 | 1 | 13 | 110 27 | 00000 |
| 8 | A000 | 0101 | HEMS1160001 | 1 1 | 17.00 22.00 | 1 | 13 | 110 27 | 00000 |
| 8 | A000 | 0101 | HEMS1170001 | 1 1 | 17.00 22.00 | 1 | 13 | 110 27 | 00000 |
| | A000 | 0104 | CISX2130001 | 1 1 1 | 12.00 14.00 | | 9 | 110 30 | 00000 |
| | A000 | 0104 | CISX2110001 | 1 1 | 12.00 15.00 | | 14 | 110 30 | 00000 |
| | A000 | 0104 | CISX2110002 | 1 1 | 16.30 19.30 | | 14 | 110 30 | 00000 |
| | A000 | 0104 | CISX2140001 | 1 1 | 16.30 19.30 | | 9 | 110 30 | 00000 |
| | A000 | 0107 | HNUR1410001 | 11 | 8.00 10.00 | | 10 | 110 35 | 00000 |
| | A000 | 0107 | HNUR2510001 | 1 | 10.00 11.00 | | 17 | 110 35 | 00000 |
| | A000 | 0107 | HNUR2630001 | 1 | 10.00 11.00 | | 15 | 110 35 | 00000 |
| | A000 | 0108 | HNUR1430001 | 1 1 1 | 8.00 9.00 | | 26 | 110 23 | 00000 |
| | A000 | 0108 | HNUR2530001 | 1 1 | 9.00 10.00 | | 17 | 110 23 | 00000 |
| | A000 | 0108 | HNUR1310001 | 1 | 9.00 10.00 | | 9 | 110 23 | 00000 |
| | A000 | 0108 | HNUR2610001 | 11 | 10.00 11.00 | | 14 | 110 23 | 00000 |
| | A000 | 0108 | HNUR1450001 | 1 | 10.00 11.00 | | 21 | 110 23 | 00000 |
| | A000 | 0224 | ORNT1000001 | 11111 | 8.00 9.00 | | 55 | 620 64 | 00000 |
| | A000 | 0225 | ZCSI1016001 | 1 | 13.00 17.00 | | 12 | 110 28 | 00000 |
| | A000 | 0225 | ZCSI1016002 | 1 | 13.00 17.00 | | 20 | 110 28 | 00000 |
| | A000 | 0225 | ISYS1450002 | 1 1 | 17.30 20.30 | | 20 | 110 28 | 00000 |
| 4 | A000 | 0231 | ZCSE1000001 | 11111 | 8.00 15.00 | | 5 | 110 25 | 00000 |
| 4 | A000 | 0231 | ZCSE1100001 | 11111 | 8.00 15.00 | 1 | 4 | 110 25 | 00000 |
| 4 | A000 | 0231 | ZGED1000001 | 11111 | 8.00 15.00 | 1 | 3 | 110 25 | 00000 |
| 4 | A000 | 0231 | ZGED1100001 | 11111 | 8.00 15.00 | 1 | 4 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0090002 | 11111 | 9.00 10.00 | 1 | 16 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0090002 | 11111 | 9.00 10.00 | 1 | 2 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0092002 | 11111 | 9.00 10.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0091008 | 11111 | 9.00 10.30 | 1 | 1 | 110 25 | 00000 |
| 8 | A000 | 0231 | DVMA0090003 | 11111 | 10.00 11.00 | 1 | 10 | 110 25 | 00000 |
| 8 | A000 | 0231 | DVRE0090003 | 11111 | 10.00 11.00 | 1 | 1 | 110 25 | 00000 |
| 8 | A000 | 0231 | DVRE0091003 | 11111 | 10.00 11.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVEN0091004 | 11111 | 11.00 12.00 | | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0090004 | 11111 | 11.00 12.00 | 1 | 12 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0090009 | 11111 | 11.00 12.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0091004 | 11111 | 11.00 12.00 | 1 | 2 | 110 25 | 00000 |
| | A000 | 0231 | DVEN0090005 | 11111 | 12.00 13.00 | | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVEN0091005 | 11111 | 12.00 13.00 | 1 | 2 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0090005 | 11111 | 12.00 13.00 | 1 | 7 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0091005 | 11111 | 12.00 13.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0090005 | 11111 | 12.00 13.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0092005 | 11111 | 12.00 13.00 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVMA0090007 | 11111 | 12.00 13.30 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | DVRE0092007 | 1 1 1 | 12.00 13.30 | 1 | 1 | 110 25 | 00000 |
| | A000 | 0231 | CPTR1300002 | 1 | 17.15 20.30 | | 20 | 110 25 | 00000 |
| | A000 | 0231 | CPTR1000005 | 1 | 17.15 20.30 | | 22 | 110 25 | 00000 |
| | A000 | 0233 | ELEC2991004 | 1 1 | 18.00 21.00 | | 9 | 110 21 | 00000 |
| | A000 | 0233 | ELEC2993004 | 1 1 | 18.00 21.00 | 1 | 9 | 110 21 | 00000 |
| | A000 | 0234 | ELEC2991003 | 1 1 | 18.00 21.00 | | 15 | 110 21 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| | A000 | 0234 | ELEC2993003 | 1 1 | 18.00 21.00 | 1 | 15 | 594 | 110 21 | 00000 |
| | A000 | 0237 | ECED2211001 | 11111 | 8.00 11.00 | | 4 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1151003 | 1111 | 8.00 11.00 | 1 | 3 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1151001 | 1 1 1 | 8.00 11.00 | 1 | 1 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1241001 | 1 1 1 | 8.00 11.00 | 1 | 2 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1151002 | 11111 | 8.30 10.30 | 1 | 2 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1241002 | 11111 | 8.30 10.30 | 1 | 2 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1120001 | 1 1 1 | 12.00 13.00 | | 3 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1330001 | 1 1 1 | 12.00 13.00 | 1 | 6 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1140001 | 1 1 | 12.00 13.30 | | 9 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1333001 | 1 1 1 | 13.00 14.00 | | 8 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1410001 | 1 1 1 | 13.00 14.00 | 1 | 5 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1120003 | 1 11 | 13.30 15.00 | 1 | 1 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1110001 | 1 1 | 13.30 15.00 | 1 | 4 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1220001 | 1 1 1 | 14.00 15.00 | | 1 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1332001 | 1 1 1 | 14.00 15.00 | 1 | 8 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1333002 | 1 1 | 14.00 17.00 | 1 | 12 | 691 | 110 15 | 00000 |
| | A000 | 0237 | ECED1140002 | 1 | 15.00 18.00 | | 9 | 691 | 110 15 | 00000 |
| | A000 | 0241 | OSYS2996002 | 1 1 | 9.00 11.00 | | 2 | 656 | 110 30 | 00000 |
| | A000 | 0241 | ACCT2991001 | 1 1 | 11.00 12.00 | | 1 | 656 | 110 30 | 00000 |
| | A000 | 0241 | MATH1050001 | 1 1 | 11.00 12.30 | 1 | 20 | 656 | 110 30 | 00000 |
| | A000 | 0241 | BUSI1000001 | 11111 | 13.00 14.00 | | 1 | 656 | 110 30 | 00000 |
| | A000 | 0241 | OSYS2996003 | 1 1 | 13.00 15.00 | 1 | 1 | 656 | 110 30 | 00000 |
| | A000 | 0241 | OSYS2996001 | 1 | 18.00 21.00 | | 10 | 656 | 110 30 | 00000 |
| | A000 | 0244 | ACCT1100001 | 11111 | 13.00 14.00 | | 22 | 701 | 110 24 | 00000 |
| | A000 | 0244 | ELEC2991005 | 1 1 | 18.00 21.00 | | 8 | 701 | 110 24 | 00000 |
| | A000 | 0244 | ELEC2993005 | 1 1 | 18.00 21.00 | 1 | 8 | 701 | 110 24 | 00000 |
| | A000 | 0245 | ENGL1030001 | 1 1 1 | 10.00 11.00 | | 18 | 685 | 220 25 | 00000 |
| | A000 | 0245 | PSYC2010001 | 1 1 1 | 11.00 12.00 | | 21 | 685 | 220 25 | 00000 |
| | A000 | 0245 | WKEY0070002 | 11111 | 14.00 15.00 | | 1 | 685 | 220 25 | 00000 |
| | A000 | 0245 | WKEY0070001 | 1 1 1 | 14.00 15.00 | 1 | 13 | 685 | 220 25 | 00000 |
| | A000 | 0246 | ENGL1050001 | 1 1 1 | 8.00 9.00 | | 16 | 822 | 220 20 | 00000 |
| | A000 | 0246 | KYBD1110001 | 11111 | 9.00 10.00 | | 19 | 822 | 220 20 | 00000 |
| | A000 | 0246 | KYBD1210001 | 1 | 9.00 10.00 | 1 | 1 | 822 | 220 20 | 00000 |
| | A000 | 0246 | ACCT1500001 | 1 1 1 | 10.00 11.00 | | 20 | 822 | 220 20 | 00000 |
| | A000 | 0246 | CPTR1000001 | 1 1 1 | 11.00 12.00 | | 9 | 822 | 220 20 | 00000 |
| | A000 | 0246 | MACH1350001 | 1 1 1 | 11.00 12.00 | 1 | 4 | 822 | 220 20 | 00000 |
| | A000 | 0246 | KYBD1110002 | 11111 | 13.00 14.00 | | 9 | 822 | 220 20 | 00000 |
| | A000 | 0246 | KYBD1210002 | 11111 | 13.00 14.00 | 1 | 7 | 822 | 220 20 | 00000 |
| | A000 | 0246 | MEDL1300001 | 1 1 1 | 14.00 15.00 | | 7 | 822 | 220 20 | 00000 |
| | A000 | 0247 | CPTR1000004 | 11111 | 9.00 10.00 | | 5 | 812 | 220 21 | 00000 |
| | A000 | 0247 | JOBS2450002 | 11111 | 9.00 10.00 | 1 | 16 | 812 | 220 21 | 00000 |
| | A000 | 0247 | JOBS2450001 | 1 1 | 10.00 11.00 | | 16 | 812 | 220 21 | 00000 |
| | A000 | 0247 | CISX1200001 | 1 1 1 | 10.00 12.00 | | 20 | 812 | 220 21 | 00000 |
| | A000 | 0247 | CTTR1000002 | 1 1 1 | 14.00 15.00 | | 13 | 812 | 220 21 | 00000 |
| | A000 | 0247 | MACH1350002 | 1 1 1 | 14.00 15.00 | 1 | 1 | 812 | 220 21 | 00000 |
| | A000 | 0247 | MAST2110002 | 1 1 1 | 14.00 15.00 | 1 | 4 | 812 | 220 21 | 00000 |
| | A000 | 0247 | MEDL1300002 | 1 1 1 | 14.00 15.00 | 1 | 3 | 812 | 220 21 | 00000 |
| | A000 | 0247 | MAST1230001 | 1 | 16.30 19.30 | | 17 | 812 | 220 21 | 00000 |
| | A000 | 0247 | ZCSI0004001 | 1 1 | 17.00 20.00 | | 22 | 812 | 220 21 | 00000 |
| | A000 | 0248 | CPTR1150001 | 1 1 1 | 8.00 10.00 | | 1 | 596 | 110 20 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|------------|---------------------|----------------------|---------------|--------------|
| | A000 | 0248 | CPTR1150002 | 1 1 | 8.00 10.30 | | 1 | 596 | 110 20 00000 | |
| | A000 | 0248 | ISYS1450001 | 11111 | 9.00 10.00 | 1 | 7 | 596 | 110 20 00000 | |
| | A000 | 0248 | ISYS1550001 | 11111 | 9.00 10.00 | 1 | 7 | 596 | 110 20 00000 | |
| | A000 | 0248 | CPTR2996001 | 1 1 1 | 9.00 10.00 | 1 | 3 | 596 | 110 20 00000 | |
| | A000 | 0248 | ISYS1650001 | 1 1 1 | 9.00 10.00 | 1 | 1 | 596 | 110 20 00000 | |
| | A000 | 0248 | CPTR1300001 | 1 1 1 | 10.00 11.00 | | 1 | 596 | 110 20 00000 | |
| | A000 | 0248 | MAST1210001 | 1 1 1 | 10.00 11.00 | 1 | 6 | 596 | 110 20 00000 | |
| | A000 | 0248 | OSYS2530001 | 1 1 1 | 10.00 11.00 | 1 | 7 | 596 | 110 20 00000 | |
| | A000 | 0248 | ACCT1500002 | 1 1 1 | 11.00 12.00 | | 1 | 596 | 110 20 00000 | |
| | A000 | 0248 | CPTR1310001 | 1 1 1 | 11.00 12.00 | 1 | 1 | 596 | 110 20 00000 | |
| | A000 | 0248 | CPTR2640001 | 1 1 1 | 11.00 12.00 | 1 | 10 | 596 | 110 20 00000 | |
| | A000 | 0248 | CPTR2650001 | 1 1 1 | 11.00 12.00 | 1 | 1 | 596 | 110 20 00000 | |
| | A000 | 0249 | ELEC2991007 | 1 1 | 18.00 21.00 | | 5 | 314 | 420 10 00000 | |
| | A000 | 0249 | ELEC2993007 | 1 1 | 18.00 21.00 | 1 | 5 | 314 | 420 10 00000 | |
| | A000 | 0250 | ELEC2991006 | 1 1 | 18.00 21.00 | | 9 | 521 | 110 24 00000 | |
| | A000 | 0250 | ELEC2993006 | 1 1 | 18.00 21.00 | 1 | 9 | 521 | 110 24 00000 | |
| | A000 | 0254 | CPTR1500001 | 11111 | 8.00 9.00 | | 4 | 448 | 110 12 00000 | |
| | A000 | 0254 | CPTR1860001 | 11111 | 13.00 14.00 | | 7 | 448 | 110 12 00000 | |
| | A000 | 0254 | CPTR1860003 | 1 1 1 | 13.00 15.00 | 1 | 1 | 448 | 110 12 00000 | |
| 4 | B000 | 0100 | AUTO1001001 | 11111 | 8.00 15.00 | | 15 | 800 | 220 16 00000 | |
| 4 | B000 | 0100 | AUTO1001002 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 | |
| 4 | 8 | B000 | 0100 | AUTO1100001 | 11111 | 8.00 15.00 | 1 | 14 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1110001 | 11111 | 8.00 15.00 | 1 | 13 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1120001 | 11111 | 8.00 15.00 | 1 | 14 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1130001 | 11111 | 8.00 15.00 | 1 | 14 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1500001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1500002 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1500003 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1510001 | 11111 | 8.00 15.00 | 1 | 13 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1520002 | 11111 | 8.00 15.00 | 1 | 6 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1610001 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1640001 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1700001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1710001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1720001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1730001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1740001 | 11111 | 8.00 15.00 | 1 | 15 | 800 | 220 16 00000 |
| 4 | 8 | B000 | 0100 | AUTO1830001 | 11111 | 8.00 15.00 | 1 | 1 | 800 | 220 16 00000 |
| 4 | B000 | 0106 | CTDP1110001 | 11111 | 8.00 15.00 | | 8 | 7,947 | 220 150 00000 | |
| 4 | B000 | 0106 | CTDP1120001 | 11111 | 8.00 15.00 | 1 | 8 | 7,947 | 220 150 00000 | |
| 4 | B000 | 0106 | CTDP1131001 | 11111 | 8.00 15.00 | 1 | 8 | 7,947 | 220 150 00000 | |
| 4 | B000 | 0106 | CTDP1140001 | 11111 | 8.00 15.00 | 1 | 8 | 7,947 | 220 150 00000 | |
| 4 | B000 | 0106 | CTDP1211001 | 11111 | 8.00 15.00 | 1 | 8 | 7,947 | 220 150 00000 | |
| 4 | 8 | C000 | 0102 | BARB1131001 | 11111 | 8.00 15.00 | 1 | 12 | 494 | 220 7 00000 |
| 4 | 8 | C000 | 0102 | BARB1310001 | 11111 | 8.00 15.00 | 1 | 5 | 494 | 220 7 00000 |
| 4 | 8 | C000 | 0102 | BARB2111001 | 11111 | 8.00 15.00 | 1 | 25 | 494 | 220 7 00000 |
| 4 | 8 | C000 | 0102 | BARB2131001 | 11111 | 8.00 15.00 | 1 | 1 | 494 | 220 7 00000 |
| 4 | C000 | 0104 | BARB1131002 | 11111 | 8.00 15.00 | | 13 | 497 | 110 31 00000 | |
| 4 | C000 | 0104 | BARB1350001 | 11111 | 8.00 15.00 | 1 | 1 | 497 | 110 31 00000 | |
| 4 | C000 | 0104 | BARB1410001 | 11111 | 8.00 15.00 | 1 | 13 | 497 | 110 31 00000 | |
| 4 | C000 | 0104 | BARB2131002 | 11111 | 8.00 15.00 | 1 | 1 | 497 | 110 31 00000 | |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | C000 0104 | BARB2630001 | 11111 | 8.00 15.00 | 1 | 16 | 497 | 110 31 | 00000 |
| 4 | C000 0104 | JOBS2450004 | 11111 | 8.00 15.00 | 1 | 1 | 497 | 110 31 | 00000 |
| 4 | C000 0107 | BARB1160001 | 11111 | 8.00 15.00 | | 12 | 567 | 220 11 | 00000 |
| 4 | 8 C000 0107 | BARB1220001 | 11111 | 8.00 15.00 | 1 | 12 | 567 | 220 11 | 00000 |
| 4 | 8 C000 0107 | BARB1220002 | 11111 | 8.00 15.00 | 1 | 1 | 567 | 220 11 | 00000 |
| 4 | 8 C000 0107 | BARB1441001 | 11111 | 8.00 15.00 | 1 | 30 | 567 | 220 11 | 00000 |
| | D000 0101 | DRFT1120004 | 11111 | 8.00 9.00 | | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1140006 | 11111 | 8.00 9.00 | 1 | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1150001 | 11111 | 8.00 10.00 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1210001 | 11111 | 8.00 10.00 | 1 | 7 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1150003 | 11111 | 8.00 11.00 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1210002 | 11111 | 8.00 11.00 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1161001 | 11111 | 8.00 12.00 | 1 | 1 | 603 | 110 30 | 00000 |
| 4 | D000 0101 | DRFT1130004 | 11111 | 8.00 15.00 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1140002 | 11111 | 9.00 11.00 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1110004 | 11111 | 10.00 11.00 | 1 | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1150004 | 11111 | 10.00 11.00 | 1 | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1110003 | 11111 | 12.00 15.00 | | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1120003 | 11111 | 12.00 15.00 | 1 | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1140004 | 11111 | 12.00 15.00 | 1 | 2 | 603 | 110 30 | 00000 |
| | D000 0101 | CADD1210002 | 11111 | 12.00 15.30 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1110005 | 11111 | 12.00 15.30 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1120005 | 11111 | 12.00 15.30 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0101 | DRFT1140007 | 11111 | 12.00 15.30 | 1 | 1 | 603 | 110 30 | 00000 |
| | D000 0102 | CADD2310001 | 11111 | 8.00 11.00 | | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | CADD2310003 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2310001 | 11111 | 8.00 11.00 | 1 | 3 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2310002 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2320001 | 11111 | 8.00 11.00 | 1 | 3 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2320002 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2320003 | 11111 | 8.00 11.00 | 1 | 2 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2330001 | 11111 | 8.00 11.00 | 1 | 2 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2330002 | 11111 | 8.00 11.00 | 1 | 2 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2330003 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2411001 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2431001 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2431002 | 11111 | 8.00 11.00 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0102 | DRFT2631002 | 11111 | 8.00 11.00 | 1 | 2 | 1,613 | 220 19 | 00000 |
| 4 | D000 0102 | DRFT2531001 | 11111 | 8.00 15.30 | 1 | 1 | 1,613 | 220 19 | 00000 |
| 4 | D000 0102 | DRFT2631001 | 11111 | 8.00 15.30 | 1 | 2 | 1,613 | 220 19 | 00000 |
| | D000 0102 | CADD2310002 | 11111 | 12.00 15.30 | 1 | 1 | 1,613 | 220 19 | 00000 |
| | D000 0103 | ETRN1210002 | 11111 | 8.00 12.00 | | 1 | 1,593 | 210 20 | 00000 |
| | D000 0103 | ETRN1230001 | 11111 | 8.00 13.00 | 1 | 2 | 1,593 | 210 20 | 00000 |
| | D000 0103 | ETRN1240001 | 11111 | 8.00 13.00 | 1 | 2 | 1,593 | 210 20 | 00000 |
| 4 | D000 0103 | ETRN1220004 | 11111 | 8.00 14.00 | 1 | 1 | 1,593 | 210 20 | 00000 |
| 4 | D000 0103 | ETRN1230003 | 11111 | 8.00 14.00 | 1 | 1 | 1,593 | 210 20 | 00000 |
| 4 | D000 0103 | ETRN1240003 | 11111 | 8.00 14.00 | 1 | 1 | 1,593 | 210 20 | 00000 |
| 4 | D000 0103 | ELEC2520002 | 11111 | 8.00 15.00 | 1 | 17 | 1,593 | 210 20 | 00000 |
| 4 | D000 0103 | ELEC2540002 | 11111 | 8.00 15.00 | 1 | 3 | 1,593 | 210 20 | 00000 |
| 4 | 8 D000 0103 | ELEC2540003 | 11111 | 8.00 15.00 | 1 | 8 | 1,593 | 210 20 | 00000 |
| 4 | 8 D000 0103 | ETRN1150001 | 11111 | 8.00 15.00 | 1 | 4 | 1,593 | 210 20 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | 8 | D000 0103 | ETRN1130001 | 111 | 8.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1240002 | 11111 | 9.00 12.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1210003 | 11111 | 9.00 13.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1230002 | 11111 | 9.00 14.00 | 1 | 1,593 | 210 20 | 00000 |
| 4 | 8 | D000 0103 | ETRN1140003 | 11111 | 9.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| 4 | 8 | D000 0103 | ETRN1150002 | 11111 | 9.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| 4 | 8 | D000 0103 | ETRN1150004 | 11111 | 9.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| 4 | 8 | D000 0103 | ETRN1210004 | 11111 | 9.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| 4 | 8 | D000 0103 | ETRN1140004 | 111 | 9.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1140002 | 11111 | 12.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1150003 | 11111 | 12.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1210005 | 11111 | 12.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1220001 | 11111 | 12.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | 8 | D000 0103 | ETRN1230004 | 11111 | 12.00 15.00 | 1 | 1,593 | 210 20 | 00000 |
| | | D000 0104 | WELD1110003 | 11111 | 8.00 11.00 | 1 | 511 | 110 24 | 00000 |
| | | D000 0104 | WELD1140005 | 11111 | 8.00 11.00 | 1 | 511 | 110 24 | 00000 |
| | | D000 0104 | WELD1110002 | 11111 | 12.00 15.00 | 1 | 511 | 110 24 | 00000 |
| | | D000 0104 | WELD1140004 | 11111 | 12.00 15.00 | 1 | 511 | 110 24 | 00000 |
| | | D000 0105 | WELD1210004 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| | | D000 0105 | WELD1310008 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| | | D000 0105 | WELD1410004 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| | | D000 0105 | WELD1411006 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| | | D000 0105 | WELD1412001 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| | | D000 0105 | WELD2111004 | 11111 | 8.00 11.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1411001 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1510002 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1512001 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1512002 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2112001 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2112002 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2210003 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2220002 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2230003 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD2310004 | 11111 | 8.00 14.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1120003 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1130005 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1140003 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1140006 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1210002 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | | D000 0105 | WELD1310003 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1310005 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1310007 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1410002 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1411004 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1412003 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1412004 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1420001 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1420002 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1420004 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1510001 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |
| 4 | 8 | D000 0105 | WELD1511002 | 11111 | 8.00 15.00 | 1 | 3,964 | 220 16 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| 4 | 8 | D000 0105 | WELD1511003 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1512003 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1620001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2110003 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2111001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2111002 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2111007 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2210001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2210002 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2220001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2220003 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2220004 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2230001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2230002 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2230004 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2251001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2310001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2310003 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2311001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2311002 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2320002 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2320003 | 11111 | 8.00 15.00 | 1 | 3 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2321001 | 11111 | 8.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1110001 | 11111 | 9.00 15.00 | 1 | 2 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1130003 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1130004 | 11111 | 9.00 15.00 | 1 | 2 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1411002 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1412002 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD1420005 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2110002 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2111006 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2111009 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2310005 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| 4 | 8 | D000 0105 | WELD2311003 | 11111 | 9.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD2220001 | 11111 | 10.00 14.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD2320001 | 11111 | 10.00 14.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD1420003 | 11111 | 10.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD2111003 | 11111 | 10.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD2310002 | 11111 | 10.00 15.00 | 1 | 1 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD1210003 | 11111 | 12.00 15.00 | 1 | 6 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD1410003 | 11111 | 12.00 15.00 | 1 | 6 | 3,964 | 220 16 00000 |
| | 8 | D000 0105 | WELD1411005 | 11111 | 12.00 15.00 | 1 | 6 | 3,964 | 220 16 00000 |
| | | D000 0107 | IDEL2720001 | 11111 | 8.00 9.00 | | 5 | 466 | 110 16 00000 |
| | | D000 0107 | ETRN1210001 | 11111 | 8.00 11.00 | 1 | 1 | 466 | 110 16 00000 |
| | | D000 0107 | ETRN1230005 | 11111 | 8.00 11.00 | 1 | 1 | 466 | 110 16 00000 |
| | | D000 0107 | ETRN2110002 | 11111 | 8.00 13.00 | 1 | 1 | 466 | 110 16 00000 |
| 4 | | D000 0107 | ETRN1210006 | 11111 | 8.00 14.00 | 1 | 1 | 466 | 110 16 00000 |
| 4 | | D000 0107 | ETRN1220002 | 11111 | 8.00 14.00 | 1 | 1 | 466 | 110 16 00000 |
| 4 | | D000 0107 | ETRN2110001 | 11111 | 8.00 14.00 | 1 | 2 | 466 | 110 16 00000 |
| 4 | | D000 0107 | ELEC2520001 | 11111 | 8.00 15.00 | 1 | 1 | 466 | 110 16 00000 |
| 4 | | D000 0107 | ELEC2540001 | 11111 | 8.00 15.00 | 1 | 6 | 466 | 110 16 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4 | D000 0107 | ETRN1230006 | 11111 | 8.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| 4 | D000 0107 | ETRN1240004 | 11111 | 8.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| 4 | D000 0107 | IDEL2620001 | 11111 | 8.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| | D000 0107 | ELEC2600001 | 11111 | 9.00 13.00 | 1 | 1 | 466 | 110 16 | 00000 |
| | D000 0107 | ELTR2840001 | 11111 | 9.00 13.00 | 1 | 1 | 466 | 110 16 | 00000 |
| 8 | D000 0107 | ETRN2130001 | 11111 | 9.00 13.00 | 1 | 7 | 466 | 110 16 | 00000 |
| 8 | D000 0107 | ETRN2140001 | 11111 | 9.00 13.00 | 1 | 11 | 466 | 110 16 | 00000 |
| 8 | D000 0107 | IDEL2720002 | 11111 | 9.00 13.00 | 1 | 2 | 466 | 110 16 | 00000 |
| 4 8 | D000 0107 | ELTR2800001 | 11111 | 9.00 15.00 | 1 | 15 | 466 | 110 16 | 00000 |
| 4 8 | D000 0107 | ETRN1140001 | 11111 | 9.00 15.00 | 1 | 5 | 466 | 110 16 | 00000 |
| 4 8 | D000 0107 | ETRN1210007 | 11111 | 9.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| 4 8 | D000 0107 | ETRN1220003 | 11111 | 9.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| 8 | D000 0107 | ETRN1120001 | 11111 | 10.00 11.00 | 1 | 1 | 466 | 110 16 | 00000 |
| | D000 0107 | ELTR2840002 | 11111 | 13.00 15.00 | 1 | 1 | 466 | 110 16 | 00000 |
| | D000 0111 | HACR1160002 | 11111 | 8.00 9.00 | | 2 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1161006 | 11111 | 8.00 9.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR2510005 | 11111 | 8.00 9.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR2511003 | 11111 | 8.00 9.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1150002 | 11111 | 8.00 10.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1151003 | 11111 | 8.00 10.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1161001 | 11111 | 8.00 10.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1160001 | 11111 | 8.00 14.00 | 1 | 5 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1161003 | 11111 | 8.00 14.00 | 1 | 5 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1211001 | 11111 | 8.00 14.00 | 1 | 3 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1411002 | 11111 | 8.00 14.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR2510001 | 11111 | 8.00 14.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR2511001 | 11111 | 8.00 14.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1120001 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 | D000 0111 | HACR1410001 | 11111 | 8.00 15.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR1411001 | 11111 | 8.00 15.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2510002 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2510003 | 11111 | 8.00 15.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2511002 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2521001 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2521003 | 11111 | 8.00 15.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2530004 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2540001 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 4 8 | D000 0111 | HACR2541001 | 11111 | 8.00 15.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1150001 | 11111 | 9.00 14.00 | 1 | 5 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1151001 | 11111 | 9.00 14.00 | 1 | 5 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1210001 | 11111 | 9.00 14.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1211002 | 11111 | 9.00 14.00 | 1 | 1 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1150004 | 11111 | 10.00 11.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| 8 | D000 0111 | HACR1151002 | 11111 | 10.00 11.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1150003 | 11111 | 12.00 14.00 | | 2 | 2,340 | 220 20 | 00000 |
| | D000 0111 | HACR1151004 | 11111 | 12.00 14.00 | 1 | 2 | 2,340 | 220 20 | 00000 |
| | D000 0112 | ELEC2995001 | 11111 | 8.00 11.00 | | 2 | 2,390 | 210 25 | 00000 |
| | D000 0112 | ELEC1430002 | 11111 | 8.00 13.00 | 1 | 7 | 2,390 | 210 25 | 00000 |
| | D000 0112 | ELEC2991001 | 11111 | 8.00 13.00 | 1 | 1 | 2,390 | 210 25 | 00000 |
| | D000 0112 | ELEC2993001 | 11111 | 8.00 13.00 | 1 | 2 | 2,390 | 210 25 | 00000 |
| 4 | D000 0112 | ELEC1120002 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|------------|---------------------|----------------------|--------------|--------------|
| 4 | D000 | 0112 | ELEC1420001 | 11111 | 8.00 15.00 | 1 | 4 | 2,390 | 210 25 00000 | |
| 4 | D000 | 0112 | ELEC1420002 | 11111 | 8.00 15.00 | 1 | 6 | 2,390 | 210 25 00000 | |
| 4 | D000 | 0112 | ELEC1430004 | 11111 | 8.00 15.00 | 1 | 5 | 2,390 | 210 25 00000 | |
| 4 | D000 | 0112 | ELEC1430006 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 | |
| 4 | D000 | 0112 | ELEC1440001 | 11111 | 8.00 15.00 | 1 | 4 | 2,390 | 210 25 00000 | |
| 4 | 8 | D000 | 0112 | ELEC1440002 | 11111 | 8.00 15.00 | 1 | 6 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1440003 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC2542001 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC2991002 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC2993002 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC2996001 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC2996002 | 11111 | 8.00 15.00 | 1 | 5 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | INST2720001 | 11111 | 8.00 15.00 | 1 | 3 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | INST2720002 | 11111 | 8.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1311002 | 11111 | 9.00 14.00 | 1 | 3 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1120001 | 11111 | 9.00 15.00 | 1 | 7 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1120003 | 11111 | 9.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1210001 | 11111 | 9.00 15.00 | 1 | 3 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1210002 | 11111 | 9.00 15.00 | 1 | 7 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1210003 | 11111 | 9.00 15.00 | 1 | 2 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1210004 | 11111 | 9.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1220001 | 11111 | 9.00 15.00 | 1 | 8 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1230001 | 11111 | 9.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1430001 | 11111 | 9.00 15.00 | 1 | 1 | 2,390 | 210 25 00000 |
| 4 | 8 | D000 | 0112 | ELEC1440004 | 11111 | 9.00 15.00 | 1 | 2 | 2,390 | 210 25 00000 |
| 8 | D000 | 0112 | ELEC1430005 | 11111 | 12.00 13.00 | 1 | 2 | 2,390 | 210 25 00000 | |
| | D000 | 0113 | WELD2991001 | 11 | 17.00 21.00 | | 8 | 2,390 | 210 40 00000 | |
| | D000 | 0113 | WELD2991002 | 11 | 17.00 21.00 | 1 | 3 | 2,390 | 210 40 00000 | |
| | D000 | 0113 | WELD2991003 | 11 | 17.00 21.00 | 1 | 10 | 2,390 | 210 40 00000 | |
| | D000 | 0113 | WELD2993001 | 11 | 17.00 21.00 | 1 | 8 | 2,390 | 210 40 00000 | |
| | D000 | 0113 | WELD2993002 | 11 | 17.00 21.00 | 1 | 3 | 2,390 | 210 40 00000 | |
| | D000 | 0113 | WELD2993003 | 11 | 17.00 21.00 | 1 | 10 | 2,390 | 210 40 00000 | |

| | |
|---|-----|
| ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. | |
| ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. | |
| ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 | |
| ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. | 173 |
| ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL. | |
| ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS | |
| ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE. | 142 |
| ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES. | |
| TOTAL ERRORS (INCLUDING WARNINGS) | 315 |
| TOTAL NUMBER OF RECORDS READ | 389 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | 389 |
| NUMBER OF JOINT-CLASS RECORDS | 310 |
| NUMBER OF ALTERATE WEEKS RECORDS | |
| NUMBER OF DIFFERENT TIMES RECORDS | |
| NUMBER OF INCONSISTENT RECORDS | |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 26 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 595 |
| WEEKLY STUDENT CONTACT HOURS | 4891 | 1439 | 6330 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 2340 | 1300 | 3640 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 736 | 168 | 904 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 53550 | 29750 | 83300 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 17996 | 4106 | 22102 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 9782 | 2878 | 12660 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 31.5 | 12.9 | 24.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 18.3 | 9.7 | 15.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 54.4 | 70.1 | 57.3 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASSROOM | | | |
| TOTAL NUMBER OF ROOMS | | | 26 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 595 |
| WEEKLY STUDENT CONTACT HOURS | 4891 | 1439 | 6330 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 2340 | 1300 | 3640 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 736 | 168 | 904 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 53550 | 29750 | 83300 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 17996 | 4106 | 22102 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 9782 | 2878 | 12660 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 31.5 | 12.9 | 24.8 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 18.3 | 9.7 | 15.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 54.4 | 70.1 | 57.3 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 35 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 818 |
| WEEKLY STUDENT CONTACT HOURS | 17284 | 468 | 17752 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 3150 | 1750 | 4900 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 854 | 44 | 898 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 73620 | 40900 | 114520 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 28910 | 1532 | 30442 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 34568 | 936 | 35504 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 27.1 | 2.5 | 18.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 47.0 | 2.3 | 31.0 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 119.6 | 61.1 | 116.6 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 7 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 173 |
| WEEKLY STUDENT CONTACT HOURS | 3799 | 336 | 4135 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 630 | 350 | 980 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 156 | 32 | 188 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 15570 | 8650 | 24220 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 3400 | 1280 | 4680 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 7598 | 672 | 8270 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 24.8 | 9.1 | 19.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 48.8 | 7.8 | 34.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 223.5 | 52.5 | 176.7 |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| OPEN LABBORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 28 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 645 |
| WEEKLY STUDENT CONTACT HOURS | 13485 | 132 | 13617 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 2520 | 1400 | 3920 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 698 | 12 | 710 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 58050 | 32250 | 90300 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 25510 | 252 | 25762 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 26970 | 264 | 27234 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 27.7 | .9 | 18.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 46.5 | .8 | 30.2 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 105.7 | 104.8 | 105.7 |
| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |

*TOTAL TEACHING FACL.

| | | | |
|--|--------|-------|--------|
| TOTAL NUMBER OF ROOMS | | | 61 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 1413 |
| WEEKLY STUDENT CONTACT HOURS | 22175 | 1907 | 24082 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 5490 | 3050 | 8540 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1590 | 212 | 1802 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 127170 | 70650 | 197820 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 46906 | 5638 | 52544 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 44350 | 3814 | 48164 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 29.0 | 7.0 | 21.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 34.9 | 5.4 | 24.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 94.6 | 67.6 | 91.7 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY