

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A 1001	CPTR1000 1	1 1 1	8.00 8.50		2	770	210 15	00000	
	000A 1001	CPTR1300 1	1 1 1	8.00 9.15		6	770	210 15	00000	
3	000A 1001	ACCT1300 1	1 1 1	8.00 85.00		2	770	210 15	00000	
	000A 1001	ISYS1550 1	1 1 1	9.00 9.50	1	1	770	210 15	00000	
3	000A 1001	ISYS1450 2	1 1 1	9.00 95.00	1	1	770	210 15	00000	
	000A 1001	MATH1050 1	1 1 1	9.25 10.40		7	770	210 15	00000	
	000A 1001	ACCT1100 1	1 1 1	10.00 10.50		7	770	210 15	00000	
	000A 1001	ACCT1500 1	1 1 1	10.00 10.50	1	2	770	210 15	00000	
	000A 1001	ACCT1300 1	1 1 1	10.50 12.05		2	770	210 15	00000	
	000A 1001	CPTR1300 2	1 1 1	10.50 12.05	1	1	770	210 15	00000	
	000A 1001	ISYS1450 2	1 1 1	10.50 12.05	1	1	770	210 15	00000	
	000A 1001	MATH1050 2	1 1 1	10.50 12.05	1	1	770	210 15	00000	
	000A 1001	CPTR1300 1	1 1 1	13.00 13.50		6	770	210 15	00000	
	000A 1001	CPTR1300 2	1 1 1	13.00 13.50	1	1	770	210 15	00000	
	000A 1001	ACCT1100 1	1 1 1	13.40 14.55		7	770	210 15	00000	
	000A 1001	ACCT1500 1	1 1 1	13.40 14.55	1	2	770	210 15	00000	
	000A 1001	ISYS1550 1	1 1 1	13.40 14.55	1	1	770	210 15	00000	
	000A 1001	CPTR1000 2	1 1 1	14.00 14.50		7	770	210 15	00000	
	000A 1009	HCOR1212 1	11111	6.00 10.00		8	2,806	210 30	00000	
	000A 1009	HCOR1120 2	11111	8.00 9.00	1	9	2,806	210 30	00000	
	000A 1009	HMDT1170 1	11111	8.00 11.00	1	16	2,806	210 30	00000	
4	000A 1009	HCOR1120 1	11111	8.00 15.00	1	12	2,806	210 30	00000	
4	8	000A 1009	HEKG1101 1	11111	8.00 15.00	1	10	2,806	210 30	00000
4	8	000A 1009	HPhL1022 1	11111	8.00 15.00	1	14	2,806	210 30	00000
	8	000A 1009	HCOR1120 3	11111	9.30 12.30	1	4	2,806	210 30	00000
	8	000A 1009	HCOR1212 2	11111	10.00 14.00	1	9	2,806	210 30	00000
	8	000A 1009	HPhL1011 1	11111	12.00 13.45	1	14	2,806	210 30	00000
	8	000A 1009	HCOR1160 1	11111	12.00 15.00	1	13	2,806	210 30	00000
	8	000A 1009	HCOR1120 3	11111	13.00 16.00	1	4	2,806	210 30	00000
	8	000A 1009	HCOR1160 3	11111	14.00 15.00	1	5	2,806	210 30	00000
	3	000A 1009	HMDT1170 2	11111	15.30 16.00		4	2,806	210 30	00000
	000A 1009	HPhL1011 1	11111	93.00 11.30		14	2,806	210 30	00000	
	000A 1112	HNUR1211 3	11111	8.00 11.00		8	2,625	210 30	00000	
	000A 1112	HNUR1300 1	1 1 1	8.30 11.00	1	17	2,625	210 30	00000	
	000A 1112	HNUR1300 2	1 1 1	8.30 11.00	1	17	2,625	210 30	00000	
	000A 1112	HNUR1340 1	1 1 1	9.00 11.00		17	2,625	210 30	00000	
	000A 1112	HNUR1340 2	1 1 1	9.00 11.00	1	16	2,625	210 30	00000	
	000A 1112	HNUR1211 1	1 1 1	12.00 14.50		17	2,625	210 30	00000	
	000A 1112	HNUR1211 2	1 1 1	12.00 14.50	1	17	2,625	210 30	00000	
	8	000A 1112	HNUR1360 1	1 1 1	12.00 14.50	1	16	2,625	210 30	00000
	8	000A 1112	HNUR1360 2	1 1 1	12.00 14.50	1	17	2,625	210 30	00000
	000A 1112	HNUR1351 1	1 1 1	12.00 14.50		17	2,625	210 30	00000	
	000A 1112	HNUR1351 2	1 1 1	12.00 14.50	1	16	2,625	210 30	00000	
	000A 1112	HNUR1211 4	11111	12.00 15.00	1	9	2,625	210 30	00000	
	000A 3001	JOBS2450 2	1 1 1	8.00 8.50		5	770	210 15	00000	
	000A 3001	MAST1210B91 1	1 1 1	8.00 9.25	1	16	770	210 15	00000	
	000A 3001	JOBS2450 2	1 1 1	8.00 9.25		5	770	210 15	00000	
	000A 3001	MAST1210B91 1	1 1 1	8.00 9.25	1	16	770	210 15	00000	
	000A 3001	ORNT1000 1	1 1 1	9.00 9.50		3	770	210 15	00000	
	000A 3001	ENGL1040 1	1 1 1	9.25 10.40		4	770	210 15	00000	
	000A 3001	MAST1230 1	1 1 1	10.00 10.50		6	770	210 15	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION
 EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.			
	000A	3001	AHEN1000	1	1 1	10.50 12.05		1	770	210	15	00000
	000A	3001	DVEN0090	1	1 1	10.50 12.05	1	2	770	210	15	00000
	000A	3001	DVEN0091	1	1 1	10.50 12.05	1	4	770	210	15	00000
	000A	3001	DVEN0091	6	1 1	10.50 12.05	1	1	770	210	15	00000
	000A	3001	DVEN0092	1	1 1	10.50 12.05	1	5	770	210	15	00000
	000A	3001	DVRE0092	4	1 1	10.50 12.05	1	1	770	210	15	00000
	000A	3001	ENGL1030	1	1 1 1	11.00 11.50		15	770	210	15	00000
	000A	3001	AHEN1000	1	1 1 1	13.00 13.50		1	770	210	15	00000
	000A	3001	DVEN0090	1	1 1 1	13.00 13.50	1	2	770	210	15	00000
	000A	3001	DVEN0091	1	1 1 1	13.00 13.50	1	4	770	210	15	00000
	000A	3001	DVEN0092	1	1 1 1	13.00 13.50	1	5	770	210	15	00000
	000A	3001	DVEN0091	6	1 1 1	13.00 14.30	1	1	770	210	15	00000
	000A	3001	DVEN0091	2	11111	13.00 16.00	1	1	770	210	15	00000
	000A	3001	DVRE0091	3	11111	13.00 16.00	1	1	770	210	15	00000
	000A	3001	AHRE1000	1	1 1	13.40 14.55	1	2	770	210	15	00000
	000A	3001	DVEN0090	2	1 1	13.40 14.55	1	1	770	210	15	00000
	000A	3001	DVEN0091	3	1 1	13.40 14.55	1	4	770	210	15	00000
8	000A	3001	DVRE0090	1	1 1	13.40 14.55	1	2	770	210	15	00000
8	000A	3001	DVRE0091	1	1 1	13.40 14.55	1	8	770	210	15	00000
8	000A	3001	DVRE0091	4	1 1	13.40 14.55	1	1	770	210	15	00000
8	000A	3001	DVRE0092	1	1 1	13.40 14.55	1	4	770	210	15	00000
8	000A	3001	DVRE0091	2	1 1	13.40 15.10	1	6	770	210	15	00000
8	000A	3001	DVEN0091	5	11111	14.00 14.50	1	1	770	210	15	00000
8	000A	3001	AHRE1000	1	1 1 1	14.00 14.50	1	2	770	210	15	00000
8	000A	3001	DVEN0090	2	1 1 1	14.00 14.50	1	1	770	210	15	00000
8	000A	3001	DVEN0091	3	1 1 1	14.00 14.50	1	4	770	210	15	00000
8	000A	3001	DVRE0090	1	1 1 1	14.00 14.50	1	2	770	210	15	00000
8	000A	3001	DVRE0091	1	1 1 1	14.00 14.50	1	8	770	210	15	00000
8	000A	3001	DVRE0092	1	1 1 1	14.00 14.50	1	4	770	210	15	00000
8	000A	3001	DVRE0092	4	1 1 1	14.00 14.50	1	1	770	210	15	00000
8	000A	3001	DVRE0091	1	1 1 1	14.00 15.30	1	6	770	210	15	00000
8	000A	3001	DVRE0091	4	1 1 1	14.00 15.30	1	1	770	210	15	00000
	000A	4001	KYBD1000	1	1 1 1	8.00 8.50		10	500	210	15	00000
	000A	4001	KYBD1110	1	1 1 1	8.00 8.50	1	3	500	210	15	00000
	000A	4001	KYBD1000	1	1 1	8.00 9.15		10	500	210	15	00000
	000A	4001	KYBD1110	1	1 1	8.00 9.15	1	3	500	210	15	00000
3	000A	4001	KYBD1210	5	1 1 1	8.00 85.00		1	500	210	15	00000
	000A	4001	KYBD1110	2	1 1 1	9.00 9.50	1	6	500	210	15	00000
	000A	4001	MAST2110	1	1 1 1	9.00 9.50	1	3	500	210	15	00000
	000A	4001	MEDL1300	1	1 1 1	9.00 9.50	1	8	500	210	15	00000
	000A	4001	KYBD1110	2	1 1	9.25 10.40		6	500	210	15	00000
	000A	4001	KYBD1210	1	1 1	9.25 10.40	1	1	500	210	15	00000
	000A	4001	KYBD1210	3	1 1	9.25 10.40	1	3	500	210	15	00000
	000A	4001	KYBD1210	4	1 1	9.25 10.40	1	1	500	210	15	00000
	000A	4001	KYBD1210	5	1 1	9.25 10.40	1	1	500	210	15	00000
	000A	4001	KYBD1210	1	1 1 1	10.00 10.50		1	500	210	15	00000
	000A	4001	KYBD1210	2	1 1 1	10.00 10.50	1	3	500	210	15	00000
	000A	4001	KYBD1210	2	1 1	10.50 12.05		3	500	210	15	00000
	000A	4001	MAST2110	1	1 1	10.50 12.05	1	3	500	210	15	00000
	000A	4001	KYBD1210	3	1 1 1	11.00 11.50		3	500	210	15	00000
	000A	4001	KYBD1210	4	1 1 1	11.00 11.50	1	1	500	210	15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.				
	000A	4001	MACH1350	1	1 1 1	11.00 11.50	1	4	500	210	15	00000	
	000B	1002	DVMA0090	1	1111	8.00 9.00		12	1,056	210	20	00000	
2	000B	1002	AHSC1000999			8.00 16.00		5	1,056	210	20	00000	
4	000B	1002	AHMA1000	1	1111	9.00 10.00		2	1,056	210	20	00000	
	000B	1002	CPTR1000	8	1 1 1	10.00 10.50		1	1,056	210	20	00000	
	000B	1002	DVMA0090	4	11111	10.00 11.00	1	1	1,056	210	20	00000	
	000B	1002	DVMA0091	1	1111	10.00 11.00	1	1	1,056	210	20	00000	
	000B	1002	AHSC1000	1	1111	11.00 12.00		2	1,056	210	20	00000	
	000B	1002	CPTR1000	5	1 1	13.00 13.50		9	1,056	210	20	00000	
	000B	1002	ORNT1000	3	11111	13.00 14.00	1	8	1,056	210	20	00000	
	000B	1002	ORNT1000	4	11111	13.00 14.00	1	1	1,056	210	20	00000	
	000B	1002	DVMA0090	3	11111	13.00 16.00	1	5	1,056	210	20	00000	
	000B	1002	DVMA0090	2	1 1	13.40 14.55	1	7	1,056	210	20	00000	
	000B	1002	CPTR1000	4	1 1	14.00 15.00		4	1,056	210	20	00000	
	000B	1002	CPTR1000	3	1 1	14.00 15.00		3	1,056	210	20	00000	
	000B	1002	DVMA0090	2	1 1 1	14.00 15.30		7	1,056	210	20	00000	
	000B	1002	CPTR1000	6	11111	15.00 16.00	1	4	1,056	210	20	00000	
	000B	1002	CPTR1000	7	1 1 1	15.00 16.00	1	1	1,056	210	20	00000	
	000B	1002	JOBS2450	1	1 1	15.00 16.00	1	4	1,056	210	20	00000	
4	000B	1005	ZTEC0301	1	1 1	6.00 21.00		20	4,700	720	25	00000	
4	000B	1005	WELD1110	1	11111	8.00 14.50	1	3	4,700	720	25	00000	
4	000B	1005	WELD1110	2	11111	8.00 14.50	1	4	4,700	720	25	00000	
4	000B	1005	WELD1140	1	11111	8.00 14.50	1	9	4,700	720	25	00000	
4	000B	1005	WELD1140	2	11111	8.00 14.50	1	2	4,700	720	25	00000	
4	8	000B	1005	WELD1140	3	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD1210	1	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD1210	2	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD1310	1	11111	8.00 14.50	1	8	4,700	720	25	00000
4	8	000B	1005	WELD1310	2	11111	8.00 14.50	1	2	4,700	720	25	00000
4	8	000B	1005	WELD1410	1	11111	8.00 14.50	1	3	4,700	720	25	00000
4	8	000B	1005	WELD1410	2	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD1411	1	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD1411	2	11111	8.00 14.50	1	3	4,700	720	25	00000
4	8	000B	1005	WELD1510	1	11111	8.00 14.50	1	1	4,700	720	25	00000
4	8	000B	1005	WELD1511	1	11111	8.00 14.50	1	1	4,700	720	25	00000
4	8	000B	1005	WELD1512	2	11111	8.00 14.50	1	1	4,700	720	25	00000
4	8	000B	1005	WELD2110	1	11111	8.00 14.50	1	4	4,700	720	25	00000
4	8	000B	1005	WELD2110	2	11111	8.00 14.50	1	1	4,700	720	25	00000
4	8	000B	1005	WELD2111	1	11111	8.00 14.50	1	7	4,700	720	25	00000
4	8	000B	1005	WELD2113	1	11111	8.00 14.50	1	1	4,700	720	25	00000
4	8	000B	1005	WELD2210	1	11111	8.00 14.50	1	5	4,700	720	25	00000
4	8	000B	1005	WELD2310	1	11111	8.00 14.50	1	2	4,700	720	25	00000
	000B	1015	CLRP1150	1	11111	8.00 11.30		3	5,350	720	20	00000	
	000B	1015	CLRP1210	1	11111	8.00 11.30	1	1	5,350	720	20	00000	
	000B	1015	CLRP1220	1	11111	8.00 11.30	1	1	5,350	720	20	00000	
	000B	1015	CLRP1311	1	11111	8.00 11.30	1	1	5,350	720	20	00000	
	000B	1015	CLRP2130	1	11111	8.00 11.30	1	4	5,350	720	20	00000	
4	000B	1015	CLRP2993	1	11111	8.00 15.00	1	1	5,350	720	20	00000	
4	000B	1015	CLRP1121	2	11111	8.00 15.30	1	11	5,350	720	20	00000	
	8	000B	1015	CLRP1110	1	11111	8.30 11.30	1	9	5,350	720	20	00000
	8	000B	1015	CLRP1121	1	11111	8.30 11.30	1	8	5,350	720	20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000B 1015	CLRP1131 1	11111	8.30 11.30	1	8	5,350	720 20	00000
	000B 1015	CLRP1110 2	11111	12.00 15.00		11	5,350	720 20	00000
	000B 1015	CLRP1131 2	11111	12.00 15.00	1	11	5,350	720 20	00000
	000B 1015	CLRP2130 3	11111	12.00 15.30	1	1	5,350	720 20	00000
	000B 1015	CLRP2140 1	11111	12.00 15.30	1	1	5,350	720 20	00000
	000B 1015	CLRP2121 1	11111	14.30 15.30	1	2	5,350	720 20	00000
4	000B 2011	ZTEC1309 1	11111	8.30 15.00		5	2,604	720 20	00000
	000B 2011	ZTEC1300 1	1 1	17.00 20.00		16	2,604	720 20	00000
8	000B 2011	ZTEC1302 1	1 1	17.00 20.00	1	16	2,604	720 20	00000
	0000 0000	ECDV1110 1	1 1 1	8.00 8.50	1	6			00000
	0000 0000	ECDV1241 1	11111	8.00 10.00	1	4			00000
	0000 0000	ECDV1341 1	11111	8.00 10.00	1	1			00000
	0000 0000	ECDV2211 1	11111	8.00 12.00	1	3			00000
4	0000 0000	HCOR1212 1	11111	8.00 15.00	1	39			00000
4	0000 0000	HCOR2991 1	11111	8.00 15.00	1	39			00000
4	0000 0000	HNUR1211 5	11111	8.00 15.00	1	39			00000
4	0000 0000	WELD1110 3	11111	8.00 15.00	1	10			00000
4	0000 0000	WELD1110 4	11111	8.00 15.00	1	44			00000
4	0000 0000	WELD1110 5	11111	8.00 15.00	1	30			00000
4	0000 0000	WELD1110 6	11111	8.00 15.00	1	5			00000
4	0000 0000	WELD1110 7	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1110 8	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1140 5	11111	8.00 15.00	1	2			00000
4	0000 0000	WELD1140 6	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1210 3	11111	8.00 15.00	1	10			00000
4	0000 0000	WELD1210 4	11111	8.00 15.00	1	44			00000
4	0000 0000	WELD1210 5	11111	8.00 15.00	1	30			00000
4	0000 0000	WELD1210 6	11111	8.00 15.00	1	5			00000
4	0000 0000	WELD1210 7	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1210 8	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1310 3	11111	8.00 15.00	1	4			00000
4	0000 0000	WELD1310 5	11111	8.00 15.00	1	2			00000
4	0000 0000	WELD1310 6	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1410 3	11111	8.00 15.00	1	10			00000
4	0000 0000	WELD1410 4	11111	8.00 15.00	1	1			00000
4	0000 0000	WELD1411 3	11111	8.00 15.00	1	4			00000
	0000 0000	ECDV1130 1	1 1 1	9.00 9.50	1	8			00000
	0000 0000	ECDV1140 1	1 1 1	10.00 10.50	1	11			00000
	0000 0000	ECDV1410 1	1 1	10.15 11.30	1	3			00000
	0000 0000	ECDV1420 1	1 1 1	11.00 12.00	1	3			00000
	0000 0000	ECDV1230 1	1 1	12.30 13.15	1	5			00000
	0000 0000	ECDV1340 1	1 1 1	13.00 13.50	1	13			00000
	0000 0000	ORNT1000 2	11111	13.00 14.00	1	3			00000
	0000 0000	ORNT1000 6	1 1	13.15 14.00	1	1			00000
	0000 0000	ECDV1120 1	1 1 1	14.00 15.00	1	3			00000
	0000 0000	ECDV2995 1	1 1	14.00 15.00	1	2			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	1
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	4
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	53
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	47
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	105
TOTAL NUMBER OF RECORDS READ	199
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	157
NUMBER OF JOINT-CLASS RECORDS	117
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	37

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-EVANGELINE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			194
WEEKLY STUDENT CONTACT HOURS	4012		4012
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1058		1058
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17460	9700	27160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24270		24270
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8024		8024
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	106.9	.0	68.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.0	.0	29.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.1	.0	33.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			184
WEEKLY STUDENT CONTACT HOURS	4012		4012
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1058		1058
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	16560	9200	25760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24270		24270
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8024		8024
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	117.6	.0	75.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	48.5	.0	31.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.1	.0	33.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			194
WEEKLY STUDENT CONTACT HOURS	4012		4012
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1058		1058
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	17460	9700	27160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24270		24270
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8024		8024
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	106.9	.0	68.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.0	.0	29.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	33.1	.0	33.1

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY