

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0100	ECED1120001	1 1 1	8.00 8.50		15	405	110 18 00000
	A000	0100	ECED1130001	1 1	8.00 9.15		18	405	110 18 00000
	A000	0100	ECED2211001	1 1 1	8.00 10.50		4	405	110 18 00000
	A000	0100	ECED1241001	1 1 1	9.00 11.50	1	6	405	110 18 00000
	A000	0100	ECED1220001	1 1	9.25 10.40		19	405	110 18 00000
	A000	0100	ECED2211001	1 1	9.25 13.30	1	4	405	110 18 00000
8	A000	0100	ECED1410001	1 1	10.50 12.05	1	7	405	110 18 00000
8	A000	0100	ECED1151003	1 1	10.50 14.55	1	3	405	110 18 00000
	A000	0100	ECED1151001	1 1 1	11.00 13.50		3	405	110 18 00000
	A000	0100	ECED1410001	1	12.00 12.50	1	7	405	110 18 00000
	A000	0100	ECED1151002	1 1 1	12.00 14.50	1	2	405	110 18 00000
8	A000	0100	ECED1330001	1 1 1	13.00 13.50	1	17	405	110 18 00000
	A000	0100	ECED1310001	1 1	13.40 14.55		16	405	110 18 00000
	A000	0100	ECED1320001	1 1 1	14.00 14.50		15	405	110 18 00000
	A000	0101	CLTS2710001	1 1	8.00 10.40		16	760	210 18 00000
	A000	0101	CHEM1410001	1 1 1	9.00 9.50		9	760	210 18 00000
	A000	0101	CLTS1030001	1 1 1	10.00 10.50		9	760	210 18 00000
	A000	0101	CLTS2991001	1 1	10.00 10.50	1	6	760	210 18 00000
	A000	0101	CLTS2080001	1 1 1	11.00 11.50		16	760	210 18 00000
	A000	0101	CLTS2080001	1 1	12.15 13.30		16	760	210 18 00000
	A000	0101	CLTS2410001	1 1 1	13.00 13.50		16	760	210 18 00000
	A000	0101	CLTS2411001	1 1	13.40 14.55		16	760	210 18 00000
	A000	0101	CLTS2450001	1 1 1	14.00 14.50		16	760	210 18 00000
4	8	A000	0103	111	7.00 15.30		18	544	210 11 00000
8	A000	0103	SURG2230001	1 1 1	8.00 10.50	1	18	544	210 11 00000
4	8	A000	0103	1 1	8.00 14.55		18	544	210 11 00000
4	8	A000	0103	1 1	8.00 14.55	1	18	544	210 11 00000
8	A000	0103	SURG2240001	1 1	9.00 11.50		18	544	210 11 00000
8	A000	0103	SURG2231001	1 1	11.00 11.50	1	18	544	210 11 00000
	A000	0105	HNUR1110001	11111	8.00 9.50		36	1,680	110 85 00000
	A000	0105	HNUR1310001	11111	8.00 9.50	1	37	1,680	110 85 00000
	A000	0105	HNUR1220001	1 1	8.00 9.50	1	34	1,680	110 85 00000
	A000	0105	HMDT1170001	1	10.00 10.50		33	1,680	110 85 00000
	A000	0105	HNUR1120001	1111	10.10 12.00		36	1,680	110 85 00000
	A000	0105	HNUR1140001	1111	10.10 12.00	1	36	1,680	110 85 00000
	A000	0105	HNUR1220001	1111	10.10 12.00	1	34	1,680	110 85 00000
	A000	0105	HNUR1160001	1	11.00 11.50		39	1,680	110 85 00000
	A000	0105	HNUR1130001	11111	13.00 15.00		34	1,680	110 85 00000
	A000	0105	HNUR1230001	11111	13.00 15.00	1	35	1,680	110 85 00000
	A000	0105	CPTR1000004	1 1 1	14.00 14.50	1	19	1,680	110 85 00000
	A000	0105	ZHLT0410001	111	17.00 21.00		17	1,680	110 85 00000
	A000	0106	HOST1010001	1 1 1	8.00 8.50		24	986	210 20 00000
	A000	0106	CULN2430001	1 1	8.00 9.15		6	986	210 20 00000
	A000	0106	HOST2080001	1 1 1	9.00 9.50		13	986	210 20 00000
	A000	0106	ENGL1060001	1 1	9.25 10.40		13	986	210 20 00000
	A000	0106	HOST2020001	1 1 1	10.00 10.50		11	986	210 20 00000
	A000	0106	HOST1292001	1 1	10.50 13.30		1	986	210 20 00000
	A000	0106	HOST1250001	1 1 1	11.00 11.50		12	986	210 20 00000
	A000	0106	HOST1292001	1 1 1	13.00 13.50		1	986	210 20 00000
	A000	0106	CULN2430001	1 1 1	14.00 14.50		6	986	210 20 00000
	A000	0107	ISYS1550001	1111	8.00 8.50		13	620	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0107	JOBS2450002	1 1	9.25 10.40		18	620	210 20 00000
	A000	0107	KYBD1000001	1 1 1	10.00 10.50		17	620	210 20 00000
	A000	0107	KYBD1110002	1 1	10.00 10.50	1	11	620	210 20 00000
8	A000	0107	JOBS2450001	1 1	11.00 11.50		34	620	210 20 00000
	A000	0107	OSYS2530001	1 1 1	13.00 13.50		12	620	210 20 00000
	A000	0108A	KYBD1000002	1 1	13.00 13.55		17	440	210 15 00000
	A000	0108A	CISX2902001	1 1 1	13.00 14.50		2	440	210 15 00000
	A000	0108A	KYBD1110003	1 1 1	13.00 14.50	1	18	440	210 15 00000
	A000	0108B	CPTR1000005	1 1 1	8.00 8.50		17	594	210 20 00000
	A000	0108B	CISX1400001	1 1	8.00 10.40		18	594	210 20 00000
	A000	0108B	CPTR1370001	1 1 1	9.00 9.50		17	594	210 20 00000
	A000	0108B	CISX1200001	1 1 1	10.00 11.50		17	594	210 20 00000
	A000	0108B	CPTR1000006	1 1	10.50 12.05		21	594	210 20 00000
	A000	0110	CISX1900001	1 1 1	8.00 9.50		19	1,034	210 20 00000
	A000	0110	CPTR1050001	1 1	8.00 10.40		18	1,034	210 20 00000
	A000	0110	CISX1300001	1 1 1	10.00 11.50		13	1,034	210 20 00000
	A000	0110	CPTR1860001	1 1	10.50 12.35		23	1,034	210 20 00000
	A000	0110	CPTR1300001	1 1 1	13.00 13.50		20	1,034	210 20 00000
	A000	0110	CPTR1310001	1 1	13.40 14.55		24	1,034	210 20 00000
	A000	0110	CPTR2650001	1 1	13.40 14.55	1	4	1,034	210 20 00000
	A000	0114	ZPDV0908001	1 1	17.30 20.30		18	945	210 30 00000
	A000	0200	CISX2840001	1 1 1	8.00 9.50		24	600	210 20 00000
	A000	0200	CISX2060001	1 1	8.00 10.40		18	600	210 20 00000
	A000	0200	CISX1100001	1 1 1	10.00 11.50		28	600	210 20 00000
	A000	0200	CISX2030001	1 1	10.50 12.05		16	600	210 20 00000
	A000	0200	CISX2010001	1 1 1	13.00 14.50		18	600	210 20 00000
	A000	0200	CISX2030001	1 1	13.40 14.55		16	600	210 20 00000
	A000	0200	ZINF0202001	1	18.00 21.00		11	600	210 20 00000
	A000	0201	CPTR1300002	1 1 1	9.00 9.50		19	576	210 20 00000
	A000	0201	PSYC2010001	1 1	9.25 10.40		21	576	210 20 00000
	A000	0201	CPTR1310002	1 1 1	10.00 10.50		16	576	210 20 00000
	A000	0201	ORNT1000006	1	10.50 12.05		27	576	210 20 00000
8	A000	0201	ORNT1000002	1	11.00 11.50		41	576	210 20 00000
8	A000	0201	ORNT1000013	1	11.00 11.50		37	576	210 20 00000
	A000	0201	JOBS2450003	1 1	13.00 13.50		20	576	210 20 00000
	A000	0201	OSYS2999001	1 1 1	13.00 14.50	1	4	576	210 20 00000
	A000	0201	OSYS2999001	1 1	13.40 14.55		4	576	210 20 00000
	A000	0203	KYBD1110001	1 1	8.00 8.50		14	589	210 20 00000
	A000	0203	KYBD1000003	1 1	8.00 9.15		13	589	210 20 00000
	A000	0203	ISYS1650001	1 1 1	9.00 9.50		16	589	210 20 00000
	A000	0203	CPTR1000009	1 1	9.25 10.40		8	589	210 20 00000
	A000	0203	MATH1050001	1 1 1	10.00 10.50		15	589	210 20 00000
	A000	0203	ISYS1450001	1 1	11.00 11.50		19	589	210 20 00000
	A000	0203	MATH1050002	1 1 1	13.00 13.50		26	589	210 20 00000
	A000	0203	ZMOS0204001	1	18.00 21.00		10	589	210 20 00000
	A000	0300	ENGL1030002	1 1	8.00 9.15		11	459	110 15 00000
8	A000	0300	ENGL1030001	1 1 1	9.00 9.50		26	459	110 15 00000
	A000	0300	ENGL1040001	1 1	9.25 10.40		9	459	110 15 00000
	A000	0300	SPCH1010001	1 1 1	10.00 10.50		12	459	110 15 00000
	A000	0300	ENGL1050001	1 1	10.50 12.05		15	459	110 15 00000
	A000	0300	SPCH1010002	1 1 1	11.00 11.50		8	459	110 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0301	WKEY0081003	1 1 1	10.00 10.50		1	1,000	110 35 00000	
	A000	0301	WKEY0070004	1 1 1	11.00 11.50		2	1,000	110 35 00000	
	A000	0301	WKEY0070005	1 1 1	12.00 12.50		1	1,000	110 35 00000	
	A000	0301	WKEY0071005	1 1 1	12.00 12.50	1	1	1,000	110 35 00000	
	A000	0301	WKEY0070008	1 1 1	15.00 15.50		4	1,000	110 35 00000	
	A000	0301	WKEY0071008	1 1 1	15.00 15.50	1	1	1,000	110 35 00000	
	A000	0301	WKEY0081008	1 1 1	15.00 15.50	1	2	1,000	110 35 00000	
	A000	0301	WKEY0070019	111	17.00 19.30		15	1,000	110 35 00000	
	A000	0301	WKEY0070018	1	17.00 19.30		15	1,000	110 35 00000	
	A000	0301	WKEY0070017	111	17.00 21.00		2	1,000	110 35 00000	
	A000	0302	ACCT1100001	1 1 1	8.00 8.50		21	459	210 15 00000	
	A000	0302	ACCT1100001	1 1	8.00 9.15		21	459	210 15 00000	
8	A000	0302	CPTR1000002	1 1	9.25 10.40		28	459	210 15 00000	
	A000	0302	ISYS1450002	1 1	11.00 11.50		17	459	210 15 00000	
	A000	0402	ACCT1500001	1 1 1	9.00 9.50		14	704	210 15 00000	
8	A000	0402	MAST1210001	1	9.00 9.50	1	18	704	210 15 00000	
	A000	0402	MAST1210001	1 1	9.25 10.40		18	704	210 15 00000	
	A000	0402	ACCT1250001	1 1 1	10.00 10.50		16	704	210 15 00000	
8	A000	0402	OSYS1250001	1 1 1	10.00 10.50	1	24	704	210 15 00000	
8	A000	0402	ORNT1000003	1	10.50 12.05		28	704	210 15 00000	
8	A000	0402	ORNT1000001	1	11.00 11.50		27	704	210 15 00000	
	A000	0402	OSYS1250002	1 1	13.40 14.55		17	704	210 15 00000	
	A000	0402	ZPDV0906001	111	18.00 21.00		20	704	210 15 00000	
	A000	0404	ACCT1300001	1 1	8.00 8.50		24	680	210 21 00000	
	A000	0404	KYBD1210001	1 1	9.00 9.50		13	680	210 21 00000	
	A000	0404	KYBD1310001	1 1	9.00 9.50	1	6	680	210 21 00000	
	A000	0404	KYBD1210001	1 1	9.25 10.40		13	680	210 21 00000	
	A000	0404	KYBD1310001	1 1	9.25 10.40	1	6	680	210 21 00000	
	A000	0404	PSYC2010002	1 1 1	11.00 11.50		31	680	210 21 00000	
	A000	0404	ISYS1400001	1 1 1	13.00 13.50		13	680	210 21 00000	
	A000	0406	CULN1230002	1	8.00 8.50		2	680	210 14 00000	
	A000	0406	CULN1130001	1 1	8.00 10.40		10	680	210 14 00000	
	A000	0406	CULN1230002	1 1	8.00 10.50		2	680	210 14 00000	
4	A000	0406	CULN2440001	1 1 1	8.00 13.50	1	8	680	210 14 00000	
4	A000	0406	CULN1310001	1 1 1	8.00 14.50	1	8	680	210 14 00000	
4	A000	0406	CULN1210001	1 1	8.00 14.55		10	680	210 14 00000	
4	A000	0406	CULN1230001	1 1	8.00 14.55	1	10	680	210 14 00000	
4	8	A000	0406	CULN1310001	1 1	8.00 14.55	1	8	680	210 14 00000
4	8	A000	0406	CULN2440001	1 1	8.00 14.55	1	8	680	210 14 00000
	A000	0406	ORNT1000009	1	9.00 9.50		11	680	210 14 00000	
	A000	0406	CULN1120001	1 1	9.00 10.50		11	680	210 14 00000	
	A000	0406	CULN1210001	1 1 1	9.00 13.50	1	10	680	210 14 00000	
8	A000	0406	CULN1230001	1 1 1	9.00 13.50	1	10	680	210 14 00000	
	A000	0406	CULN1140001	1 1	10.50 12.05		11	680	210 14 00000	
	A000	0406	CULN1140001	1 1 1	11.00 13.50		11	680	210 14 00000	
	A000	0407	HIHC1110001	1 1 1	8.00 11.50		18	459	110 15 00000	
8	A000	0407	HIHC1160001	1 1 1	8.00 11.50	1	18	459	110 15 00000	
8	A000	0407	NBAP1120001	1 1 1	8.00 11.50	1	18	459	110 15 00000	
8	A000	0407	NRSA1140001	1 1 1	8.00 11.50	1	20	459	110 15 00000	
	A000	0407	HIHC1160001	1 1	8.00 12.05		18	459	110 15 00000	
4	8	A000	0407	HIHC1110001	1 1	8.00 14.55	1	18	459	110 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0407	NBAP1120001	1 1	8.00 14.55	1	18	459	110 15 00000
4	8	A000 0407	NRSA1140001	1 1	8.00 14.55	1	20	459	110 15 00000
		A000 0408	MFGJ2995001	1	8.00 9.50		1	1,540	210 15 00000
		A000 0408	MFGJ1291002	1 1 1	8.00 10.50	1	2	1,540	210 15 00000
		A000 0408	MFGJ1421002	1 1 1	8.00 11.50	1	2	1,540	210 15 00000
		A000 0408	MFGJ1421003	1 1 1	8.00 11.50	1	1	1,540	210 15 00000
		A000 0408	MFGJ1422002	1 1 1	8.00 11.50	1	2	1,540	210 15 00000
		A000 0408	MFGJ1422003	1 1 1	8.00 11.50	1	1	1,540	210 15 00000
		A000 0408	MFGJ1431003	1 1 1	8.00 11.50	1	2	1,540	210 15 00000
		A000 0408	MFGJ1450001	1 1 1	8.00 11.50	1	1	1,540	210 15 00000
		A000 0408	MFGJ1451003	1 1 1	8.00 11.50	1	1	1,540	210 15 00000
		A000 0408	MFGJ2995001	1	8.00 11.50	1	1	1,540	210 15 00000
		A000 0408	MFGJ1422004	1 1 1	8.00 13.00	1	1	1,540	210 15 00000
4		A000 0408	MFGJ1411002	1 1 1	8.00 13.30	1	1	1,540	210 15 00000
4		A000 0408	MFGJ1411003	1 1 1	8.00 13.30	1	1	1,540	210 15 00000
4		A000 0408	MFGJ1110001	1 1	8.00 13.30		5	1,540	210 15 00000
4		A000 0408	MFGJ1110005	1 1	8.00 13.30	1	2	1,540	210 15 00000
4		A000 0408	MFGJ1141001	1 1	8.00 13.30	1	5	1,540	210 15 00000
4		A000 0408	MFGJ1141003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4		A000 0408	MFGJ1162001	1 1	8.00 13.30	1	5	1,540	210 15 00000
4		A000 0408	MFGJ1162004	1 1	8.00 13.30	1	1	1,540	210 15 00000
4		A000 0408	MFGJ1172001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1172003	1 1	8.00 13.30	1	5	1,540	210 15 00000
4	8	A000 0408	MFGJ1202001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1241001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1281001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1281002	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1291001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1291002	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1291003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1322003	1 1	8.00 13.30	1	10	1,540	210 15 00000
4	8	A000 0408	MFGJ1411001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1411002	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1411003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1411004	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1421001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1421002	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1421003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1421004	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1422001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1422002	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1422003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1422004	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1431001	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1432001	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1432003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1441001	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1450001	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1451001	1 1	8.00 13.30	1	2	1,540	210 15 00000
4	8	A000 0408	MFGJ1451003	1 1	8.00 13.30	1	1	1,540	210 15 00000
4	8	A000 0408	MFGJ1451005	1 1	8.00 13.30	1	1	1,540	210 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0408	MFGJ1551001	1 1	8.00 13.30	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1552001	1 1	8.00 13.30	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1561001	1 1	8.00 13.30	1	1,540	210 15	00000
4	8	A000 0408	MFGJ2991001	1 1	8.00 13.30	1	1,540	210 15	00000
4	8	A000 0408	MFGJ2993001	1 1	8.00 13.30	1	1,540	210 15	00000
4		A000 0408	MFGJ1172001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1202001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1241001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1281002	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1421001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1421004	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1422001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1431001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1432001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1432003	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1441001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1451001	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1451005	1 1 1	8.00 13.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1110001	1 1	8.00 13.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1141001	1 1	8.00 13.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1162001	1 1	8.00 13.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1162002	1 1	8.00 13.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1172003	1 1	8.00 13.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1110002	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1141002	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1141003	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1162004	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1241001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1281001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1322002	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1322003	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1411001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1411004	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1551001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1552001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1561001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ2991001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ2993001	1 1 1	8.00 14.50	1	1,540	210 15	00000
4	8	A000 0408	MFGJ1110005	1 1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1110001	1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1110005	1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1141001	1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1162001	1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1162002	1	8.00 14.50	1	1,540	210 15	00000
4		A000 0408	MFGJ1172003	1	8.00 14.50	1	1,540	210 15	00000
	8	A000 0408	MFGJ1172002	1 1 1	9.00 11.50	1	1,540	210 15	00000
	8	A000 0408	MFGJ1431002	1 1 1	9.00 13.50	1	1,540	210 15	00000
	8	A000 0408	MFGJ1432002	1 1 1	9.00 13.50	1	1,540	210 15	00000
	8	A000 0408	MFGJ1451002	1 1 1	9.00 13.50	1	1,540	210 15	00000
		A000 0408	MFGJ1431002	1 1	9.25 13.30	1	1,540	210 15	00000
		A000 0408	MFGJ1431003	1 1	9.25 13.30	1	1,540	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0408	MFGJ1432002	1 1	9.25 13.30	1	1	1,540	210 15 00000	
	A000	0408	MFGJ1451002	1 1	9.25 13.30	1	1	1,540	210 15 00000	
	A000	0408	MFGJ1291002	1 1	11.00 11.50	2	2	1,540	210 15 00000	
	A000	0408	MFGJ1291002	1	13.00 13.50	2	2	1,540	210 15 00000	
	A000	0408	MFGJ1291003	1 1 1	13.00 14.50	1	1	1,540	210 15 00000	
	A000	0409	BARB1110001	1 1	8.00 10.40	10	10	1,485	210 12 00000	
	A000	0409	BARB1120001	1 1	8.00 10.40	1	8	1,485	210 12 00000	
8	A000	0409	BARB1131001	1 1	8.00 10.40	1	10	1,485	210 12 00000	
8	A000	0409	BARB1160001	1 1	8.00 10.40	1	10	1,485	210 12 00000	
8	A000	0409	BARB1220001	1 1	8.00 10.40	1	10	1,485	210 12 00000	
8	A000	0409	BARB1410001	1 1	8.00 10.40	1	10	1,485	210 12 00000	
8	A000	0409	BARB2996001	1 1	8.00 10.40	1	7	1,485	210 12 00000	
8	A000	0409	BARB1330001	1 1	8.00 12.05	1	10	1,485	210 12 00000	
8	A000	0409	BARB1341001	1 1	8.00 12.05	1	10	1,485	210 12 00000	
8	A000	0409	BARB1441001	1 1	8.00 12.05	1	10	1,485	210 12 00000	
8	A000	0409	BARB2111001	1 1	8.00 12.05	1	9	1,485	210 12 00000	
8	A000	0409	BARB2120001	1 1	8.00 12.05	1	2	1,485	210 12 00000	
8	A000	0409	BARB2131001	1 1	8.00 12.05	1	2	1,485	210 12 00000	
8	A000	0409	BARB2630001	1 1	8.00 12.05	1	10	1,485	210 12 00000	
8	A000	0409	BARB2997001	1 1	8.00 12.05	1	2	1,485	210 12 00000	
4	A000	0409	BARB1330001	1 1 1	8.00 14.50	10	10	1,485	210 12 00000	
4	8	A000	0409	BARB1341001	1 1 1	8.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB2111001	1 1 1	8.00 14.50	1	9	1,485	210 12 00000
4	8	A000	0409	BARB2120001	1 1 1	8.00 14.50	1	2	1,485	210 12 00000
4	8	A000	0409	BARB2131001	1 1 1	8.00 14.50	1	2	1,485	210 12 00000
4	8	A000	0409	BARB2630001	1 1 1	8.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB2997001	1 1 1	8.00 14.50	1	2	1,485	210 12 00000
4	8	A000	0409	BARB1441001	1 1	8.00 14.50	1	10	1,485	210 12 00000
4	A000	0409	BARB1211001	1 1	8.00 14.55	8	8	1,485	210 12 00000	
4	A000	0409	BARB1110001	1 1 1	9.00 14.50	10	10	1,485	210 12 00000	
4	A000	0409	BARB1120001	1 1 1	9.00 14.50	1	8	1,485	210 12 00000	
4	8	A000	0409	BARB1131001	1 1 1	9.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB1160001	1 1 1	9.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB1211001	1 1 1	9.00 14.50	1	8	1,485	210 12 00000
4	8	A000	0409	BARB1220001	1 1 1	9.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB1410001	1 1 1	9.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB2996001	1 1 1	9.00 14.50	1	7	1,485	210 12 00000
	A000	0409	BARB1110001	1 1	13.40 14.55	10	10	1,485	210 12 00000	
	A000	0409	BARB1120001	1 1	13.40 14.55	1	8	1,485	210 12 00000	
8	A000	0409	BARB1131001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1160001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1220001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1330001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1341001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1410001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB1441001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB2111001	1 1	13.40 14.55	1	9	1,485	210 12 00000	
8	A000	0409	BARB2120001	1 1	13.40 14.55	1	2	1,485	210 12 00000	
8	A000	0409	BARB2131001	1 1	13.40 14.55	1	2	1,485	210 12 00000	
8	A000	0409	BARB2630001	1 1	13.40 14.55	1	10	1,485	210 12 00000	
8	A000	0409	BARB2996001	1 1	13.40 14.55	1	7	1,485	210 12 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000 0409	BARB2997001	1 1	13.40 14.55	1	2	1,485	210 12	00000
	A000 0411	HNUR1410001	111111	7.15 12.15		6	1,705	110 40	00000
	A000 0411	HNUR1410002	111111	7.15 12.15	1	7	1,705	110 40	00000
	A000 0411	HNUR1410003	111111	7.15 12.15	1	8	1,705	110 40	00000
	A000 0411	HNUR1412001	111111	7.15 12.15	1	6	1,705	110 40	00000
	A000 0411	HNUR1412002	111111	7.15 12.15	1	7	1,705	110 40	00000
	A000 0411	HNUR1412003	111111	7.15 12.15	1	8	1,705	110 40	00000
	A000 0411	HNUR1450001	111111	13.00 15.00		27	1,705	110 40	00000
8	A000 0411	HNUR2530001	111111	13.00 15.00	1	41	1,705	110 40	00000
	A000 0411	ZPDV0901001	1	18.00 21.00		13	1,705	110 40	00000
	A000 0411	ZPDV0901002	1	18.00 21.00		18	1,705	110 40	00000
	A000 0413	DVEN0090001	1 1	8.00 8.50		1	1,430	210 20	00000
	A000 0413	DVEN0091001	1 1	8.00 8.50	1	1	1,430	210 20	00000
	A000 0413	DVEN0092001	1 1	8.00 8.50	1	2	1,430	210 20	00000
	A000 0413	DVMA0090001	1 1	8.00 8.50	1	10	1,430	210 20	00000
	A000 0413	DVRE0090001	1 1	8.00 8.50	1	1	1,430	210 20	00000
	A000 0413	DVRE0091001	1 1	8.00 8.50	1	5	1,430	210 20	00000
	A000 0413	DVRE0092001	1 1	8.00 8.50	1	5	1,430	210 20	00000
	A000 0413	DVEN0090001	1 1	8.00 9.15		1	1,430	210 20	00000
	A000 0413	DVEN0091001	1 1	8.00 9.15	1	1	1,430	210 20	00000
	A000 0413	DVEN0092001	1 1	8.00 9.15	1	2	1,430	210 20	00000
	A000 0413	DVMA0090001	1 1	8.00 9.15	1	10	1,430	210 20	00000
	A000 0413	DVRE0090001	1 1	8.00 9.15	1	1	1,430	210 20	00000
	A000 0413	DVRE0091001	1 1	8.00 9.15	1	5	1,430	210 20	00000
	A000 0413	DVRE0092001	1 1	8.00 9.15	1	5	1,430	210 20	00000
	A000 0413	DVEN0090002	1 1	9.00 9.50		2	1,430	210 20	00000
	A000 0413	DVEN0091002	1 1	9.00 9.50	1	3	1,430	210 20	00000
	A000 0413	DVEN0092002	1 1	9.00 9.50	1	1	1,430	210 20	00000
	A000 0413	DVMA0090002	1 1	9.00 9.50	1	14	1,430	210 20	00000
	A000 0413	DVMA0091002	1 1	9.00 9.50	1	2	1,430	210 20	00000
	A000 0413	DVRE0091002	1 1	9.00 9.50	1	3	1,430	210 20	00000
	A000 0413	DVEN0090002	1 1	9.25 10.40		2	1,430	210 20	00000
	A000 0413	DVEN0091002	1 1	9.25 10.40	1	3	1,430	210 20	00000
	A000 0413	DVEN0092002	1 1	9.25 10.40	1	1	1,430	210 20	00000
	A000 0413	DVMA0090002	1 1	9.25 10.40	1	14	1,430	210 20	00000
	A000 0413	DVMA0091002	1 1	9.25 10.40	1	2	1,430	210 20	00000
	A000 0413	DVRE0091002	1 1	9.25 10.40	1	3	1,430	210 20	00000
	A000 0413	DVEN0090003	1 1	10.00 10.50		1	1,430	210 20	00000
	A000 0413	DVEN0091003	1 1	10.00 10.50	1	3	1,430	210 20	00000
	A000 0413	DVMA0090003	1 1	10.00 10.50	1	4	1,430	210 20	00000
	A000 0413	DVRE0090003	1 1	10.00 10.50	1	1	1,430	210 20	00000
	A000 0413	DVRE0091003	1 1	10.00 10.50	1	5	1,430	210 20	00000
	A000 0413	DVEN0090003	1 1	10.50 12.05		1	1,430	210 20	00000
	A000 0413	DVEN0091003	1 1	10.50 12.05	1	3	1,430	210 20	00000
	A000 0413	DVMA0090003	1 1	10.50 12.05	1	4	1,430	210 20	00000
	A000 0413	DVRE0090003	1 1	10.50 12.05	1	1	1,430	210 20	00000
	A000 0413	DVRE0091003	1 1	10.50 12.05	1	5	1,430	210 20	00000
	A000 0413	DVEN0090004	1 1	12.15 13.30		2	1,430	210 20	00000
	A000 0413	DVEN0092004	1 1	12.15 13.30	1	1	1,430	210 20	00000
	A000 0413	DVMA0090004	1 1	12.15 13.30	1	15	1,430	210 20	00000
	A000 0413	DVMA0091004	1 1	12.15 13.30	1	1	1,430	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0413	DVRE0090004	1 1	12.15 13.30	1	1,430	210 20	00000
	A000	0413	DVRE0091004	1 1	12.15 13.30	1	1,430	210 20	00000
	A000	0413	DVRE0092004	1 1	12.15 13.30	1	1,430	210 20	00000
	A000	0413	DVEN0090004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVEN0091004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVEN0092004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVMA0090004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVMA0091004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVMA0091006	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVRE0090004	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVRE0091004	1 1	13.00 13.50	1	1,430	210 20	00000
8	A000	0413	DVRE0092004	1 1	13.00 13.50	1	1,430	210 20	00000
8	A000	0413	DVRE0092006	1 1	13.00 13.50	1	1,430	210 20	00000
	A000	0413	DVRE0092005	1 1	13.40 14.15	1	1,430	210 20	00000
	A000	0413	DVEN0091004	1 1	13.40 14.30	1	1,430	210 20	00000
	A000	0413	DVEN0090005	1 1	13.40 14.55	1	1,430	210 20	00000
	A000	0413	DVEN0091005	1 1	13.40 14.55	1	1,430	210 20	00000
	A000	0413	DVMA0090005	1 1	13.40 14.55	1	1,430	210 20	00000
	A000	0413	DVMA0091005	1 1	13.40 14.55	1	1,430	210 20	00000
	A000	0413	DVRE0090005	1 1	13.40 14.55	1	1,430	210 20	00000
8	A000	0413	DVRE0091005	1 1	13.40 14.55	1	1,430	210 20	00000
	A000	0413	DVEN0090005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVEN0091005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVMA0090005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVMA0091005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVRE0090005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVRE0091005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVRE0092005	1 1	14.00 14.50	1	1,430	210 20	00000
	A000	0413	DVEN0091006	1 1	15.00 15.50	1	1,430	210 20	00000
	A000	0413	DVMA0090006	1 1	15.00 15.50	1	1,430	210 20	00000
	A000	0413	DVRE0091006	1 1	15.00 15.50	1	1,430	210 20	00000
	A000	0413	DVEN0091006	1 1	15.00 16.15	1	1,430	210 20	00000
	A000	0413	DVMA0090006	1 1	15.00 16.15	1	1,430	210 20	00000
	A000	0413	DVMA0091006	1 1	15.00 16.15	1	1,430	210 20	00000
	A000	0413	DVRE0091006	1 1	15.00 16.15	1	1,430	210 20	00000
	A000	0413	DVRE0092006	1 1	15.00 16.15	1	1,430	210 20	00000
4	A000	0500	ELEC2542001	11111	7.00 16.30	3	4,709	210 22	00000
	A000	0500	ELEC2991001	1	8.00 8.50	1	4,709	210 22	00000
	A000	0500	ELEC1220003	1 1	8.00 10.40	4	4,709	210 22	00000
	A000	0500	ELEC1330003	1 1	8.00 10.40	1	4,709	210 22	00000
	A000	0500	ELEC1410002	1 1	8.00 10.40	1	4,709	210 22	00000
	A000	0500	ELEC1420004	1 1	8.00 10.40	1	4,709	210 22	00000
	A000	0500	ELEC1410002	1 1	8.00 10.50	2	4,709	210 22	00000
	A000	0500	ELEC1120004	1 1 1	8.00 11.50	1	4,709	210 22	00000
	A000	0500	ELEC1430002	1 1 1	8.00 11.50	1	4,709	210 22	00000
	A000	0500	ELEC1410003	1 1	8.00 11.50	1	4,709	210 22	00000
	A000	0500	ELEC1210001	1 1	8.00 12.05	4	4,709	210 22	00000
	A000	0500	ELEC1410003	1 1	8.00 12.05	1	4,709	210 22	00000
	A000	0500	ELEC2460003	1 1 1	9.00 9.50	1	4,709	210 22	00000
	A000	0500	ELEC1220004	1 1 1	9.00 10.50	1	4,709	210 22	00000
	A000	0500	ELEC1330006	1 1 1	9.00 10.50	1	4,709	210 22	00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0500	ELEC1410001	1 1 1	9.00 11.50	1	4	4,709	210 22 00000	
	A000	0500	ELEC1440001	1 1	9.25 12.05		1	4,709	210 22 00000	
	A000	0500	ELEC1220001	1 1 1	10.00 11.50		2	4,709	210 22 00000	
	A000	0500	ELEC1420001	1 1 1	10.00 11.50	1	1	4,709	210 22 00000	
	A000	0500	ELEC1230001	1 1	10.50 12.05		1	4,709	210 22 00000	
	A000	0500	ELEC1330002	1 1	10.50 12.05	1	3	4,709	210 22 00000	
	A000	0500	ELEC1420005	1 1	10.50 12.05	1	2	4,709	210 22 00000	
	A000	0500	ELEC1430001	1 1	10.50 12.05	1	5	4,709	210 22 00000	
	A000	0500	ELEC1220005	1 1	10.50 14.55	1	1	4,709	210 22 00000	
	A000	0500	ELEC2995001	1 1	10.50 14.55	1	2	4,709	210 22 00000	
	A000	0500	ELEC2460001	1 1 1	13.00 13.50	1	6	4,709	210 22 00000	
	A000	0500	ELEC1330001	1 1 1	13.00 14.50	1	1	4,709	210 22 00000	
	A000	0500	ELEC1410001	1 1 1	13.00 14.50	1	4	4,709	210 22 00000	
	A000	0500	ELEC1420003	1 1 1	13.00 14.50	1	6	4,709	210 22 00000	
	A000	0500	ELEC1410003	1 1	13.00 14.50	1	1	4,709	210 22 00000	
	A000	0500	ELEC1210001	1 1	13.40 14.55		4	4,709	210 22 00000	
	A000	0500	ELEC1230001	1 1	13.40 14.55	1	1	4,709	210 22 00000	
	A000	0500	ELEC1330002	1 1	13.40 14.55	1	3	4,709	210 22 00000	
	A000	0500	ELEC1410003	1 1	13.40 14.55	1	1	4,709	210 22 00000	
	A000	0500	ELEC1420005	1 1	13.40 14.55	1	2	4,709	210 22 00000	
	A000	0500	ELEC1430001	1 1	13.40 14.55	1	5	4,709	210 22 00000	
	A000	0500	ELEC1440001	1 1	13.40 14.55	1	1	4,709	210 22 00000	
	A000	0500	ORNT1000008	1	14.00 14.50		4	4,709	210 22 00000	
	A000	0501	UPHO1000002	11111	8.00 10.50		2	2,394	210 20 00000	
	A000	0501	UPHO1010001	11111	8.00 10.50	1	2	2,394	210 20 00000	
	A000	0501	UPHO1010002	11111	8.00 10.50	1	2	2,394	210 20 00000	
	A000	0501	UPHO1011004	11111	8.00 10.50	1	1	2,394	210 20 00000	
	A000	0501	UPHO1030005	11111	8.00 10.50	1	1	2,394	210 20 00000	
	A000	0501	UPHO1011003	11111	8.00 12.05	1	1	2,394	210 20 00000	
	A000	0501	UPHO2020002	1 1	8.00 12.05	1	2	2,394	210 20 00000	
4	A000	0501	UPHO1000001	11111	8.00 14.50	1	2	2,394	210 20 00000	
4	A000	0501	UPHO2040002	11111	8.00 14.50	1	1	2,394	210 20 00000	
4	A000	0501	UPHO2041002	11111	8.00 14.50	1	1	2,394	210 20 00000	
4	A000	0501	UPHO1011001	11111	8.00 14.55	1	4	2,394	210 20 00000	
4	A000	0501	UPHO1020001	11111	8.00 14.55	1	4	2,394	210 20 00000	
4	A000	0501	UPHO1020004	11111	8.00 14.55	1	1	2,394	210 20 00000	
4	A000	0501	UPHO1021001	11111	8.00 14.55	1	2	2,394	210 20 00000	
4	A000	0501	UPHO1030001	11111	8.00 14.55	1	1	2,394	210 20 00000	
4	8	A000	0501	UPHO1040001	11111	8.00 14.55	1	5	2,394	210 20 00000
4	8	A000	0501	UPHO1050001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO1051001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO1061001	11111	8.00 14.55	1	2	2,394	210 20 00000
4	8	A000	0501	UPHO1071001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO2001001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO2011001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO2011002	11111	8.00 14.55	1	3	2,394	210 20 00000
4	8	A000	0501	UPHO2020001	11111	8.00 14.55	1	2	2,394	210 20 00000
4	8	A000	0501	UPHO2020003	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000	0501	UPHO2021001	11111	8.00 14.55	1	3	2,394	210 20 00000
4	8	A000	0501	UPHO2031001	11111	8.00 14.55	1	3	2,394	210 20 00000
4	8	A000	0501	UPHO2040001	11111	8.00 14.55	1	3	2,394	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2004

RUN DATE 12/06/2004

PAGE NUM 10

PROGRAM I-D:Z235B266.

L.T.C. -LAFAYETTE

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0501	UPHO2040003	11111	8.00 14.55	1	2	2,394	210 20 00000
4	8	A000 0501	UPHO2041001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000 0501	UPHO2041003	11111	8.00 14.55	1	2	2,394	210 20 00000
4	8	A000 0501	UPHO2050001	11111	8.00 14.55	1	2	2,394	210 20 00000
4	8	A000 0501	UPHO2991002	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000 0501	UPHO2997001	11111	8.00 14.55	1	1	2,394	210 20 00000
4	8	A000 0501	UPHO1030004	1 1	8.00 14.55	1	2	2,394	210 20 00000
4		A000 0501	UPHO2991003	1 1 1	8.00 15.50		1	2,394	210 20 00000
4		A000 0501	UPHO2995002	1 1 1	8.00 15.50	1	1	2,394	210 20 00000
		A000 0501	UPHO2020002	1 1	13.40 14.55		2	2,394	210 20 00000
4		A000 0502	OPET1111001	11111	8.00 14.50		3	3,168	210 20 00000
4		A000 0502	OPET1141001	11111	8.00 14.50	1	5	3,168	210 20 00000
4		A000 0502	OPET1161001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET1221001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET1231001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET1241001	11111	8.00 14.50	1	2	3,168	210 20 00000
4		A000 0502	OPET1261001	11111	8.00 14.50	1	2	3,168	210 20 00000
4		A000 0502	OPET1311001	11111	8.00 14.50	1	2	3,168	210 20 00000
4		A000 0502	OPET1321001	11111	8.00 14.50	1	6	3,168	210 20 00000
4		A000 0502	OPET1331001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET1341001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET2111001	11111	8.00 14.50	1	1	3,168	210 20 00000
4		A000 0502	OPET2161001	11111	8.00 14.50	1	2	3,168	210 20 00000
4		A000 0502	OPET2997001	11111	8.00 14.50	1	2	3,168	210 20 00000
4	8	A000 0502	OPET2999001	11111	8.00 14.50	1	1	3,168	210 20 00000
	8	A000 0502	OPET1151001	11111	9.00 11.50	1	3	3,168	210 20 00000
		A000 0503B	AUTO1500002	1 1	8.00 8.50		2	396	110 20 00000
		A000 0503B	AUTO1800002	1 1	8.00 10.40	1	2	396	110 20 00000
		A000 0503B	AUTO1600005	1	8.00 11.50		2	396	110 20 00000
		A000 0503B	AUTO1510002	1 1	9.00 9.50		2	396	110 20 00000
		A000 0503B	AUTO1650003	1 1	10.50 12.05		2	396	110 20 00000
		A000 0503B	ORNT1000010	1	10.50 12.05	1	2	396	110 20 00000
		A000 0503B	AUTO1530002	1 1	11.00 11.50		2	396	110 20 00000
		A000 0503B	AUTO1540001	1 1	13.00 13.50		2	396	110 20 00000
		A000 0503B	AUTO1810002	1 1	13.40 14.55	1	2	396	110 20 00000
		A000 0503B	AUTO1810002	1 1 1	14.00 14.50		2	396	110 20 00000
		A000 0503L	AUTO1600001	1 1	8.00 9.15		1	352	110 15 00000
		A000 0503L	AUTO1600004	1 1	8.00 9.15	1	1	352	110 15 00000
		A000 0503L	AUTO1610001	1 1	8.00 9.15	1	12	352	110 15 00000
		A000 0503L	AUTO1610004	1 1	8.00 9.15	1	1	352	110 15 00000
	8	A000 0503L	AUTO1620001	1 1	8.00 9.15	1	12	352	110 15 00000
	8	A000 0503L	AUTO1620004	1 1	8.00 9.15	1	1	352	110 15 00000
	8	A000 0503L	AUTO1630001	1 1	8.00 9.15	1	12	352	110 15 00000
	8	A000 0503L	AUTO1630003	1 1	8.00 9.15	1	2	352	110 15 00000
	8	A000 0503L	AUTO1640001	1 1	8.00 9.15	1	12	352	110 15 00000
	8	A000 0503L	AUTO1650001	1 1	8.00 9.15	1	13	352	110 15 00000
	8	A000 0503L	AUTO1660001	1 1	8.00 9.15	1	13	352	110 15 00000
		A000 0503L	AUTO1001002	1 1 1	8.00 10.50		1	352	110 15 00000
		A000 0503L	AUTO1600002	1 1 1	8.00 10.50	1	12	352	110 15 00000
		A000 0503L	AUTO1600004	1 1 1	8.00 10.50	1	1	352	110 15 00000
	8	A000 0503L	AUTO1610001	1 1 1	8.00 10.50	1	12	352	110 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 11

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000	0503L	AUTO1610002	1 1 1	8.00 10.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1610004	1 1 1	8.00 10.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1620001	1 1 1	8.00 10.50	1	12	352	110 15 00000
8	A000	0503L	AUTO1620002	1 1 1	8.00 10.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1620004	1 1 1	8.00 10.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1630003	1 1 1	8.00 10.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1640002	1 1 1	8.00 10.50	1	1	352	110 15 00000
	A000	0503L	AUTO1600002	1 1	8.00 10.50		12	352	110 15 00000
	A000	0503L	AUTO1610002	1 1	8.00 10.50	1	1	352	110 15 00000
	A000	0503L	AUTO1620002	1 1	8.00 10.50	1	1	352	110 15 00000
	A000	0503L	AUTO1640002	1 1	8.00 10.50	1	1	352	110 15 00000
	A000	0503L	AUTO1100002	1 1 1	8.00 11.50		3	352	110 15 00000
	A000	0503L	AUTO1110002	1 1 1	8.00 11.50	1	3	352	110 15 00000
	A000	0503L	AUTO1120002	1 1 1	8.00 11.50	1	3	352	110 15 00000
	A000	0503L	AUTO1130002	1 1 1	8.00 11.50	1	3	352	110 15 00000
	A000	0503L	AUTO1300001	1 1 1	8.00 11.50	1	1	352	110 15 00000
	A000	0503L	AUTO1300002	1 1 1	8.00 11.50	1	2	352	110 15 00000
	A000	0503L	AUTO1310001	1 1 1	8.00 11.50	1	1	352	110 15 00000
	A000	0503L	AUTO1310002	1 1 1	8.00 11.50	1	2	352	110 15 00000
	A000	0503L	AUTO1320002	1 1 1	8.00 11.50	1	2	352	110 15 00000
	A000	0503L	AUTO1330002	1 1 1	8.00 11.50	1	2	352	110 15 00000
	A000	0503L	AUTO1340002	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1400001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1400002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1410001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1410002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1420001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1420002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1430001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1430002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1440002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1500001	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1510001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1520001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1530001	1 1 1	8.00 11.50	1	1	352	110 15 00000
8	A000	0503L	AUTO1650002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1660002	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1800001	1 1 1	8.00 11.50	1	4	352	110 15 00000
8	A000	0503L	AUTO1810001	1 1 1	8.00 11.50	1	3	352	110 15 00000
8	A000	0503L	AUTO1820001	1 1 1	8.00 11.50	1	2	352	110 15 00000
8	A000	0503L	AUTO1830001	1 1 1	8.00 11.50	1	3	352	110 15 00000
8	A000	0503L	AUTO1840001	1 1 1	8.00 11.50	1	3	352	110 15 00000
	A000	0503L	AUTO1650002	1 1	8.00 12.05		2	352	110 15 00000
	A000	0503L	AUTO1660002	1 1	8.00 12.05	1	2	352	110 15 00000
4	A000	0503L	AUTO1540002	1111	8.00 14.55	1	1	352	110 15 00000
4	A000	0503L	AUTO1300001	1 1	8.00 14.55	1	1	352	110 15 00000
4	A000	0503L	AUTO1300002	1 1	8.00 14.55	1	2	352	110 15 00000
4	A000	0503L	AUTO1310001	1 1	8.00 14.55	1	1	352	110 15 00000
4	A000	0503L	AUTO1310002	1 1	8.00 14.55	1	2	352	110 15 00000
4	A000	0503L	AUTO1320002	1 1	8.00 14.55	1	2	352	110 15 00000
4	A000	0503L	AUTO1330002	1 1	8.00 14.55	1	2	352	110 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 12

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	A000	0503L	AUTO1340002	1 1	8.00 14.55	1	1	352	110 15 00000	
4	A000	0503L	AUTO1400001	1 1	8.00 14.55	1	1	352	110 15 00000	
4	A000	0503L	AUTO1400002	1 1	8.00 14.55	1	2	352	110 15 00000	
4	A000	0503L	AUTO1410001	1 1	8.00 14.55	1	1	352	110 15 00000	
4	A000	0503L	AUTO1410002	1 1	8.00 14.55	1	2	352	110 15 00000	
4	A000	0503L	AUTO1420001	1 1	8.00 14.55	1	1	352	110 15 00000	
4	8	A000	0503L	AUTO1420002	1 1	8.00 14.55	1	2	352	110 15 00000
4	8	A000	0503L	AUTO1430001	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1430002	1 1	8.00 14.55	1	2	352	110 15 00000
4	8	A000	0503L	AUTO1440002	1 1	8.00 14.55	1	2	352	110 15 00000
4	8	A000	0503L	AUTO1500001	1 1	8.00 14.55	1	2	352	110 15 00000
4	8	A000	0503L	AUTO1510001	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1520001	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1530001	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1800001	1 1	8.00 14.55	1	4	352	110 15 00000
4	8	A000	0503L	AUTO1810001	1 1	8.00 14.55	1	3	352	110 15 00000
4	8	A000	0503L	AUTO1820001	1 1	8.00 14.55	1	2	352	110 15 00000
4	8	A000	0503L	AUTO1820002	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1830001	1 1	8.00 14.55	1	3	352	110 15 00000
4	8	A000	0503L	AUTO1830002	1 1	8.00 14.55	1	1	352	110 15 00000
4	8	A000	0503L	AUTO1840001	1 1	8.00 14.55	1	3	352	110 15 00000
4	A000	0503L	AUTO1001001	1 1 1	8.00 15.50	1	12	352	110 15 00000	
4	A000	0503L	AUTO1600001	1 1 1	8.00 15.50	1	1	352	110 15 00000	
8	A000	0503L	AUTO1110001	1 1 1	9.00 10.50	1	12	352	110 15 00000	
8	A000	0503L	AUTO1630001	1 1 1	9.00 10.50	1	12	352	110 15 00000	
8	A000	0503L	AUTO1640001	1 1 1	9.00 10.50	1	12	352	110 15 00000	
8	A000	0503L	AUTO1650001	1 1 1	9.00 10.50	1	13	352	110 15 00000	
8	A000	0503L	AUTO1660001	1 1 1	9.00 10.50	1	13	352	110 15 00000	
8	A000	0503L	AUTO1520002	1 1	10.00 10.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1600001	1 1	10.50 12.05	1	1	352	110 15 00000	
	A000	0503L	AUTO1600004	1 1	10.50 12.05	1	1	352	110 15 00000	
	A000	0503L	AUTO1610001	1 1	10.50 12.05	1	12	352	110 15 00000	
	A000	0503L	AUTO1610004	1 1	10.50 12.05	1	1	352	110 15 00000	
8	A000	0503L	AUTO1620001	1 1	10.50 12.05	1	12	352	110 15 00000	
8	A000	0503L	AUTO1620004	1 1	10.50 12.05	1	1	352	110 15 00000	
8	A000	0503L	AUTO1630001	1 1	10.50 12.05	1	12	352	110 15 00000	
8	A000	0503L	AUTO1630003	1 1	10.50 12.05	1	2	352	110 15 00000	
8	A000	0503L	AUTO1640001	1 1	10.50 12.05	1	12	352	110 15 00000	
8	A000	0503L	AUTO1650001	1 1	10.50 12.05	1	13	352	110 15 00000	
	A000	0503L	AUTO1300002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1310002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1330002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1340002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1410002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1440002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1650002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1660002	1 1 1	13.00 14.50	1	2	352	110 15 00000	
	A000	0503L	AUTO1800001	1 1 1	13.00 14.50	1	4	352	110 15 00000	
	A000	0503L	AUTO1810001	1 1 1	13.00 14.50	1	3	352	110 15 00000	
8	A000	0503L	AUTO1820001	1 1 1	13.00 14.50	1	2	352	110 15 00000	
8	A000	0503L	AUTO1830001	1 1 1	13.00 14.50	1	3	352	110 15 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 13

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	A000	0503L	AUTO1840001	1 1 1	13.00 14.50	1	3	110 15	00000	
8	A000	0503L	AUTO1610005	1	13.00 14.50	1	15	110 15	00000	
	A000	0503L	AUTO1600001	1 1	13.00 14.55		13	110 15	00000	
8	A000	0503L	AUTO1610001	1 1	13.00 14.55	1	12	110 15	00000	
8	A000	0503L	AUTO1620001	1 1	13.00 14.55	1	12	110 15	00000	
8	A000	0503L	AUTO1630001	1 1	13.00 14.55	1	12	110 15	00000	
8	A000	0503L	AUTO1640001	1 1	13.00 14.55	1	12	110 15	00000	
8	A000	0503L	AUTO1650001	1 1	13.00 14.55	1	13	110 15	00000	
	A000	0503L	AUTO1310001	1 1 1	13.00 15.50		1	110 15	00000	
	A000	0503L	AUTO1320002	1 1 1	13.00 15.50	1	2	110 15	00000	
	A000	0503L	AUTO1340002	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1400002	1 1 1	13.00 15.50	1	2	110 15	00000	
	A000	0503L	AUTO1410001	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1420001	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1420002	1 1 1	13.00 15.50	1	2	110 15	00000	
	A000	0503L	AUTO1430001	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1430002	1 1 1	13.00 15.50	1	2	110 15	00000	
	A000	0503L	AUTO1440002	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1500001	1 1 1	13.00 15.50	1	2	110 15	00000	
	A000	0503L	AUTO1510001	1 1 1	13.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1530001	1 1 1	13.00 15.50	1	1	110 15	00000	
8	A000	0503L	AUTO1610001	1 1 1	13.00 15.50	1	12	110 15	00000	
8	A000	0503L	AUTO1620001	1 1 1	13.00 15.50	1	12	110 15	00000	
8	A000	0503L	AUTO1630001	1 1 1	13.00 15.50	1	12	110 15	00000	
8	A000	0503L	AUTO1640001	1 1 1	13.00 15.50	1	12	110 15	00000	
8	A000	0503L	AUTO1650001	1 1 1	13.00 15.50	1	13	110 15	00000	
8	A000	0503L	AUTO1660001	1 1 1	13.00 15.50	1	13	110 15	00000	
	A000	0503L	AUTO1600001	1 1	13.40 14.55		1	110 15	00000	
	A000	0503L	AUTO1650002	1 1	13.40 14.55	1	2	110 15	00000	
	A000	0503L	AUTO1660002	1 1	13.40 14.55	1	2	110 15	00000	
	A000	0503L	AUTO1300001	1 1 1	14.00 15.50		1	110 15	00000	
	A000	0503L	AUTO1400001	1 1 1	14.00 15.50	1	1	110 15	00000	
	A000	0503L	AUTO1520001	1 1 1	14.00 15.50	1	1	110 15	00000	
	A000	0504	MTTC2991001	1 1 1	8.00 8.50		3	210 20	00000	
	A000	0504	MTTC1321002	11111	8.00 12.05	1	1	210 20	00000	
	A000	0504	MTTC1331002	11111	8.00 12.05	1	1	210 20	00000	
	A000	0504	MTTC2511001	11111	8.00 12.05	1	2	210 20	00000	
4	A000	0504	MTTC1130001	11111	8.00 14.50	1	6	210 20	00000	
4	A000	0504	MTTC1211001	11111	8.00 14.50	1	6	210 20	00000	
4	A000	0504	MTTC1221001	11111	8.00 14.50	1	6	210 20	00000	
4	A000	0504	MTTC1310001	11111	8.00 14.50	1	1	210 20	00000	
4	A000	0504	MTTC1311001	11111	8.00 14.50	1	1	210 20	00000	
4	A000	0504	MTTC1321001	11111	8.00 14.50	1	1	210 20	00000	
4	A000	0504	MTTC1331001	11111	8.00 14.50	1	1	210 20	00000	
4	8	A000	0504	MTTC1331003	11111	8.00 14.50	1	2	210 20	00000
4	8	A000	0504	MTTC1410002	11111	8.00 14.50	1	2	210 20	00000
4	8	A000	0504	MTTC1411002	11111	8.00 14.50	1	2	210 20	00000
4	8	A000	0504	MTTC1421001	11111	8.00 14.50	1	2	210 20	00000
4	8	A000	0504	MTTC1421002	11111	8.00 14.50	1	1	210 20	00000
4	8	A000	0504	MTTC1421003	11111	8.00 14.50	1	2	210 20	00000
4	8	A000	0504	MTTC1431001	11111	8.00 14.50	1	2	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 14

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0504	MTTC2611001	11111	8.00 14.50	1	4	3,528	210 20 00000
4	8	A000 0504	MTTC2621001	11111	8.00 14.50	1	1	3,528	210 20 00000
4	8	A000 0504	MTTC2621002	11111	8.00 14.50	1	1	3,528	210 20 00000
4	8	A000 0504	MTTC2710003	11111	8.00 14.50	1	1	3,528	210 20 00000
4	8	A000 0504	MTTC2711001	11111	8.00 14.50	1	1	3,528	210 20 00000
4	8	A000 0504	MTTC1410001	1111	8.00 14.50	1	1	3,528	210 20 00000
4	8	A000 0504	MTTC1411001	1111	8.00 14.50	1	2	3,528	210 20 00000
4	8	A000 0504	MTTC1110001	1 1 1	8.00 14.50	1	6	3,528	210 20 00000
4		A000 0504	MTTC1110001	1 1	8.00 14.55		6	3,528	210 20 00000
		A000 0506	WELD1110001	1 1 1	8.00 8.50		4	3,528	210 40 00000
		A000 0506	WELD1120001	1 1 1	8.00 8.50	1	2	3,528	210 40 00000
		A000 0506	WELD1310002	1 1	8.00 9.15		1	3,528	210 40 00000
		A000 0506	WELD2111002	1 1 1	8.00 9.50		1	3,528	210 40 00000
		A000 0506	WELD2113001	1 1 1	8.00 9.50	1	2	3,528	210 40 00000
		A000 0506	WELD2113002	1 1 1	8.00 9.50	1	1	3,528	210 40 00000
		A000 0506	WELD2111002	1 1	8.00 12.05		1	3,528	210 40 00000
4		A000 0506	WELD2210002	1 1 1	8.00 13.50		1	3,528	210 40 00000
4		A000 0506	WELD1610001	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2110001	11111	8.00 14.55	1	3	3,528	210 40 00000
4		A000 0506	WELD2110002	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2111001	11111	8.00 14.55	1	3	3,528	210 40 00000
4		A000 0506	WELD2112001	11111	8.00 14.55	1	3	3,528	210 40 00000
4		A000 0506	WELD2210001	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2221001	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2230001	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2310001	11111	8.00 14.55	1	2	3,528	210 40 00000
4		A000 0506	WELD2311001	11111	8.00 14.55	1	2	3,528	210 40 00000
4		A000 0506	WELD2330001	11111	8.00 14.55	1	2	3,528	210 40 00000
4		A000 0506	WELD2995001	11111	8.00 14.55	1	1	3,528	210 40 00000
4		A000 0506	WELD2113001	1 1	8.00 14.55	1	2	3,528	210 40 00000
4		A000 0506	WELD2113002	1 1	8.00 14.55	1	1	3,528	210 40 00000
		A000 0506	WELD1140001	1 1 1	9.00 9.50		2	3,528	210 40 00000
		A000 0506	WELD1210001	1 1 1	9.00 9.50	1	4	3,528	210 40 00000
4		A000 0506	WELD2210002	1 1	9.00 14.55		1	3,528	210 40 00000
		A000 0506	WELD1410001	1 1	9.25 10.40	1	4	3,528	210 40 00000
		A000 0506	WELD1411001	11111	11.00 12.05		8	3,528	210 40 00000
		A000 0506	WELD1412003	11 11	11.00 12.05	1	4	3,528	210 40 00000
		A000 0506	WELD1310001	1 1	13.00 13.50		5	3,528	210 40 00000
		A000 0506	WELD1412001	1111	14.00 14.55		2	3,528	210 40 00000
		A000 0506	ZTEC0301001	1 1	18.00 21.00		8	3,528	210 40 00000
		A000 0601A	CISX2100001	1 1	8.00 10.40		9	775	110 20 00000
		A000 0601A	CPTR1500001	1 1 1	10.00 11.50		7	775	110 20 00000
		A000 0601A	CPTR2640001	1 1	10.50 12.05		9	775	110 20 00000
		A000 0601A	ORNT1000011	1 1	15.00 15.30		22	775	110 20 00000
		A000 0601B	CPTR1000007	1 1 1	8.00 8.50		11	352	210 15 00000
		A000 0601B	IDEL2720001	1 1 1	8.00 8.50	1	4	352	210 15 00000
		A000 0601B	ETRN1120001	1 1	8.00 9.15		15	352	210 15 00000
		A000 0601B	IDEL2520001	1 1	8.00 9.15	1	3	352	210 15 00000
		A000 0601B	ELTR2800002	1 1 1	9.00 9.50		1	352	210 15 00000
		A000 0601B	ETRN1130001	1 1 1	9.25 10.40	1	17	352	210 15 00000
8		A000 0601B	ETRN1120001	1 1 1	10.00 10.50	1	15	352	210 15 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000	0601B	IDEL2520001	1 1 1	10.00 10.50	1	3	210 15	00000
	A000	0601B	IDEL2720001	1 1	10.50 12.05		4	210 15	00000
	A000	0601B	ETRN2130001	1 1	12.15 14.55		1	210 15	00000
	A000	0601B	ELTR2800002	1 1	12.50 14.05	1	2	210 15	00000
	A000	0601B	ETRN1130001	1 1 1	13.00 13.50		17	210 15	00000
	A000	0601B	ELTR2800002	1 1 1	13.40 14.55	1	2	210 15	00000
	A000	0601B	ELTR2800001	1 1	13.40 14.55		1	210 15	00000
	A000	0601E	ETRN1210001	1 1 1	8.00 11.50		1	215 20	00000
	A000	0601E	ETRN2120001	1 1	9.25 12.05		7	215 20	00000
	A000	0601E	ETRN1230001	1 1 1	12.00 15.50		4	215 20	00000
	A000	0601E	ETRN1240001	1 1 1	12.00 15.50	1	4	215 20	00000
	A000	0601E	ETRN2110001	1 1	12.15 14.55		5	215 20	00000
	A000	0602	HNUR1430001	11111	7.15 12.15		10	110 15	00000
	A000	0602	HNUR1430002	11111	7.15 12.15	1	6	110 15	00000
	A000	0602	HNUR1430003	11111	7.15 12.15	1	6	110 15	00000
8	A000	0602	HNUR1432001	11111	7.15 12.15	1	10	110 15	00000
8	A000	0602	HNUR1432002	11111	7.15 12.15	1	6	110 15	00000
8	A000	0602	HNUR1432003	11111	7.15 12.15	1	6	110 15	00000
	A000	0603	DRFT2310001	1 1 1	8.00 8.50		2	3,111 210 30	00000
	A000	0603	DRFT1110005	1 1	8.00 8.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1140006	1 1	8.00 8.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1120001	1 1	8.00 8.50		1	3,111 210 30	00000
	A000	0603	DRFT1120005	1 1	8.00 8.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1120007	1 1	8.00 10.40	1	1	3,111 210 30	00000
	A000	0603	DRFT1140008	1 1	8.00 10.40	1	1	3,111 210 30	00000
	A000	0603	DRFT1110007	1 1 1	8.00 10.50		1	3,111 210 30	00000
	A000	0603	DRFT1120007	1 1 1	8.00 10.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1140008	1 1 1	8.00 10.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1110007	1 1	8.00 10.50		1	3,111 210 30	00000
	A000	0603	DRFT2521001	1 1 1	8.00 11.50		1	3,111 210 30	00000
	A000	0603	DRFT2621001	1 1 1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT2995001	1 1 1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1110005	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1110008	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1120008	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1140006	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1140009	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1150004	1	8.00 11.50	1	1	3,111 210 30	00000
	A000	0603	DRFT1120002	1 1 1	8.00 12.05	1	1	3,111 210 30	00000
	A000	0603	DRFT1110002	1 1	8.00 12.05	1	1	3,111 210 30	00000
4	A000	0603	DRFT1110002	1 1	8.00 13.50		1	3,111 210 30	00000
4	A000	0603	DRFT1120002	1 1	8.00 13.50	1	1	3,111 210 30	00000
4	A000	0603	DRFT1110001	1 1	8.00 14.05	1	1	3,111 210 30	00000
4	A000	0603	DRFT1120001	1 1	8.00 14.05	1	1	3,111 210 30	00000
4	A000	0603	DRFT1130001	1 1	8.00 14.05	1	1	3,111 210 30	00000
4	A000	0603	CADD1210001	1 1 1	8.00 14.50	1	2	3,111 210 30	00000
4	A000	0603	CADD1210002	1 1 1	8.00 14.50	1	1	3,111 210 30	00000
4	A000	0603	CADD2310001	1 1 1	8.00 14.50	1	2	3,111 210 30	00000
4	A000	0603	CADD2310002	1 1 1	8.00 14.50	1	2	3,111 210 30	00000
4	A000	0603	CADD2310003	1 1 1	8.00 14.50	1	2	3,111 210 30	00000
4	A000	0603	CADD2310004	1 1 1	8.00 14.50	1	1	3,111 210 30	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	A000	0603	CADD2310005	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1140001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1150001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1161001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1210001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1220001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1230001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2310002	1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	A000	0603	DRFT2310003	1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	A000	0603	DRFT2310004	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2320001	1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	A000	0603	DRFT2320002	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2320003	1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	A000	0603	DRFT2320004	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2330001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2330002	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2411001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2421001	1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1120003	1 1	8.00 14.50	1	3	3,111	210 30	00000
4	A000	0603	DRFT1110003	1 1	8.00 14.50	1	3	3,111	210 30	00000
4	8	A000	0603	DRFT1130003	1 1	1	3	3,111	210 30	00000
4	A000	0603	DRFT2310002	1 1	8.00 14.50	1	2	3,111	210 30	00000
4	A000	0603	DRFT1110001	1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1110003	1	8.00 14.50	1	3	3,111	210 30	00000
4	A000	0603	DRFT1120003	1	8.00 14.50	1	3	3,111	210 30	00000
4	A000	0603	DRFT1130001	1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT1130003	1	8.00 14.50	1	3	3,111	210 30	00000
4	A000	0603	DRFT1110002	1	8.00 14.50	1	1	3,111	210 30	00000
4	A000	0603	DRFT2310005	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	CADD1210001	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	CADD1210002	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	CADD2310001	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	CADD2310002	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	CADD2310003	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	CADD2310004	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	CADD2310005	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1110001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1130001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1140001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1150001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1161001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1210001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1220001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT1230001	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT2310001	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	DRFT2310003	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	DRFT2310005	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT2320001	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	DRFT2320002	1 1	8.00 14.55	1	1	3,111	210 30	00000
4	A000	0603	DRFT2320003	1 1	8.00 14.55	1	2	3,111	210 30	00000
4	A000	0603	DRFT2320004	1 1	8.00 14.55	1	1	3,111	210 30	00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 17

L.T.C.-LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000	0603	DRFT2330001	1 1	8.00 14.55	1	1	3,111	210 30 00000
4	A000	0603	DRFT2330002	1 1	8.00 14.55	1	1	3,111	210 30 00000
4	A000	0603	DRFT2411001	1 1	8.00 14.55	1	1	3,111	210 30 00000
4	A000	0603	DRFT2421001	1 1	8.00 14.55	1	1	3,111	210 30 00000
4	A000	0603	DRFT2521001	1 1	8.00 14.55	1	1	3,111	210 30 00000
4	A000	0603	DRFT2995001	1 1	8.00 14.55	1	1	3,111	210 30 00000
	A000	0603	DRFT1120008	1 1	9.00 11.50		1	3,111	210 30 00000
	A000	0603	DRFT1140009	1 1	9.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1150004	1 1	9.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110008	1 1	9.00 11.50		1	3,111	210 30 00000
	A000	0603	DRFT1120008	1	9.25 12.05	1	1	3,111	210 30 00000
	A000	0603	DRFT1140009	1	9.25 12.05	1	1	3,111	210 30 00000
	A000	0603	DRFT1150004	1	9.25 12.05	1	1	3,111	210 30 00000
	A000	0603	DRFT1110008	1	9.25 12.05		1	3,111	210 30 00000
	A000	0603	DRFT1110005	1	10.00 10.50		1	3,111	210 30 00000
	A000	0603	DRFT1110006	1	10.00 10.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120006	1	10.00 10.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140006	1	10.00 10.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140007	1	10.00 10.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120005	1 1 1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120006	1 1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110006	1 1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120006	1 1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140007	1 1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110005	1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140006	1	10.00 11.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110006	1 1	10.50 12.05		1	3,111	210 30 00000
	A000	0603	DRFT1120006	1 1	10.50 12.05	1	1	3,111	210 30 00000
	A000	0603	DRFT1140007	1 1	10.50 12.05	1	1	3,111	210 30 00000
	A000	0603	DRFT1110006	1 1 1	13.00 14.50		1	3,111	210 30 00000
	A000	0603	DRFT1120006	1 1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140007	1 1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110008	1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120008	1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140009	1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1150004	1 1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1110005	1	13.00 14.50		1	3,111	210 30 00000
	A000	0603	DRFT1110008	1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1120008	1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140006	1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1140009	1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0603	DRFT1150004	1	13.00 14.50	1	1	3,111	210 30 00000
	A000	0605	GRPH1000001	1 1 1	8.00 8.50		12	2,967	210 20 00000
	A000	0605	GRPH1350001	1 1 1	8.00 8.50	1	4	2,967	210 20 00000
	A000	0605	GRPH2440001	1 1 1	8.00 8.50	1	6	2,967	210 20 00000
	A000	0605	GRPH1350001	1 1	8.00 9.15		4	2,967	210 20 00000
	A000	0605	GRPH2440001	1 1	8.00 9.15	1	6	2,967	210 20 00000
	A000	0605	GRPH1020001	1 1 1	9.00 9.50		13	2,967	210 20 00000
	A000	0605	GRPH2400001	1 1 1	9.00 9.50	1	2	2,967	210 20 00000
	A000	0605	GRPH2530001	1 1 1	9.00 9.50	1	9	2,967	210 20 00000
	A000	0605	GRPH2400001	1 1	9.25 10.40		2	2,967	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 18

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0605	GRPH2410001	1 1	9.25 10.40	1	3	2,967	210 20 00000
	A000	0605	GRPH2530001	1 1	9.25 10.40	1	9	2,967	210 20 00000
	A000	0605	GRPH1130001	1 1 1	10.00 10.50		13	2,967	210 20 00000
	A000	0605	GRPH2430001	1 1 1	10.00 10.50	1	12	2,967	210 20 00000
	A000	0605	GRPH2450001	1 1 1	10.00 10.50	1	1	2,967	210 20 00000
	A000	0605	GRPH1130001	1 1	10.50 12.05		13	2,967	210 20 00000
	A000	0605	GRPH2430001	1 1	10.50 12.05	1	12	2,967	210 20 00000
	A000	0605	GRPH2450001	1 1	10.50 12.05	1	1	2,967	210 20 00000
	A000	0605	GRPH1040001	1 1 1	11.00 11.50		6	2,967	210 20 00000
	A000	0605	GRPH2410001	1 1 1	11.00 11.50	1	3	2,967	210 20 00000
	A000	0605	GRPH2460001	1 1 1	11.00 11.50	1	7	2,967	210 20 00000
	A000	0605	GRPH1030001	1 1 1	13.00 13.50		4	2,967	210 20 00000
	A000	0605	GRPH1340001	1 1 1	13.00 13.50	1	1	2,967	210 20 00000
	A000	0605	GRPH2420001	1 1 1	13.00 13.50	1	2	2,967	210 20 00000
	A000	0605	GRPH1030001	1 1	13.40 14.55		4	2,967	210 20 00000
	A000	0605	GRPH1040001	1 1	13.40 14.55	1	6	2,967	210 20 00000
	A000	0605	GRPH1340001	1 1	13.40 14.55	1	1	2,967	210 20 00000
	A000	0605	GRPH2420001	1 1	13.40 14.55	1	2	2,967	210 20 00000
	A000	0605	GRPH2460001	1 1	13.40 14.55	1	7	2,967	210 20 00000
	A000	0605	ORNT1000012	1	14.00 14.50		5	2,967	210 20 00000
4	A000	0607	ZHLT0311001	1	8.00 15.30		11	546	110 20 00000
4	A000	0607	EMPT1110001	1 1	8.00 16.30		9	546	110 20 00000
	A000	0607	ZHLT0310001	1 1 1	18.00 21.00		10	546	110 20 00000
	A000	0607A	HNUR1452001	1 1 1 1 1	7.15 12.15		7	576	210 15 00000
	A000	0607A	HNUR1452002	1 1 1 1 1	7.15 12.15	1	6	576	210 15 00000
	A000	0607A	HNUR1452003	1 1 1 1 1	7.15 12.15	1	7	576	210 15 00000
8	A000	0607A	HNUR1452004	1 1 1 1 1	7.15 12.15	1	6	576	210 15 00000
	A000	0609	HACR2520001	1 1	8.00 8.50		1	3,055	210 20 00000
	A000	0609	HACR1150001	1	8.00 8.50	1	15	3,055	210 20 00000
	A000	0609	HACR1151001	1 1	8.00 9.15		15	3,055	210 20 00000
	A000	0609	HACR2810001	1 1	8.00 9.50	1	5	3,055	210 20 00000
	A000	0609	HACR2830001	1	8.00 9.50		1	3,055	210 20 00000
	A000	0609	HACR2910001	1	8.00 9.50	1	3	3,055	210 20 00000
	A000	0609	HACR2810001	1 1	8.00 10.40		5	3,055	210 20 00000
	A000	0609	HACR2830001	1 1	8.00 10.40	1	1	3,055	210 20 00000
	A000	0609	HACR2910001	1 1	8.00 10.40	1	3	3,055	210 20 00000
	A000	0609	HACR2810001	1 1	8.00 10.50		5	3,055	210 20 00000
	A000	0609	HACR2830001	1 1	8.00 10.50	1	1	3,055	210 20 00000
	A000	0609	HACR2910001	1 1	8.00 10.50	1	3	3,055	210 20 00000
	A000	0609	HACR1411001	1 1	8.00 12.05		1	3,055	210 20 00000
	A000	0609	HACR2521001	1 1	8.00 12.05	1	1	3,055	210 20 00000
	A000	0609	HACR1151001	1 1 1	9.00 9.50		15	3,055	210 20 00000
	A000	0609	HACR2510001	1 1 1	9.00 9.50	1	2	3,055	210 20 00000
4	A000	0609	HACR1211001	1 1	9.25 14.55		1	3,055	210 20 00000
	A000	0609	HACR1211001	1 1 1	10.00 14.50		1	3,055	210 20 00000
	A000	0609	HACR2511001	1 1 1	10.00 14.50	1	1	3,055	210 20 00000
	A000	0609	HACR2820001	1 1	10.50 14.55		7	3,055	210 20 00000
	A000	0609	HACR2920001	1 1	10.50 14.55	1	2	3,055	210 20 00000
	A000	0609	HACR1120001	1 1	11.00 11.50		15	3,055	210 20 00000
	A000	0609	HACR2820001	1	11.00 13.50		7	3,055	210 20 00000
	A000	0609	HACR2920001	1	11.00 13.50	1	2	3,055	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2004  
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.  
 PAGE NUM 19

L.T.C. -LAFAYETTE  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	A000	0609	HACR2820001	1 1	11.00 14.50		7	3,055	210 20	00000	
	A000	0609	HACR2920001	1 1	11.00 14.50	1	2	3,055	210 20	00000	
	A000	0609	HACR1160001	1 1 1	13.00 13.50		11	3,055	210 20	00000	
	A000	0609	ZTEC0401001	1 1	18.00 21.00		25	3,055	210 20	00000	
	A000	0610	HNUR2512001	11111	7.15 12.15		8	3,000	210 30	00000	
	A000	0610	HNUR2512002	11111	7.15 12.15	1	8	3,000	210 30	00000	
	A000	0610	HNUR2532005	11111	7.15 12.15	1	9	3,000	210 30	00000	
	A000	0610	HNUR2532001	1 11	7.15 12.15	1	9	3,000	210 30	00000	
	A000	0610	HNUR2532002	1 11	7.15 12.15	1	8	3,000	210 30	00000	
8	A000	0610	HNUR2532003	1 11	7.15 12.15	1	6	3,000	210 30	00000	
8	A000	0610	HNUR2532004	1 11	7.15 12.15	1	8	3,000	210 30	00000	
	A000	0610	HNUR2510001	11111	13.00 15.00		16	3,000	210 30	00000	
	A000	0610	HNUR2630001	11111	13.00 15.00	1	16	3,000	210 30	00000	
	A000	0612	MATH1010002	1 1 1	8.00 8.50		11	3,000	210 30	00000	
	A000	0612	ENSC2000002	1 1	8.00 9.15		13	3,000	210 30	00000	
	A000	0612	MATH1110001	1 1 1	9.00 9.50		13	3,000	210 30	00000	
	A000	0612	MATH1010001	1 1	9.25 10.40		1	3,000	210 30	00000	
	A000	0612	MATH1000001	1 1 1	10.00 10.50		22	3,000	210 30	00000	
	A000	0612	CULN1220001	1 1	12.15 14.30		10	3,000	210 30	00000	
	A000	0612	ENSC2000001	1 1 1	13.00 13.50		24	3,000	210 30	00000	
	A000	0612	CULN1110001	1 1 1	14.00 14.50		5	3,000	210 30	00000	
4	G000	0104	AMTP2210001	1111	8.00 14.25		5	566	110 15	00000	
4	G000	0104	AMTP2240001	1111	8.00 14.25	1	10	566	110 15	00000	
4	8	G000	0104	AMTP2250001	1111	8.00 14.25	1	13	566	110 15	00000
4	8	G000	0104	AMTP2260001	1111	8.00 14.25	1	10	566	110 15	00000
4	8	G000	0104	AMTP2280001	1111	8.00 14.25	1	13	566	110 15	00000
4	8	G000	0104	AMTP2300001	1111	8.00 14.25	1	10	566	110 15	00000
4	G000	0105	AMTA2010001	1111	8.00 14.25		9	445	110 15	00000	
4	G000	0105	AMTA2020001	1111	8.00 14.25	1	12	445	110 15	00000	
4	8	G000	0105	AMTA2031001	1111	8.00 14.25	1	10	445	110 15	00000
4	8	G000	0105	AMTA2060001	1111	8.00 14.25	1	3	445	110 15	00000
4	8	G000	0105	AMTA2100001	1111	8.00 14.25	1	10	445	110 15	00000
4	8	G000	0105	AMTA2120001	1111	8.00 14.25	1	13	445	110 15	00000
4	8	G000	0105	AMTA2130001	1111	8.00 14.25	1	14	445	110 15	00000
4	8	G000	0105	AMTA2140001	1111	8.00 14.25	1	5	445	110 15	00000
4	G000	0113	AMTG1010001	1111	8.00 14.25		19	615	110 15	00000	
4	8	G000	0113	AMTG1020001	1111	8.00 14.25	1	17	615	110 15	00000
4	8	G000	0113	AMTG1030001	1111	8.00 14.25	1	17	615	110 15	00000
4	8	G000	0113	AMTG1040001	1111	8.00 14.25	1	18	615	110 15	00000
4	8	G000	0113	AMTG1050001	1111	8.00 14.25	1	17	615	110 15	00000
4	8	G000	0113	AMTG1090001	1111	8.00 14.25	1	18	615	110 15	00000
4	8	G000	0113	AMTG1100001	1111	8.00 14.25	1	20	615	110 15	00000
4	8	G000	0113	AMTG1110001	1111	8.00 14.25	1	18	615	110 15	00000
4	8	G000	0113	ORNT1000007	111	8.00 14.25	1	16	615	110 15	00000
	G000	0113	AMTP2993001	1111	14.35 15.25		1	615	110 15	00000	
	G000	0113	AMTP2991001	1 1	14.35 15.25	1	2	615	110 15	00000	

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 321

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 269  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 590

TOTAL NUMBER OF RECORDS READ 964  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 964  
NUMBER OF JOINT-CLASS RECORDS 700  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			478
WEEKLY STUDENT CONTACT HOURS	18006	561	18567
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2533	98	2631
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43020	23900	66920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	54565	4420	58985
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36013	1122	37135
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	127.9	8.9	85.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	83.7	4.7	55.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	66.0	25.4	63.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			478
WEEKLY STUDENT CONTACT HOURS	18006	561	18567
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2533	98	2631
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43020	23900	66920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	54565	4420	58985
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36013	1122	37135
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	127.9	8.9	85.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	83.7	4.7	55.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	66.0	25.4	63.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			58
TOTAL NUMBER OF STATIONS (CAPACITY)			985
WEEKLY STUDENT CONTACT HOURS	20938	549	21487
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5220	2900	8120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5047	66	5113
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	88650	49250	137900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	95961	1590	97551
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	41876	1098	42974
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	96.7	2.3	63.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.2	2.2	31.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.6	69.1	44.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			58
TOTAL NUMBER OF STATIONS (CAPACITY)			985
WEEKLY STUDENT CONTACT HOURS	20938	549	21487
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5220	2900	8120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5047	66	5113
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	88650	49250	137900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	95961	1590	97551
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	41876	1098	42974
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	96.7	2.3	63.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.2	2.2	31.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	43.6	69.1	44.1

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			80
TOTAL NUMBER OF STATIONS (CAPACITY)			1463
WEEKLY STUDENT CONTACT HOURS	38944	1110	40054
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7200	4000	11200
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7580	164	7744
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	131670	73150	204820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	150526	6010	156536
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	77889	2220	80109
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	105.3	4.1	69.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	59.2	3.0	39.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.7	36.9	51.2

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY