

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0101	CLTS2912	1	1 1 1	6.00 12.00		2	760	210 18 00000
4	000A 0101	CLTS2932	1	1 1 1	6.00 12.00	1	2	760	210 18 00000
4	000A 0101	CLTS2942	1	1 1 1	6.00 12.00	1	4	760	210 18 00000
3	000A 0101	CLTS2080	1	1 1 1	8.00 85.00	1	14	760	210 18 00000
3	89 000A 0101	CLTS2080	1	1 1 1	9.00 95.00		14	760	210 18 00000
	000A 0101	CLTS2710	1	1 1	9.25 10.40		11	760	210 18 00000
	000A 0101	CLTS2410	1	1 1 1	10.00 10.50		11	760	210 18 00000
	000A 0101	CHEM1410	1	1 1	10.50 12.05		10	760	210 18 00000
	000A 0101	CLTS2912	1	1 1	11.00 15.00	1	2	760	210 18 00000
	000A 0101	CLTS2932	1	1 1	11.00 15.00	1	2	760	210 18 00000
	000A 0101	CLTS2942	1	1 1	11.00 15.00	1	4	760	210 18 00000
	000A 0101	CLTS2411	1	1 1	12.00 12.50		11	760	210 18 00000
	000A 0101	JOBS2450	4	1	12.00 14.10		10	760	210 18 00000
	000A 0101	CLTS2910	1	1	12.00 14.15		2	760	210 18 00000
	000A 0101	CLTS2993	1	1	12.00 14.15		1	760	210 18 00000
	000A 0101	CLTS2710	1	1 1	12.45 13.30	1	11	760	210 18 00000
	000A 0101	CLTS2450	1	1 1	13.00 14.45		13	760	210 18 00000
	000A 0101	CLTS1030	1	1 1	13.40 14.55		15	760	210 18 00000
	000A 0102	ECDV2995B91	1	1 1	8.00 9.15		2	1,024	210 20 00000
	000A 0102	ECDV1341B93	1	1 1	8.00 12.05	1	2	1,024	210 20 00000
	000A 0102	ECDV1341B92	1	1 1 1	9.00 11.50		1	1,024	210 20 00000
	000A 0102	ECDV2991001	1	1 1 1	10.00 10.50	1	1	1,024	210 20 00000
	000A 0102	ECDV1151B93	1	1 1	10.50 14.55		2	1,024	210 20 00000
	000A 0102	ECDV1151B91	1	1 1 1	11.00 13.50		4	1,024	210 20 00000
	8 000A 0103	HNUR2120B91	1	11111	13.00 15.00		30	544	210 11 00000
4	8 000A 0104	AMTP2220	1	11111	8.00 14.25		10	336	640 00000
4	8 000A 0104	AMTP2230	1	11111	8.00 14.25	1	8	336	640 00000
4	8 000A 0104	AMTP2250	1	11111	8.00 14.25	1	14	336	640 00000
4	8 000A 0104	AMTP2290	1	11111	8.00 14.25	1	13	336	640 00000
4	8 000A 0104	AMTP2300	1	11111	8.00 14.25	1	10	336	640 00000
4	8 000A 0104	AMTP2310	1	11111	8.00 14.25	1	12	336	640 00000
	000A 0105	HNUR1300B91	1	11111	8.00 9.50		75	1,680	110 85 00000
4	000A 0105	AMTA2010	1	11111	8.00 14.25	1	15	1,680	110 85 00000
4	000A 0105	AMTA2020	1	11111	8.00 14.25	1	14	1,680	110 85 00000
4	000A 0105	AMTA2031	1	11111	8.00 14.25	1	11	1,680	110 85 00000
4	000A 0105	AMTA2090	1	11111	8.00 14.25	1	12	1,680	110 85 00000
4	8 000A 0105	AMTA2100	1	11111	8.00 14.25	1	11	1,680	110 85 00000
4	8 000A 0105	AMTA2120	1	11111	8.00 14.25	1	8	1,680	110 85 00000
	8 000A 0105	HNUR1330B91	1	11111	10.10 12.00	1	52	1,680	110 85 00000
	8 000A 0105	HNUR1340B91	1	11111	10.10 12.00	1	38	1,680	110 85 00000
	8 000A 0105	HNUR1351B91	1	1 1	10.10 12.00	1	60	1,680	110 85 00000
	89 000A 0105	HNUR1351B91	1	111	10.10 12.00		60	1,680	110 85 00000
	000A 0105	HNUR1211B91	1	11111	13.00 15.00		50	1,680	110 85 00000
	000A 0105	HNUR1360	1	11111	13.00 15.00	1	38	1,680	110 85 00000
	000A 0105	HNUR1460	1	11111	13.00 15.00	1	29	1,680	110 85 00000
	8 000A 0105	HNUR1330B91	1	1	13.00 15.00	1	52	1,680	110 85 00000
	000A 0106	ECDV1110	1	1 1 1	8.00 8.50		7	986	210 20 00000
	000A 0106	ORNT1000	9	1	8.00 9.15		21	986	210 20 00000
	000A 0106	ECDV2211B91	1	1 1	8.00 12.05	1	4	986	210 20 00000
	000A 0106	ECDV1120	1	1 1 1	9.00 9.50		13	986	210 20 00000
	000A 0106	ECDV1330	1	1 1	9.25 10.40		7	986	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0106	ECDV1220	1	1 1 1	10.00 10.50	9	986	210 20	00000	
	000A	0106	ECDV1320	1	1 1	12.15 13.30	8	986	210 20	00000	
	000A	0106	ECDV1410	1	1 1	13.00 14.50	7	986	210 20	00000	
	000A	0106	ORNT1000	1	1	13.40 14.55	14	986	210 20	00000	
	000A	0106	ECDV1110	2	1 1	17.00 18.15	8	986	210 20	00000	
	000A	0107	KYBD1110	1	1 1	8.00 8.50	19	620	210 20	00000	
	000A	0107	KYBD1110	1	1 1	8.00 9.15	19	620	210 20	00000	
4	8	000A	0107	JOBS2450	7	11111	8.00 14.55	1	620	210 20	00000
	8	000A	0107	KYBD1000	1	1 1 1	9.00 9.50	1	620	210 20	00000
		000A	0107	CPTR1000	2	1 1	9.25 10.40	15	620	210 20	00000
		000A	0107	MACH1350	1	1 1 1	10.00 10.50	12	620	210 20	00000
		000A	0107	KYBD1000	2	1 1	10.50 12.05	20	620	210 20	00000
		000A	0107	JOBS2450	1	1 1 1	11.00 11.50	18	620	210 20	00000
		000A	0107	JOBS2450	2	1 1	13.00 13.50	15	620	210 20	00000
		000A	0107	JOBS2450	3	1 1	13.40 14.55	12	620	210 20	00000
		000A	0107	CULN1110	1	1 1 1	14.00 14.50	19	620	210 20	00000
		000A	0110	ORNT1000B91	1	1	7.00 7.50	7	1,034	210 20	00000
		000A	0110	SURG 110B92	1	1 1 1	8.00 11.50	4	1,034	210 20	00000
		000A	0110	SURG1101B91	1	1 1 1	8.00 11.50	1	1,034	210 20	00000
4		000A	0110	SURG1201B91	1	1	8.00 14.50	3	1,034	210 20	00000
4		000A	0110	SURG1201B92	1	1	8.00 14.50	1	1,034	210 20	00000
4		000A	0110	SURG2201B91	1	1	8.00 14.50	1	1,034	210 20	00000
4		000A	0110	SURG2201B92	1	1	8.00 14.50	1	1,034	210 20	00000
		000A	0110	SURG2993B92	1	11111	13.00 14.50	1	1,034	210 20	00000
1	4	000A	0113	AMTG1010	1	11111	8.00 14.25	24			00000
1	4	000A	0113	AMTG1050	1	11111	8.00 14.25	25			00000
1	4	000A	0113	AMTG1060	1	11111	8.00 14.25	25			00000
1	4	000A	0113	AMTG1070	1	11111	8.00 14.25	24			00000
1	4	000A	0113	AMTG1080	1	11111	8.00 14.25	22			00000
1	4	000A	0113	AMTG1090	1	11111	8.00 14.25	25			00000
1	4	000A	0113	AMTG1100	1	11111	8.00 14.25	24			00000
1	4	000A	0113	AMTG1110	1	11111	8.00 14.25	25			00000
1	4	000A	0113	ORNT1000	4	11111	8.00 14.25	23			00000
1		000A	0113	AMTG1020	1	11111	14.35 15.25	24			00000
		000A	0114	ACCT1200B91	1	1	8.00 8.50	15	945	210 30	00000
		000A	0114	ACCT1200B91	1	1 1	8.00 9.15	15	945	210 30	00000
		000A	0114	ACCT1300B91	1	1	9.00 9.50	15	945	210 30	00000
		000A	0114	ACCT1300B91	1	1	9.25 10.40	15	945	210 30	00000
		000A	0114	ENGL1030B91	1	1 1 1	10.00 10.50	20	945	210 30	00000
		000A	0114	ACCT1100B91	1	1	10.50 12.05	18	945	210 30	00000
		000A	0114	ACCT1100B91	1	1	11.00 11.50	18	945	210 30	00000
		000A	0114	CSRV1000	1	1 1 1	14.00 14.50	5	945	210 30	00000
		000A	0114	HOST1292	1	11111	14.00 15.50	1	945	210 30	00000
		000A	0114	MAST1230	1	1 1	15.45 17.00	11	945	210 30	00000
		000A	0201	MAST1210	1	1 1	8.00 8.50	14	576	210 20	00000
		000A	0201	MAST1210	1	1 1	8.00 9.15	14	576	210 20	00000
		000A	0201	ISYS1550	1	1 1	9.00 9.50	5	576	210 20	00000
		000A	0201	ISYS1550	1	1 1	9.25 10.40	5	576	210 20	00000
		000A	0201	MAST2110	1	1 1	10.00 10.50	10	576	210 20	00000
		000A	0201	MAST2110	1	1 1	10.50 12.05	10	576	210 20	00000
		000A	0201	MEDL1300	1	1 1 1	11.00 11.50	17	576	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0201	OSYS1100 1	1 1 1	13.00 13.50		17	576	210 20 00000
	000A	0201	MEDL1300 2	1 1	13.40 14.55		21	576	210 20 00000
	000A	0203	CPTR1000B91	1 1 1	8.00 8.50		18	589	210 20 00000
	000A	0203	CPTR1300B91	111	9.00 9.50		20	589	210 20 00000
89	000A	0203	CPTR1300B91	1 1	9.25 10.40		20	589	210 20 00000
	000A	0203	CPTR1000B93	1 1	10.50 12.05		11	589	210 20 00000
	000A	0203	ISYS1450B91	1 1	10.50 12.05	1	5	589	210 20 00000
	000A	0203	OSYS2530 1	1 1 1	11.00 11.50		8	589	210 20 00000
	000A	0203	ISYS1450B91	1 1	11.00 11.50	1	5	589	210 20 00000
	000A	0203	ACCT1100 2	1 1	13.00 13.50		13	589	210 20 00000
	000A	0203	ACCT1100 2	1 1	13.40 14.55		13	589	210 20 00000
	000A	0300	OSYS1250 2	1 1	8.00 9.15		10	459	110 15 00000
	000A	0300	OSYS1250 1	1 1 1	10.00 10.50		17	459	110 15 00000
8	000A	0300	ACCT1100 3	1 1	10.00 10.50	1	13	459	110 15 00000
	000A	0300	ACCT1100 3	1 1	10.50 12.05		13	459	110 15 00000
	000A	0300	MATH1050 1	1 1 1	11.00 11.50		19	459	110 15 00000
	000A	0301	WKEY0080 1	1 1 1	8.00 8.50		1	1,000	110 35 00000
	000A	0301	WKEY0070 2	1 1 1	9.00 9.50		2	1,000	110 35 00000
	000A	0301	WKEY0070 3	1 1 1	10.00 10.50		1	1,000	110 35 00000
	000A	0301	WKEY0071 3	1 1 1	10.00 10.50	1	2	1,000	110 35 00000
	000A	0301	WKEY0070 4	1 1 1	11.00 11.50		3	1,000	110 35 00000
	000A	0301	WKEY0080 4	1 1 1	11.00 11.50	1	1	1,000	110 35 00000
4	000A	0301	WKEY0071 5	1 1 1	12.00 12.25		2	1,000	110 35 00000
	000A	0301	WKEY0070 5	1 1 1	12.00 12.50	1	3	1,000	110 35 00000
	000A	0301	WKEY0080 5	1 1 1	12.00 12.50	1	1	1,000	110 35 00000
	000A	0301	WKEY0070 6	1 1 1	13.00 13.50		2	1,000	110 35 00000
	000A	0301	WKEY0070 7	1 1 1	13.00 13.50	1	1	1,000	110 35 00000
	000A	0301	WKEY0071 6	1 1 1	13.00 13.50	1	2	1,000	110 35 00000
	000A	0402	OSYS2991B91	1	12.00 13.50		3	704	210 15 00000
	000A	0402	ACCT1500B91	1 1	13.00 13.50		4	704	210 15 00000
	000A	0402	ACCT1500B91	1 1	13.40 14.55		4	704	210 15 00000
	000A	0404	CPTR1310 1	111	8.00 8.50		20	680	210 21 00000
89	000A	0404	CPTR1310 1	1 1	8.00 9.15		20	680	210 21 00000
	000A	0404	KYBD1210 1	1 1	9.00 9.50		18	680	210 21 00000
	000A	0404	KYBD1210 1	1 1	9.25 10.40		18	680	210 21 00000
	000A	0404	CPTR1000 15	1 1 1	11.00 11.50		22	680	210 21 00000
	000A	0404	ENGL1030 2	1 1 1	13.00 13.50		18	680	210 21 00000
	000A	0404	ISYS1420 1	1 1	13.40 14.55		16	680	210 21 00000
1	000A	0405	ORNT1000 10	11111	13.00 15.00		20		00000
1	000A	0406	CULN1120B91	11111	8.00 9.00		10		00000
1	000A	0406	CULN1120B93	11111	8.00 9.00		1		00000
1	000A	0406	CULN2991 1	1 1	8.00 9.00		3		00000
1	000A	0406	CULN1230 1	11111	8.00 10.00		3		00000
1	000A	0406	CULN1310B91	11111	8.00 12.00		5		00000
1 4	000A	0406	CULN1120B92	11111	8.00 16.00		1		00000
1 4	000A	0406	CULN1130B92	11111	8.00 16.00		1		00000
1 4	000A	0406	CULN1140B92	11111	8.00 16.00		2		00000
1 4	000A	0406	ORNT1000 16	1	8.00 16.00		1		00000
1	000A	0406	CULN2995 1	11111	9.00 11.00		3		00000
1	000A	0406	CULN1130B91	11111	9.05 10.00		11		00000
1	000A	0406	CULN1210B91	11111	9.05 10.00		8		00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
1	000A 0406	CULN1130B93	11111	9.05 10.05		1			00000
1	000A 0406	CULN1140B91	11111	10.05 11.00		10			00000
1	000A 0406	CULN1140B93	11111	10.05 11.00		1			00000
1	000A 0406	CULN2410 1	11111	10.05 14.00		4			00000
1	000A 0406	CULN2420 1	11111	10.05 14.00		4			00000
1	000A 0406	CULN2430B91	11111	10.05 14.00		4			00000
1	000A 0406	CULN1160B91	11111	11.05 12.00		10			00000
1	000A 0406	CULN2993 1	11111	12.00 13.00		5			00000
1	000A 0406	CULN1220B91	11111	12.05 13.00		8			00000
1	000A 0406	CULN2440 1	11111	12.05 14.00		4			00000
1	000A 0406	CULN2996 1	11111	16.00 18.00		2			00000
1	000A 0406	CULN1321 1	11111	17.00 21.00		9			00000
	000A 0407	HCOR1120 1	11111	7.30 8.20		16	459	110 15	00000
8	000A 0407	HMDT1170 1	11111	7.30 8.20	1	13	459	110 15	00000
8	000A 0407	HCOR1160 1	11111	7.30 10.20	1	17	459	110 15	00000
8	000A 0407	MAST1210 2	11111	8.30 11.20	1	15	459	110 15	00000
8	000A 0407	HNUR1211 2	11111	8.30 12.20	1	19	459	110 15	00000
8	000A 0407	HCOR1120 2	1 1	13.40 14.55		25	459	110 15	00000
	000A 0408	MFGJ1191 2	11111	12.00 15.30		1	1,540	210 15	00000
	000A 0408	MFGJ1202 3	11111	12.00 15.30	1	1	1,540	210 15	00000
	000A 0408	MFGJ1451 3	11111	12.00 15.30	1	1	1,540	210 15	00000
	000A 0408	MFGJ1551 3	1111	12.00 15.30	1	1	1,540	210 15	00000
	000A 0408	MFGJ1551 2	11111	12.05 15.05	1	2	1,540	210 15	00000
	000A 0408	MFGJ1110 4	11111	12.05 15.30	1	3	1,540	210 15	00000
	000A 0409	BARB2131 2	1 1 1	8.00 10.50		3	1,485	210 12	00000
4	000A 0409	BARB1231 1	11111	8.00 14.50	1	7	1,485	210 12	00000
4	000A 0409	BARB1321 2	11111	8.00 14.50	1	3	1,485	210 12	00000
4	000A 0409	BARB1350 1	11111	8.00 14.50	1	3	1,485	210 12	00000
4	000A 0409	BARB1430 1	11111	8.00 14.50	1	1	1,485	210 12	00000
4	000A 0409	BARB1441 2	11111	8.00 14.50	1	1	1,485	210 12	00000
4	8 000A 0409	BARB2630 2	11111	8.00 14.50	1	1	1,485	210 12	00000
4	8 000A 0409	BARB1140 3	1 1 1	8.00 14.50	1	1	1,485	210 12	00000
4	8 000A 0409	BARB1160 3	1 1 1	8.00 14.50	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1211 3	1 1 1	8.00 14.50	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1220 3	1 1 1	8.00 14.50	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1231 2	1 1 1	8.00 14.50	1	4	1,485	210 12	00000
4	8 000A 0409	BARB1310 2	1 1 1	8.00 14.50	1	8	1,485	210 12	00000
4	8 000A 0409	BARB1350 2	1 1 1	8.00 14.50	1	7	1,485	210 12	00000
4	8 000A 0409	BARB1350 3	1 1 1	8.00 14.50	1	1	1,485	210 12	00000
4	8 000A 0409	BARB1410 3	1 1 1	8.00 14.50	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1420 1	1 1 1	8.00 14.50	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1420 2	1 1 1	8.00 14.50	1	6	1,485	210 12	00000
4	8 000A 0409	BARB1310 1	11111	8.00 14.55	1	2	1,485	210 12	00000
4	8 000A 0409	BARB1430 2	11111	8.00 14.55	1	6	1,485	210 12	00000
4	8 000A 0409	BARB2993 2	11111	8.00 14.55	1	5	1,485	210 12	00000
4	8 000A 0409	BARB1110 1	1 1	8.00 14.55	1	4	1,485	210 12	00000
4	8 000A 0409	BARB1120 1	1 1	8.00 14.55	1	4	1,485	210 12	00000
4	8 000A 0409	BARB1130 1	1 1	8.00 14.55	1	4	1,485	210 12	00000
4	8 000A 0409	BARB1140 1	1 1	8.00 14.55	1	4	1,485	210 12	00000
4	8 000A 0409	BARB1150 1	1 1	8.00 14.55	1	3	1,485	210 12	00000
4	8 000A 0409	BARB1150 2	1 1	8.00 14.55	1	4	1,485	210 12	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000A 0409	BARB1420 2	1 1	8.00 14.55	1	6	1,485	210 12	00000
4		000A 0409	BARB1110 1	1 1 1	9.00 14.50		4	1,485	210 12	00000
4		000A 0409	BARB1120 1	1 1 1	9.00 14.50	1	4	1,485	210 12	00000
4		000A 0409	BARB1130 1	1 1 1	9.00 14.50	1	4	1,485	210 12	00000
4		000A 0409	BARB1140 1	1 1 1	9.00 14.50	1	4	1,485	210 12	00000
4	8	000A 0409	BARB1150 1	1 1 1	9.00 14.50	1	3	1,485	210 12	00000
4	8	000A 0409	BARB1150 2	1 1 1	9.00 14.50	1	4	1,485	210 12	00000
4		000A 0409	BARB1231 2	1 1	9.25 14.55		4	1,485	210 12	00000
4		000A 0409	BARB1310 2	1 1	9.25 14.55	1	8	1,485	210 12	00000
4	8	000A 0409	BARB1350 2	1 1	9.25 14.55	1	7	1,485	210 12	00000
8	8	000A 0409	BARB1140 3	1 1	10.50 14.50	1	1	1,485	210 12	00000
8		000A 0409	BARB1160 3	1 1	10.50 14.55	1	2	1,485	210 12	00000
8		000A 0409	BARB1211 3	1 1	10.50 14.55	1	2	1,485	210 12	00000
8		000A 0409	BARB1220 3	1 1	10.50 14.55	1	2	1,485	210 12	00000
8		000A 0409	BARB1350 3	1 1	10.50 14.55	1	1	1,485	210 12	00000
8		000A 0409	BARB1410 3	1 1	10.50 14.55	1	2	1,485	210 12	00000
8		000A 0409	MFGJ1552 3	11111	12.00 15.00	1	1	1,485	210 12	00000
8		000A 0409	MFGJ1552 2	11111	12.05 15.05	1	2	1,485	210 12	00000
8		000A 0409	BARB2131 2	1 1	13.00 14.50	1	3	1,485	210 12	00000
		000A 0413	AHMA1000 1	1 1	8.00 8.50		7	1,430	210 20	00000
		000A 0413	AHRE1000 1	1 1	8.00 8.50	1	3	1,430	210 20	00000
		000A 0413	AHSC1000 1	1 1	8.00 8.50	1	10	1,430	210 20	00000
		000A 0413	DVEN0091 1	1 1	8.00 8.50	1	3	1,430	210 20	00000
		000A 0413	DVEN0092 1	1 1	8.00 8.50	1	2	1,430	210 20	00000
8		000A 0413	DVMA0090 1	1 1	8.00 8.50	1	8	1,430	210 20	00000
8		000A 0413	DVMA0091 1	1 1	8.00 8.50	1	2	1,430	210 20	00000
8		000A 0413	DVMA0092 1	1 1	8.00 8.50	1	2	1,430	210 20	00000
8		000A 0413	DVRE0091 1	1 1	8.00 8.50	1	6	1,430	210 20	00000
8		000A 0413	DVRE0092 1	1 1	8.00 8.50	1	6	1,430	210 20	00000
		000A 0413	AHMA1000 1	1 1	8.00 9.15		7	1,430	210 20	00000
		000A 0413	AHRE1000 1	1 1	8.00 9.15	1	3	1,430	210 20	00000
		000A 0413	AHSC1000 1	1 1	8.00 9.15	1	10	1,430	210 20	00000
		000A 0413	DVEN0091 1	1 1	8.00 9.15	1	3	1,430	210 20	00000
		000A 0413	DVEN0092 1	1 1	8.00 9.15	1	2	1,430	210 20	00000
8		000A 0413	DVMA0090 1	1 1	8.00 9.15	1	8	1,430	210 20	00000
8		000A 0413	DVMA0091 1	1 1	8.00 9.15	1	2	1,430	210 20	00000
8		000A 0413	DVMA0092 1	1 1	8.00 9.15	1	2	1,430	210 20	00000
8		000A 0413	DVRE0091 1	1 1	8.00 9.15	1	6	1,430	210 20	00000
8		000A 0413	DVRE0092 1	1 1	8.00 9.15	1	6	1,430	210 20	00000
3		000A 0413	DVEN0090 1	1 1	8.00 85.00		1	1,430	210 20	00000
3		000A 0413	DVEN0090 1	1 1	8.00 91.50		1	1,430	210 20	00000
		000A 0413	AHMA1000 2	1 1	9.00 9.50		11	1,430	210 20	00000
		000A 0413	AHRE1000 2	1 1	9.00 9.50	1	4	1,430	210 20	00000
8		000A 0413	AHSC1000 2	1 1	9.00 9.50	1	18	1,430	210 20	00000
8		000A 0413	DVEN0091 2	1 1	9.00 9.50	1	3	1,430	210 20	00000
8		000A 0413	DVEN0092 2	1 1	9.00 9.50	1	3	1,430	210 20	00000
8		000A 0413	DVMA0090 2	1 1	9.00 9.50	1	13	1,430	210 20	00000
8		000A 0413	DVMA0091 2	1 1	9.00 9.50	1	3	1,430	210 20	00000
8		000A 0413	DVRE0090 2	1 1	9.00 9.50	1	2	1,430	210 20	00000
8		000A 0413	DVRE0091 2	1 1	9.00 9.50	1	4	1,430	210 20	00000
8		000A 0413	DVRE0092 2	1 1	9.00 9.50	1	9	1,430	210 20	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
3	8	000A 0413	DVEN0090 2	1 1	9.00 95.00	1	1,430	210 20	00000
		000A 0413	AHEN1000 3	1 1	9.25 10.40		1,430	210 20	00000
		000A 0413	AHMA1000 2	1 1	9.25 10.40	1	1,430	210 20	00000
		000A 0413	AHRE1000 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	AHSC1000 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVEN0090 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVEN0091 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVEN0092 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVMA0090 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVMA0091 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVRE0090 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVRE0091 2	1 1	9.25 10.40	1	1,430	210 20	00000
	8	000A 0413	DVRE0092 2	1 1	9.25 10.40	1	1,430	210 20	00000
		000A 0413	AHEN1000 3	1 1	10.00 10.50		1,430	210 20	00000
		000A 0413	AHMA1000 3	1 1	10.00 10.50	1	1,430	210 20	00000
		000A 0413	AHRE1000 3	1 1	10.00 10.50	1	1,430	210 20	00000
		000A 0413	AHSC1000 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVEN0091 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVEN0092 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVMA0090 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVMA0091 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVMA0092 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVRE0091 3	1 1	10.00 10.50	1	1,430	210 20	00000
	8	000A 0413	DVRE0092 3	1 1	10.00 10.50	1	1,430	210 20	00000
		000A 0413	AHMA1000 3	1 1	10.50 12.05		1,430	210 20	00000
		000A 0413	AHRE1000 3	1 1	10.50 12.05	1	1,430	210 20	00000
		000A 0413	AHSC1000 3	1 1	10.50 12.05	1	1,430	210 20	00000
		000A 0413	DVEN0091 3	1 1	10.50 12.05	1	1,430	210 20	00000
		000A 0413	DVEN0092 3	1 1	10.50 12.05	1	1,430	210 20	00000
	8	000A 0413	DVMA0090 3	1 1	10.50 12.05	1	1,430	210 20	00000
	8	000A 0413	DVMA0091 3	1 1	10.50 12.05	1	1,430	210 20	00000
	8	000A 0413	DVMA0092 3	1 1	10.50 12.05	1	1,430	210 20	00000
	8	000A 0413	DVRE0091 3	1 1	10.50 12.05	1	1,430	210 20	00000
	8	000A 0413	DVRE0092 3	1 1	10.50 12.05	1	1,430	210 20	00000
		000A 0413	AHEN1000 7	1 1	11.00 12.50		1,430	210 20	00000
		000A 0413	DVEN0090 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVEN0091 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVEN0092 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVMA0090 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVMA0091 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVMA0092 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	DVRE0091 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	AHMA1000 7	1 1	11.00 12.50		1,430	210 20	00000
		000A 0413	AHRE1000 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	AHSC1000 7	1 1	11.00 12.50	1	1,430	210 20	00000
		000A 0413	AHEN1000 4	1 1	12.15 13.30	1	1,430	210 20	00000
		000A 0413	AHMA1000 4	1 1	12.15 13.30	1	1,430	210 20	00000
		000A 0413	AHRE1000 4	1 1	12.15 13.30	1	1,430	210 20	00000
		000A 0413	AHSC1000 4	1 1	12.15 13.30	1	1,430	210 20	00000
		000A 0413	DVEN0090 4	1 1	12.15 13.30	1	1,430	210 20	00000
	8	000A 0413	DVEN0091 4	1 1	12.15 13.30	1	1,430	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A 0413	DVEN0092 4	1 1	12.15 13.30	1	1	1,430	210 20	00000
8	000A 0413	DVMA0090 4	1 1	12.15 13.30	1	10	1,430	210 20	00000
8	000A 0413	DVMA0091 4	1 1	12.15 13.30	1	1	1,430	210 20	00000
8	000A 0413	DVMA0092 4	1 1	12.15 13.30	1	5	1,430	210 20	00000
8	000A 0413	DVRE0091 4	1 1	12.15 13.30	1	3	1,430	210 20	00000
8	000A 0413	DVRE0092 4	1 1	12.15 13.30	1	7	1,430	210 20	00000
	000A 0413	AHEN1000 4	1 1	13.00 13.50		3	1,430	210 20	00000
	000A 0413	AHMA1000 4	1 1	13.00 13.50	1	6	1,430	210 20	00000
	000A 0413	AHRE1000 4	1 1	13.00 13.50	1	1	1,430	210 20	00000
	000A 0413	AHSC1000 4	1 1	13.00 13.50	1	12	1,430	210 20	00000
	000A 0413	DVEN0090 4	1 1	13.00 13.50	1	1	1,430	210 20	00000
	000A 0413	DVEN0091 4	1 1	13.00 13.50	1	2	1,430	210 20	00000
	000A 0413	DVEN0092 4	1 1	13.00 13.50	1	1	1,430	210 20	00000
8	000A 0413	DVMA0090 4	1 1	13.00 13.50	1	10	1,430	210 20	00000
8	000A 0413	DVMA0091 4	1 1	13.00 13.50	1	1	1,430	210 20	00000
8	000A 0413	DVMA0092 4	1 1	13.00 13.50	1	5	1,430	210 20	00000
8	000A 0413	DVRE0091 4	1 1	13.00 13.50	1	3	1,430	210 20	00000
8	000A 0413	DVRE0092 4	1 1	13.00 13.50	1	7	1,430	210 20	00000
	000A 0413	AHEN1000 5	1 1	13.40 14.55		2	1,430	210 20	00000
	000A 0413	AHMA1000 5	1 1	13.40 14.55	1	2	1,430	210 20	00000
	000A 0413	AHRE1000 5	1 1	13.40 14.55	1	2	1,430	210 20	00000
	000A 0413	AHSC1000 5	1 1	13.40 14.55	1	7	1,430	210 20	00000
	000A 0413	DVEN0091 5	1 1	13.40 14.55	1	3	1,430	210 20	00000
	000A 0413	DVEN0092 5	1 1	13.40 14.55	1	2	1,430	210 20	00000
	000A 0413	DVMA0090 5	1 1	13.40 14.55	1	11	1,430	210 20	00000
8	000A 0413	DVMA0092 5	1 1	13.40 14.55	1	2	1,430	210 20	00000
8	000A 0413	DVRE0091 5	1 1	13.40 14.55	1	6	1,430	210 20	00000
8	000A 0413	DVRE0092 5	1 1	13.40 14.55	1	4	1,430	210 20	00000
	000A 0413	AHEN1000 5	1 1	14.00 14.50		2	1,430	210 20	00000
	000A 0413	AHMA1000 5	1 1	14.00 14.50	1	2	1,430	210 20	00000
	000A 0413	AHRE1000 5	1 1	14.00 14.50	1	2	1,430	210 20	00000
	000A 0413	AHSC1000 5	1 1	14.00 14.50	1	7	1,430	210 20	00000
	000A 0413	DVEN0091 5	1 1	14.00 14.50	1	3	1,430	210 20	00000
	000A 0413	DVEN0092 5	1 1	14.00 14.50	1	2	1,430	210 20	00000
	000A 0413	DVMA0090 5	1 1	14.00 14.50	1	11	1,430	210 20	00000
8	000A 0413	DVMA0092 5	1 1	14.00 14.50	1	2	1,430	210 20	00000
8	000A 0413	DVRE0091 5	1 1	14.00 14.50	1	6	1,430	210 20	00000
8	000A 0413	DVRE0092 5	1 1	14.00 14.50	1	4	1,430	210 20	00000
	000A 0413	AHEN1000 6	1 1	15.00 15.50		1	1,430	210 20	00000
	000A 0413	AHMA1000 6	1 1	15.00 15.50	1	1	1,430	210 20	00000
	000A 0413	AHSC1000 6	1 1	15.00 15.50	1	1	1,430	210 20	00000
	000A 0413	DVEN0091 6	1 1	15.00 15.50	1	4	1,430	210 20	00000
	000A 0413	DVEN0092 6	1 1	15.00 15.50	1	1	1,430	210 20	00000
	000A 0413	DVMA0090 6	1 1	15.00 15.50	1	9	1,430	210 20	00000
	000A 0413	DVRE0090 6	1 1	15.00 15.50	1	2	1,430	210 20	00000
	000A 0413	DVRE0091 6	1 1	15.00 15.50	1	4	1,430	210 20	00000
	000A 0413	DVRE0092 6	1 1	15.00 15.50	1	5	1,430	210 20	00000
	000A 0413	AHEN1000 6	1 1	15.00 16.15		1	1,430	210 20	00000
	000A 0413	AHMA1000 6	1 1	15.00 16.15	1	1	1,430	210 20	00000
	000A 0413	AHSC1000 6	1 1	15.00 16.15	1	1	1,430	210 20	00000
	000A 0413	DVEN0091 6	1 1	15.00 16.15	1	4	1,430	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0413	DVEN0092	6	1 1	15.00 16.15	1	1,430	210 20	00000	
	000A	0413	DVMA0090	6	1 1	15.00 16.15	1	1,430	210 20	00000	
	000A	0413	DVRE0090	6	1 1	15.00 16.15	1	1,430	210 20	00000	
	000A	0413	DVRE0091	6	1 1	15.00 16.15	1	1,430	210 20	00000	
	000A	0413	DVRE0092	6	1 1	15.00 16.15	1	1,430	210 20	00000	
	000A	0417	CPTR1000	4	11111	13.30 14.15	9	472	210 10	00000	
4	000A	0500	ELEC2542	1	11111	7.30 16.30	1	4,709	210 22	00000	
4	000A	0500	ELEC2543	1	11111	7.30 16.30	1	4,709	210 22	00000	
4	000A	0500	CPTR1000	12	11111	8.00 14.50	1	4,709	210 22	00000	
4	000A	0500	CPTR1000	13	11111	8.00 14.50	1	4,709	210 22	00000	
4	000A	0500	ELEC1120	1	11111	8.00 14.50	1	4,709	210 22	00000	
4	000A	0500	ELEC1210	1	11111	8.00 14.50	1	4,709	210 22	00000	
4	8	000A	0500	ELEC1210	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1220	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1220	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1230	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1230	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1311	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1311	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1330	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1410	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1420	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1430	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1430	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1440	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC1440	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC2460	1	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC2460	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC2991	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC2993	2	11111	8.00 14.50	1	4,709	210 22	00000
4	8	000A	0500	ELEC2996	2	11111	8.00 14.50	1	4,709	210 22	00000
	000A	0501	UPHO1030999	1	1	8.00 8.50	1	2,394	210 20	00000	
	000A	0501	UPHO1031	2	1 1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1051	5	1 1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1011	3	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1021	2	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1031	2	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1041	2	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO1061	3	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO2001	3	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO2031	5	1 1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO2993	2	1	8.00 10.50	1	2,394	210 20	00000	
	000A	0501	UPHO2001	2	11111	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO2021	1	11111	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO1000	3	1 1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO1051	1	1 1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO2011	2	1 1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO2011	3	1 1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO1011	2	1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO2997	1	1 1	8.00 11.50	1	2,394	210 20	00000	
	000A	0501	UPHO1051	3	1 1	8.00 12.05	1	2,394	210 20	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0501	UPHO2101	1	1 1	8.00 12.15	1	2,394	210 20	00000
4	000A	0501	UPHO2011	4	11111	9.00 14.50	1	2,394	210 20	00000
4	000A	0501	UPHO2021	2	11111	9.00 14.50	1	2,394	210 20	00000
4	000A	0501	UPHO2031	4	11111	9.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1011	2	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1011	3	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1021	2	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1030	2	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1031	2	1 1	9.25 10.40	1	2,394	210 20	00000
9	000A	0501	UPHO1031	2	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1041	2	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1051	5	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1061	3	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO2001	3	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO2031	5	1 1	9.25 10.40	1	2,394	210 20	00000
	000A	0501	UPHO1051	1	1 1	9.25 10.50	1	2,394	210 20	00000
	000A	0501	UPHO1051	3	1 1	9.25 10.50	1	2,394	210 20	00000
	000A	0501	ORNT1000	18	11	10.50 12.05	1	2,394	210 20	00000
9	000A	0501	ORNT1000	18	1	10.50 12.05	1	2,394	210 20	00000
	000A	0501	UPHO2993	2	1	12.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1000	3	1 1	12.05 13.40	2	2,394	210 20	00000
	000A	0501	UPHO1011	2	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1011	3	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1021	2	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1031	2	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1041	2	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1051	5	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO1061	3	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO2001	3	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO2031	5	1 1	12.15 14.55	1	2,394	210 20	00000
	000A	0501	UPHO2001	2	11111	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2021	1	11111	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1030	2	1 1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1031	2	1 1 1	13.00 14.50	1	2,394	210 20	00000
9	000A	0501	UPHO1031	2	1 1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1051	1	1 1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2011	2	1 1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2011	3	1 1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1000	3	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1011	2	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1011	3	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1021	2	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1041	2	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1061	3	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2001	3	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2031	5	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO2997	1	1 1	13.00 14.50	1	2,394	210 20	00000
	000A	0501	UPHO1051	3	1 1	13.40 14.55	1	2,394	210 20	00000
	000A	0501	UPHO2101	1	1 1	13.40 14.55	1	2,394	210 20	00000
	000A	0501	ORNT1000	17	1 1	14.00 14.50	1	2,394	210 20	00000
9	000A	0501	ORNT1000	17	1	14.00 14.50	1	2,394	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2007

RUN DATE 12/05/2007

PAGE NUM 10

PROGRAM I-D:Z235B266.

L.T.C. -LAFAYETTE

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0503A	AUTO1610	2	1 1 1	8.00 10.50	1	2,080	210 20	00000	
	000A	0503A	AUTO1600	2	1 1	8.00 10.50	1	2,080	210 20	00000	
	000A	0503A	AUTO1620	2	1 1	8.00 10.50	1	2,080	210 20	00000	
	000A	0503A	AUTO1630	2	1 1	8.00 10.50	1	2,080	210 20	00000	
	000A	0503A	AUTO1640	2	1 1	8.00 10.50	1	2,080	210 20	00000	
	000A	0503A	AUTO1600	1	1 1	8.00 12.05	1	2,080	210 20	00000	
	000A	0503A	AUTO1610	1	1 1	8.00 12.05	1	2,080	210 20	00000	
8	000A	0503A	AUTO1620	1	1 1	8.00 12.05	1	2,080	210 20	00000	
8	000A	0503A	AUTO1630	1	1 1	8.00 12.05	1	2,080	210 20	00000	
8	000A	0503A	AUTO1640	1	1 1	8.00 12.05	1	2,080	210 20	00000	
8	000A	0503A	AUTO1650	1	1 1	8.00 12.05	1	2,080	210 20	00000	
8	000A	0503A	AUTO1660	1	1 1	8.00 12.05	1	2,080	210 20	00000	
4	000A	0503A	AUTO1130	1	1 1 1	8.00 13.50	1	2,080	210 20	00000	
4	000A	0503A	AUTO1200	1	1 1 1	8.00 13.50	1	2,080	210 20	00000	
4	000A	0503A	AUTO1210	1	1 1 1	8.00 13.50	1	2,080	210 20	00000	
4	8	000A	0503A	AUTO1230	1	1 1 1	8.00 13.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1430	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1440	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1800	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1810	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1820	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1830	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1840	10	11111	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1100	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1220	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1240	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1300	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1310	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1320	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1330	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1340	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1400	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1410	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1420	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1430	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1440	1	1 1 1	8.00 14.50	1	2,080	210 20	00000
4	000A	0503A	AUTO1100	1	1 1	8.00 14.55	1	2,080	210 20	00000	
4	000A	0503A	AUTO1120	1	1 1	8.00 14.55	1	2,080	210 20	00000	
4	000A	0503A	AUTO1130	1	1 1	8.00 14.55	1	2,080	210 20	00000	
4	000A	0503A	AUTO1200	1	1 1	8.00 14.55	1	2,080	210 20	00000	
4	000A	0503A	AUTO1210	1	1 1	8.00 14.55	1	2,080	210 20	00000	
4	8	000A	0503A	AUTO1220	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1230	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1240	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1300	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1310	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1320	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1330	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1340	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1400	1	1 1	8.00 14.55	1	2,080	210 20	00000
4	8	000A	0503A	AUTO1410	1	1 1	8.00 14.55	1	2,080	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0503A	AUTO1420 1	1 1	8.00 14.55	1	12	2,080	210 20 00000
4	8	000A 0503A	AUTO1430 1	1 1	8.00 14.55	1	1	2,080	210 20 00000
4	8	000A 0503A	AUTO1440 1	1 1	8.00 14.55	1	12	2,080	210 20 00000
		000A 0503A	AUTO1600 2	1 1 1	9.00 11.50	1	1	2,080	210 20 00000
		000A 0503A	AUTO1620 2	1 1 1	9.00 11.50	1	1	2,080	210 20 00000
		000A 0503A	AUTO1630 2	1 1 1	9.00 11.50	1	1	2,080	210 20 00000
		000A 0503A	AUTO1640 2	1 1 1	9.00 11.50	1	1	2,080	210 20 00000
		000A 0503A	AUTO1610 2	1 1	9.00 11.50	1	1	2,080	210 20 00000
4		000A 0503A	AUTO1600 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4		000A 0503A	AUTO1620 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4	8	000A 0503A	AUTO1630 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4	8	000A 0503A	AUTO1640 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4	8	000A 0503A	AUTO1650 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4	8	000A 0503A	AUTO1660 1	1 1 1	9.00 14.50	1	13	2,080	210 20 00000
4	8	000A 0503A	AUTO1610 1	1 1 1	9.00 14.55	1	13	2,080	210 20 00000
	8	000A 0503A	AUTO1120 1	1 1 1	9.10 13.50	1	1	2,080	210 20 00000
4		000A 0504	MTTC2110 1	11111	8.00 14.45	1	7	3,528	210 20 00000
4		000A 0504	MTTC2120 1	11111	8.00 14.45	1	6	3,528	210 20 00000
4		000A 0504	MTTC2210 1	11111	8.00 14.45	1	1	3,528	210 20 00000
4		000A 0504	MTTC2220 1	11111	8.00 14.45	1	1	3,528	210 20 00000
4		000A 0504	MTTC2230 1	11111	8.00 14.45	1	6	3,528	210 20 00000
4		000A 0504	MTTC2310 1	11111	8.00 14.45	1	4	3,528	210 20 00000
4	8	000A 0504	MTTC2320 1	11111	8.00 14.45	1	6	3,528	210 20 00000
4	8	000A 0504	MTTC2331 1	11111	8.00 14.45	1	9	3,528	210 20 00000
4	8	000A 0504	MTTC2410 1	11111	8.00 14.45	1	6	3,528	210 20 00000
4	8	000A 0504	MTTC2420 1	11111	8.00 14.45	1	4	3,528	210 20 00000
4	8	000A 0504	MTTC2431 1	11111	8.00 14.45	1	5	3,528	210 20 00000
4	8	000A 0504	MTTC2510 1	11111	8.00 14.45	1	2	3,528	210 20 00000
4	8	000A 0504	MTTC2710 1	11111	8.00 14.45	1	2	3,528	210 20 00000
4	8	000A 0504	MTTC2991 1	11111	8.00 14.45	1	2	3,528	210 20 00000
4	8	000A 0504	MTTC2993 1	11111	8.00 14.45	1	1	3,528	210 20 00000
4		000A 0506	WELD1110 1	11111	7.00 13.15	1	12	3,528	210 40 00000
4		000A 0506	WELD1120 1	11111	7.00 13.15	1	1	3,528	210 40 00000
4		000A 0506	WELD1140 1	11111	7.00 13.15	1	11	3,528	210 40 00000
4		000A 0506	WELD1210 1	11111	7.00 13.15	1	10	3,528	210 40 00000
4		000A 0506	WELD1310 1	11111	7.00 13.15	1	5	3,528	210 40 00000
4		000A 0506	WELD1410 1	11111	7.00 13.15	1	11	3,528	210 40 00000
4		000A 0506	WELD1411 1	11111	7.00 13.15	1	10	3,528	210 40 00000
4	8	000A 0506	WELD1412 1	11111	7.00 13.15	1	4	3,528	210 40 00000
4	8	000A 0506	WELD1420 1	11111	7.00 13.15	1	2	3,528	210 40 00000
4	8	000A 0506	WELD1510 1	11111	7.00 13.15	1	1	3,528	210 40 00000
4	8	000A 0506	WELD2110 1	11111	7.00 13.15	1	4	3,528	210 40 00000
4	8	000A 0506	WELD2110 3	11111	7.00 13.15	1	2	3,528	210 40 00000
4	8	000A 0506	WELD2111 1	11111	7.00 13.15	1	4	3,528	210 40 00000
4	8	000A 0506	WELD2111 3	11111	7.00 13.15	1	1	3,528	210 40 00000
4	8	000A 0506	WELD2210 1	11111	7.00 13.15	1	1	3,528	210 40 00000
4	8	000A 0506	WELD2310 1	11111	7.00 13.15	1	7	3,528	210 40 00000
4	8	000A 0506	WELD2310 3	11111	7.00 13.15	1	2	3,528	210 40 00000
4	8	000A 0506	WELD2311 1	11111	7.00 13.15	1	2	3,528	210 40 00000
4	8	000A 0506	WELD2440 1	11111	7.00 13.15	1	6	3,528	210 40 00000
4	8	000A 0506	WELD2440 3	11111	7.00 13.15	1	1	3,528	210 40 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0506	WELD2441 1	11111 7.00 13.15	1	1	3,528	210 40	00000
4	8	000A 0506	WELD2995 1	11111 7.00 13.15	1	1	3,528	210 40	00000
		000A 0601A	INCT2070 1	1 1 1 8.00 9.50		16	775	110 20	00000
		000A 0601A	INCT2902 1	1 1 8.00 10.40		9	775	110 20	00000
		000A 0601A	INCT1210 1	1 1 1 10.00 11.50		16	775	110 20	00000
		000A 0601A	INCT2110 1	1 1 10.50 14.55		16	775	110 20	00000
		000A 0601D	INCT2991 1	1 1 1 8.00 8.50		1	562	215 20	00000
		000A 0601D	INCT1800 1	1 1 1 8.00 9.50	1	17	562	215 20	00000
		000A 0601D	INCT1200 2	1 1 8.00 10.40		8	562	215 20	00000
		000A 0601D	INCT1200 1	1 1 1 10.00 11.50		11	562	215 20	00000
		000A 0601D	INCT2993 1	1 1 1 10.00 11.50	1	1	562	215 20	00000
		000A 0601D	CPTR1000 10	1 1 10.50 12.05		16	562	215 20	00000
		000A 0601D	KYBD1000 5	1 1 1 13.00 13.50		15	562	215 20	00000
		000A 0601D	KYBD1000 4	1 1 13.40 14.55		3	562	215 20	00000
		000A 0601D	ORNT1000 7	1 13.40 14.55	1	22	562	215 20	00000
		000A 0601D	JOBS2450 6	1 1 1 14.00 14.50		16	562	215 20	00000
		000A 0601D	ORNT1000 6	1 14.00 14.50	1	12	562	215 20	00000
		000A 0601E	CPTR1010 2	1 1 1 8.00 9.50		13	644	215 20	00000
		000A 0601E	CPTR1860 1	1 1 1 8.00 9.50	1	2	644	215 20	00000
		000A 0601E	CPTR1010 1	1 1 8.00 10.40		19	644	215 20	00000
		000A 0601E	INCT1900 2	1 1 8.00 10.50	1	2	644	215 20	00000
		000A 0601E	INCT1300 1	1 1 1 10.00 11.50		15	644	215 20	00000
		000A 0601E	CPTR2640 1	1 1 10.00 11.50	1	4	644	215 20	00000
		000A 0601E	INCT1900 1	1 1 10.50 14.55		12	644	215 20	00000
		000A 0601E	CPTR2650 1	1 1 1 13.00 14.50		9	644	215 20	00000
		000A 0601E	INCT1320 1	1 1 1 13.00 14.50	1	8	644	215 20	00000
		000A 0601G	INCT1100 1	1 1 1 8.00 9.50		18	748	210 15	00000
		000A 0601G	INCT2010 1	1 1 8.00 10.40		16	748	210 15	00000
		000A 0601G	INCT1110 1	1 1 1 10.00 11.50		18	748	210 15	00000
		000A 0601G	INCT2060 1	1 1 10.50 14.55		15	748	210 15	00000
		000A 0601G	INCT2860 1	1 1 1 13.00 14.50		14	748	210 15	00000
		000A 0601H	ETRN2110 2	1 1 8.00 10.40		11	456	210 15	00000
		000A 0601H	ELTR2800 1	1 1 1 8.00 11.50		11	456	210 15	00000
		000A 0601H	ELTR2840 1	1 1 1 8.00 11.50	1	1	456	210 15	00000
		000A 0601H	IDEL2720 1	1 1 1 8.00 11.50	1	1	456	210 15	00000
		000A 0601H	ETRN2130 3	1 1 1 9.00 9.50	1	9	456	210 15	00000
	8	000A 0601H	ETRN1120 1	1 1 1 9.00 11.50	1	4	456	210 15	00000
	8	000A 0601H	ETRN1130 1	1 1 1 9.00 11.50	1	4	456	210 15	00000
	8	000A 0601H	ETRN1210 1	1 1 1 9.00 11.50	1	4	456	210 15	00000
	8	000A 0601H	ETRN2130 3	1 1 1 10.00 10.50	1	9	456	210 15	00000
		000A 0601H	ETRN2120 2	1 1 10.50 12.05		5	456	210 15	00000
		000A 0601H	CPTR1000 11	1 1 1 13.00 13.50		22	456	210 15	00000
	8	000A 0601H	ETRN1120 1	1 1 1 13.00 14.50	1	4	456	210 15	00000
	8	000A 0601H	ETRN1130 1	1 1 1 13.00 14.50	1	4	456	210 15	00000
	8	000A 0601H	ETRN1210 1	1 1 1 13.00 14.50	1	4	456	210 15	00000
	8	000A 0601H	ELTR2800 1	1 1 1 14.00 14.50	1	11	456	210 15	00000
	8	000A 0601H	ELTR2840 1	1 1 1 14.00 14.50	1	1	456	210 15	00000
	8	000A 0601H	ETRN2120 2	1 1 1 14.00 14.50	1	5	456	210 15	00000
	8	000A 0601H	IDEL2720 1	1 1 1 14.00 14.50	1	1	456	210 15	00000
4		000A 0603	CADD1210 1	1 1 1 8.00 14.50		9	3,111	210 30	00000
4		000A 0603	CADD2310 1	1 1 1 8.00 14.50	1	2	3,111	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 13

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0603	DRFT1110	1 1 1 1	8.00 14.50	1	15	3,111	210 30	00000
4	000A 0603	DRFT1120	1 1 1 1	8.00 14.50	1	14	3,111	210 30	00000
4	8 000A 0603	DRFT1130	1 1 1 1	8.00 14.50	1	14	3,111	210 30	00000
4	8 000A 0603	DRFT1140	1 1 1 1	8.00 14.50	1	20	3,111	210 30	00000
4	8 000A 0603	DRFT1150	1 1 1 1	8.00 14.50	1	8	3,111	210 30	00000
4	8 000A 0603	DRFT1161	1 1 1 1	8.00 14.50	1	8	3,111	210 30	00000
4	8 000A 0603	DRFT1210	1 1 1 1	8.00 14.50	1	10	3,111	210 30	00000
4	8 000A 0603	DRFT1220	1 1 1 1	8.00 14.50	1	5	3,111	210 30	00000
4	8 000A 0603	DRFT1230	1 1 1 1	8.00 14.50	1	7	3,111	210 30	00000
4	8 000A 0603	DRFT2310	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2320	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2330	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2421	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2431	2 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2441	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2461	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2511	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2521	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2531	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2541	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2561	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2611	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2621	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2641	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2661	1 1 1 1	8.00 14.50	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2991	1 1 1 1	8.00 14.50	1	1	3,111	210 30	00000
4	000A 0603	CADD1210	1 1 1	8.00 14.55	1	9	3,111	210 30	00000
4	000A 0603	CADD2310	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	000A 0603	DRFT1110	1 1 1	8.00 14.55	1	15	3,111	210 30	00000
4	000A 0603	DRFT1120	1 1 1	8.00 14.55	1	14	3,111	210 30	00000
4	8 000A 0603	DRFT1130	1 1 1	8.00 14.55	1	14	3,111	210 30	00000
4	8 000A 0603	DRFT1140	1 1 1	8.00 14.55	1	20	3,111	210 30	00000
4	8 000A 0603	DRFT1150	1 1 1	8.00 14.55	1	8	3,111	210 30	00000
4	8 000A 0603	DRFT1161	1 1 1	8.00 14.55	1	8	3,111	210 30	00000
4	8 000A 0603	DRFT1210	1 1 1	8.00 14.55	1	10	3,111	210 30	00000
4	8 000A 0603	DRFT1220	1 1 1	8.00 14.55	1	5	3,111	210 30	00000
4	8 000A 0603	DRFT1230	1 1 1	8.00 14.55	1	7	3,111	210 30	00000
4	8 000A 0603	DRFT2310	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2320	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2330	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2421	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2431	2 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2441	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2461	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2511	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2521	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2531	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2541	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2561	1 1 1	8.00 14.55	1	2	3,111	210 30	00000
4	8 000A 0603	DRFT2611	1 1 1	8.00 14.55	1	1	3,111	210 30	00000
4	8 000A 0603	DRFT2621	1 1 1	8.00 14.55	1	2	3,111	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 14

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0603	DRFT2641 1	1 1	8.00 14.55	1	2	3,111	210 30 00000
4	8	000A 0603	DRFT2661 1	1 1	8.00 14.55	1	2	3,111	210 30 00000
4	8	000A 0603	DRFT2991 1	1 1	8.00 14.55	1	1	3,111	210 30 00000
4		000A 0603	ORNT1000 5	1 1 1	9.00 14.50		28	3,111	210 30 00000
4		000A 0603	ORNT1000 5	1 1	9.25 14.55		28	3,111	210 30 00000
		000A 0605	GRPH1000 1	1 1	8.00 8.50		7	2,967	210 20 00000
		000A 0605	GRPH1340 1	1 1	8.00 8.50	1	1	2,967	210 20 00000
		000A 0605	GRPH2440 1	1 1	8.00 8.50	1	4	2,967	210 20 00000
		000A 0605	GRPH2993 1	1 1	8.00 8.50	1	1	2,967	210 20 00000
		000A 0605	GRPH1000 1	1 1	8.00 9.15		7	2,967	210 20 00000
		000A 0605	GRPH1340 1	1 1	8.00 9.15	1	1	2,967	210 20 00000
		000A 0605	GRPH2440 1	1 1	8.00 9.15	1	4	2,967	210 20 00000
		000A 0605	GRPH2993 1	1 1	8.00 9.15	1	1	2,967	210 20 00000
		000A 0605	GRPH1010 1	1 1	9.00 9.50		10	2,967	210 20 00000
		000A 0605	GRPH1020 1	1 1	9.00 9.50	1	4	2,967	210 20 00000
		000A 0605	GRPH2530 1	1 1	9.00 9.50	1	3	2,967	210 20 00000
		000A 0605	GRPH1010 1	1 1	9.25 10.40		10	2,967	210 20 00000
		000A 0605	GRPH1020 1	1 1	9.25 10.40	1	4	2,967	210 20 00000
		000A 0605	GRPH2410 1	1 1	9.25 10.40	1	3	2,967	210 20 00000
		000A 0605	GRPH2530 1	1 1	9.25 10.40	1	3	2,967	210 20 00000
		000A 0605	GRPH2997 1	1 1	9.25 12.05	1	2	2,967	210 20 00000
		000A 0605	GRPH1130 1	1 1	10.00 10.50		6	2,967	210 20 00000
		000A 0605	GRPH2430 1	1 1	10.00 10.50	1	3	2,967	210 20 00000
		000A 0605	GRPH2450 1	1 1	10.00 10.50	1	2	2,967	210 20 00000
		000A 0605	GRPH2520 1	1 1	10.00 10.50	1	2	2,967	210 20 00000
		000A 0605	GRPH2995 1	11111	10.00 11.50	1	1	2,967	210 20 00000
		000A 0605	GRPH1130 1	1 1	10.50 12.05	1	6	2,967	210 20 00000
		000A 0605	GRPH2430 1	1 1	10.50 12.05	1	3	2,967	210 20 00000
		000A 0605	GRPH2450 1	1 1	10.50 12.05	1	2	2,967	210 20 00000
		000A 0605	GRPH2520 1	1 1	10.50 12.05	1	2	2,967	210 20 00000
		000A 0605	GRPH2997 1	1 1 1	11.00 11.50		2	2,967	210 20 00000
		000A 0605	GRPH1040 1	1 1	11.00 11.50	1	5	2,967	210 20 00000
		000A 0605	GRPH2410 1	1 1	11.00 11.50	1	3	2,967	210 20 00000
		000A 0605	GRPH2460 1	1 1	11.00 11.50	1	1	2,967	210 20 00000
		000A 0605	GRPH1030 1	1 1	13.00 13.50		3	2,967	210 20 00000
		000A 0605	GRPH2420 1	1 1	13.00 13.50	1	2	2,967	210 20 00000
		000A 0605	GRPH1030 1	1 1	13.40 14.55		3	2,967	210 20 00000
		000A 0605	GRPH1040 1	1 1	13.40 14.55	1	5	2,967	210 20 00000
		000A 0605	GRPH2420 1	1 1	13.40 14.55	1	2	2,967	210 20 00000
		000A 0605	GRPH2460 1	1 1	13.40 14.55	1	1	2,967	210 20 00000
4		000A 0609	HACR1150 1	11111	8.00 14.50		3	3,055	210 20 00000
4		000A 0609	HACR1160 1	11111	8.00 14.50	1	3	3,055	210 20 00000
4		000A 0609	HACR1170 1	11111	8.00 14.50	1	3	3,055	210 20 00000
4		000A 0609	HACR1230 1	11111	8.00 14.50	1	3	3,055	210 20 00000
4		000A 0609	HACR1230 2	11111	8.00 14.50	1	1	3,055	210 20 00000
4		000A 0609	HACR1240 1	11111	8.00 14.50	1	3	3,055	210 20 00000
4		000A 0609	HACR1240 2	11111	8.00 14.50	1	1	3,055	210 20 00000
4		000A 0609	HACR1410 1	11111	8.00 14.50	1	5	3,055	210 20 00000
4		000A 0609	HACR1410 2	11111	8.00 14.50	1	1	3,055	210 20 00000
4		000A 0609	HACR1420 1	11111	8.00 14.50	1	2	3,055	210 20 00000
4		000A 0609	HACR2510 1	11111	8.00 14.50	1	5	3,055	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 12/05/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 15

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0609	HACR2520 1	11111	8.00 14.50 1	4	3,055	210 20	00000
4	8	000A 0609	HACR2530 1	11111	8.00 14.50 1	3	3,055	210 20	00000
4	8	000A 0609	HACR2540 1	11111	8.00 14.50 1	3	3,055	210 20	00000
4	8	000A 0609	HACR2810 1	11111	8.00 14.50 1	6	3,055	210 20	00000
4	8	000A 0609	HACR2820 1	11111	8.00 14.50 1	11	3,055	210 20	00000
4	8	000A 0609	HACR2830 1	11111	8.00 14.50 1	8	3,055	210 20	00000
4	8	000A 0609	HACR2910 1	11111	8.00 14.50 1	1	3,055	210 20	00000
4	8	000A 0609	HACR2920 1	11111	8.00 14.50 1	2	3,055	210 20	00000
4	8	000A 0609	HACR2930 1	11111	8.00 14.50 1	2	3,055	210 20	00000
4	8	000A 0609	HACR2995 1	11111	8.00 14.50 1	5	3,055	210 20	00000
4	8	000A 0609	HACR2995 2	11111	8.00 14.50 1	1	3,055	210 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	35
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	5
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	264
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	275
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	8
TOTAL ERRORS (INCLUDING WARNINGS)	587
TOTAL NUMBER OF RECORDS READ	725
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	678
NUMBER OF JOINT-CLASS RECORDS	524
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			478
WEEKLY STUDENT CONTACT HOURS	5858		5858
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	638		638
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43020	23900	66920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40120		40120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11716		11716
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.2	.0	20.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.2	.0	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.2	.0	29.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			478
WEEKLY STUDENT CONTACT HOURS	5858		5858
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	638		638
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43020	23900	66920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40120		40120
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	11716		11716
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.2	.0	20.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.2	.0	17.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.2	.0	29.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			911
WEEKLY STUDENT CONTACT HOURS	29475	24	29499
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12276	6	12282
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	81990	45550	127540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	274396	120	274516
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	58950	48	58998
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	248.0	.2	159.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	71.9	.1	46.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.5	40.0	21.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			911
WEEKLY STUDENT CONTACT HOURS	29475	24	29499
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12276	6	12282
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	81990	45550	127540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	274396	120	274516
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	58950	48	58998
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	248.0	.2	159.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	71.9	.1	46.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	21.5	40.0	21.5

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			77
TOTAL NUMBER OF STATIONS (CAPACITY)			1389
WEEKLY STUDENT CONTACT HOURS	35333	24	35357
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6930	3850	10780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12914	6	12920
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	125010	69450	194460
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	314516	120	314636
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	70666	48	70714
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	186.3	.2	119.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	56.5	.1	36.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.5	40.0	22.5

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY