

ROOM INVENTORY EDIT BY BUILDING - Z235B261
 FALL DATA 2006
 RUN DATE 03/26/2007
 PAGE NUMBER 1

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

---ERRORS---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION FUNC. TYPE	---ERRORS---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION FUNC. TYPE	OTHER
	A000	J0001	220	1	00 010		A000	J0002	210	1	00 010	
	A000	J0003	1280		00 010		A000	M0001	121	15	00 030	
	A000	M0002	108	1	00 030		A000	M0003	144		00 030	
	A000	M0004	90	2	00 030		A000	M0005	170	6	00 030	
	A000	S0017	366	1	63 315		A000	W0001	108	1	00 030	
	A000	W0002	121	1	00 030		A000	W0003	144	1	00 030	
	A000	W0004	144	1	00 030		A000	W0005	90		00 030	
	A000	W0006	60	1	00 030		A000	0001	12708	1	00 020	
	A000	0100	405	12	12 110		A000	0101	760	15	12 210	
	A000	0101A	135	40	63 215		A000	0101B	561	20	12 110	
	A000	0101C	84	1	46 310		A000	0101D	180	15	46 310	
	A000	0101E	135	10	12 210		A000	0101F	81	22	46 310	
	A000	0101G	54	1	46 310		A000	0101H	160	1	63 215	
	A000	0101I	546	15	12 210		A000	0102	1024	20	12 210	
	A000	0102A	156	1	63 215		A000	0102B	144	1	46 310	
	A000	0102C	132		00 030		A000	0103	544	11	12 210	
	A000	0103A	117	1	46 310		A000	0103B	91	1	46 310	
	A000	0103C	192	20	63 215		A000	0104	336	20	31 640	
	A000	0104A	157	1	46 310	9	A000	0105	1680	1	12 110	
	A000	0105A	238	5	12 210	9	A000	0105B	168	20	12 210	
	A000	0105C	238	5	63 215	9	A000	0106	986	2	12 210	
	A000	0106A	143	5	46 310		A000	0106B	448	15	63 215	
	A000	0106C	132	15	63 215		A000	0107	620	12	12 210	
	A000	0108	100	1	46 310		A000	0108A	440	9	12 210	
	A000	0108C	594	20	12 210		A000	0109A	252	1	63 215	
	A000	0110	1034	21	12 210		A000	0110A	96	40	63 215	

ROOM INVENTORY EDIT BY BUILDING - Z235B261
 FALL DATA 2006
 RUN DATE 03/26/2007
 PAGE NUMBER 2

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

---ERRORS---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION FUNC. TYPE	---ERRORS---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION FUNC. TYPE
	A000	0110B	252		63 215		A000	0112	2752	20	52 630
	A000	0112A	483	32	12 110		A000	0112B	3648	20	12 210
9	A000	0114	945	1	12 210		A000	0116	945	19	12 210
	A000	0200	600	15	12 210		A000	0200A	352	15	63 215
	A000	0200B	98	30	63 215		A000	0201	576	12	12 210
	A000	0203	589	12	12 210		A000	0300	459	20	12 110
9	A000	0301	1000	15	12 110		A000	0301A	210	10	63 215
	A000	0302	459	9	12 210		A000	0400	700	1	63 310
	A000	0400A	120	1	63 310		A000	0400B	120	20	63 310
	A000	0400C	120	15	63 310		A000	0400D	120	1	63 310
	A000	0400E	216	1	63 310		A000	0400F	280		63 350
	A000	0400G	147	20	63 310		A000	0400H	190	12	63 315
	A000	0400I	120	20	63 310		A000	0400J	90		63 315
	A000	0400K	117		63 315		A000	0401	408	1	53 310
	A000	0401A	120	1	63 310		A000	0401B	168	1	54 310
	A000	0401C	108	1	53 310		A000	0401D	108	1	53 310
	A000	0401E	144		53 315		A000	0402	704	14	12 210
	A000	0402A	108	1	46 310		A000	0402B	192		63 215
	A000	0403	2162	1	51 310		A000	0403A	425	9	12 210
	A000	0403B	132	1	51 310		A000	0403C	132	1	51 310
	A000	0403D	132	1	51 310		A000	0403E	132	1	51 310
	A000	0403F	240	1	51 310		A000	0403G	385		51 315
	A000	0403H	432	1	51 310		A000	0403I	143	1	51 310
	A000	0403J	324	22	12 110		A000	0404	680	14	12 210
	A000	0407	459	18	12 110		A000	0408	1540	18	12 210
	A000	0408A	98	1	63 215		A000	0409	1485	30	12 210

ROOM INVENTORY EDIT BY BUILDING - Z235B261
 FALL DATA 2006
 RUN DATE 03/26/2007
 PAGE NUMBER 3

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

---ERRORS---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS	OTHER LAB.	---	CLASSIFICATION FUNC.	ROOM TYPE	---	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS	OTHER LAB.	---	CLASSIFICATION FUNC.	ROOM TYPE	---	OTHER
	A000	0409A	336		20		63	215		A000	0409B	192		1		46	310		
9	A000	0411	1705	3			12	110		A000	0413	1430		8		12	210		
	A000	0413A	126		1		63	215	9	A000	0415	472		1		12	210		
	A000	0417	472		9		12	210	9	A000	0500	4709		11		15	210		
	A000	0500A	228		20		63	215		A000	0500B	120		3		46	310		
	A000	0500C	315	21			12	110		A000	0500D	342		1		63	215		
	A000	0501	2394		48		12	210		A000	0501A	242		11		46	310		
	A000	0501B	98				63	215		A000	0501C	112		1		63	215		
	A000	0501D	225		1		63	215		A000	0502	3168		63		12	210		
	A000	0502A	225				63	215		A000	0502B	120		15		46	310		
9	A000	0502C	450	1			12	110		A000	0503A	2080		85		12	210		
	A000	0503B	396	15			12	110		A000	0503C	264		7		63	215		
	A000	0503D	156		7		46	310		A000	0503E	308	21			12	110		
	A000	0503F	308		20		63	215		A000	0503G	5135		4		12	210		
9	A000	0503H	550		1		12	210		A000	0503I	156		1		46	310		
	A000	0503J	242		5		12	210		A000	0503K	220		20		12	210		
	A000	0503L	352	23			12	110	9	A000	0503M	405	1			12	110		
	A000	0503N	165				63	215		A000	0503O	2405		15		12	210		
	A000	0503P	210		20		63	215		A000	0503Q	336				71	740		
	A000	0503R	360				63	215		A000	0504	3528		20		12	210		
	A000	0504A	168		4		63	215		A000	0504B	80		1		46	310		
	A000	0504C	165				63	215	9	A000	0504D	300	5			12	110		
	A000	0506	3528	120			12	210		A000	0506A	168				63	215		
	A000	0506B	80		15		46	310		A000	0601A	775	20			12	110		
	A000	0601B	352		15		12	210		A000	0601C	342		30		63	215		
	A000	0601D	562		20		22	215		A000	0601E	644		20		22	215		

ROOM INVENTORY EDIT BY BUILDING - Z235B261
 FALL DATA 2006
 RUN DATE 03/26/2007
 PAGE NUMBER 4

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

--ERRORS--	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	---	--ERRORS--	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---	CLASSIFICATION ROOM FUNC. TYPE	---
	9	A000 0601F	70	30		12 210			A000 0601G		748	20		12 210	
		A000 0601H	456	20		12 210			A000 0601I		152			63 215	
		A000 0601J	140			63 215			A000 0601K		986	20		12 210	
		A000 0602	459	20		12 110			A000 0603		3111	15		12 210	
		A000 0603A	120	35		63 215			A000 0603B		136			63 215	
		A000 0605	2967	15		12 210			A000 0605A		744	3		12 210	
9	A000 0605B	620	1			12 210			A000 0605C		252	1		63 215	
	A000 0605D	315		1		43 530			A000 0605E		315	1		63 215	
9	A000 0607	546	1			12 110			A000 0607A		576	12		12 210	
	A000 0607B	96	1			63 215			A000 0607C		120			63 215	
	A000 0607D	132	1			63 215			A000 0609		3055	61		12 210	
	A000 0609A	255	5			12 210			A000 0609B		374	1		12 210	
	A000 0609C	380	1			63 215			A000 0609D		345	1		63 215	
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE						99,757
									TOTAL NUMBER CLASSROOMS						19
									TOTAL NUMBER LABS 210						51
									TOTAL NUMBER SPECIAL LABS 220						
	B000 0001	264	15			75 585			TOTAL NET ASSIGN SQ. FT. IN ROOM FILE						264
									TOTAL NUMBER CLASSROOMS						
									TOTAL NUMBER LABS 210						
									TOTAL NUMBER SPECIAL LABS 220						
1	C000 0001	1148	21			75 580			TOTAL NET ASSIGN SQ. FT. IN ROOM FILE						1,148
									TOTAL NUMBER CLASSROOMS						
									TOTAL NUMBER LABS 210						
									TOTAL NUMBER SPECIAL LABS 220						
6	D000 0001	1334	15			00 215			TOTAL NET ASSIGN SQ. FT. IN ROOM FILE						
									TOTAL NUMBER CLASSROOMS						
									TOTAL NUMBER LABS 210						
									TOTAL NUMBER SPECIAL LABS 220						
	E000 0001	250	15			63 215			TOTAL NET ASSIGN SQ. FT. IN ROOM FILE						250

ERROR LEGEND

L.T.C.-LAFAYETTE

ERROR 1	BLD NUMBER OF THE ROOM FILE DOES NOT MATCH THE BLD NUMBER OF THE BLD FILE. THE BUILDING NUMBERS SHOULD BE EXACTLY THE SAME ON THE BUILDING FILE AND THE ROOM FILE.	1
ERROR 2	DUPLICATE RECORD IN THE ROOM FILE.	
ERROR 3	NET ASSIGNABLE SQUARE FEET IS BLANK.	
ERROR 4	CAPACITY IS NOT ENTERED FOR ROOM TYPE 110, 210, 220, 230, 250, 410, 430, 610, 910, 920.	
ERROR 5	BUILDING DOES NOT CONTAIN ANY ROOMS. IF THE BUILDING IS A WAREHOUSE, BARN, ETC. WITH NO ROOMS, CODE ONE ROOM WITH THE GROSS AND NET EQUAL.	
ERROR 6	FUNCTION USE OF ROOMS IS 00 AND ROOM TYPE NOT 010, 020, 030, 051, 052, OR 053.	1
ERROR 7	ROOM TYPE IS NOT A VALID ROOM USE CODE OR PCS FUNCTION USE CODE IS NOT A VALID CODE	
ERROR 8	ROOM TYPE IS WRONG (000).	
TOTAL ERRORS		2
#9	WARNING ONLY - RATIO OF NET ASSIGN SQ. FT. TO CAPACITY IS NOT 5 TO 50 SQ. FT. FOR ROOM TYPES 110 410 430 OR IS NOT 10 TO 400 SQ. FT. FOR ROOM TYPES 210 220 230 250 OR IS NOT 5 TO 25 SQ. FT. FOR ROOM TYPE 610.	15
TOTAL NUMBER OF ROOM RECORDS		203
TOTAL CLASSROOM CAPACITY		331
TOTAL LAB CAPACITY		1654
TOTAL OTHER CAPACITY		379
TOTAL NON ASSIGN AREA - ROOMS (FUNCT 00)		17295
TOTAL UNASSIGNED AREA - ROOMS (FUNCT 81, 82, 83)		
TOTAL FACIL IN USE - ROOMS (FUNCT 10 THROUGH 70)		120605
TOTAL ASSIGNABLE AREA - ROOMS (FUNCT 10 THROUGH 83)		120605
TOTAL NUMBER OF NON-ASSIGN ROOMS (FUNCT 00)		20
TOTAL NUMBER OF INSTRUCTIONAL, RESEARCH, ACADEMIC SUPPORT, AND STUDENT SERVICE ROOMS (FUNCTS 10, 20, 40 AND 50)		117
TOTAL NUMBER OF PUBLIC SERVICE, INSTITUTIONAL SUPPORT AND INDEPENDENT OPERATIONS ROOMS (FUNCTS 30, 60 AND 70)		66
TOTAL NUMBER OF UNASSIGNED ROOMS (FUNCT 81, 82, 83)		
TOTAL NUMBER OF ASSIGNABLE ROOMS (FUNCT 10 TO 83)		183
TOTAL NUMBER OF CLASSROOMS (110)		22
TOTAL NUMBER OF LABS (210)		55
TOTAL NUMBER OF SPECIAL LABS (220)		