

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 11/27/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|------------------------|----------------------|----------|
| 1 | 000A 0100 | HNUR2130 00 | 1 1 | 8.00 11.00 | | 36 | | | 00000 |
| 1 | 000A 0100 | HNUR2611 00 | 1 1 | 13.00 14.00 | | 63 | | | 00000 |
| 1 | 000A 0100 | HNUR2640 00 | 1 1 | 13.00 14.00 | | 35 | | | 00000 |
| 1 | 000A 0100 | PTEC2030 B9 | 1 | 18.00 20.00 | | 22 | | | 00000 |
| 1 | 000A 0100 | PTEC2030 B9 | 1 | 18.00 20.00 | | 40 | | | 00000 |
| 1 | 000A 0100 | PTEC2070 B9 | 1 | 18.00 20.00 | | 19 | | | 00000 |
| 1 | 000A 0100 | PTEC2070 B9 | 1 | 18.00 20.00 | | 16 | | | 00000 |
| 1 4 | 000A 0200 | AHEN1000 00 | 11111 | 8.00 15.00 | | 3 | | | 00000 |
| 1 4 | 000A 0200 | AHMA1000 00 | 11111 | 8.00 15.00 | | 9 | | | 00000 |
| 1 4 | 000A 0200 | AHRE1000 00 | 11111 | 8.00 15.00 | | 4 | | | 00000 |
| 1 4 | 000A 0200 | AHSC1000 00 | 11111 | 8.00 15.00 | | 24 | | | 00000 |
| 1 4 | 000A 0200 | AHSC1000 00 | 11111 | 8.00 15.00 | | 13 | | | 00000 |
| 1 4 | 000A 0203 | HNUR2132 00 | 11 | 7.00 15.30 | | 10 | | | 00000 |
| 1 | 000A 0203 | HNUR2650 00 | 1 1 | 8.00 10.00 | | 36 | | | 00000 |
| 1 | 000A 0203 | HNUR2110 00 | 11 | 8.00 10.00 | | 27 | | | 00000 |
| 1 | 000A 0203 | HNUR2230 00 | 1 | 8.00 11.00 | | 26 | | | 00000 |
| 1 | 000A 0203 | HNUR1211 00 | 111 | 8.00 12.00 | | 24 | | | 00000 |
| 1 | 000A 0203 | HNUR1411 00 | 111 | 8.00 12.00 | | 25 | | | 00000 |
| 1 | 000A 0203 | HNUR1340 00 | 111 | 12.00 14.00 | | 24 | | | 00000 |
| 1 | 000A 0203 | HNUR1360 00 | 11 | 12.00 14.00 | | 24 | | | 00000 |
| 1 | 000A 0203 | HNUR2220 00 | 1 | 12.00 15.00 | | 26 | | | 00000 |
| 1 | 000A 0300 | KYBD1110 00 | 11111 | 8.00 9.00 | | 10 | | | 00000 |
| 1 | 000A 0300 | KYBD1210 00 | 11111 | 8.00 9.00 | | 2 | | | 00000 |
| 1 | 000A 0300 | KYBD1000 00 | 1 1 1 | 8.00 9.00 | | 5 | | | 00000 |
| 1 | 000A 0300 | OSYS2530 00 | 1 1 1 | 9.00 10.00 | | 6 | | | 00000 |
| 1 | 000A 0300 | ENGL1030 00 | 1 1 1 | 10.00 11.00 | | 15 | | | 00000 |
| 1 | 000A 0300 | OSYS1100 00 | 1 1 1 | 11.40 13.30 | | 7 | | | 00000 |
| 1 | 000A 0300 | OSYS1250 00 | 1 1 | 13.30 14.30 | | 3 | | | 00000 |
| 1 | 000A 0303 | JOBS2450 00 | 1 1 | 8.00 9.20 | | 18 | | | 00000 |
| 1 | 000A 0303 | ACCT1400 00 | 1 1 1 | 8.00 10.00 | | 2 | | | 00000 |
| 1 | 000A 0303 | ACCT1100 00 | 11111 | 9.00 10.00 | | 11 | | | 00000 |
| 1 | 000A 0303 | ACCT1200 00 | 11111 | 10.00 11.00 | | 6 | | | 00000 |
| 1 | 000A 0303 | MACH1350 B9 | 1 1 1 | 11.40 12.30 | | 4 | | | 00000 |
| 1 | 000A 0303 | ISYS1650 00 | 1 1 | 11.40 12.40 | | 1 | | | 00000 |
| 1 | 000A 0303 | MATH1050 00 | 1 1 | 11.40 13.00 | | 7 | | | 00000 |
| 1 | 000A 0303 | ISYS1400 00 | 1 1 1 | 12.40 13.30 | | 1 | | | 00000 |
| 1 | 000A 0303 | ISYS1550 B9 | 1 1 1 | 12.40 14.30 | | 1 | | | 00000 |
| 1 | 000A 0303 | JOBS2450 01 | 1 | 19.00 21.00 | | 18 | | | 00000 |
| 1 4 | 000A 0306 | ISYS1450 01 | 11111 | 14.00 21.00 | | 4 | | | 00000 |
| 1 | 000A 0306 | ACCT1500 01 | 1 | 18.00 21.00 | | 2 | | | 00000 |
| 1 | 000A 0306 | CPTR1300 01 | 1 | 18.00 21.00 | | 9 | | | 00000 |
| 1 | 000C C100 | HNUR1300 00 | 11 | 8.00 11.00 | | 25 | | | 00000 |
| 1 4 | 000C C100 | MAST1110 00 | 1 | 8.00 14.30 | | 8 | | | 00000 |
| 1 4 | 000C C100 | MAST1210 00 | 1 | 8.00 15.00 | | 9 | | | 00000 |
| 1 | 000C C100 | MAST1120 00 | 1 | 8.30 11.00 | | 7 | | | 00000 |
| 1 4 | 000C C100 | MAST1220 00 | 1 | 8.30 15.00 | | 7 | | | 00000 |
| 1 | 000C C100 | HNUR1351 00 | 11 | 12.00 13.30 | | 24 | | | 00000 |
| 1 | 000C C100 | HCOR1120 00 | 11 | 12.00 15.00 | | 8 | | | 00000 |
| 1 | 000C C100 | HMDT1170 00 | 1 | 12.00 15.00 | | 8 | | | 00000 |
| 1 | 000C C100 | HNUR1330 00 | 11 | 13.30 15.00 | | 26 | | | 00000 |
| 1 4 | 000C C100 | HACR1210 00 | 11111 | 8.00 14.30 | | 13 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 11/27/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|---------------------|----------------------|----------|
| 1 4 | 000C 0200 | HACR1220 00 | 11111 | 8.00 14.30 | | 13 | | | 00000 |
| 1 4 | 000C 0200 | HACR1230 00 | 11111 | 8.00 14.30 | | 13 | | | 00000 |
| 1 4 | 000C 0200 | HACR1240 00 | 11111 | 8.00 14.30 | | 13 | | | 00000 |
| 1 4 | 000C 0200 | HACR2540 00 | 11111 | 8.00 14.30 | | 12 | | | 00000 |
| 1 4 | 000C 0200 | HACR2550 00 | 11111 | 8.00 14.30 | | 12 | | | 00000 |
| 1 4 | 000C 0200 | HACR2560 00 | 11111 | 8.00 14.30 | | 12 | | | 00000 |
| 1 4 | 000C 0200 | HACR2999 00 | 11111 | 8.00 14.30 | | 13 | | | 00000 |
| 1 4 | 000C 0300 | WKEY0070 00 | 11111 | 8.00 14.30 | | 14 | | | 00000 |
| 1 4 | 000C 0300 | DVEN0090 00 | 11111 | 8.00 15.00 | | 9 | | | 00000 |
| 1 4 | 000C 0300 | DVEN0091 00 | 11111 | 8.00 15.00 | | 13 | | | 00000 |
| 1 4 | 000C 0300 | DVEN0092 00 | 11111 | 8.00 15.00 | | 18 | | | 00000 |
| 1 4 | 000C 0300 | DVMA0090 00 | 11111 | 8.00 15.00 | | 56 | | | 00000 |
| 1 4 | 000C 0300 | DVMA0091 00 | 11111 | 8.00 15.00 | | 10 | | | 00000 |
| 1 4 | 000C 0300 | DVMA0092 00 | 11111 | 8.00 15.00 | | 11 | | | 00000 |
| 1 4 | 000C 0300 | DVRE0090 00 | 11111 | 8.00 15.00 | | 11 | | | 00000 |
| 1 4 | 000C 0300 | DVRE0091 00 | 11111 | 8.00 15.00 | | 36 | | | 00000 |
| 1 4 | 000C 0300 | DVRE0092 00 | 11111 | 8.00 15.00 | | 52 | | | 00000 |
| 1 | 000C 0300 | DVMA0092 01 | 1 1 | 18.00 21.00 | | 1 | | | 00000 |
| 1 | 000C 0300 | DVRE0091 01 | 1 1 | 18.00 21.00 | | 6 | | | 00000 |
| 1 | 000C 0300 | DVRE0092 01 | 1 1 | 18.00 21.00 | | 16 | | | 00000 |
| 1 | 000C 0300 | DVRE0092 01 | 1 1 | 18.00 21.00 | | 1 | | | 00000 |
| 1 | 000C 0300 | DVEN0090 01 | 1 | 18.00 21.00 | | 2 | | | 00000 |
| 1 | 000C 0300 | DVEN0091 01 | 1 | 18.00 21.00 | | 1 | | | 00000 |
| 1 | 000C 0300 | DVEN0092 01 | 1 | 18.00 21.00 | | 9 | | | 00000 |
| 1 | 000C 0300 | DVMA0090 01 | 1 | 18.00 21.00 | | 31 | | | 00000 |
| 1 | 000C 0300 | DVMA0091 01 | 1 | 18.00 21.00 | | 8 | | | 00000 |
| 1 | 000C 0300 | DVMA0092 01 | 1 | 18.00 21.00 | | 8 | | | 00000 |
| 1 | 000C 0300 | DVRE0090 01 | 1 | 18.00 21.00 | | 2 | | | 00000 |
| 1 | 000C 0304 | ZGED1000 00 | 1111 | 8.00 11.00 | | 12 | | | 00000 |
| 1 4 | 000C 0400 | CADD1210 00 | 11111 | 8.00 14.30 | | 5 | | | 00000 |
| 1 4 | 000C 0400 | CADD2310 00 | 11111 | 8.00 14.30 | | 7 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1110 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1120 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1130 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1130 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1130 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1130 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1140 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1150 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1161 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1210 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1230 00 | 11111 | 8.00 14.30 | | 6 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2310 00 | 11111 | 8.00 14.30 | | 4 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2310 00 | 11111 | 8.00 14.30 | | 4 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2320 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2330 00 | 11111 | 8.00 14.30 | | 5 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2421 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2461 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2561 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT2661 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0400 | DRFT1220 00 | 1 1 1 | 8.00 14.30 | | 4 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 11/27/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|---------------------|----------------------|----------|
| 1 | 000C 0400 | CADD1000 01 | 1 1 | 18.00 21.00 | | 20 | | | 00000 |
| 1 | 000C 0500 | IMMT1221 00 | 11111 | 8.00 10.00 | | 5 | | | 00000 |
| 1 4 | 000C 0500 | IMMT1110 00 | 1 1 1 | 8.00 14.30 | | 1 | | | 00000 |
| 1 | 000C 0500 | IMMT1230 00 | 1 1 1 | 10.00 11.00 | | 3 | | | 00000 |
| 1 | 000C 0500 | IMMT1231 00 | 1 1 1 | 11.30 14.30 | | 2 | | | 00000 |
| 1 | 000C 0500 | IMMT1241 00 | 1 1 1 | 11.30 14.30 | | 2 | | | 00000 |
| 1 | 000C 0500 | IMMT1330 00 | 1 1 | 11.30 14.30 | | 2 | | | 00000 |
| 1 | 000C 0500 | IMMT1331 00 | 1 1 | 11.30 14.30 | | 2 | | | 00000 |
| 1 | 000C 0500 | IMMT1220 00 | 1 1 1 | 14.30 15.30 | | 5 | | | 00000 |
| 1 | 000C 0500 | IMMT1120 00 | 1 1 | 14.30 15.30 | | 4 | | | 00000 |
| 1 | 000C 0500 | PTEC1610 01 | 1 | 17.30 21.00 | | 28 | | | 00000 |
| 1 | 000C 0500 | PTEC1610 01 | 1 | 17.30 21.00 | | 22 | | | 00000 |
| 1 4 | 000C 0600 | WELD1110 00 | 11111 | 8.00 14.30 | | 4 | | | 00000 |
| 1 4 | 000C 0600 | WELD1130 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0600 | WELD1140 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0600 | WELD1210 00 | 11111 | 8.00 14.30 | | 2 | | | 00000 |
| 1 4 | 000C 0600 | WELD1510 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0600 | WELD2112 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 4 | 000C 0600 | WELD2420 00 | 11111 | 8.00 14.30 | | 1 | | | 00000 |
| 1 | 000C 0600 | WELD1000 01 | 1 1 | 18.00 21.00 | | 21 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 11111 | 7.00 15.30 | | 25 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 111 | 7.00 15.30 | | 4 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 111 | 7.00 15.30 | | 4 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 111 | 7.00 15.30 | | 4 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 111 | 7.00 15.30 | | 4 | | | 00000 |
| 1 4 | 000D 0100 | ZMAR1000 00 | 1 11 | 7.00 15.30 | | 4 | | | 00000 |
| 1 4 | 000D 0100 | ZMOT1000 00 | 111 | 7.00 17.00 | | 15 | | | 00000 |
| 1 4 | 000D 0100 | ZMOT1000 00 | 11111 | 7.30 16.00 | | 25 | | | 00000 |
| 1 | 000D 0102 | PTEC1010 00 | 1 | 8.00 11.00 | | 18 | | | 00000 |
| 1 | 000D 0102 | PTEC1010 01 | 1 | 18.00 21.00 | | 20 | | | 00000 |
| 1 | 000D 0102 | PTEC1010 01 | 1 | 18.00 21.00 | | 10 | | | 00000 |
| 1 | 000D 0102 | PTEC2630 01 | 1 | 18.00 21.00 | | 20 | | | 00000 |
| 1 | 000D 0106 | PTEC1010 00 | 1 | 8.00 11.00 | | 15 | | | 00000 |
| 1 | 000D 0106 | PTEC1010 00 | 1 | 8.00 11.00 | | 7 | | | 00000 |
| 1 | 000D 0106 | PTEC2420 00 | 1 | 8.00 12.00 | | 18 | | | 00000 |
| 1 | 000D 0106 | PTEC2420 00 | 1 | 12.00 16.00 | | 5 | | | 00000 |
| 1 | 000D 0106 | PTEC1010 00 | 1 | 13.00 16.00 | | 20 | | | 00000 |
| 1 | 000D 0106 | PTEC1310 01 | 1 | 17.30 21.00 | | 15 | | | 00000 |
| 1 | 000D 0106 | PTEC1010 01 | 1 | 18.00 21.00 | | 19 | | | 00000 |
| 1 | 000D 0106 | PTEC1010 01 | 1 | 18.00 21.00 | | 15 | | | 00000 |
| 1 | 000D 0107 | CPTR1000 V9 | 1 1 1 | 8.00 9.00 | | 21 | | | 00000 |
| 1 | 000D 0107 | MATH1015 00 | 1 1 1 | 9.00 10.00 | | 24 | | | 00000 |
| 1 | 000D 0107 | MATH1015 00 | 1 1 | 9.30 10.50 | | 26 | | | 00000 |
| 1 | 000D 0107 | MATH1020 00 | 1 1 1 | 10.00 11.00 | | 10 | | | 00000 |
| 1 | 000D 0107 | CPTR1005 00 | 1 1 1 | 11.40 12.30 | | 20 | | | 00000 |
| 1 | 000D 0107 | CPTR1000 V9 | 1 111 | 12.40 13.30 | | 19 | | | 00000 |
| 1 | 000D 0107 | CPTR1005 00 | 1 1 | 13.10 14.30 | | 21 | | | 00000 |
| 1 | 000D 0107 | CPTR1000 V9 | 1 1 1 | 13.40 14.30 | | 18 | | | 00000 |
| 1 | 000D 0107 | PTEC2630 00 | 1 1 | 14.30 16.00 | | 15 | | | 00000 |
| 1 | 000D 0107 | MATH1015 01 | 1 1 | 16.30 18.00 | | 21 | | | 00000 |
| 1 | 000D 0107 | CHEM1411 01 | 1 | 17.30 21.30 | | 16 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 11/27/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------------|-----------|---------------------|----------------------|----------|
| 1 | 000D 0107 | PHSC1016 01 | 1 | 17.30 21.30 | | 15 | | | 00000 |
| 1 | 000D 0107 | CHEM1410 01 | 1 | 18.00 21.00 | | 18 | | | 00000 |
| 1 4 | 000D 0109 | ZMAR1000 00 | 1111 | 8.00 15.30 | | 30 | | | 00000 |
| 1 | 000D 0113 | PTEC1010 00 | 1 | 8.00 11.00 | | 23 | | | 00000 |
| 1 | 000D 0113 | PTEC2430 00 | 1 | 8.00 12.00 | | 19 | | | 00000 |
| 1 | 000D 0113 | PTEC2030 00 | 1 | 12.00 15.00 | | 24 | | | 00000 |
| 1 | 000D 0113 | PTEC1610 00 | 1 | 12.00 15.30 | | 24 | | | 00000 |
| 1 | 000D 0113 | PTEC1610 00 | 1 | 12.00 15.30 | | 24 | | | 00000 |
| 1 | 000D 0113 | PTEC2030 00 | 1 1 | 14.30 16.00 | | 15 | | | 00000 |
| 1 | 000D 0113 | PTEC1310 01 | 1 | 17.30 21.00 | | 23 | | | 00000 |
| 1 | 000D 0113 | PTEC2440 01 | 1 | 18.00 21.00 | | 21 | | | 00000 |
| 1 | 000D 0113 | PTEC1010 01 | 1 | 18.00 21.00 | | 24 | | | 00000 |
| 1 | 000D 0117 | PTEC1000 00 | 1 | 8.00 9.15 | | 14 | | | 00000 |
| 1 | 000D 0117 | PTEC1310 00 | 1 | 8.00 11.30 | | 26 | | | 00000 |
| 1 | 000D 0117 | PTEC2911 00 | 1 | 8.00 12.00 | | 5 | | | 00000 |
| 1 | 000D 0117 | PTEC1310 00 | 1 | 12.00 15.00 | | 28 | | | 00000 |
| 1 | 000D 0117 | PTEC2912 00 | 1 | 12.00 15.00 | | 6 | | | 00000 |
| 1 | 000D 0117 | PTEC2140 00 | 1 | 12.00 15.30 | | 20 | | | 00000 |
| 1 | 000D 0117 | PTEC2420 01 | 1 | 17.30 21.00 | | 11 | | | 00000 |
| 1 | 000D 0117 | PTEC1610 01 | 1 | 17.30 21.00 | | 29 | | | 00000 |
| 1 | 000D 0117 | PTEC1000 01 | 1 | 18.00 19.00 | | 14 | | | 00000 |
| 1 | 000D 0117 | PTEC2420 01 | 1 | 18.00 21.00 | | 20 | | | 00000 |
| 1 | 000D 0117 | PTEC2420 01 | 1 | 18.00 21.00 | | 21 | | | 00000 |
| 1 | 000D 0200 | ETRN1210 00 | 1 1 1 | 8.00 10.00 | | 11 | | | 00000 |
| 1 | 000D 0200 | ETRN1220 00 | 1 1 1 | 8.00 11.00 | | 1 | | | 00000 |
| 1 | 000D 0200 | INST2620 00 | 1 1 | 8.00 11.00 | | 7 | | | 00000 |
| 1 | 000D 0200 | ETRN1130 00 | 1 1 1 | 10.00 12.00 | | 6 | | | 00000 |
| 1 | 000D 0200 | INST2620 00 | 1 1 | 12.00 15.00 | | 21 | | | 00000 |
| 1 | 000D 0200 | ETRN1120 00 | 1 1 1 | 13.00 15.00 | | 29 | | | 00000 |
| 1 | 000D 0300 | INST2991 00 | 1 1 1 | 8.00 9.15 | | 9 | | | 00000 |
| 1 | 000D 0300 | INST1110 00 | 1 1 1 | 8.00 10.00 | | 26 | | | 00000 |
| 1 | 000D 0300 | INST2810 00 | 1 1 | 8.00 10.00 | | 1 | | | 00000 |
| 1 | 000D 0300 | INST1420 00 | 1 1 | 8.00 10.30 | | 1 | | | 00000 |
| 1 | 000D 0300 | INST2820 00 | 1 1 | 8.00 11.00 | | 25 | | | 00000 |
| 1 | 000D 0300 | INST2830 00 | 1 1 | 8.00 11.00 | | 1 | | | 00000 |
| 1 | 000D 0300 | INST2995 00 | 1 1 1 | 9.20 11.00 | | 4 | | | 00000 |
| 1 | 000D 0300 | INST2610 00 | 1 1 1 | 10.00 12.00 | | 44 | | | 00000 |
| 1 | 000D 0300 | INST2720 00 | 1 1 | 12.00 15.00 | | 11 | | | 00000 |
| 1 | 000D 0300 | INST2840 00 | 1 1 | 12.00 15.00 | | 4 | | | 00000 |
| 1 | 000D 0300 | PTEC1320 00 | 1 | 14.00 17.30 | | 10 | | | 00000 |
| 1 | 000D 0300 | PTEC1310 01 | 1 | 17.30 21.00 | | 30 | | | 00000 |
| 1 | 000D 0300 | PTEC1320 01 | 1 | 17.30 21.00 | | 35 | | | 00000 |
| 1 | 000D 0300 | PTEC1310 01 | 1 | 17.30 21.00 | | 31 | | | 00000 |
| 1 | 000D 0300 | PTEC1320 01 | 1 | 17.30 21.00 | | 17 | | | 00000 |
| 1 | 000D 0300 | PTEC2030 01 | 1 | 18.00 21.00 | | 29 | | | 00000 |
| 1 4 | 000E E101 | HCOR1212 00 | 1 1 1 | 7.00 13.00 | | 23 | | | 00000 |
| 1 4 | 000E E101 | HNUR1211 00 | 11111 | 8.00 14.30 | | 23 | | | 00000 |
| 1 4 | 000E E101 | HPHL1022 00 | 111 | 8.00 14.30 | | 8 | | | 00000 |
| 1 4 | 000E E101 | HPHL1011 00 | 111 | 8.00 15.30 | | 8 | | | 00000 |
| 1 | 000E E101 | HCOR1160 00 | 1 | 14.00 15.00 | | 8 | | | 00000 |
| 1 4 | 000G 0100 | ZMON1000 00 | 11111 | 7.30 16.00 | | 25 | | | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 11/27/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-RIVER PARISHES
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 1 | 4 | 000G 0100 | ZMOT1000 00 | 11111 | 7.30 16.00 | | 25 | | 00000 |
| 1 | | 000H 0100 | ELEC1000 01 | 11 | 18.00 21.00 | | 15 | | 00000 |
| | 4 | 0000 0000 | HNUR1212 00 | 11111 | 7.00 15.00 | 1 | 6 | | 00000 |
| | 4 | 0000 0000 | HNUR1212 00 | 11111 | 7.00 15.00 | 1 | 6 | | 00000 |
| | 4 | 0000 0000 | HNUR1212 00 | 11111 | 7.00 15.00 | 1 | 2 | | 00000 |
| | 4 | 0000 0000 | HNUR2112 00 | 11 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2112 00 | 11 | 7.00 15.00 | 1 | 10 | | 00000 |
| | 4 | 0000 0000 | HNUR2112 03 | 11 | 7.00 15.00 | 1 | 8 | | 00000 |
| | 4 | 0000 0000 | HNUR2222 00 | 1 | 7.00 15.00 | 1 | 8 | | 00000 |
| | 4 | 0000 0000 | HNUR2222 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2222 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2232 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2232 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2232 00 | 1 | 7.00 15.00 | 1 | 8 | | 00000 |
| | 4 | 0000 0000 | HNUR2132 00 | 11 | 7.00 15.00 | 1 | 8 | | 00000 |
| | 4 | 0000 0000 | HNUR2132 00 | 11 | 7.00 15.00 | 1 | 10 | | 00000 |
| | 4 | 0000 0000 | HNUR2132 00 | 11 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2132 00 | 11 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2652 00 | 11 | 7.00 15.00 | 1 | 7 | | 00000 |
| | 4 | 0000 0000 | HNUR2652 00 | 11 | 7.00 15.00 | 1 | 10 | | 00000 |
| | 4 | 0000 0000 | HNUR2652 00 | 11 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2652 00 | 11 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 1 | 7.00 15.00 | 1 | 10 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 1 | 7.00 15.00 | 1 | 8 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 1 | 7.00 15.00 | 1 | 10 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 | 7.00 15.00 | 1 | 7 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | 4 | 0000 0000 | HNUR2532 00 | 1 | 7.00 15.00 | 1 | 9 | | 00000 |
| | | 0000 0000 | PTEC1010 00 | 11111 | 8.00 10.00 | 1 | 10 | | 00000 |
| | | 0000 0000 | WELD1000 01 | 1 1 | 18.00 21.00 | 1 | 23 | | 00000 |

| | |
|---|-----|
| ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. | 206 |
| ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. | |
| ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 | |
| ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. | 100 |
| ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL. | |
| ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS | |
| ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE. | |
| ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES. | |
| TOTAL ERRORS (INCLUDING WARNINGS) | 306 |
| TOTAL NUMBER OF RECORDS READ | 235 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | |
| NUMBER OF JOINT-CLASS RECORDS | |
| NUMBER OF ALTERATE WEEKS RECORDS | |
| NUMBER OF DIFFERENT TIMES RECORDS | |
| NUMBER OF INCONSISTENT RECORDS | 29 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY