

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 0101	BARB1140001	11111	8.00 14.30		17	1,678	210 33	00000
4	A000 0101	BARB1330001	11111	8.00 14.30	1	24	1,678	210 33	00000
4	8 A000 0101	BARB1341001	11111	8.00 14.30	1	24	1,678	210 33	00000
4	8 A000 0101	BARB1441001	11111	8.00 14.30	1	10	1,678	210 33	00000
4	8 A000 0101	BARB2120001	11111	8.00 14.30	1	25	1,678	210 33	00000
4	8 A000 0101	BARB2131001	11111	8.00 14.30	1	17	1,678	210 33	00000
4	8 A000 0101	BARB2991001	11111	8.00 14.45	1	15	1,678	210 33	00000
4	8 A000 0101	BARB2993001	11111	8.00 14.45	1	4	1,678	210 33	00000
4	8 A000 0101	BARB2999001	11111	8.00 14.45	1	1	1,678	210 33	00000
	8 A000 0101	BARB2111001	11111	14.30 16.00	1	4	1,678	210 33	00000
	A000 0101	BARB1140901	1111	16.30 17.30		11	1,678	210 33	00000
	A000 0101	BARB1150901	1111	16.30 17.30	1	4	1,678	210 33	00000
	A000 0101	BARB1211901	1111	16.30 17.30	1	4	1,678	210 33	00000
	A000 0101	BARB1231901	1111	16.30 17.30	1	3	1,678	210 33	00000
	A000 0101	BARB1310901	1111	16.30 17.30	1	1	1,678	210 33	00000
	A000 0101	BARB1321901	1111	16.30 17.30	1	1	1,678	210 33	00000
	A000 0101	BARB1330901	1111	16.30 17.30	1	6	1,678	210 33	00000
	A000 0101	BARB1341901	1111	16.30 17.30	1	7	1,678	210 33	00000
	A000 0101	BARB1350901	1111	16.30 17.30	1	2	1,678	210 33	00000
	A000 0101	BARB1420901	1111	16.30 17.30	1	5	1,678	210 33	00000
	8 A000 0101	BARB1430901	1111	16.30 17.30	1	12	1,678	210 33	00000
	8 A000 0101	BARB1441901	1111	16.30 17.30	1	8	1,678	210 33	00000
	8 A000 0101	BARB2111901	1111	16.30 17.30	1	6	1,678	210 33	00000
	8 A000 0101	BARB2120901	1111	16.30 17.30	1	1	1,678	210 33	00000
	8 A000 0101	BARB2131901	1111	16.30 17.30	1	1	1,678	210 33	00000
	8 A000 0101	BARB1110901	1 1	16.30 17.30	1	21	1,678	210 33	00000
	8 A000 0101	BARB1120901	1 1	16.30 17.30	1	10	1,678	210 33	00000
	8 A000 0101	BARB1131901	1 1	16.30 17.30	1	11	1,678	210 33	00000
	8 A000 0101	BARB1160901	1 1	16.30 17.30	1	9	1,678	210 33	00000
	8 A000 0101	BARB1220901	1 1	16.30 17.30	1	9	1,678	210 33	00000
	8 A000 0101	BARB1410901	1 1	16.30 17.30	1	12	1,678	210 33	00000
	8 A000 0101	BARB2630901	1111	16.30 17.45	1	6	1,678	210 33	00000
4	A000 0104	BARB1430001	11111	8.00 14.45		2	495	210 9	00000
	A000 0104	BARB2991901	11111	16.30 17.30		3	495	210 9	00000
4	A000 0105	BARB1150001	11111	8.00 14.30		16	526	110 27	00000
4	A000 0105	BARB1231001	11111	8.00 14.30	1	13	526	110 27	00000
4	8 A000 0105	BARB1310001	11111	8.00 14.30	1	15	526	110 27	00000
4	8 A000 0105	BARB1321001	11111	8.00 14.30	1	12	526	110 27	00000
4	8 A000 0105	BARB1321002	11111	8.00 14.30	1	2	526	110 27	00000
4	8 A000 0105	BARB1350001	11111	8.00 14.30	1	14	526	110 27	00000
4	8 A000 0105	BARB1110001	11111	8.00 14.45	1	36	526	110 27	00000
4	8 A000 0105	BARB1120001	11111	8.00 14.45	1	50	526	110 27	00000
4	8 A000 0105	BARB1160001	11111	8.00 14.45	1	36	526	110 27	00000
4	8 A000 0105	BARB1211001	11111	8.00 14.45	1	36	526	110 27	00000
4	8 A000 0105	BARB1220001	11111	8.00 14.45	1	36	526	110 27	00000
4	8 A000 0105	BARB1410001	11111	8.00 14.45	1	50	526	110 27	00000
	A000 0131	ZINW WOR001	111	9.30 11.30		8	1,180	110 78	00000
	A000 0200	ISYS1650001	1 1	8.00 9.15		5	776	220 15	00000
4	A000 0200	OSYS2991001	11111	8.00 14.45	1	8	776	220 15	00000
4	A000 0200	OSYS2993001	11111	8.00 14.45	1	2	776	220 15	00000
4	A000 0200	OSYS2995001	11111	8.00 14.45	1	3	776	220 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 0200	OSYS2997001	11111	8.00 14.45	1	5	776	220 15	00000
4	8 A000 0200	OSYS2999001	11111	8.00 14.45	1	10	776	220 15	00000
	8 A000 0200	KYBD1210001	1111	9.00 10.45	1	5	776	220 15	00000
	A000 0200	JOBS2450002	1111	13.30 14.45		15	776	220 15	00000
	8 A000 0200	JOBS2450003	1111	13.30 14.45	1	22	776	220 15	00000
	A000 0200	CPTR1000902	1 1	17.00 20.00		15	776	220 15	00000
	8 A000 0200	CPTR1000903	1 1	17.00 20.00	1	10	776	220 15	00000
	A000 0200	CPTR1000901	1 1	17.00 20.00		1	776	220 15	00000
4	A000 0201	ACCT1200001	1111	8.00 14.45		10	769	220 32	00000
	A000 0201	ACCT1100001	1111	9.00 10.45	1	10	769	220 32	00000
	A000 0207	KYBD1000001	1 1 1	8.00 8.50		15	451	110 10	00000
	A000 0207	KYBD1310001	1111	9.00 10.45		9	451	110 10	00000
	A000 0207	ISYS1450001	1111	10.00 10.50	1	2	451	110 10	00000
	8 A000 0207	CPTR1330001	11111	10.00 13.00	1	11	451	110 10	00000
	8 A000 0207	CPTR1310001	1 1 1	11.50 12.40	1	7	451	110 10	00000
	A000 0207	ISYS1550001	1111	13.50 14.40		6	451	110 10	00000
	A000 0207	KYBD1000901	1	17.30 20.30		1	451	110 10	00000
4	A000 0209	CADD1210001	11111	8.00 14.45		1	1,149	220 22	00000
4	A000 0209	CADD2310001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	A000 0209	DRFT1110001	11111	8.00 14.45	1	2	1,149	220 22	00000
4	A000 0209	DRFT1120001	11111	8.00 14.45	1	5	1,149	220 22	00000
4	A000 0209	DRFT1130001	11111	8.00 14.45	1	6	1,149	220 22	00000
4	A000 0209	DRFT1140001	11111	8.00 14.45	1	5	1,149	220 22	00000
4	A000 0209	DRFT1150001	11111	8.00 14.45	1	2	1,149	220 22	00000
4	A000 0209	DRFT1150002	11111	8.00 14.45	1	2	1,149	220 22	00000
4	A000 0209	DRFT2320001	11111	8.00 14.45	1	3	1,149	220 22	00000
4	A000 0209	DRFT2330001	11111	8.00 14.45	1	5	1,149	220 22	00000
4	8 A000 0209	DRFT2431001	11111	8.00 14.45	1	4	1,149	220 22	00000
4	8 A000 0209	DRFT2531001	11111	8.00 14.45	1	3	1,149	220 22	00000
4	8 A000 0209	DRFT2631001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	8 A000 0209	MATH1210001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	8 A000 0209	CADD1210002	1 1 1	8.00 14.45	1	1	1,149	220 22	00000
4	8 A000 0209	CADD2310002	1 1 1	8.00 14.45	1	1	1,149	220 22	00000
4	8 A000 0209	DRFT2291001	1	8.00 14.45	1	6	1,149	220 22	00000
	8 A000 0209	DRFT1130002	11111	12.00 14.45	1	2	1,149	220 22	00000
	8 A000 0209	DRFT1140002	11111	12.00 14.45	1	2	1,149	220 22	00000
	8 A000 0209	DRFT1110002	11111	13.00 14.45	1	4	1,149	220 22	00000
	8 A000 0209	DRFT1120002	11111	13.00 14.45	1	3	1,149	220 22	00000
	A000 0209	DRFT1110901	1 1	17.00 19.30		2	1,149	220 22	00000
	A000 0209	DRFT1120901	1 1	17.00 19.30	1	2	1,149	220 22	00000
	A000 0209	DRFT1130901	1 1	17.00 19.30	1	1	1,149	220 22	00000
	A000 0209	DRFT2310901	1 1	17.00 19.30	1	3	1,149	220 22	00000
	A000 0209	CADD1210901	1 1	17.00 21.30		1	1,149	220 22	00000
	A000 0209	CADD2310901	1 1	17.00 21.30	1	1	1,149	220 22	00000
	A000 0209	DRFT2291901	1 1	19.00 21.30		1	1,149	220 22	00000
	A000 0209	DRFT2320901	1 1	19.00 21.30	1	3	1,149	220 22	00000
	A000 0209	DRFT2330901	1 1	19.00 21.30	1	3	1,149	220 22	00000
	A000 0209	DRFT2421901	1 1	19.00 21.30	1	2	1,149	220 22	00000
	A000 0209	DRFT2431901	1 1	19.00 21.30	1	3	1,149	220 22	00000
	A000 0209	DRFT2441901	1 1	19.00 21.30	1	4	1,149	220 22	00000
	A000 0209	DRFT2461901	1 1	19.00 21.30	1	2	1,149	220 22	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	A000	0211	WKEY0060001	11111	8.00 16.00		16	784	110 16 00000	
	A000	0213	MATH1050001	1 1 1	10.00 10.50		17	781	110 28 00000	
	A000	0213	MACH1350001	1111	10.00 13.00	1	13	781	110 28 00000	
	A000	0213	ENGL1050001	11111	11.45 13.00	1	7	781	110 28 00000	
8	A000	0213	ENGL1030001	1 1 1	11.50 13.40	1	17	781	110 28 00000	
	B000	0101	CISX2140001	1 1 1	8.00 12.00		6	547	110 23 00000	
	B000	0101	ETRN1240001	11111	12.45 14.45		6	547	110 23 00000	
	B000	0101A	CONS2620002	11111	8.00 12.00		1	2,292	220 23 00000	
	B000	0101A	CISX2110001	1 1 1	8.00 12.00	1	12	2,292	220 23 00000	
	B000	0101A	ETRN1120002	1 1	8.00 12.00		8	2,292	220 23 00000	
	B000	0101A	ETRN1130002	1 1	8.00 12.00	1	6	2,292	220 23 00000	
	B000	0101A	MATH1110001	1 1	8.00 12.00	1	7	2,292	220 23 00000	
	B000	0101A	CISX2120901	1 1	9.00 10.00		4	2,292	220 23 00000	
	B000	0101A	CISX2130901	1 1	9.00 10.00	1	4	2,292	220 23 00000	
	B000	0101A	CONS2510001	11111	12.45 14.45		1	2,292	220 23 00000	
	B000	0101A	CONS2520001	11111	12.45 14.45	1	2	2,292	220 23 00000	
	B000	0101A	CONS2610001	11111	12.45 14.45	1	2	2,292	220 23 00000	
	B000	0101A	CONS2620001	11111	12.45 14.45	1	1	2,292	220 23 00000	
	B000	0101A	CONS2995001	11111	12.45 14.45	1	10	2,292	220 23 00000	
	B000	0101A	CONS2995002	11111	12.45 14.45	1	4	2,292	220 23 00000	
	B000	0101A	ETRN1210002	11111	12.45 14.45	1	3	2,292	220 23 00000	
	B000	0101A	ETRN1220001	11111	12.45 14.45	1	4	2,292	220 23 00000	
	B000	0101A	ETRN1230001	11111	12.45 14.45	1	7	2,292	220 23 00000	
	B000	0102	CISX1200001	1 1 1	8.00 11.00		16	563	110 25 00000	
	B000	0102	CISX2010001	1 1 1	8.00 11.00	1	17	563	110 25 00000	
8	B000	0102	CISX2020001	1 1 1	8.00 11.00	1	14	563	110 25 00000	
8	B000	0102	CISX2210001	1 1 1	8.00 11.00	1	14	563	110 25 00000	
4	8	B000	0102	CISX2991001	1 1 1	8.00 14.45	1	1	563	110 25 00000
4		B000	0102	CISX1120001	1 1	8.00 14.45		12	563	110 25 00000
4		B000	0102	CISX1130001	1 1	8.00 14.45	1	11	563	110 25 00000
4		B000	0102	CISX2902001	1 1	8.00 14.45	1	5	563	110 25 00000
4	8	B000	0102	CPTR1050001	1 1	8.00 14.45	1	15	563	110 25 00000
	B000	0102	KYBD1000002	1 1 1	11.45 14.45		11	563	110 25 00000	
	B000	0102	CISX1300001	1 1 1	11.45 15.45	1	19	563	110 25 00000	
	B000	0102	CISX2120001	1 1 1	11.45 15.45	1	3	563	110 25 00000	
	B000	0102	CISX2130001	1 1 1	11.45 15.45	1	2	563	110 25 00000	
4		B000	0102	CISX2110901	1 1	16.00 22.00		8	563	110 25 00000
4		B000	0102	CISX2140901	1 1	16.00 22.00	1	2	563	110 25 00000
	B000	0104	CPTR1000007	11111	8.00 11.00		5	547	110 23 00000	
8		B000	0104	CPTR1000003	1 1 1	8.00 11.00	1	40	547	110 23 00000
	B000	0104	CPTR1000005	1 1	8.00 11.00		26	547	110 23 00000	
4	8	B000	0104	CPTR1000001	11111	8.00 14.45	1	10	547	110 23 00000
4	8	B000	0104	CPTR1000002	11111	8.00 14.45	1	9	547	110 23 00000
8		B000	0104	JOBS2450001	11111	12.00 14.45	1	13	547	110 23 00000
8		B000	0104	CPTR1000004	1 11	12.00 14.45	1	5	547	110 23 00000
8		B000	0104	CPTR1000006	1 1	12.00 14.45	1	18	547	110 23 00000
	C000	0101	MATH1000002	1 1 1	8.00 9.00		25	560	110 26 00000	
	C000	0101	HACR2541001	1 1	8.00 9.00		2	560	110 26 00000	
	C000	0101	HACR2510001	1 1	8.00 10.00	1	21	560	110 26 00000	
	C000	0101	HACR1211001	1 1 1	8.00 11.00		3	560	110 26 00000	
4		C000	0101	HACR2993001	11111	8.00 14.45	1	1	560	110 26 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	C000 0101	HACR2999001	1 1 1	8.00 15.00	1	3	560	110 26	00000
	C000 0101	HACR1150001	1 1 1	9.00 10.00	1	16	560	110 26	00000
	C000 0101	HACR2550001	1 1	9.30 11.00		3	560	110 26	00000
	C000 0101	HACR1160001	1 1 1	10.00 11.00		20	560	110 26	00000
	C000 0101	HACR2520001	1 1	10.00 11.00		18	560	110 26	00000
	C000 0101	CLRP1110001	1111	11.45 14.45		15	560	110 26	00000
	C000 0101	HACR1151001	1 1 1	12.00 13.00	1	21	560	110 26	00000
	C000 0101	HACR1210001	1 1 1	12.00 14.00	1	3	560	110 26	00000
	C000 0101	HACR2511001	1 1	12.00 14.00		21	560	110 26	00000
	C000 0101	HACR2540001	1 1	12.00 15.00	1	2	560	110 26	00000
	C000 0101	HACR1161001	1 1 1	13.00 15.00		21	560	110 26	00000
	C000 0101	HACR1120001	1 1 1	14.00 15.00	1	3	560	110 26	00000
	C000 0101	HACR2521001	1 1	14.00 15.00		15	560	110 26	00000
	C000 0101	MATH1000901	1 1	16.30 17.30		1	560	110 26	00000
	C000 0101	HACR2510901	1 1	17.30 18.30		2	560	110 26	00000
	C000 0101	HACR1151901	1 1	17.30 18.30		1	560	110 26	00000
	C000 0101	HACR1160901	1 1	18.30 19.30		1	560	110 26	00000
	C000 0101	HACR2511901	1 1	18.30 20.30		2	560	110 26	00000
	C000 0101	HACR1161901	1 1	19.30 20.30		2	560	110 26	00000
4	C000 0104	CLRP2121001	11111	8.00 14.30		21	560	110 40	00000
4	C000 0104	CLRP2991001	11111	8.00 14.45	1	1	560	110 40	00000
4	C000 0104	CLRP2995001	11111	8.00 14.45	1	8	560	110 40	00000
4	C000 0104	CLRP2999001	11111	8.00 14.45	1	2	560	110 40	00000
	8 C000 0104	CLRP1311001	11111	9.00 13.00	1	37	560	110 40	00000
	C000 0104	CLRP1140001	11111	13.15 14.45		31	560	110 40	00000
4	D000 0102	WELD1110001	11111	8.00 14.45		6	1,035	110 35	00000
4	D000 0102	WELD1120001	11111	8.00 14.45	1	5	1,035	110 35	00000
4	D000 0102	WELD1130001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0102	WELD1140001	11111	8.00 14.45	1	4	1,035	110 35	00000
4	D000 0102	WELD1210001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0102	WELD1310001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0102	WELD1410001	11111	8.00 14.45	1	2	1,035	110 35	00000
4	D000 0102	WELD1411001	11111	8.00 14.45	1	6	1,035	110 35	00000
4	D000 0102	WELD1412001	11111	8.00 14.45	1	6	1,035	110 35	00000
4	D000 0102	WELD2110001	11111	8.00 14.45	1	2	1,035	110 35	00000
4	D000 0102	WELD2111001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0102	WELD2210001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0102	WELD2310001	11111	8.00 14.45	1	4	1,035	110 35	00000
4	D000 0102	WELD2311001	11111	8.00 14.45	1	3	1,035	110 35	00000
4	D000 0107	DPET1120001	11111	8.00 14.40		10	1,578	220 31	00000
4	D000 0107	DPET1130001	11111	8.00 14.40	1	10	1,578	220 31	00000
4	D000 0107	DPET1150001	11111	8.00 14.40	1	8	1,578	220 31	00000
4	D000 0107	DPET1210001	11111	8.00 14.40	1	6	1,578	220 31	00000
4	D000 0107	DPET1220001	11111	8.00 14.40	1	3	1,578	220 31	00000
4	D000 0107	DPET1231001	11111	8.00 14.40	1	3	1,578	220 31	00000
4	D000 0107	DPET1240001	11111	8.00 14.40	1	2	1,578	220 31	00000
4	D000 0107	DPET1251001	11111	8.00 14.40	1	5	1,578	220 31	00000
4	8 D000 0107	DPET1310001	11111	8.00 14.40	1	3	1,578	220 31	00000
4	8 D000 0107	DPET1320001	11111	8.00 14.40	1	3	1,578	220 31	00000
4	8 D000 0107	DPET1330001	11111	8.00 14.40	1	3	1,578	220 31	00000
4	8 D000 0107	DPET2110001	11111	8.00 14.40	1	4	1,578	220 31	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	D000 0107	DPET2120001	11111	8.00 14.40	1	4	1,578	220 31 00000
4	8	D000 0107	DPET2130001	11111	8.00 14.40	1	5	1,578	220 31 00000
4	8	D000 0107	DPET2140001	11111	8.00 14.40	1	6	1,578	220 31 00000
4	8	D000 0107	DPET2210001	11111	8.00 14.40	1	5	1,578	220 31 00000
4	8	D000 0107	DPET2220001	11111	8.00 14.40	1	5	1,578	220 31 00000
4	8	D000 0107	DPET2231001	11111	8.00 14.40	1	7	1,578	220 31 00000
4	8	D000 0107	ELMT2520001	11111	8.00 14.40	1	8	1,578	220 31 00000
4	8	D000 0107	DPET1140001	11111	8.00 14.45	1	11	1,578	220 31 00000
4	8	D000 0107	DPET1141001	11111	8.00 14.45	1	7	1,578	220 31 00000
		D000 0111	MATH1000001	1 1 1	8.00 10.50		5	5,108	310 50 00000
		D000 0111	MTTC1110001	1 1 1	8.00 10.50	1	6	5,108	310 50 00000
		D000 0111	MTTC1130001	1 1 1	8.00 10.50	1	7	5,108	310 50 00000
4		D000 0111	MTTC1210001	1 1 1	8.00 14.30	1	6	5,108	310 50 00000
4		D000 0111	MTTC1410001	1 1	8.00 14.30		3	5,108	310 50 00000
4		D000 0111	MTTC1211001	11111	8.00 14.40	1	7	5,108	310 50 00000
4		D000 0111	MTTC1221001	11111	8.00 14.40	1	3	5,108	310 50 00000
4		D000 0111	MTTC1311001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC1321001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC1331001	11111	8.00 14.40	1	3	5,108	310 50 00000
4		D000 0111	MTTC1411001	11111	8.00 14.40	1	5	5,108	310 50 00000
4		D000 0111	MTTC1421001	11111	8.00 14.40	1	5	5,108	310 50 00000
4		D000 0111	MTTC1431001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC2511001	11111	8.00 14.40	1	6	5,108	310 50 00000
4		D000 0111	MTTC2521001	11111	8.00 14.40	1	5	5,108	310 50 00000
4		D000 0111	MTTC2611001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC2621001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC2711001	11111	8.00 14.40	1	1	5,108	310 50 00000
4		D000 0111	MTTC2991001	11111	8.00 14.40	1	1	5,108	310 50 00000
4		D000 0111	MTTC2993001	11111	8.00 14.40	1	2	5,108	310 50 00000
4		D000 0111	MTTC2995001	11111	8.00 14.40	1	1	5,108	310 50 00000
		D000 0111	MTTC1310001	1 1 1	11.50 14.40	1	1	5,108	310 50 00000
		D000 0111	MTTC2710001	1 1 1	11.50 14.40	1	1	5,108	310 50 00000
4		D000 0112	WELD2230001	11111	8.00 14.45		1	3,686	730 30 00000
4		D000 0112	WELD2991001	11111	8.00 14.45	1	1	3,686	730 30 00000
4		D000 0112	WELD2999001	11111	8.00 14.45	1	2	3,686	730 30 00000
		E000 0115	HNUR1450001	11111	12.15 13.10		34	391	110 46 00000
		E000 0115	HNUR1430001	1 1	13.10 14.30		34	391	110 46 00000
		E000 0115	HNUR2530001	1 1	13.20 14.30		43	391	110 46 00000
		E000 0118	HNUR2995001	11111	12.15 14.30		3	610	110 15 00000
		E000 0123	HNUR2510001	111	7.30 9.30		57	983	110 65 00000
		E000 0123	HNUR2530002	111	9.35 11.30		48	983	110 65 00000
		E000 0123	HNUR2610001	111	12.15 13.10		59	983	110 65 00000
		E000 0123	HNUR1410001	111	13.20 14.30		57	983	110 65 00000
4		E000 0127	ZXNC ONC001	11111	7.30 14.30		18	1,727	110 35 00000
		E000 0130	OPET1111001	1	8.00 9.50		6	3,190	210 63 00000
		E000 0130	OPET1141001	1	8.00 9.50		3	3,190	210 63 00000
		E000 0130	OPET1221001	1	8.00 9.50		4	3,190	210 63 00000
		E000 0130	OPET1341001	1	8.00 9.50		4	3,190	210 63 00000
		E000 0130	OPET2999001	1	8.00 9.50		2	3,190	210 63 00000
		E000 0130	OPET1121001	1	10.00 12.40		6	3,190	210 63 00000
		E000 0130	OPET1151001	1	10.00 12.40		4	3,190	210 63 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000	0130	OPET1231001	1	10.00 12.40		4	3,190	210 63 00000
	E000	0130	OPET2131001	1	10.00 12.40		5	3,190	210 63 00000
	E000	0130	OPET2995001	1	10.00 14.30		1	3,190	210 63 00000
	E000	0130	OPET1241001	1 1	11.50 14.30		1	3,190	210 63 00000
	E000	0130	OPET1131001	1	12.50 14.40		6	3,190	210 63 00000
	E000	0130	OPET1161001	1	12.50 14.40		5	3,190	210 63 00000
	E000	0130	OPET1331001	1	12.50 14.40		3	3,190	210 63 00000
	E000	0130	OPET2993001	1	12.50 14.40		6	3,190	210 63 00000
	E000	0141	ORNT1000001	1 1	9.45 11.00		147	1,577	610 105 00000
	E000	0141	ORNT1000002	1 1	11.45 13.00		50	1,577	610 105 00000
	E000	0141	ORNT1000901	1 1	17.30 18.30		39	1,577	610 105 00000
	E000	0145	CULN11110001	1 1 1	8.00 11.00		11	983	610 65 00000
	E000	0145	CULN11110002	1 1 1	8.00 11.00	1	1	983	610 65 00000
	E000	0145	CULN1220001	1 1 1	8.00 11.00	1	14	983	610 65 00000
	E000	0145	HOST1010002	1 1 1	8.00 11.00	1	14	983	610 65 00000
	E000	0145	CULN1130002	1 1	8.00 12.45		1	983	610 65 00000
4	E000	0145	CULN1130001	1 1	8.00 13.00	1	15	983	610 65 00000
	E000	0145	CULN1150001	1 1	8.00 15.00	1	13	983	610 65 00000
	E000	0145	CULN1140002	1 1 1	9.00 11.40		1	983	610 65 00000
	E000	0145	CULN1140001	1 1 1	11.40 14.00		13	983	610 65 00000
	E000	0145	CULN1120001	1 1 1	14.00 15.20		13	983	610 65 00000
	E000	0145	CULN1210901	1111	16.00 21.00		4	983	610 65 00000
	E000	0148	HNUR1140001	1 1	7.30 9.25		39	537	110 35 00000
	E000	0148	HNUR1230001	1 1	7.30 10.30		51	537	110 35 00000
	E000	0148	HMDT1170001	1 1	9.35 11.30		42	537	110 35 00000
8	E000	0148	HNUR1120001	1 1	9.35 11.30	1	31	537	110 35 00000
	E000	0148	HNUR1220001	1 1	10.30 11.30		52	537	110 35 00000
	E000	0148	HNUR1160001	1 1	12.15 13.10		43	537	110 35 00000
8	E000	0148	HNUR2991001	1 1	12.15 13.10	1	44	537	110 35 00000
8	E000	0148	HNUR2991003	1 1	12.15 13.10	1	35	537	110 35 00000
	E000	0148	HNUR1130001	1 1	12.15 13.10		34	537	110 35 00000
	E000	0148	HNUR1110001	11111	13.20 14.30		43	537	110 35 00000
	E000	0148	HNUR1120901	1	17.00 19.00		31	537	110 35 00000
	E000	0148	HNUR1140901	1	17.00 20.00		29	537	110 35 00000
	E000	0148	HNUR1230901	1 11	17.30 20.30		15	537	110 35 00000
	E000	0148	HNUR1220901	1	17.30 20.30		14	537	110 35 00000
	E000	0150	DVMA0090001	11111	8.00 8.50		45	670	110 45 00000
	E000	0150	DVMA0091001	11111	9.00 9.50		20	670	110 45 00000
	E000	0150	DVMA0092001	11111	10.00 10.50		8	670	110 45 00000
	E000	0150	DVRE0090001	11111	12.00 12.50		39	670	110 45 00000
	E000	0150	DVEN0090001	11111	13.00 13.50		28	670	110 45 00000
4	8	E000	0156A	CARP1130001	11111	8.00 14.45	7	296	730 00000
4	8	E000	0156A	CARP1140001	11111	8.00 14.45	7	296	730 00000
4	8	E000	0156A	CARP2120001	11111	8.00 14.45	7	296	730 00000
4	8	E000	0156A	CARP2131001	11111	8.00 14.45	6	296	730 00000
4	8	E000	0156A	CARP2230001	11111	8.00 14.45	1	296	730 00000
4	8	E000	0156A	CARP2620001	11111	8.00 14.45	4	296	730 00000
	E000	0158	HOST1010001	11111	7.00 8.50		4	1,700	220 34 00000
	E000	0158	CULN2430001	11111	8.00 11.00	1	14	1,700	220 34 00000
	E000	0158	CULN2420001	11111	8.50 11.00	1	16	1,700	220 34 00000
	E000	0158	CULN2440001	11111	12.00 15.00		5	1,700	220 34 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	E000	0165	ECED1120001	1 1	8.00 9.15		14	210 30	00000
	E000	0165	ECED1110001	1 1 1	9.00 9.50		18	210 30	00000
	E000	0165	ECED1140001	1 1	9.30 10.45		13	210 30	00000
	E000	0165	ECED1130001	1 1 1	10.00 10.50		17	210 30	00000
	E000	0165	ECED1110002	1 1 1	12.00 12.50		3	210 30	00000
	E000	0165	ECED1120002	1 1	12.00 13.15		3	210 30	00000
	E000	0165	ECED1130002	1 1 1	13.00 13.50		3	210 30	00000
	E000	0165	ECED1140002	1 1	13.30 14.45		2	210 30	00000
	E000	0165	ECED1420901	1	17.00 20.00		10	210 30	00000
4	E000	0167	ECED1151001	11111	7.30 18.00		12	220 29	00000
4	E000	0167	ECED1241001	11111	7.30 18.00	1	6	220 29	00000
4	E000	0167	ECED1341001	11111	7.30 18.00	1	3	220 29	00000
4	E000	0167	ECED2211001	11111	8.00 15.00	1	5	220 29	00000
	E000	0167	ECED2211901	11111	17.00 20.00		2	220 29	00000
	E000	0169	GRPH2991002	1 1	8.00 10.15		1	220 30	00000
	E000	0169	GRPH1330001	1 1 1	8.00 10.30		3	220 30	00000
	E000	0169	GRPH1200001	1 1	8.00 10.30	1	15	220 30	00000
	E000	0169	GRPH1410001	1 1	8.00 11.15		16	220 30	00000
	E000	0169	GRPH2995001	1 1	8.00 11.45	1	1	220 30	00000
	E000	0169	GRPH1100001	11111	8.00 12.15	1	8	220 30	00000
	E000	0169	GRPH2991001	1111	8.00 13.00	1	4	220 30	00000
	E000	0169	GRPH1320001	1 1	10.30 15.30	1	9	220 30	00000
	E000	0169	GRPH1400001	1 1	10.30 15.30	1	1	220 30	00000
8	E000	0169	GRPH1500001	1 1	10.30 15.30	1	8	220 30	00000
	E000	0169	GRPH1420001	1 1	11.45 15.30		15	220 30	00000
	E000	0169	GRPH1230001	11111	12.15 15.30	1	8	220 30	00000
4	F000	0102A	ELMT1110001	11111	8.00 14.45		6	110 48	00000
4	F000	0102A	ELMT2510001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0102A	ELMT2530001	11111	8.00 14.45	1	4	110 48	00000
4	F000	0102A	ELMT2540001	11111	8.00 14.45	1	3	110 48	00000
4	F000	0102A	ELMT2610001	11111	8.00 14.45	1	4	110 48	00000
4	F000	0102A	ELMT2611001	11111	8.00 14.45	1	4	110 48	00000
4	F000	0102A	ELMT2621001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0102A	ELMT2810001	11111	8.00 14.45	1	6	110 48	00000
4	F000	0102A	ELMT2820001	11111	8.00 14.45	1	2	110 48	00000
4	F000	0102A	ETRN1110001	11111	8.00 14.45	1	5	110 48	00000
4	F000	0102A	ETRN1120001	11111	8.00 14.45	1	5	110 48	00000
4	F000	0102A	ETRN1130001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0102A	ETRN1410001	11111	8.00 14.45	1	2	110 48	00000
4	F000	0102A	ETRN1420001	11111	8.00 14.45	1	2	110 48	00000
4	F000	0102A	ETRN1421001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0102A	ETRN1430001	11111	8.00 14.45	1	2	110 48	00000
4	F000	0102A	INST1110001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0102A	INST1310001	11111	8.00 14.45	1	1	110 48	00000
4	F000	0115	ELEC1001001	11111	8.00 14.45		13	110 52	00000
4	F000	0115	ELEC1210001	11111	8.00 14.45	1	14	110 52	00000
4	F000	0115	ELEC1220001	11111	8.00 14.45	1	2	110 52	00000
4	F000	0115	ELEC1230001	11111	8.00 14.45	1	5	110 52	00000
4	F000	0115	ELEC1311001	11111	8.00 14.45	1	9	110 52	00000
4	F000	0115	ELEC1410001	11111	8.00 14.45	1	1	110 52	00000
4	F000	0115	ELEC1420001	11111	8.00 14.45	1	3	110 52	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2004
 RUN DATE 12/06/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	F000 0115	ELEC1430001	111111	8.00 14.45	1	5	789	110 52	00000
4	F000 0115	ELEC1440001	111111	8.00 14.45	1	1	789	110 52	00000
4	F000 0115	ELEC2460001	111111	8.00 14.45	1	11	789	110 52	00000
4	F000 0115	ELEC2991001	111111	8.00 14.45	1	5	789	110 52	00000
	F000 0115	ELEC1120901	111	17.00 21.00		3	789	110 52	00000
	F000 0115	ELEC1210901	111	17.00 21.00	1	7	789	110 52	00000
	F000 0115	ELEC1230901	111	17.00 21.00	1	1	789	110 52	00000
	F000 0115	ELEC1311901	111	17.00 21.00	1	7	789	110 52	00000
	F000 0115	ELEC1420901	111	17.00 21.00	1	1	789	110 52	00000
	F000 0115	ELEC1430901	111	17.00 21.00	1	1	789	110 52	00000
	F000 0115	ELEC1440901	111	17.00 21.00	1	1	789	110 52	00000
	F000 0115	ELEC2460901	111	17.00 21.00	1	3	789	110 52	00000
4	F000 0116	AUTO1800001	111111	8.00 14.45		31	12,500	220 250	00000
4	F000 0116	AUTO1810001	111111	8.00 14.45	1	31	12,500	220 250	00000
4	F000 0116	AUTO1820001	111111	8.00 14.45	1	31	12,500	220 250	00000
4	F000 0116	AUTO1830001	111111	8.00 14.45	1	31	12,500	220 250	00000
4	F000 0116	AUTO1840001	111111	8.00 14.45	1	29	12,500	220 250	00000
4	F000 0116	AUTO1850001	111111	8.00 14.45	1	27	12,500	220 250	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	164
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	82
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	246
TOTAL NUMBER OF RECORDS READ	375
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	375
NUMBER OF JOINT-CLASS RECORDS	248
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			1866
WEEKLY STUDENT CONTACT HOURS	23466	637	24103
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1384	112	1496
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	167940	93300	261240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46086	4370	50456
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	46932	1274	48206
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.0	4.1	19.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.9	1.4	18.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	101.8	29.2	95.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			1866
WEEKLY STUDENT CONTACT HOURS	23466	637	24103
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1384	112	1496
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	167940	93300	261240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	46086	4370	50456
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	46932	1274	48206
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.0	4.1	19.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.9	1.4	18.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	101.8	29.2	95.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			42
TOTAL NUMBER OF STATIONS (CAPACITY)			1496
WEEKLY STUDENT CONTACT HOURS	18215	355	18570
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3780	2100	5880
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1202	136	1338
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	134640	74800	209440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	59318	2998	62316
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36430	710	37140
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.8	6.5	22.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.1	.9	17.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.4	23.7	59.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			135
WEEKLY STUDENT CONTACT HOURS	4477	30	4507
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	292	6	298
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12150	6750	18900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10020	180	10200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8954	60	9014
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.1	3.0	53.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	73.7	.9	47.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	89.4	33.3	88.4

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			38
TOTAL NUMBER OF STATIONS (CAPACITY)			1361
WEEKLY STUDENT CONTACT HOURS	13738	325	14063
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3420	1900	5320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	910	130	1040
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	122490	68050	190540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49298	2818	52116
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	27476	650	28126
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.6	6.8	19.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.4	1.0	14.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	55.7	23.1	54.0

DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
------------------------	--------------------------	--------------------------

*TOTAL TEACHING FACL.

TOTAL NUMBER OF ROOMS			97
TOTAL NUMBER OF STATIONS (CAPACITY)			3362
WEEKLY STUDENT CONTACT HOURS	41681	992	42673
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8730	4850	13580
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2586	248	2834
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	302580	168100	470680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	105404	7368	112772
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	83362	1984	85346
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	29.6	5.1	20.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.6	1.2	18.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.1	26.9	75.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY