

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0101	CPTR1000701	11111	7.30 9.00		12	1,678	210 33 00000	
	A000	0101	KYBD1000701	11111	7.30 9.00	1	12	1,678	210 33 00000	
4	8	A000	0101	BARB1131001	11111	8.00 14.45	1	27	1,678	210 33 00000
4	8	A000	0101	BARB1211001	11111	8.00 14.45	1	32	1,678	210 33 00000
4	8	A000	0101	BARB1341001	11111	8.00 14.45	1	8	1,678	210 33 00000
4	8	A000	0101	BARB2131001	11111	8.00 14.45	1	25	1,678	210 33 00000
4	8	A000	0101	BARB2630001	11111	8.00 14.45	1	18	1,678	210 33 00000
4	8	A000	0101	BARB2991001	11111	8.00 14.45	1	5	1,678	210 33 00000
4	8	A000	0101	BARB2993001	11111	8.00 14.45	1	4	1,678	210 33 00000
4	8	A000	0101	BARB2995001	11111	8.00 14.45	1	9	1,678	210 33 00000
4	8	A000	0101	BARB2996001	11111	8.00 14.45	1	9	1,678	210 33 00000
	A000	0101	BARB1131901	1111	16.30 21.30		5	1,678	210 33 00000	
	A000	0101	BARB1321901	1111	16.30 21.30	1	6	1,678	210 33 00000	
	A000	0101	BARB2131901	1111	16.30 21.30	1	2	1,678	210 33 00000	
	8	A000	0104	BARB2993601	1	16.30 20.00	32	495	210 9 00000	
	A000	0105	DVEN0090001	1 1 1	8.00 8.50		10	526	110 35 00000	
	A000	0105	DVRE0090001	1 1	8.00 9.15		6	526	110 35 00000	
4	A000	0105	BARB1150001	11111	8.00 14.30	1	9	526	110 35 00000	
4	A000	0105	BARB1220001	11111	8.00 14.30	1	23	526	110 35 00000	
4	A000	0105	BARB1231001	11111	8.00 14.30	1	13	526	110 35 00000	
4	8	A000	0105	BARB1310001	11111	8.00 14.30	1	19	526	110 35 00000
4	8	A000	0105	BARB1321001	11111	8.00 14.30	1	18	526	110 35 00000
4	8	A000	0105	BARB1330001	11111	8.00 14.30	1	13	526	110 35 00000
4	8	A000	0105	BARB1350001	11111	8.00 14.30	1	11	526	110 35 00000
4	8	A000	0105	BARB1410001	11111	8.00 14.30	1	23	526	110 35 00000
4	8	A000	0105	BARB1420001	11111	8.00 14.30	1	7	526	110 35 00000
4	8	A000	0105	BARB1430001	11111	8.00 14.30	1	6	526	110 35 00000
4	8	A000	0105	BARB1441001	11111	8.00 14.30	1	38	526	110 35 00000
4	8	A000	0105	BARB1110001	11111	8.00 14.45	1	23	526	110 35 00000
4	8	A000	0105	BARB1120001	11111	8.00 14.45	1	23	526	110 35 00000
4	8	A000	0105	BARB1140001	11111	8.00 14.45	1	27	526	110 35 00000
4	8	A000	0105	BARB1160001	11111	8.00 14.45	1	23	526	110 35 00000
4	8	A000	0105	BARB2111001	11111	8.00 14.45	1	9	526	110 35 00000
4	8	A000	0105	BARB2120001	11111	8.00 14.45	1	9	526	110 35 00000
	A000	0105	BARB1110901	1111	16.30 21.30		6	526	110 35 00000	
	A000	0105	BARB1120901	1111	16.30 21.30	1	6	526	110 35 00000	
	A000	0105	BARB1160901	1111	16.30 21.30	1	6	526	110 35 00000	
	A000	0105	BARB1211901	1111	16.30 21.30	1	2	526	110 35 00000	
	A000	0105	BARB1220901	1111	16.30 21.30	1	23	526	110 35 00000	
	A000	0105	BARB1231901	1111	16.30 21.30	1	1	526	110 35 00000	
	A000	0105	BARB1310901	1111	16.30 21.30	1	6	526	110 35 00000	
	A000	0105	BARB1330901	1111	16.30 21.30	1	2	526	110 35 00000	
	8	A000	0105	BARB1350901	1111	16.30 21.30	1	5	526	110 35 00000
	8	A000	0105	BARB1410901	1111	16.30 21.30	1	5	526	110 35 00000
	8	A000	0105	BARB2111901	1111	16.30 21.30	1	5	526	110 35 00000
	8	A000	0105	BARB2120901	1111	16.30 21.30	1	5	526	110 35 00000
4	A000	0131	ZINWXCL 002	1	8.00 16.00		11	1,180	110 78 00000	
	8	A000	0141	ORNT1000001	1 1	8.00 9.15	137	533	110 35 00000	
	8	A000	0200	JOBS2450001	1 1	8.00 9.15	42	776	220 15 00000	
4	8	A000	0200	OSYS2991001	11111	8.00 14.30	1	3	776	220 15 00000
4	8	A000	0200	OSYS2997001	11111	8.00 14.30	1	3	776	220 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0200	OSYS2999001	11111	8.00 14.30	1	2	776	220 15 00000
4	8	A000 0200	OSYS2530001	1 1 1	8.00 14.45	1	1	776	220 15 00000
4	8	A000 0200	OSYS2995001	1 1 1	8.00 14.45	1	2	776	220 15 00000
	8	A000 0200	CPTR1000007	1 1 1	10.00 10.50	1	18	776	220 15 00000
		A000 0200	MACH1350001	1 1	11.45 13.00		3	776	220 15 00000
		A000 0200	CPTR1000903	1	17.00 20.00		17	776	220 15 00000
		A000 0201	ACCT1200001	1111	8.00 8.50		7	769	220 15 00000
		A000 0201	ENGL1030999	1 1 1	8.00 12.00	1	1	769	220 15 00000
		A000 0201	ACCT1100001	1111	9.00 9.50	1	14	769	220 15 00000
		A000 0201	CPTR1000008	1 1 1	13.30 14.20		13	769	220 15 00000
		A000 0201	CPTR1000902	1	17.00 20.00		15	769	220 15 00000
		A000 0202	CPTR1000703	11111	7.30 9.00		9	776	220 15 00000
		A000 0202	KYBD1000703	11111	7.30 9.00	1	9	776	220 15 00000
	8	A000 0202	ISYS1450703	11 11	7.30 9.00	1	9	776	220 15 00000
		A000 0202	CPTR1000704	11111	9.30 11.00		11	776	220 15 00000
		A000 0202	KYBD1000704	11111	9.30 11.00	1	11	776	220 15 00000
	8	A000 0202	ISYS1450704	11 11	9.30 11.00	1	11	776	220 15 00000
		A000 0205	ISYS1650001	1 1	9.30 11.00		8	499	220 10 00000
	8	A000 0205	KYBD1000002	11111	11.30 13.00		18	499	220 10 00000
	8	A000 0205	KYBD1110001	11111	11.30 13.00	1	32	499	220 10 00000
	8	A000 0205	JOBS2450002	11111	13.50 14.40		20	499	220 10 00000
	8	A000 0205	JOBS2450004	11111	13.50 14.40	1	14	499	220 10 00000
		A000 0207	CPTR1310001	11111	8.00 9.20		4	451	110 30 00000
		A000 0207	CPTR1300001	11111	8.00 9.25	1	6	451	110 30 00000
		A000 0207	KYBD1000999	111	8.00 12.00	1	2	451	110 30 00000
		A000 0207	KYBD1210001	11111	11.40 13.00	1	1	451	110 30 00000
	8	A000 0208	CPTR1000001	11111	8.00 8.50		20	411	220 8 00000
	8	A000 0208	CPTR1000002	11111	8.00 8.50	1	20	411	220 8 00000
		A000 0208	ISYS1550001	1 1	12.00 13.25		3	411	220 8 00000
	8	A000 0208	CPTR1000003	1 1 1	13.30 14.20		17	411	220 8 00000
	8	A000 0208	CPTR1000004	11111	14.00 14.50	1	11	411	220 8 00000
	8	A000 0208	CPTR1000005	11111	14.00 14.50	1	27	411	220 8 00000
		A000 0208	KYBD1000901	1	17.00 20.00		2	411	220 8 00000
	8	A000 0208	CPTR1000901	1	17.00 20.00		17	411	220 8 00000
		A000 0208	JOBS2450901	1	17.00 20.00		11	411	220 8 00000
		A000 0209	CADD1210701	11111	8.00 10.00		2	1,149	220 22 00000
		A000 0209	CADD1210001	11111	8.00 11.00	1	6	1,149	220 22 00000
		A000 0209	DRFT1110001	11111	8.00 11.00	1	3	1,149	220 22 00000
		A000 0209	DRFT1120001	11111	8.00 11.00	1	4	1,149	220 22 00000
		A000 0209	DRFT1140001	11111	8.00 11.00	1	4	1,149	220 22 00000
		A000 0209	DRFT1150001	11111	8.00 11.00	1	2	1,149	220 22 00000
		A000 0209	DRFT2310001	11111	8.00 11.00	1	3	1,149	220 22 00000
		A000 0209	DRFT2320001	11111	8.00 11.00	1	3	1,149	220 22 00000
	8	A000 0209	DRFT2330001	11111	8.00 11.00	1	8	1,149	220 22 00000
	8	A000 0209	DRFT2431001	11111	8.00 11.00	1	3	1,149	220 22 00000
	8	A000 0209	DRFT2531001	11111	8.00 11.00	1	3	1,149	220 22 00000
	8	A000 0209	MATH1010001	11111	8.00 11.00	1	5	1,149	220 22 00000
		A000 0209	CADD1210702	11111	11.30 13.55		3	1,149	220 22 00000
		A000 0209	DRFT1130001	11111	13.00 14.45	1	4	1,149	220 22 00000
		A000 0209	DRFT1161001	11111	13.00 14.45	1	1	1,149	220 22 00000
		A000 0209	DRFT1210001	11111	13.00 14.45	1	7	1,149	220 22 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0209	DRFT2991001	11111	14.00 14.45	1	2	220 22	00000
	A000	0210	DRFT2631001	11111	8.00 11.00		1	310 1	00000
	A000	0211	WKEY0060001	11 1	8.00 11.00		15	110 52	00000
	A000	0211	WKEY0070002	11 1	8.00 11.00	1	13	110 52	00000
4	A000	0211	WKEY0080001	11 1	9.00 16.30	1	1	110 52	00000
	A000	0211	WKEY0060002	11 1	12.00 15.00	1	6	110 52	00000
	A000	0211	WKEY0070001	11 1	12.00 15.00	1	6	110 52	00000
	A000	0213	ENGL1030001	1 1 1	10.00 10.50		8	110 52	00000
	A000	0213	ENGL1040001	1 1 1	13.00 13.50		13	110 52	00000
	A000	0213	MATH1050001	1 1	13.15 14.30		14	110 52	00000
4	B000	0101A	CONS2510001	11111	8.00 14.45		1	220 46	00000
4	B000	0101A	CONS2620001	11111	8.00 14.45	1	2	220 46	00000
4	B000	0101A	CONS2710001	11111	8.00 14.45	1	3	220 46	00000
4	B000	0101A	CONS2720001	11111	8.00 14.45	1	2	220 46	00000
4	B000	0101A	CONS2810001	11111	8.00 14.45	1	2	220 46	00000
4	B000	0101A	CONS2820001	11111	8.00 14.45	1	2	220 46	00000
4	B000	0101A	CONS2991001	11111	8.00 14.45	1	4	220 46	00000
4	B000	0101A	CONS2993001	11111	8.00 14.45	1	4	220 46	00000
4	B000	0101A	CONS2995001	11111	8.00 14.45	1	4	220 46	00000
4	B000	0101A	ETRN1120002	11111	8.00 14.45	1	4	220 46	00000
4	B000	0101A	ETRN1130002	11111	8.00 14.45	1	4	220 46	00000
4	B000	0101A	ETRN1210002	11111	8.00 14.45	1	2	220 46	00000
4	B000	0101A	ETRN1220001	11111	8.00 14.45	1	1	220 46	00000
4	B000	0101A	ETRN1230001	11111	8.00 14.45	1	1	220 46	00000
4	B000	0101A	CISX2130901	1 1	14.00 22.00	1	6	220 46	00000
4	B000	0101A	CISX2140901	1 1	16.00 22.00	1	6	220 46	00000
	B000	0102	CISX2010001	1 1	8.00 11.00		12	110 37	00000
	B000	0102	CISX1300001	1 1	8.00 11.00		14	110 37	00000
	B000	0102	CISX2030001	1 1	8.00 11.00	1	9	110 37	00000
4	B000	0102	CISX2902999	11111	8.00 14.45	1	1	110 37	00000
4	B000	0102	CISX2902001	1 1	8.00 14.45	1	1	110 37	00000
4	B000	0102	CISX1120001	1	8.00 14.45		15	110 37	00000
4	B000	0102	CISX1130001	1	8.00 14.45		16	110 37	00000
4	B000	0102	CISX1100001	1 1	8.45 14.45		15	110 37	00000
4	B000	0102	CISX1110001	1 1	8.45 14.45	1	17	110 37	00000
4	B000	0102	CISX2210001	1 1	11.45 11.45		11	110 37	00000
	B000	0102	CISX1200001	1 1	11.45 14.45		2	110 37	00000
	B000	0102	KYBD1000001	1 1	11.45 14.45	1	4	110 37	00000
	B000	0102	CISX2020001	1 1	11.45 14.45		7	110 37	00000
	B000	0102	CPTR1050001	1 1	11.45 14.45	1	4	110 37	00000
	B000	0102	CISX2130001	111	11.45 15.45	1	2	110 37	00000
	B000	0102	CISX2140001	111	11.45 15.45	1	3	110 37	00000
4	B000	0102	CISX2110901	1 1	16.00 22.00		14	110 37	00000
4	B000	0102	CISX2120901	1 1	16.00 22.00	1	15	110 37	00000
	C000	0101	HACR1150001	1 1 1	8.00 9.30		12	110 37	00000
	C000	0101	HACR1230001	1 1	8.00 9.30	1	3	110 37	00000
	C000	0101	HACR2520001	1 1	8.00 9.30		10	110 37	00000
4	C000	0101	HACR2995001	11111	8.00 14.45	1	1	110 37	00000
	C000	0101	HACR1160001	1 1 1	9.30 11.00	1	12	110 37	00000
	C000	0101	HACR1240001	1 1	9.30 11.00	1	3	110 37	00000
	C000	0101	HACR2530001	1 1	9.30 11.00		4	110 37	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	C000	0101	HACR2550001	1 1	9.30 11.00	1	9	560	110 37 00000	
	C000	0101	HACR2510001	1 1	12.00 13.00		10	560	110 37 00000	
	C000	0101	HACR1210001	1 1 1	12.00 13.30		3	560	110 37 00000	
	C000	0101	HACR1410001	1 1	12.00 13.30		3	560	110 37 00000	
	C000	0101	HACR1170001	1 1 1	12.00 15.00		12	560	110 37 00000	
	C000	0101	HACR2540001	1 1	13.00 14.00		9	560	110 37 00000	
	C000	0101	HACR1220001	1 1	13.30 15.00		3	560	110 37 00000	
	C000	0101	HACR1420001	1 1	13.30 15.00		3	560	110 37 00000	
	C000	0101	HACR2560001	1 1	14.00 15.00	1	11	560	110 37 00000	
	C000	0101	HACR1150901	1 1	17.30 18.30		8	560	110 37 00000	
	C000	0101	HACR2540901	1 1	17.30 18.30		10	560	110 37 00000	
	C000	0101	HACR1160901	1 1	18.30 19.30		8	560	110 37 00000	
	C000	0101	HACR2550901	1 1	18.30 19.30		10	560	110 37 00000	
	C000	0101	HACR1170901	1 1	19.30 20.30		8	560	110 37 00000	
	C000	0101	HACR2560901	1 1	19.30 20.30		9	560	110 37 00000	
	C000	0102	HACR1160701	11111	8.00 10.30		5	560	110 37 00000	
	C000	0102	HACR1210701	11111	8.00 10.30	1	5	560	110 37 00000	
	C000	0102	HACR1150701	11111	8.00 11.30	1	5	560	110 37 00000	
	C000	0102	HACR1150702	11111	11.30 14.00		4	560	110 37 00000	
	C000	0102	HACR1160702	11111	11.30 14.00	1	4	560	110 37 00000	
	C000	0102	HACR1210702	11111	11.30 14.00	1	4	560	110 37 00000	
	C000	0103A	CLRP1110701	11111	8.00 10.30		15	2,265	220 45 00000	
	C000	0103A	CLRP1121701	11111	8.00 10.30	1	15	2,265	220 45 00000	
	C000	0103A	CLRP1110702	11111	11.30 14.00		13	2,265	220 45 00000	
	C000	0103A	CLRP1121702	11111	11.30 14.00	1	13	2,265	220 45 00000	
4	C000	0104	CLRP1110001	11111	9.00 15.00		12	560	110 37 00000	
4	C000	0104	CLRP1121001	11111	9.00 15.00	1	14	560	110 37 00000	
4	C000	0104	CLRP1131001	11111	9.00 15.00	1	16	560	110 37 00000	
4	C000	0104	CLRP1140001	11111	9.00 15.00	1	9	560	110 37 00000	
4	C000	0104	CLRP1150001	11111	9.00 15.00	1	1	560	110 37 00000	
4	C000	0104	CLRP1220001	11111	9.00 15.00	1	4	560	110 37 00000	
4	8	C000	0104	CLRP1230001	11111	9.00 15.00	1	3	560	110 37 00000
4	8	C000	0104	CLRP1311001	11111	9.00 15.00	1	1	560	110 37 00000
4	8	C000	0104	CLRP1320001	11111	9.00 15.00	1	3	560	110 37 00000
4	8	C000	0104	CLRP2111001	11111	9.00 15.00	1	2	560	110 37 00000
4	8	C000	0104	CLRP2130001	11111	9.00 15.00	1	5	560	110 37 00000
4	8	C000	0104	CLRP2991001	11111	9.00 15.00	1	1	560	110 37 00000
4	8	C000	0104	CLRP2993001	11111	9.00 15.00	1	1	560	110 37 00000
4	8	C000	0104	CLRP2140001	11 11	9.00 15.00	1	2	560	110 37 00000
	D000	0100	CISX1110701	11111	8.00 10.30		14	926	110 62 00000	
	D000	0100	CISX1130701	11111	8.00 10.30	1	14	926	110 62 00000	
	D000	0100	CISX1110702	11111	11.30 14.00		7	926	110 62 00000	
	D000	0100	CISX1130702	11111	11.30 14.00	1	7	926	110 62 00000	
	D000	0101	CPTR1000702	11111	9.30 11.00		8	901	110 60 00000	
	D000	0101	KYBD1000702	11111	9.30 11.00	1	8	901	110 60 00000	
	D000	0102	WELD1110701	11111	8.00 10.30		10	1,035	110 69 00000	
	D000	0102	WELD1120701	11111	8.00 10.30	1	1	1,035	110 69 00000	
	D000	0102	WELD1140701	11111	8.00 10.30	1	10	1,035	110 69 00000	
	D000	0102	WELD1210701	11111	8.00 10.30	1	9	1,035	110 69 00000	
	D000	0102	WELD1410701	11111	8.00 10.30	1	2	1,035	110 69 00000	
	D000	0102	WELD1411701	11111	8.00 10.30	1	2	1,035	110 69 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	D000	0102	WELD1412701	11111	8.00 10.30	1	2	1,035	110 69	00000	
	D000	0102	WELD1110702	11111	11.30 14.00		8	1,035	110 69	00000	
	D000	0102	WELD1140702	11111	11.30 14.00	1	8	1,035	110 69	00000	
	D000	0102	WELD1210702	11111	11.30 14.00	1	8	1,035	110 69	00000	
	D000	0102	WELD1410702	11111	11.30 14.00	1	4	1,035	110 69	00000	
	D000	0102	WELD1411702	11111	11.30 14.00	1	4	1,035	110 69	00000	
	D000	0102	WELD1412702	11111	11.30 14.00	1	4	1,035	110 69	00000	
4	D000	0103	MTTC2110001	11111	8.00 14.40		1	906	110 60	00000	
4	D000	0103	MTTC2120001	11111	8.00 14.40	1	4	906	110 60	00000	
4	D000	0103	MTTC2120002	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2210001	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2220001	11111	8.00 14.40	1	2	906	110 60	00000	
4	D000	0103	MTTC2310001	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2320001	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2331001	11111	8.00 14.40	1	4	906	110 60	00000	
4	D000	0103	MTTC2410001	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2410002	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2431001	11111	8.00 14.40	1	1	906	110 60	00000	
4	D000	0103	MTTC2710001	11111	8.00 14.40	1	1	906	110 60	00000	
	D000	0106	DPET2110999	1 1 1	8.00 12.00		1	697	110 46	00000	
	D000	0107	DPET2140001	11111	8.00 12.00		3	1,578	220 31	00000	
4	D000	0107	DPET1240001	11111	8.00 14.40	1	5	1,578	220 31	00000	
4	D000	0107	DPET1310001	11111	8.00 14.40	1	1	1,578	220 31	00000	
4	D000	0107	DPET1320001	11111	8.00 14.40	1	2	1,578	220 31	00000	
4	D000	0107	DPET1330001	11111	8.00 14.40	1	3	1,578	220 31	00000	
4	D000	0107	DPET1120001	11111	8.00 14.45	1	7	1,578	220 31	00000	
4	D000	0107	DPET1130001	11111	8.00 14.45	1	7	1,578	220 31	00000	
4	D000	0107	DPET1140001	11111	8.00 14.45	1	11	1,578	220 31	00000	
4	D000	0107	DPET1141001	11111	8.00 14.45	1	5	1,578	220 31	00000	
4	8	D000	0107	DPET1150001	11111	8.00 14.45	1	8	1,578	220 31	00000
4	8	D000	0107	DPET1210001	11111	8.00 14.45	1	11	1,578	220 31	00000
4	8	D000	0107	DPET1220001	11111	8.00 14.45	1	5	1,578	220 31	00000
4	8	D000	0107	DPET1231001	11111	8.00 14.45	1	3	1,578	220 31	00000
4	8	D000	0107	DPET2110001	11111	8.00 14.45	1	3	1,578	220 31	00000
4	8	D000	0107	DPET2130001	11111	8.00 14.45	1	3	1,578	220 31	00000
4	8	D000	0107	DPET2210001	11111	8.00 14.45	1	2	1,578	220 31	00000
4	8	D000	0107	DPET2220001	11111	8.00 14.45	1	1	1,578	220 31	00000
4	8	D000	0107	DPET2240001	11111	8.00 14.45	1	1	1,578	220 31	00000
4		D000	0111	MTTC2230701	11111	8.00 14.45	1	1	5,108	310 1	00000
4		D000	0111	MTTC2310701	11111	8.00 14.45	1	1	5,108	310 1	00000
4	8	D000	0111	MTTC2431701	11111	8.00 14.45	1	1	5,108	310 1	00000
4	8	D000	0111	MTTC2710701	11111	8.00 14.45	1	1	5,108	310 1	00000
	D000	0112	WELD1510002	11111	8.00 10.30		1	3,686	730 30	00000	
4		D000	0112	WELD1110001	11111	8.00 14.45	1	1	3,686	730 30	00000
4		D000	0112	WELD1120001	11111	8.00 14.45	1	1	3,686	730 30	00000
4		D000	0112	WELD1140001	11111	8.00 14.45	1	1	3,686	730 30	00000
4		D000	0112	WELD1310001	11111	8.00 14.45	1	1	3,686	730 30	00000
4		D000	0112	WELD1410001	11111	8.00 14.45	1	1	3,686	730 30	00000
4		D000	0112	WELD1411001	11111	8.00 14.45	1	4	3,686	730 30	00000
4		D000	0112	WELD1412001	11111	8.00 14.45	1	8	3,686	730 30	00000
4		D000	0112	WELD1420001	11111	8.00 14.45	1	2	3,686	730 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.			
4	D000	0112	WELD1420002	11111	8.00 14.45	1	1	3,686	730	30	00000	
4	D000	0112	WELD1510001	11111	8.00 14.45	1	1	3,686	730	30	00000	
4	D000	0112	WELD2110001	11111	8.00 14.45	1	9	3,686	730	30	00000	
4	D000	0112	WELD2111001	11111	8.00 14.45	1	9	3,686	730	30	00000	
4	D000	0112	WELD2112002	11111	8.00 14.45	1	1	3,686	730	30	00000	
4	8	D000	0112	WELD2210001	11111	8.00 14.45	1	9	3,686	730	30	00000
4	8	D000	0112	WELD2230001	11111	8.00 14.45	1	6	3,686	730	30	00000
4	8	D000	0112	WELD2310001	11111	8.00 14.45	1	3	3,686	730	30	00000
4	8	D000	0112	WELD2311001	11111	8.00 14.45	1	1	3,686	730	30	00000
4	8	D000	0112	WELD2320002	11111	8.00 14.45	1	1	3,686	730	30	00000
	D000	0112	ZXNCELD 901	1 1	18.00 21.00		3	3,686	730	30	00000	
	E000	0115	HNUR1351901	1	17.00 20.00		34	391	110	26	00000	
	E000	0123	HNUR2120001	11111	12.15 13.10		52	983	110	65	00000	
	E000	0123	HNUR2220001	1 1 1	13.20 14.30		52	983	110	65	00000	
	E000	0123	HNUR1310002	1 1	13.20 14.30		50	983	110	65	00000	
	E000	0125	OPET1121701	11111	8.00 10.20		2	483	110	32	00000	
	E000	0125	OPET1141701	11111	8.00 10.20	1	2	483	110	32	00000	
	E000	0125	OPET1331701	11111	8.00 10.20	1	1	483	110	32	00000	
	E000	0125	OPET1341701	11111	8.00 10.20	1	1	483	110	32	00000	
	E000	0125	OPET1111701	1111	8.00 10.20	1	2	483	110	32	00000	
	E000	0125	OPET1231001	1	10.00 12.40	1	7	483	110	32	00000	
4	E000	0127	ZXNCCNA 001	11111	8.00 14.30		24	1,727	110	115	00000	
	E000	0130	OPET1111001	1	8.00 9.50		3	3,190	210	63	00000	
	E000	0130	OPET1141001	1	8.00 9.50		3	3,190	210	63	00000	
	E000	0130	OPET1221001	1	8.00 9.50		5	3,190	210	63	00000	
	E000	0130	OPET1341001	1	8.00 9.50		6	3,190	210	63	00000	
	E000	0130	OPET2999001	1	8.00 9.50		2	3,190	210	63	00000	
	E000	0130	OPET1161701	11111	8.00 10.20	1	1	3,190	210	63	00000	
	E000	0130	OPET1121001	1	10.00 12.40	1	3	3,190	210	63	00000	
	E000	0130	OPET1151001	1	10.00 12.40		1	3,190	210	63	00000	
	E000	0130	OPET1161001	1	10.00 12.40	1	3	3,190	210	63	00000	
	E000	0130	OPET2131001	1	10.00 12.40		4	3,190	210	63	00000	
	E000	0130	OPET2996001	1	10.00 14.30		7	3,190	210	63	00000	
	E000	0130	OPET1131001	1	12.50 14.40		1	3,190	210	63	00000	
	E000	0130	OPET1331001	1	12.50 14.40		8	3,190	210	63	00000	
	E000	0130	OPET2993001	1	12.50 14.40		3	3,190	210	63	00000	
	E000	0141	ORNT1000002	11111	11.50 12.40		26	1,577	610	105	00000	
	E000	0141	ORNT1000003	1 1 1	15.00 16.00		25	1,577	610	105	00000	
	E000	0141	ORNT1000004	1 1 1	15.00 16.00	1	62	1,577	610	105	00000	
	E000	0142	CARP1110701	11111	8.00 10.30		7	537	110	35	00000	
	E000	0142	CARP1130701	11111	8.00 10.30	1	1	537	110	35	00000	
	E000	0142	CARP1110702	11111	11.30 14.00		6	537	110	35	00000	
	E000	0142	CARP1120702	11111	11.30 14.00	1	6	537	110	35	00000	
	E000	0143	CULN1321001	11111	8.00 10.15		1	537	110	35	00000	
	E000	0145	CULN1310001	11111	8.00 10.15		5	983	610	65	00000	
	E000	0145	CULN1140701	11111	8.00 10.30	1	1	983	610	65	00000	
	E000	0145	CULN1230701	11111	8.00 10.30	1	1	983	610	65	00000	
	E000	0145	HOST1010701	11 11	8.00 10.30	1	1	983	610	65	00000	
	E000	0145	CULN1210001	11111	8.00 12.00	1	8	983	610	65	00000	
	E000	0145	CULN1130001	11111	9.30 10.30	1	10	983	610	65	00000	
	E000	0145	CULN2410001	11111	10.15 13.00	1	5	983	610	65	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	E000	0145	CULN2420001	111111	10.15 13.00	1	5	983	610 65	00000	
	E000	0145	CULN1110001	111111	10.30 11.30	1	10	983	610 65	00000	
	E000	0145	CULN1120001	1 1	10.30 12.30	1	10	983	610 65	00000	
	E000	0145	CULN1140001	111111	12.30 14.00		10	983	610 65	00000	
	E000	0145	CULN1230001	111111	12.45 14.00	1	8	983	610 65	00000	
	E000	0147	HNUR2530001	11	9.25 10.30		35	747	110 50	00000	
	E000	0147	HNUR2611001	11	12.15 13.10		35	747	110 50	00000	
	E000	0147	HNUR2640001	11	12.15 13.10	1	35	747	110 50	00000	
	E000	0147	HNUR2230001	111	13.20 14.30		35	747	110 50	00000	
	E000	0147	HNUR1360901	1	17.00 20.00		38	747	110 50	00000	
	E000	0147	HNUR1340901	1	17.00 20.00		12	747	110 50	00000	
	E000	0148	HNUR1340001	1 1	9.35 10.30		47	537	110 35	00000	
	E000	0148	HNUR1360001	1 1 1	9.35 11.30		41	537	110 35	00000	
	E000	0148	HMDT1170001	1 1 1	12.15 14.30		8	537	110 35	00000	
	E000	0148	HNUR1300001	1 1 1	12.15 14.30	1	31	537	110 35	00000	
	E000	0148	HNUR1351001	1 1	12.15 14.30		39	537	110 35	00000	
	E000	0148	HNUR1300901	1 1	17.00 20.00		23	537	110 35	00000	
	E000	0148	HNUR1310901	1	18.00 21.00		28	537	110 35	00000	
	E000	0148	HNUR1330901	1	18.00 21.00	1	17	537	110 35	00000	
	E000	0150	DVEN0091001	1 1 1	9.00 9.50		11	670	110 45	00000	
	E000	0150	DVRE0091001	1 1	9.30 10.45		10	670	110 45	00000	
	E000	0150	DVMA0090001	1 1 1	10.00 10.45		31	670	110 45	00000	
	E000	0150	DVMA0091001	1 1 1	12.00 12.45		1	670	110 45	00000	
	E000	0150	DVRE0092001	1 1	12.00 12.45		2	670	110 45	00000	
	E000	0150	DVEN0092001	1 1 1	14.00 14.45		1	670	110 45	00000	
	E000	0150	OCED2010001	1	15.00 17.45		7	670	110 45	00000	
4	8	E000	0156A	CARP1110001	111111	8.00 14.30	12	296	730	00000	
4	8	E000	0156A	CARP1120001	111111	8.00 14.30	1	296	730	00000	
4	8	E000	0156A	CARP1130001	111111	8.00 14.30	1	296	730	00000	
4	8	E000	0156A	CARP1150001	111111	8.00 14.30	1	296	730	00000	
4	8	E000	0156A	CARP2620001	111111	8.00 14.30	1	296	730	00000	
	E000	0158	CULN1310999	111111	8.00 12.00		1	1,700	220 34	00000	
	E000	0158	ZINWULN 001	1 1	19.00 21.00		5	1,700	220 34	00000	
	E000	0169	GRPH1240001	1 1	8.00 10.00		19	3,052	220 61	00000	
	E000	0169	GRPH1300001	1 1	8.00 10.00		21	3,052	220 61	00000	
	E000	0169	GRPH1100001	111111	8.00 12.45	1	10	3,052	220 61	00000	
4		E000	0169	GRPH1320001	1 1	10.00 16.00	1	11	3,052	220 61	00000
4		E000	0169	GRPH1400001	1 1	10.00 16.00	1	3	3,052	220 61	00000
4		E000	0169	GRPH1500001	1 1	10.00 16.00	1	5	3,052	220 61	00000
4		E000	0169	GRPH1310001	1 1	10.00 16.00	21	3,052	220 61	00000	
	E000	0169	GRPH1230001	111111	12.45 16.00	1	10	3,052	220 61	00000	
	E000	0170	CPTR1000704	111111	8.00 10.30		13	1,150	220 23	00000	
	E000	0170	GRPH1100701	111111	8.00 10.30	1	13	1,150	220 23	00000	
	8	E000	0170	GRPH1230701	111111	8.00 10.30	1	13	1,150	220 23	00000
	8	E000	0170	GRPH1320701	111111	8.00 10.30	1	1	1,150	220 23	00000
	8	E000	0170	GRPH1530701	111111	8.00 10.30	1	1	1,150	220 23	00000
	E000	0170	CPTR1000706	111111	11.30 14.00		11	1,150	220 23	00000	
	E000	0170	GRPH1100702	111111	11.30 14.00	1	11	1,150	220 23	00000	
	E000	0170	GRPH1320702	111111	11.30 14.00	1	3	1,150	220 23	00000	
	E000	0170	GRPH1530702	111111	11.30 14.00	1	3	1,150	220 23	00000	
	8	E000	0170	GRPH1230702	111111	11.30 16.00	1	11	1,150	220 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	F000	0102A	ELMT1110001	111111	8.00 14.45		1	731	110 48 00000	
4	F000	0102A	ELMT2510001	111111	8.00 14.45	1	4	731	110 48 00000	
4	F000	0102A	ELMT2520001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ELMT2530001	111111	8.00 14.45	1	3	731	110 48 00000	
4	F000	0102A	ELMT2540001	111111	8.00 14.45	1	3	731	110 48 00000	
4	F000	0102A	ELMT2610001	111111	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	ELMT2611001	111111	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	ELMT2621001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ELMT2810001	111111	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	ETRN1110001	111111	8.00 14.45	1	3	731	110 48 00000	
4	F000	0102A	ETRN1120001	111111	8.00 14.45	1	3	731	110 48 00000	
4	F000	0102A	ETRN1130001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ETRN1320001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ETRN1410001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ETRN1420001	111111	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	ETRN1421001	111111	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	ETRN1430001	111111	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	INST1110001	11 11	8.00 14.45	1	2	731	110 48 00000	
4	F000	0102A	INST1310001	11 11	8.00 14.45	1	1	731	110 48 00000	
4	F000	0102A	ZINWNJB 00A	1	8.00 17.30	1	6	731	110 48 00000	
	F000	0102A	ZINWNJB 00B	1 1	17.30 21.30		9	731	110 48 00000	
	F000	0102A	ZINWNJB 00C	1 1	17.30 21.30	1	8	731	110 48 00000	
	F000	0102B	AUTO1400701	111111	8.00 10.30		1	726	110 48 00000	
4	F000	0102B	AUTO1100001	111111	8.00 14.45	1	29	726	110 48 00000	
4	F000	0102B	AUTO1110001	111111	8.00 14.45	1	29	726	110 48 00000	
4	8	F000	0102B	AUTO1120001	111111	8.00 14.45	1	29	726	110 48 00000
4	8	F000	0102B	AUTO1130001	111111	8.00 14.45	1	29	726	110 48 00000
4	8	F000	0102B	AUTO1240001	111111	8.00 14.45	1	33	726	110 48 00000
4	8	F000	0102B	AUTO1420001	111111	8.00 14.45	1	29	726	110 48 00000
4	8	F000	0102B	AUTO1430001	111111	8.00 14.45	1	29	726	110 48 00000
4	8	F000	0102B	AUTO1440001	111111	8.00 14.45	1	29	726	110 48 00000
	8	F000	0102B	AUTO1400702	111111	11.30 14.00	1	3	726	110 48 00000
4	F000	0102C	AUTO1200001	111111	8.00 14.45		33	731	110 48 00000	
4	F000	0102C	AUTO1210001	111111	8.00 14.45	1	33	731	110 48 00000	
4	8	F000	0102C	AUTO1220001	111111	8.00 14.45	1	33	731	110 48 00000
	F000	0102E	AUTO1500701	111111	8.00 10.30		18	583	110 38 00000	
	F000	0102E	AUTO1800701	111111	8.00 10.30	1	2	583	110 38 00000	
4	F000	0102E	AUTO1400001	111111	8.00 14.45	1	29	583	110 38 00000	
4	8	F000	0102E	AUTO1410001	111111	8.00 14.45	1	29	583	110 38 00000
	8	F000	0102E	AUTO1500702	111111	11.30 14.00	1	18	583	110 38 00000
	8	F000	0102E	AUTO1800702	111111	11.30 14.00	1	5	583	110 38 00000
	F000	0115	ELEC1420701	111111	8.00 10.20		1	789	110 52 00000	
	F000	0115	ELEC1440701	111111	8.00 10.20	1	1	789	110 52 00000	
4	F000	0115	ELEC1120001	111111	8.00 14.45	1	8	789	110 52 00000	
4	F000	0115	ELEC1210001	111111	8.00 14.45	1	9	789	110 52 00000	
4	F000	0115	ELEC1220001	111111	8.00 14.45	1	3	789	110 52 00000	
4	F000	0115	ELEC1311001	111111	8.00 14.45	1	3	789	110 52 00000	
4	F000	0115	ELEC1330001	111111	8.00 14.45	1	3	789	110 52 00000	
4	F000	0115	ELEC1410001	111111	8.00 14.45	1	3	789	110 52 00000	
4	F000	0115	ELEC1420001	111111	8.00 14.45	1	1	789	110 52 00000	
4	F000	0115	ELEC1440001	111111	8.00 14.45	1	1	789	110 52 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2005
 RUN DATE 01/23/2006 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	F000 0115	ELEC2460001	111111	8.00 14.45	1	6	789	110 52	00000
4	F000 0115	ELEC2993001	111111	8.00 14.45	1	1	789	110 52	00000
	F000 0115	ELEC1220901	111111	17.30 21.00		1	789	110 52	00000
	F000 0115	ELEC1120901	1111	17.30 21.00	1	4	789	110 52	00000
	F000 0115	ELEC1210901	1111	17.30 21.00	1	3	789	110 52	00000
	F000 0115	ELEC1230901	1111	17.30 21.00	1	1	789	110 52	00000
	F000 0115	ELEC1311901	1111	17.30 21.00	1	4	789	110 52	00000
	F000 0115	ELEC2460901	1111	17.30 21.00	1	6	789	110 52	00000
	F000 0115	ELEC1330901	1111	17.30 21.30	1	2	789	110 52	00000
	F000 0115	ELEC1410901	1111	17.30 21.30	1	2	789	110 52	00000
	F000 0115	ELEC1430901	1111	17.30 21.30	1	2	789	110 52	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 177

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 96
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 273

TOTAL NUMBER OF RECORDS READ 419
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 419
NUMBER OF JOINT-CLASS RECORDS 288
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			50
TOTAL NUMBER OF STATIONS (CAPACITY)			2542
WEEKLY STUDENT CONTACT HOURS	39237	1132	40369
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4500	2500	7000
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2106	161	2267
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	228780	127100	355880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	99380	7296	106676
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	78474	2265	80739
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.8	6.4	32.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.3	1.8	22.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.0	31.0	75.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			50
TOTAL NUMBER OF STATIONS (CAPACITY)			2542
WEEKLY STUDENT CONTACT HOURS	39237	1132	40369
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4500	2500	7000
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2106	161	2267
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	228780	127100	355880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	99380	7296	106676
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	78474	2265	80739
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	46.8	6.4	32.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	34.3	1.8	22.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	79.0	31.0	75.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			39
TOTAL NUMBER OF STATIONS (CAPACITY)			1083
WEEKLY STUDENT CONTACT HOURS	15532	206	15738
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3510	1950	5460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1184	38	1222
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	97470	54150	151620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40231	596	40827
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	31065	412	31477
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.7	1.9	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	31.9	.8	20.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	77.2	69.1	77.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			4
TOTAL NUMBER OF STATIONS (CAPACITY)			135
WEEKLY STUDENT CONTACT HOURS	5486		5486
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	360	200	560
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	201		201
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12150	6750	18900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	8985		8985
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10972		10972
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.8	.0	35.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	90.3	.0	58.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	122.1	.0	122.1

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			35
TOTAL NUMBER OF STATIONS (CAPACITY)			948
WEEKLY STUDENT CONTACT HOURS	10046	206	10252
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3150	1750	4900
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	983	38	1021
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	85320	47400	132720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	31246	596	31842
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	20093	412	20505
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	31.2	2.2	20.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	23.6	.9	15.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	64.3	69.1	64.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			89
TOTAL NUMBER OF STATIONS (CAPACITY)			3625
WEEKLY STUDENT CONTACT HOURS	54769	1338	56108
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8010	4450	12460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3290	199	3489
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	326250	181250	507500
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	139611	7892	147503
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	109539	2677	112216
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	41.1	4.5	28.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.6	1.5	22.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	78.5	33.9	76.1