

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0101	BARB1150001	11111	8.00 14.30		22	1,678	210 33	00000
4	000A 0101	BARB1211001	11111	8.00 14.30	1	15	1,678	210 33	00000
4	8 000A 0101	BARB1310001	11111	8.00 14.30	1	18	1,678	210 33	00000
4	8 000A 0101	BARB1321001	11111	8.00 14.30	1	19	1,678	210 33	00000
4	8 000A 0101	BARB2630001	11111	8.00 14.30	1	10	1,678	210 33	00000
4	8 000A 0101	BARB2991001	11111	8.00 14.30	1	15	1,678	210 33	00000
4	8 000A 0101	BARB2993001	11111	8.00 14.30	1	10	1,678	210 33	00000
4	8 000A 0101	BARB2996001	11111	8.00 14.30	1	9	1,678	210 33	00000
4	8 000A 0101	BARB1140001	11111	8.00 14.45	1	10	1,678	210 33	00000
4	8 000A 0101	BARB1330001	11111	8.00 14.45	1	15	1,678	210 33	00000
4	8 000A 0101	BARB1341001	11111	8.00 14.45	1	13	1,678	210 33	00000
4	8 000A 0101	BARB2111001	11111	8.00 14.45	1	16	1,678	210 33	00000
4	8 000A 0101	BARB2120001	11111	8.00 14.45	1	11	1,678	210 33	00000
4	8 000A 0101	BARB2131001	11111	8.00 14.45	1	10	1,678	210 33	00000
4	8 000A 0101	BARB2995001	11111	8.00 14.45	1	13	1,678	210 33	00000
	000A 0101	BARB1131901	1111	16.30 21.30		3	1,678	210 33	00000
	000A 0101	BARB1140901	1111	16.30 21.30	1	6	1,678	210 33	00000
	000A 0101	BARB1150901	1111	16.30 21.30	1	5	1,678	210 33	00000
	000A 0101	BARB1160901	1111	16.30 21.30	1	3	1,678	210 33	00000
	000A 0101	BARB1211901	1111	16.30 21.30	1	6	1,678	210 33	00000
	000A 0101	BARB1220901	1111	16.30 21.30	1	2	1,678	210 33	00000
	000A 0101	BARB1231901	1111	16.30 21.30	1	2	1,678	210 33	00000
	000A 0101	BARB1310901	1111	16.30 21.30	1	5	1,678	210 33	00000
	000A 0101	BARB1321901	1111	16.30 21.30	1	3	1,678	210 33	00000
	000A 0101	BARB1330901	1111	16.30 21.30	1	1	1,678	210 33	00000
	000A 0101	BARB1341901	1111	16.30 21.30	1	4	1,678	210 33	00000
	000A 0101	BARB1350901	1111	16.30 21.30	1	2	1,678	210 33	00000
	000A 0101	BARB1420901	1111	16.30 21.30	1	2	1,678	210 33	00000
	000A 0101	BARB1430901	1111	16.30 21.30	1	1	1,678	210 33	00000
	000A 0101	BARB1441901	1111	16.30 21.30	1	3	1,678	210 33	00000
	000A 0101	BARB2111901	1111	16.30 21.30	1	1	1,678	210 33	00000
	8 000A 0101	BARB2120901	1111	16.30 21.30	1	2	1,678	210 33	00000
	8 000A 0101	BARB2131901	1111	16.30 21.30	1	3	1,678	210 33	00000
	8 000A 0101	BARB2991901	1111	16.30 21.30	1	4	1,678	210 33	00000
	8 000A 0101	BARB2993901	1111	16.30 21.30	1	6	1,678	210 33	00000
	8 000A 0101	BARB2995901	1111	16.30 21.30	1	2	1,678	210 33	00000
	8 000A 0101	BARB2996901	1111	16.30 21.30	1	1	1,678	210 33	00000
4	000A 0104	BARB1231001	11111	8.00 14.30		13	495	210 9	00000
4	000A 0105	BARB1110001	11111	8.00 14.30		27	526	110 27	00000
4	8 000A 0105	BARB1120001	11111	8.00 14.30	1	27	526	110 27	00000
4	8 000A 0105	BARB1131001	11111	8.00 14.30	1	36	526	110 27	00000
4	8 000A 0105	BARB1160001	11111	8.00 14.30	1	27	526	110 27	00000
4	8 000A 0105	BARB1220001	11111	8.00 14.30	1	36	526	110 27	00000
4	8 000A 0105	BARB1350001	11111	8.00 14.30	1	22	526	110 27	00000
4	8 000A 0105	BARB1410001	11111	8.00 14.30	1	36	526	110 27	00000
4	8 000A 0105	BARB1420001	11111	8.00 14.30	1	28	526	110 27	00000
4	8 000A 0105	BARB1430001	11111	8.00 14.30	1	32	526	110 27	00000
	000A 0200	CPTR1000001	11111	8.00 9.00		10	776	220 15	00000
	000A 0200	CPTR1000002	11111	8.00 9.00	1	5	776	220 15	00000
	000A 0200	CPTR1000003	11111	8.00 9.00	1	1	776	220 15	00000
	8 000A 0200	CPTR1000004	11111	8.00 9.00	1	15	776	220 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000A 0200	CPTR1000005	11111	8.00 9.15	1	17	776	220 15	00000
8	000A 0200	CPTR100005X	11111	8.00 9.15	1	18	776	220 15	00000
8	000A 0200	KYBD1110999	11111	8.00 12.00	1	2	776	220 15	00000
4 8	000A 0200	OSYS2995001	11111	8.00 14.30	1	2	776	220 15	00000
4 8	000A 0200	OSYS2997001	11111	8.00 14.30	1	1	776	220 15	00000
4 8	000A 0200	OSYS2999001	11111	8.00 14.30	1	2	776	220 15	00000
4 8	000A 0200	KYBD1000999	11111	8.00 14.45	1	3	776	220 15	00000
8	000A 0200	JOBS2450001	1 1	9.30 10.45	1	14	776	220 15	00000
	000A 0200	JOBS2450003	1 1	9.30 10.45		8	776	220 15	00000
	000A 0200	JOBS2450002	1 1	9.39 10.45		9	776	220 15	00000
	000A 0200	MACH1350001	1 1 1	11.45 13.00		2	776	220 15	00000
	000A 0200	JOBS2450004	1 1	13.15 14.30		5	776	220 15	00000
	000A 0200	CPTR1000006	1 1 1	14.00 14.50		17	776	220 15	00000
8	000A 0200	CPTR1000007	1 1 1	14.00 14.50	1	16	776	220 15	00000
8	000A 0200	CPTR1000008	1 1 1	14.00 14.50	1	5	776	220 15	00000
8	000A 0200	CPTR1000009	1 1 1	14.00 14.50	1	4	776	220 15	00000
	000A 0201	ACCT1200001	1111	8.00 9.15		10	769	220 32	00000
	000A 0201	ACCT1100001	1111	9.00 10.45	1	16	769	220 32	00000
	000A 0202	KYBD1000700	11111	9.30 11.00		13	776	220 16	00000
	000A 0205	ISYS1650001	1 1	9.30 11.00		9	499	220 11	00000
	000A 0205	KYBD1000002	11111	11.45 13.00		15	499	220 11	00000
8	000A 0205	KYBD1110001	11111	11.45 13.00	1	22	499	220 11	00000
4	000A 0208	CPTR1000999	11111	8.00 14.00		1	411	220 14	00000
	000A 0208	KYBD1210001	1 1 1	11.45 13.00	1	11	411	220 14	00000
	000A 0208	ISYS1450001	11111	13.15 14.30		7	411	220 14	00000
	000A 0208	CPTR1000902	1	17.00 20.00		15	411	220 14	00000
8	000A 0208	CPTR1000903	1	17.00 20.00	1	16	411	220 14	00000
8	000A 0208	OSYS1100901	1	17.00 20.00	1	1	411	220 14	00000
	000A 0209	CADD1210700	11111	8.00 10.30		3	1,149	220 22	00000
4	000A 0209	CADD1210001	11111	8.00 14.45	1	2	1,149	220 22	00000
4	000A 0209	CADD1220001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	000A 0209	CADD2310001	11111	8.00 14.45	1	2	1,149	220 22	00000
4	9 000A 0209	CADD2310001	11111	8.00 14.45		2	1,149	220 22	00000
4	000A 0209	DRFT1120001	11111	8.00 14.45	1	4	1,149	220 22	00000
4	000A 0209	DRFT1130001	11111	8.00 14.45	1	4	1,149	220 22	00000
4	000A 0209	DRFT1140001	11111	8.00 14.45	1	4	1,149	220 22	00000
4	000A 0209	DRFT1150001	11111	8.00 14.45	1	5	1,149	220 22	00000
4	000A 0209	DRFT1161001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	000A 0209	DRFT1210001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	000A 0209	DRFT1230001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	000A 0209	DRFT2320001	11111	8.00 14.45	1	3	1,149	220 22	00000
4	8 000A 0209	DRFT2330001	11111	8.00 14.45	1	4	1,149	220 22	00000
4	8 000A 0209	DRFT2431001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	8 000A 0209	DRFT2531001	11111	8.00 14.45	1	1	1,149	220 22	00000
4	8 000A 0209	DRFT2631001	11111	8.00 14.45	1	2	1,149	220 22	00000
4	8 000A 0209	MATH1110001	11111	8.00 14.45	1	4	1,149	220 22	00000
	000A 0209	DRFT2310901	11111	16.00 21.00		4	1,149	220 22	00000
	000A 0209	DRFT2320901	11111	16.00 21.00	1	4	1,149	220 22	00000
	000A 0209	DRFT2330901	1111	16.00 21.00	1	4	1,149	220 22	00000
	000A 0211	WKEY0070001	11 11	8.00 11.00		13	784	110 16	00000
	000A 0211	WKEY0071001	11 11	9.00 11.00	1	2	784	110 16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0211	WKEY0071002	11 11	9.00 11.00	1	2	784	110 16 00000
	000A	0211	WKEY0070004	11 11	12.00 14.00		2	784	110 16 00000
	000A	0213	CSRV1000001	1 1	10.00 11.05		19	781	110 28 00000
	000A	0213	ENGL1030001	11111	13.15 14.30		17	781	110 28 00000
	000A	0213	ENGL1040001	11111	13.15 14.30	1	24	781	110 28 00000
	000B	0101A	ETRN1120001	11111	8.00 11.00		1	2,292	220 23 00000
	000B	0101A	MATH1110001	1 1	8.00 12.00	1	1	2,292	220 23 00000
4	000B	0101A	CONS2510001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	CONS2610001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	CONS2620001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	CONS2710001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	CONS2720001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	CONS2820001	11111	8.00 14.45	1	2	2,292	220 23 00000
4	000B	0101A	CONS2996001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	ETRN1210001	11111	8.00 14.45	1	1	2,292	220 23 00000
4	000B	0101A	ETRN1220001	11111	8.00 14.45	1	2	2,292	220 23 00000
4	000B	0101A	ETRN1230001	11111	8.00 14.45	1	2	2,292	220 23 00000
4	000B	0101A	ETRN1240001	11111	8.00 14.45	1	3	2,292	220 23 00000
	000B	0101A	CONS2991001	11111	11.45 14.45	1	1	2,292	220 23 00000
	000B	0101A	CONS2993001	11111	11.45 14.45	1	1	2,292	220 23 00000
	000B	0101A	CONS2995001	11111	11.45 14.45	1	3	2,292	220 23 00000
	000B	0101A	ETRN1130002	11111	11.45 14.45	1	1	2,292	220 23 00000
4	000B	0101A	INCT2110901	1 1	16.00 22.00		15	2,292	220 23 00000
4	000B	0101A	INCT2120901	1 1	16.00 22.00	1	7	2,292	220 23 00000
	000B	0102	INCT2010001	1 1	8.00 11.00		3	563	110 25 00000
	000B	0102	INCT1300001	1 1	8.00 11.00		11	563	110 25 00000
	000B	0102	INCT2030001	1 1	8.00 11.00	1	6	563	110 25 00000
4	000B	0102	INCT1100001	1 1	8.00 14.45		12	563	110 25 00000
4	000B	0102	INCT1110001	1 1	8.00 14.45	1	13	563	110 25 00000
4	000B	0102	INCT2902002	1 1	8.00 14.45	1	6	563	110 25 00000
4	000B	0102	INCT2902001	1 1	8.00 14.45		1	563	110 25 00000
4	000B	0102	INCT1120001	1 1	8.00 14.45		11	563	110 25 00000
4	000B	0102	INCT2830001	1 1	8.00 14.45	1	9	563	110 25 00000
	000B	0102	INCT1200001	1 1	11.45 14.45		6	563	110 25 00000
	000B	0102	INCT1300002	1 1	11.45 14.45	1	2	563	110 25 00000
	000B	0102	CPTR1010001	1 1	11.45 14.45		12	563	110 25 00000
	000B	0102	INCT1210001	1 1	11.45 14.45	1	6	563	110 25 00000
	000B	0102	INCT2020001	1 1	11.45 14.45	1	3	563	110 25 00000
9	000B	0102	INCT2020001	1 1	11.45 14.45		3	563	110 25 00000
	000B	0102	KYBD1000001	1 1	11.45 14.45	1	5	563	110 25 00000
4	000B	0102	INCT2130901	1 1	16.00 22.00		5	563	110 25 00000
4	000B	0102	INCT2140901	1 1	16.00 22.00	1	5	563	110 25 00000
	000B	0103	AHSC1000001	1 1 1	7.45 9.15		33	536	110 37 00000
	000C	0101	HACR2520001	1 1	8.00 9.30		12	560	110 26 00000
	000C	0101	HACR2530001	1 1	9.30 11.00		6	560	110 26 00000
	000C	0101	HACR2550001	1 1	9.30 11.00	1	10	560	110 26 00000
	000C	0101	HACR2510001	1 1	12.00 13.00		12	560	110 26 00000
	000C	0101	HACR1410001	1 1	12.00 13.30	1	6	560	110 26 00000
	000C	0101	HACR2997001	1	12.00 15.00		1	560	110 26 00000
	000C	0101	HACR2540001	1 1	13.00 14.00		10	560	110 26 00000
	000C	0101	HACR1420001	1 1	13.30 15.00	1	6	560	110 26 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000C	0101	HACR2560001	1 1	14.00 15.00	1	10	560	110 26	00000	
	000C	0101	HACR2540901	1 1	17.30 18.30		15	560	110 26	00000	
	000C	0101	HACR2550901	1 1	18.30 19.30		15	560	110 26	00000	
	000C	0101	HACR2560901	1 1	19.30 20.30		15	560	110 26	00000	
	000C	0103	CLRP1110700	11111	8.00 10.30		8	560	110 38	00000	
	000C	0103	CLRP1121700	11111	8.00 10.30	1	8	560	110 38	00000	
	000C	0103	CLRP1131700	11111	8.00 10.30	1	3	560	110 38	00000	
	000C	0103	CLRP2130700	11111	8.00 10.30	1	1	560	110 38	00000	
	000C	0103	CLRP1110701	11111	11.30 14.00		5	560	110 38	00000	
	000C	0103	CLRP1121701	11111	11.30 14.00	1	5	560	110 38	00000	
	000C	0103	CLRP1131701	11111	11.30 14.00	1	2	560	110 38	00000	
	000C	0103	CLRP2130701	11111	11.30 14.00	1	2	560	110 38	00000	
	000C	0104	CLRP1121001	11111	8.00 9.30		7	560	110 40	00000	
	000C	0104	CLRP1150001	11111	8.00 10.00	1	19	560	110 40	00000	
4	000C	0104	CLRP1110002	11111	8.00 14.45	1	1	560	110 40	00000	
4	000C	0104	CLRP1110001	111	8.15 14.15	1	6	560	110 40	00000	
	000C	0104	CLRP1131001	11111	9.30 11.00	1	6	560	110 40	00000	
	000C	0104	CLRP2121001	11111	10.00 11.00	1	1	560	110 40	00000	
	000C	0104	CLRP1230001	11111	10.00 13.00	1	17	560	110 40	00000	
	8	000C	0104	CLRP2130001	11111	11.45 15.15	1	9	560	110 40	00000
	8	000C	0104	CLRP1220001	11111	13.00 14.15	1	14	560	110 40	00000
	000C	0104	CLRP1140001	11111	14.15 15.15		4	560	110 40	00000	
	000C	0104	CLRP2111901	1 1	17.00 21.00		4	560	110 40	00000	
	000D	0100	CPTR1000700	11111	8.00 10.30		5	926	110 19	00000	
	000D	0100	INCT1100700	11111	8.00 10.30	1	5	926	110 19	00000	
	000D	0100	INCT1110700	11111	8.00 10.30	1	5	926	110 19	00000	
	000D	0100	INCT1120700	11111	8.00 10.30	1	5	926	110 19	00000	
	000D	0100	CPTR1000701	11111	11.30 14.00		11	926	110 19	00000	
	000D	0100	INCT1100701	11111	11.30 14.00	1	11	926	110 19	00000	
	8	000D	0100	INCT1110701	11111	11.30 14.00	1	11	926	110 19	00000
	000D	0101	JOBS2450700	11111	8.00 10.30		22	901	110 23	00000	
4	000D	0102	CARP1110301	11111	8.00 14.45		2	1,035	110 35	00000	
4	000D	0102	CARP1120301	11111	8.00 14.45	1	2	1,035	110 35	00000	
4	000D	0102	WELD1110001	11111	8.00 14.45	1	20	1,035	110 35	00000	
4	000D	0102	WELD1110301	11111	8.00 14.45	1	13	1,035	110 35	00000	
4	8	000D	0102	WELD1120001	11111	8.00 14.45	1	20	1,035	110 35	00000
4	8	000D	0102	WELD1130001	11111	8.00 14.45	1	21	1,035	110 35	00000
4	8	000D	0102	WELD1140001	11111	8.00 14.45	1	23	1,035	110 35	00000
4	8	000D	0102	WELD1210001	11111	8.00 14.45	1	23	1,035	110 35	00000
4	8	000D	0102	WELD1210301	11111	8.00 14.45	1	13	1,035	110 35	00000
4	8	000D	0102	WELD1310001	11111	8.00 14.45	1	11	1,035	110 35	00000
4	8	000D	0102	WELD1410001	11111	8.00 14.45	1	9	1,035	110 35	00000
4	8	000D	0102	WELD1411001	11111	8.00 14.45	1	8	1,035	110 35	00000
4	8	000D	0102	WELD1412001	11111	8.00 14.45	1	8	1,035	110 35	00000
4	8	000D	0102	WELD1420001	11111	8.00 14.45	1	4	1,035	110 35	00000
4	8	000D	0102	WELD1510001	11111	8.00 14.45	1	1	1,035	110 35	00000
4	8	000D	0102	WELD2110001	11111	8.00 14.45	1	5	1,035	110 35	00000
4	8	000D	0102	WELD2111001	11111	8.00 14.45	1	4	1,035	110 35	00000
4	8	000D	0102	WELD2210001	11111	8.00 14.45	1	7	1,035	110 35	00000
4	8	000D	0102	WELD2220001	11111	8.00 14.45	1	1	1,035	110 35	00000
4	8	000D	0102	WELD2221001	11111	8.00 14.45	1	1	1,035	110 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000D 0102	WELD2222001	11111	8.00 14.45	1	1,035	110 35	00000
4	8	000D 0102	WELD2230001	11111	8.00 14.45	1	1,035	110 35	00000
4	8	000D 0102	WELD2310001	11111	8.00 14.45	1	1,035	110 35	00000
4	8	000D 0102	WELD2311001	11111	8.00 14.45	1	1,035	110 35	00000
		000D 0102	CARP11110350	111	17.30 21.00		1,035	110 35	00000
		000D 0102	CARP1120350	111	17.30 21.00	1	1,035	110 35	00000
		000D 0102	WELD11110350	111	17.30 21.00	1	1,035	110 35	00000
	8	000D 0102	WELD1210350	111	17.30 21.00	1	1,035	110 35	00000
4		000D 0103	MTTC2110001	11111	8.00 14.40		906	110 25	00000
4		000D 0103	MTTC2120001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2210001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2220001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2230001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2310001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2320001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2331001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2410001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2420001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2431001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2510001	11111	8.00 14.40	1	906	110 25	00000
4		000D 0103	MTTC2710001	11111	8.00 14.40	1	906	110 25	00000
		000D 0107	DPET2140001	11111	8.00 12.00		1,578	220 31	00000
4		000D 0107	DPET1240001	11111	8.00 14.40	1	1,578	220 31	00000
4		000D 0107	DPET1310001	11111	8.00 14.40	1	1,578	220 31	00000
4		000D 0107	DPET1320001	11111	8.00 14.40	1	1,578	220 31	00000
4		000D 0107	DPET1330001	11111	8.00 14.40	1	1,578	220 31	00000
4		000D 0107	DPET1120001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1130001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1140001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1141001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1150001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1210001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1220001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET1231001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET2110001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET2130001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET2210001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET2220001	11111	8.00 14.45	1	1,578	220 31	00000
4	8	000D 0107	DPET2240001	11111	8.00 14.45	1	1,578	220 31	00000
		000D 0112	WELD11110700	11111	8.00 10.30		3,686	220 30	00000
		000D 0112	WELD1120700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1130700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1140700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1210700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1410700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1412700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD1420700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD2110700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD2111700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD2310700	11111	8.00 10.30	1	3,686	220 30	00000
		000D 0112	WELD2311700	11111	8.00 10.30	1	3,686	220 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000D	0112	WELD1110701	11111	11.30 14.00		8	3,686	220 30 00000	
	000D	0112	WELD1130701	11111	11.30 14.00	1	2	3,686	220 30 00000	
	000D	0112	WELD1210701	11111	11.30 14.00	1	8	3,686	220 30 00000	
	000D	0112	WELD1410701	11111	11.30 14.00	1	8	3,686	220 30 00000	
	000D	0112	WELD1411701	11111	11.30 14.00	1	8	3,686	220 30 00000	
	000D	0112	WELD1412701	11111	11.30 14.00	1	8	3,686	220 30 00000	
	000D	0112	WELD1420701	11111	11.30 14.00	1	2	3,686	220 30 00000	
8	000D	0112	WELD2110701	11111	11.30 14.00	1	2	3,686	220 30 00000	
8	000D	0112	WELD2111701	11111	11.30 14.00	1	2	3,686	220 30 00000	
	000E	0114	HMDT1170700	11111	8.00 10.30		12	726	110 48 00000	
	000E	0114	HNUR1211700	11111	8.00 10.30	1	12	726	110 48 00000	
	000E	0114	HMDT1170701	11111	11.30 14.00		10	726	110 48 00000	
	000E	0114	HNUR1211701	11111	11.30 14.00	1	10	726	110 48 00000	
	000E	0115	HNUR2120001	11	7.30 11.30		41	391	110 46 00000	
	000E	0115	HNUR2530001	11	12.15 13.15		31	391	110 46 00000	
	000E	0115	HNUR2220001	111	13.30 14.30		40	391	110 46 00000	
	000E	0115	HNUR1351901	1	17.00 20.00		31	391	110 46 00000	
	000E	0115	HNUR1330901	1	17.00 20.00		40	391	110 46 00000	
	000E	0115	HNUR1340901	1	17.00 20.00		25	391	110 46 00000	
	000E	0123	HPhL1011001	11	7.30 11.30		8	983	110 65 00000	
4	000E	0123	HPhL1022001	11111	7.30 15.30	1	7	983	110 65 00000	
	000E	0127	HNUR1211001	111	10.30 14.30		17	1,727	110 35 00000	
	000E	0127	HCOR1160001	11	12.15 14.30	1	12	1,727	110 35 00000	
	000E	0130	OPET1111001	1 1 1	8.00 9.50		1	3,190	210 23 00000	
	000E	0130	OPET1141001	1 1 1	8.00 9.50	1	1	3,190	210 23 00000	
	000E	0130	OPET2121001	1 1 1	8.00 10.00	1	1	3,190	210 23 00000	
	000E	0130	OPET1111700	11111	8.00 10.30	1	3	3,190	210 23 00000	
	000E	0130	OPET1121700	11111	8.00 10.30	1	3	3,190	210 23 00000	
	000E	0130	OPET1141700	11111	8.00 10.30	1	3	3,190	210 23 00000	
	000E	0130	OPET1151700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET1161700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET1221700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET1241700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET1251700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET1261700	11111	8.00 10.30	1	1	3,190	210 23 00000	
	000E	0130	OPET2111001	1 1 1	9.00 9.50	1	5	3,190	210 23 00000	
	000E	0130	OPET1121001	1 1 1	10.00 12.40		1	3,190	210 23 00000	
	000E	0130	OPET2161001	1 1 1	10.00 12.40	1	6	3,190	210 23 00000	
	000E	0130	OPET1131001	1 1 1	12.50 14.00		1	3,190	210 23 00000	
	000E	0130	OPET2151001	1 1 1	12.50 14.00	1	6	3,190	210 23 00000	
	000E	0130	OPET2993001	1 1	12.50 14.40		5	3,190	210 23 00000	
	000E	0130	OPET2995001	1 1	12.50 14.40	1	5	3,190	210 23 00000	
	000E	0130	OPET1311001	1 1	12.50 14.50	1	1	3,190	210 23 00000	
	000E	0130	OPET2991302	11	14.00 15.00	1	1	3,190	210 23 00000	
	000E	0142	CARP1110700	11111	8.00 10.30		6	537	110 35 00000	
	000E	0142	CARP1120700	11111	8.00 10.30	1	6	537	110 35 00000	
	000E	0142	CARP1110701	11111	11.30 14.00		6	537	110 35 00000	
	000E	0142	CARP1120701	11111	11.30 14.00	1	6	537	110 35 00000	
	000E	0145	ORNT1000002	11111	9.00 10.30		41	983	610 65 00000	
	000E	0145	ORNT1000003	11111	9.00 10.30	1	27	983	610 65 00000	
4	8	000E	0145	ORNT1000001	11	9.00 16.00	1	101	983	610 65 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000E	0145	ORNT1000901	1 1	17.00 18.30		15	983	610 65	00000	
	000E	0147	HNUR2130001	11	7.30 10.30		31	747	110 49	00000	
	000E	0147	HNUR2640001	11	9.35 11.30	1	31	747	110 49	00000	
	000E	0147	HNUR2650001	111	12.15 13.15		31	747	110 49	00000	
	000E	0147	HNUR2230001	111	13.30 14.30		31	747	110 49	00000	
	000E	0148	HNUR1330001	1 1	7.30 9.25		38	537	110 35	00000	
	000E	0148	HNUR1211001	1 1 1	7.30 10.30		43	537	110 35	00000	
	000E	0148	HNUR1340001	1 1	9.35 11.30		34	537	110 35	00000	
	000E	0148	HNUR1360001	1 1 1	10.30 11.30		45	537	110 35	00000	
	000E	0148	HMDT1170001	111	12.15 13.15		4	537	110 35	00000	
	000E	0148	HNUR1300001	111	12.15 14.15	1	35	537	110 35	00000	
	000E	0148	HNUR1351001	11	12.15 14.15		26	537	110 35	00000	
	000E	0148	HNUR1300901	1 1	17.00 20.00		26	537	110 35	00000	
	000E	0150	DVMA0090001	1	8.00 10.50		4	670	110 45	00000	
	000E	0150	AHMA1000001	1	8.00 10.50		3	670	110 45	00000	
	000E	0150	DVEN0090001	1	8.00 10.50		2	670	110 45	00000	
	000E	0150	DVRE0090001	1 1	8.00 10.50		8	670	110 45	00000	
	000E	0150	DVMA0091001	1	12.00 14.50		7	670	110 45	00000	
	000E	0150	AHEN1000001	1	12.00 14.50		1	670	110 45	00000	
	000E	0150	DVEN0091001	1	12.00 14.50		5	670	110 45	00000	
	000E	0150	DVRE0091001	1 1	12.00 14.50		3	670	110 45	00000	
	000E	0150	AHMA1000002	1	15.00 17.50		6	670	110 45	00000	
	000E	0150	DVMA0090002	1	15.00 17.50	1	6	670	110 45	00000	
	000E	0150	AHRE1000001	1	15.00 17.50		5	670	110 45	00000	
	000E	0150	DVRE0090002	1	15.00 17.50		3	670	110 45	00000	
	000E	0150	DVEN0090002	1	15.00 17.50		3	670	110 45	00000	
4	000E	0155	CARP11110001	11111	8.00 14.30		1	2,768	220 20	00000	
4	8	000E	0156A	CARP2210001	11111	8.00 14.30	13	296	730	00000	
4	8	000E	0156A	CARP2230001	11111	8.00 14.30	10	296	730	00000	
4	8	000E	0156A	CARP2220001	11111	8.00 14.45	12	296	730	00000	
4	8	000E	0156A	CARP2995001	11111	8.00 14.45	15	296	730	00000	
	000E	0158	CULN11110700	11111	8.00 10.30		10	1,700	220 34	00000	
	000E	0158	CULN1140700	11111	8.00 10.30	1	10	1,700	220 34	00000	
	000E	0165	GRPH1410001	1 1	8.00 11.00		4	1,560	210 30	00000	
	000E	0165	GRPH1100001	11111	8.00 12.15	1	5	1,560	210 30	00000	
	000E	0165	GRPH1320001	1 1	10.00 15.00	1	7	1,560	210 30	00000	
	000E	0165	GRPH1400001	1 1	10.00 15.30	1	4	1,560	210 30	00000	
4		000E	0165	GRPH1500001	1 1	10.00 15.30	1	1,560	210 30	00000	
4		000E	0165	GRPH1420001	1 1	10.00 15.30	4	1,560	210 30	00000	
4		000E	0165	GRPH1230001	11111	12.15 15.30	1	5	1,560	210 30	00000
	000E	0167	CULN1310001	11111	8.00 10.15		4	1,470	310 29	00000	
	000E	0167	CULN1110001	11111	8.00 10.30	1	12	1,470	310 29	00000	
	000E	0167	GRPH1400001	11111	8.00 10.30	1	1	1,470	310 29	00000	
	000E	0167	CULN1140001	11111	8.30 9.45	1	13	1,470	310 29	00000	
	000E	0167	CULN1210001	11111	9.00 13.00	1	14	1,470	310 29	00000	
	8	000E	0167	CULN1130001	1 1 1	9.45 11.45	1	14	1,470	310 29	00000
	000E	0167	CULN1120001	1 1	9.45 11.45		13	1,470	310 29	00000	
	000E	0167	CULN1230001	11111	10.30 11.45	1	5	1,470	310 29	00000	
	000E	0167	CULN2430001	11111	11.45 12.45		1	1,470	310 29	00000	
	000E	0167	CULN1321001	11111	11.45 14.00	1	6	1,470	310 29	00000	
	000E	0167	CULN1160001	1 1 1	13.30 15.30	1	13	1,470	310 29	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000E	0167	CULN1220001	1 1 1	13.30 15.30	1	12	1,470	310 29	00000
	000E	0169	GRPH1200001	1 1	8.00 10.00		12	3,052	220 30	00000
	000E	0169	GRPH2291001	1111	8.00 12.00	1	2	3,052	220 30	00000
	000E	0169	GRPH2993001	1 1	9.00 11.30	1	2	3,052	220 30	00000
	000E	0169	GRPH2993002	1	10.00 15.00		2	3,052	220 30	00000
	000E	0169	GRPH2995001	1 1	11.30 15.00		3	3,052	220 30	00000
	000E	0169	GRPH2991002	111	15.00 16.00		1	3,052	220 30	00000
	000E	0170	AUTO1400700	11111	8.00 10.30		14	1,150	220 23	00000
	000E	0170	GRPH1100700	11111	8.00 10.30	1	13	1,150	220 23	00000
8	000E	0170	GRPH1230700	11111	8.00 10.30	1	13	1,150	220 23	00000
	000E	0170	GRPH1100701	11111	11.30 14.00		9	1,150	220 23	00000
	000F	0102A	INST1310002	11111	8.00 10.30		2	731	110 48	00000
4	000F	0102A	ELMT1110001	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ELMT1110002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ELMT2520002	11111	8.00 14.45	1	2	731	110 48	00000
4	000F	0102A	ELMT2610002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ETRN1110002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ETRN1120002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ETRN1420002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ETRN1421002	11111	8.00 14.45	1	1	731	110 48	00000
4	000F	0102A	ETRN1430002	11111	8.00 14.45	1	2	731	110 48	00000
4	000F	0102A	INST1110002	11111	8.00 14.45	1	2	731	110 48	00000
	000F	0102E	AUTO1410700	11111	8.00 10.30		7	583	110 38	00000
	000F	0102E	AUTO1500700	11111	8.00 10.30	1	14	583	110 38	00000
	000F	0102E	AUTO1510700	11111	8.00 10.30	1	7	583	110 38	00000
	000F	0102E	AUTO1520700	11111	8.00 10.30	1	7	583	110 38	00000
	000F	0102E	AUTO1610700	11111	8.00 10.30	1	6	583	110 38	00000
	000F	0102E	AUTO1800700	11111	8.00 10.30	1	7	583	110 38	00000
	000F	0102E	AUTO1400701	11111	11.30 14.00		15	583	110 38	00000
	000F	0102E	AUTO1410701	11111	11.30 14.00	1	5	583	110 38	00000
	000F	0102E	AUTO1420701	11111	11.30 14.00	1	2	583	110 38	00000
	000F	0102E	AUTO1440701	11111	11.30 14.00	1	15	583	110 38	00000
	000F	0102E	AUTO1500701	11111	11.30 14.00	1	15	583	110 38	00000
	000F	0102E	AUTO1510701	11111	11.30 14.00	1	5	583	110 38	00000
8	000F	0102E	AUTO1520701	11111	11.30 14.00	1	5	583	110 38	00000
8	000F	0102E	AUTO1530701	11111	11.30 14.00	1	2	583	110 38	00000
8	000F	0102E	AUTO1600701	11111	11.30 14.00	1	15	583	110 38	00000
8	000F	0102E	AUTO1610701	11111	11.30 14.00	1	5	583	110 38	00000
8	000F	0102E	AUTO1620701	11111	11.30 14.00	1	2	583	110 38	00000
8	000F	0102E	AUTO1630701	11111	11.30 14.00	1	2	583	110 38	00000
8	000F	0102E	AUTO1800701	11111	11.30 14.00	1	5	583	110 38	00000
8	000F	0102E	AUTO1810701	11111	11.30 14.00	1	2	583	110 38	00000
4	000F	0115	ELEC2460001	11111	8.00 14.45		6	789	110 52	00000
4	000F	0115	ELEC2993001	11111	8.00 14.45	1	1	789	110 52	00000
4	000F	0115	ELEC2995001	11111	8.00 14.45	1	4	789	110 52	00000
4	000F	0115	ELEC1120901	1 1	16.00 22.30		3	789	110 52	00000
4	000F	0115	ELEC1210901	1 1	16.00 22.30	1	3	789	110 52	00000
4	000F	0115	ELEC1230901	1 1	16.00 22.30	1	3	789	110 52	00000
4	000F	0115	ELEC1311901	1 1	16.00 22.30	1	3	789	110 52	00000
4	000F	0115	ELEC1330901	1 1	16.00 22.30	1	1	789	110 52	00000
4	000F	0115	ELEC1410901	1 1	16.00 22.30	1	3	789	110 52	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2007
 RUN DATE 01/04/2008 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000F 0115	ELEC1420901	1 1	16.00 22.30	1	1	789	110 52	00000
4	000F 0115	ELEC1430901	1 1	16.00 22.30	1	2	789	110 52	00000
4	000F 0115	ELEC1440901	1 1	16.00 22.30	1	1	789	110 52	00000
4	000F 0115	ELEC2460901	1 1	16.00 22.30	1	1	789	110 52	00000
	000F 0115	ELEC2991901	1 1	17.30 21.00	1	1	789	110 52	00000
4	000F 0116	AUTO1400001	111111	8.00 14.45		19	12,500	220 250	00000
4	000F 0116	AUTO1410001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1420001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1430001	111111	8.00 14.45	1	20	12,500	220 250	00000
4	000F 0116	AUTO1440001	111111	8.00 14.45	1	20	12,500	220 250	00000
4	000F 0116	AUTO1500001	111111	8.00 14.45	1	1	12,500	220 250	00000
4	000F 0116	AUTO1510001	111111	8.00 14.45	1	1	12,500	220 250	00000
4	000F 0116	AUTO1520001	111111	8.00 14.45	1	1	12,500	220 250	00000
4	000F 0116	AUTO1530001	111111	8.00 14.45	1	1	12,500	220 250	00000
4	000F 0116	AUTO1540001	111111	8.00 14.45	1	1	12,500	220 250	00000
4	000F 0116	AUTO1600001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1610001	111111	8.00 14.45	1	20	12,500	220 250	00000
4	000F 0116	AUTO1620001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1630001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1640001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1650001	111111	8.00 14.45	1	19	12,500	220 250	00000
4	000F 0116	AUTO1660001	111111	8.00 14.45	1	19	12,500	220 250	00000
1	000G 0001	CARP2993601	1 1	17.00 20.00		29			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	1
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	174
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	100
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	2
TOTAL ERRORS (INCLUDING WARNINGS)	277
TOTAL NUMBER OF RECORDS READ	431
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	428
NUMBER OF JOINT-CLASS RECORDS	312
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			53
TOTAL NUMBER OF STATIONS (CAPACITY)			1848
WEEKLY STUDENT CONTACT HOURS	22307	1245	23552
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4770	2650	7420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1619	100	1719
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	166320	92400	258720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58463	3670	62133
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44614	2490	47104
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.9	3.8	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.8	2.7	18.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.3	67.8	75.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			53
TOTAL NUMBER OF STATIONS (CAPACITY)			1848
WEEKLY STUDENT CONTACT HOURS	22307	1245	23552
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4770	2650	7420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1619	100	1719
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	166320	92400	258720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58463	3670	62133
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44614	2490	47104
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.9	3.8	23.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.8	2.7	18.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.3	67.8	75.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			42
TOTAL NUMBER OF STATIONS (CAPACITY)			1500
WEEKLY STUDENT CONTACT HOURS	22380	96	22476
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3780	2100	5880
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1322	12	1334
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	135000	75000	210000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	58270	168	58438
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44760	192	44952
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	35.0	.6	22.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.2	.3	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.8	114.3	76.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			156
WEEKLY STUDENT CONTACT HOURS	7844		7844
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	402		402
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14040	7800	21840
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11044		11044
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15688		15688
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	74.4	.0	47.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	111.7	.0	71.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	142.0	.0	142.0

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			1344
WEEKLY STUDENT CONTACT HOURS	14536	96	14632
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	920	12	932
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120960	67200	188160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	47226	168	47394
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29072	192	29264
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	28.4	.7	18.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	24.0	.3	15.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	61.6	114.3	61.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

*TOTAL TEACHING FACL.

TOTAL NUMBER OF ROOMS			95
TOTAL NUMBER OF STATIONS (CAPACITY)			3348
WEEKLY STUDENT CONTACT HOURS	44687	1341	46028
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8550	4750	13300
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2941	112	3053
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	301320	167400	468720
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	116733	3838	120571
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	89374	2682	92056
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	34.4	2.4	23.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	29.7	1.6	19.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.6	69.9	76.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY