

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0100	MACH1350 A	1 1 1	8.00 8.50		11	546	110 12 00000
	000A	0100	OSYS2530 A	11111	9.00 9.50		10	546	110 12 00000
	000A	0100	OSYS2530 B	11111	10.00 10.50		11	546	110 12 00000
	000A	0100	ISYS1450 A	11111	11.00 11.50		9	546	110 12 00000
	000A	0100	ISYS1550 B	11111	12.00 12.50		7	546	110 12 00000
	000A	0101	ACCT1150 A	1 1 1	8.00 8.50		13	384	110 15 00000
	000A	0101	ACCT1150 B	1 1 1	9.00 9.50		12	384	110 15 00000
	000A	0101	ENGL1300 C	1 1 1	10.00 10.50		13	384	110 15 00000
	000A	0101	ENGL1300 A	1 1 1	11.00 11.50		13	384	110 15 00000
	000A	0101	ENGL1300 B	1 1 1	12.00 12.50		12	384	110 15 00000
	000A	0101	ACCT1300 B	11111	13.00 13.50		10	384	110 15 00000
	000A	0102	CPTR1000 A	1 1 1	8.00 8.50		8	408	110 16 00000
	000A	0102	CPTR1000 K	1 1	8.00 9.15		9	408	110 16 00000
	000A	0102	CPTR1000 B	1 1 1	9.00 9.50		10	408	110 16 00000
	000A	0102	CPTR1000 L	1 1	9.25 10.40		10	408	110 16 00000
	000A	0102	CPTR1000 C	1 1 1	10.00 10.50		11	408	110 16 00000
	000A	0102	CPTR1000 E	1 1	10.50 12.05		10	408	110 16 00000
	000A	0102	ACCT1510 A	1 1 1	11.00 11.50		10	408	110 16 00000
	000A	0102	CPTR1000 F	1 1	12.15 13.30		8	408	110 16 00000
	000A	0102	CPTR1000 D	1 1 1	13.00 13.50		10	408	110 16 00000
	000A	0103	KYBD1110 F	11111	8.00 8.50		9	1,039	110 22 00000
	000A	0103	KYBD1310 A	11111	8.00 8.50	1	1	1,039	110 22 00000
	000A	0103	KYBD1310 B	11111	9.00 9.50		13	1,039	110 22 00000
	000A	0103	KYBD1210 A	11111	10.00 10.50		10	1,039	110 22 00000
	000A	0103	KYBD1110 C	11111	11.00 11.50		12	1,039	110 22 00000
	000A	0103	KYBD1110 D	11111	12.00 12.50		9	1,039	110 22 00000
	000A	0103	CPTR1310 B	1 1 1	13.00 13.50		11	1,039	110 22 00000
	000A	0103	CPTR1000 N	1	17.25 20.05		15	1,039	110 22 00000
	000A	0104	ISYS1550 A	11111	8.00 8.50		8	957	110 17 00000
	000A	0104	KYBD1110 A	11111	9.00 9.50		12	957	110 17 00000
	000A	0104	KYBD1110 B	11111	10.00 10.50		13	957	110 17 00000
	000A	0104	CPTR1330 B	1 1 1	11.00 11.50		14	957	110 17 00000
	000A	0104	CPTR1310 A	1 1 1	12.00 12.50		11	957	110 17 00000
	000A	0106	ACCT1300 A	11111	8.00 8.50		10	462	210 16 00000
	000A	0106	BUSI1030 A	1 1 1	9.00 9.50		16	462	210 16 00000
	000A	0106	ACCT1400 A	11111	10.00 10.50		7	462	210 16 00000
	000A	0106	ACCT1100 C	11111	11.00 11.50		16	462	210 16 00000
	000A	0106	BUSI1030 B	1 1 1	12.00 12.50		14	462	210 16 00000
	000A	0106	ACCT1100 D	11111	13.00 13.50		12	462	210 16 00000
	000A	0109	DVEN0090 A	11111	8.00 8.50		7	1,312	210 42 00000
	000A	0109	DVEN0091 G	11111	8.00 8.50	1	1	1,312	210 42 00000
	000A	0109	DVMA0090 A	11111	8.00 8.50	1	7	1,312	210 42 00000
	000A	0109	DVMA0091 G	11111	8.00 8.50	1	1	1,312	210 42 00000
	000A	0109	DVRE0090 A	11111	8.00 8.50	1	5	1,312	210 42 00000
	000A	0109	DVRE0091 G	11111	8.00 8.50	1	2	1,312	210 42 00000
	000A	0109	GEDG0900 G	11111	8.00 8.50	1	1	1,312	210 42 00000
	000A	0109	DVEN0091 A	1 1 1	8.00 9.25	1	7	1,312	210 42 00000
	000A	0109	DVMA0091 A	1 1 1	8.00 9.25	1	5	1,312	210 42 00000
	000A	0109	DVRE0091 A	1 1 1	8.00 9.25	1	3	1,312	210 42 00000
	000A	0109	DVEN0091 E	1 1	8.00 10.05		1	1,312	210 42 00000
	000A	0109	DVMA0091 E	1 1	8.00 10.05	1	7	1,312	210 42 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0109	DVRE0091 E	1 1	8.00 10.05	1	3	1,312	210 42	00000
	000A	0109	GEDG0900 E	1 1	8.00 10.05		3	1,312	210 42	00000
	000A	0109	DVEN0090 B	11111	9.00 9.50	1	1	1,312	210 42	00000
	000A	0109	DVMA0090 B	11111	9.00 9.50	1	11	1,312	210 42	00000
	000A	0109	DVRE0090 B	11111	9.00 9.50	1	4	1,312	210 42	00000
	000A	0109	DVRE0091 H	11111	9.00 9.50	1	1	1,312	210 42	00000
	000A	0109	GEDG0900 B	1 1	9.30 11.00	1	3	1,312	210 42	00000
	000A	0109	GEDR0901 A	1 1	9.30 11.00		1	1,312	210 42	00000
	000A	0109	DVEN0091 B	1 1 1	9.35 11.00	1	1	1,312	210 42	00000
	000A	0109	DVMA0091 B	1 1 1	9.35 11.00	1	10	1,312	210 42	00000
	000A	0109	DVRE0091 B	1 1 1	9.35 11.00	1	7	1,312	210 42	00000
	000A	0109	DVEN0090 C	11111	10.00 10.50	1	6	1,312	210 42	00000
	000A	0109	DVMA0090 C	11111	10.00 10.50	1	9	1,312	210 42	00000
	000A	0109	DVMA0091 I	11111	10.00 10.50	1	2	1,312	210 42	00000
	000A	0109	DVRE0090 C	11111	10.00 10.50	1	5	1,312	210 42	00000
	000A	0109	GEDG0900 I	11111	10.00 10.50	1	1	1,312	210 42	00000
	000A	0109	DVEN0091 C	1 1 1	11.30 12.55		4	1,312	210 42	00000
	000A	0109	DVMA0091 C	1 1 1	11.30 12.55	1	13	1,312	210 42	00000
	000A	0109	DVRE0091 C	1 1 1	11.30 12.55	1	9	1,312	210 42	00000
	000A	0109	DVEN0090 D	11111	12.00 12.50	1	5	1,312	210 42	00000
	000A	0109	DVMA0090 D	11111	12.00 12.50	1	9	1,312	210 42	00000
	000A	0109	DVMA0091 J	11111	12.00 12.50	1	4	1,312	210 42	00000
	000A	0109	DVRE0090 D	11111	12.00 12.50	1	3	1,312	210 42	00000
	000A	0109	DVRE0091 J	11111	12.00 12.50	1	1	1,312	210 42	00000
	000A	0109	GEDG0900 J	11111	12.00 12.50	1	1	1,312	210 42	00000
	000A	0109	GEDG0900 F	1 1 1	12.15 14.20	1	1	1,312	210 42	00000
	000A	0109	DVMA0091 F	1 1	12.15 14.20		4	1,312	210 42	00000
	000A	0109	DVRE0091 F	1 1	12.15 14.20	1	3	1,312	210 42	00000
	000A	0109	DVEN0090 E	11111	13.00 13.50	1	1	1,312	210 42	00000
	000A	0109	DVMA0090 E	11111	13.00 13.50	1	3	1,312	210 42	00000
	000A	0109	DVMA0091 K	11111	13.00 13.50	1	1	1,312	210 42	00000
	000A	0109	DVRE0090 E	11111	13.00 13.50	1	8	1,312	210 42	00000
	000A	0109	GEDG0900 K	11111	13.00 13.50	1	2	1,312	210 42	00000
	000A	0109	DVEN0091 D	1 1 1	13.05 14.30	1	3	1,312	210 42	00000
	000A	0109	DVMA0091 D	1 1 1	13.05 14.30	1	6	1,312	210 42	00000
	000A	0109	DVRE0091 D	1 1 1	13.05 14.30	1	2	1,312	210 42	00000
	000A	0109	GEDG0900 N	1 1 1	17.30 19.35		3	1,312	210 42	00000
	000A	0109	DVEN0090 N	1 1	17.30 19.35		1	1,312	210 42	00000
	000A	0109	DVMA0090 N	1 1	17.30 19.35	1	13	1,312	210 42	00000
	000A	0109	DVRE0090 N	1 1	17.30 19.35	1	4	1,312	210 42	00000
	000A	0109	LEIS1001 N	11	17.30 20.00	1	2	1,312	210 42	00000
	000A	0142	CULN2410 A	1 1 1	8.00 10.30		7	972	210 18	00000
	000A	0142	CULN2430 A	1 1 1	8.00 10.30	1	2	972	210 18	00000
4	000A	0142	CULN1310 A	1 1	8.00 14.30		5	972	210 18	00000
	000A	0142	CULN1230 A	11111	9.00 10.30	1	13	972	210 18	00000
4	000A	0142	CULN2440 A	1 1	9.15 14.45	1	1	972	210 18	00000
	000A	0142	CULN2420 A	1 1 1	10.30 14.00		3	972	210 18	00000
	000A	0142	CULN1321 A	1 1 1	10.30 14.30	1	7	972	210 18	00000
	000A	0142	CULN1210 A	11111	10.30 14.45	1	6	972	210 18	00000
8	000A	0142	CULN1150 A	1 1 1	12.00 14.30	1	17	972	210 18	00000
	000A	0142	HOST1010 A	1 1	13.00 14.30		20	972	210 18	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000A 0151	CULN1130 A	1 1 1	7.30 9.15		24	2,848	630	00000	
8	000A 0151	CULN1220 A	11	7.30 9.30	1	8	2,848	630	00000	
8	000A 0151	ORNT1000 A	1	8.00 10.00	1	22	2,848	630	00000	
8	000A 0151	CULN1120 A	1 1	8.00 10.00		23	2,848	630	00000	
8	000A 0151	CULN1140 A	1 1 1	9.30 12.00		18	2,848	630	00000	
8	000A 0200	CPTR1000 P	1 1	8.00 9.15		17	470	210 9	00000	
4	000A 0200	LEIS1111 C	11111	11.30 18.00		14	470	210 9	00000	
8	000A 0200	CPTR1000 R	1 1	12.30 14.00	1	13	470	210 9	00000	
4	8	000A 0201	HNUR4012 A	111	6.45 13.30		16	376	310 2	00000
8	000A 0201	HNUR3010 A	1	8.00 11.00		16	376	310 2	00000	
8	000A 0201	HNUR2630 A	1	13.30 14.30		16	376	310 2	00000	
8	000A 0201	HNUR3012 A	111	13.30 14.30		15	376	310 2	00000	
4	000A 0202	HNUR3052 A	11	6.45 14.30		31	470	110 28	00000	
000A 0202	HNUR4030 A	1 1	8.00 9.00		25	470	110 28	00000		
000A 0202	HNUR2241 A	1	8.00 11.00		24	470	110 28	00000		
000A 0202	HNUR2240 A	1 1	9.00 10.00		24	470	110 28	00000		
000A 0202	HNUR4020 A	1	10.00 11.30		32	470	110 28	00000		
000A 0202	HNUR4021 A	1	10.00 11.30		32	470	110 28	00000		
000A 0202	HNUR3050 A	1 1	12.00 14.30		25	470	110 28	00000		
000A 0204	HNUR2230 B	11	8.00 9.00		17	470	110 29	00000		
000A 0204	HNUR2220 B	1	8.00 9.00		15	470	110 29	00000		
000A 0204	HNUR1310 A	1	8.00 9.00		22	470	110 29	00000		
4	8	000A 0204	HNUR2320 A	1 1	8.00 14.30	1	28	470	110 29	00000
000A 0204	HNUR2221 B	1	9.00 12.00		15	470	110 29	00000		
000A 0204	HNUR2231 B	11	9.00 12.30		17	470	110 29	00000		
000A 0204	HNUR2232 A	11	12.30 15.00		26	470	110 29	00000		
000A 0206	HNUR1010 A	11111	8.00 9.00		42	952	110 42	00000		
000A 0206	HNUR2230 A	1	9.00 11.00		48	952	110 42	00000		
000A 0206	HNUR2231 A	1111	9.00 11.00		47	952	110 42	00000		
000A 0206	HNUR1170 A	1	11.00 12.00		41	952	110 42	00000		
000A 0206	HNUR2221 A	111	11.00 12.00		47	952	110 42	00000		
000A 0206	HNUR1030 A	1	11.00 13.00		43	952	110 42	00000		
000A 0206	HPSY1050 A	111	12.00 13.00		42	952	110 42	00000		
8	000A 0206	HNUR1020 A	1 1	12.00 14.00	1	42	952	110 42	00000	
000A 0206	HNUR1040 A	1 1	13.00 14.00		40	952	110 42	00000		
000A 0206	HNUR1060 A	1 1	13.00 14.00		43	952	110 42	00000		
000A 0206	HNUR2220 A	1	14.00 15.00		47	952	110 42	00000		
000A 0207	DRFT2310 A	11111	7.00 8.55		7	1,552	210 26	00000		
000A 0207	DRFT2411 A	11111	7.00 8.55	1	6	1,552	210 26	00000		
000A 0207	COMA2040 A	1 1	8.00 8.50	1	10	1,552	210 26	00000		
000A 0207	COMA1000 A	11111	8.00 9.00	1	4	1,552	210 26	00000		
8	000A 0207	COMA1030 A	1 1 1	8.00 9.50	1	22	1,552	210 26	00000	
8	000A 0207	DRFT2320 A	11111	9.00 10.55	1	4	1,552	210 26	00000	
8	000A 0207	DRFT2421 A	11111	9.00 10.55	1	4	1,552	210 26	00000	
8	000A 0207	COMA1010 A	1 1 1	10.00 11.50	1	21	1,552	210 26	00000	
8	000A 0207	DRFT2330 A	11111	11.00 12.55	1	4	1,552	210 26	00000	
8	000A 0207	DRFT2431 A	11111	11.00 13.55	1	2	1,552	210 26	00000	
8	000A 0207	COMA1240 A	1 1	12.15 14.55	1	13	1,552	210 26	00000	
000A 0207	COMA1010 B	1 1 1	13.00 14.50		18	1,552	210 26	00000		
000A 0208	CPTR1330 A	1 1 1	8.00 8.50		9	964	210 18	00000		
000A 0208	CPTR2640 A	1 1 1	10.00 10.50		12	964	210 18	00000		

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0208	ISYS1650 A	1 1 1	12.00 12.50		12	964	210 18 00000
	000A	0208	CPTR2640 B	1 1	12.15 13.30		1	964	210 18 00000
	000A	0208	ACCT1210 A	1 1 1	13.00 13.50		9	964	210 18 00000
	000A	0209	CADD1110 A	1111	7.00 8.55		11	1,122	210 24 00000
	000A	0209	COMA1230 A	1 1 1	8.00 9.50	1	13	1,122	210 24 00000
	000A	0209	COMA2240 B	1 1	8.00 10.40		11	1,122	210 24 00000
	000A	0209	CADD2310 A	1111	9.00 10.55	1	6	1,122	210 24 00000
	000A	0209	COMA2240 A	1 1 1	10.00 11.50	1	12	1,122	210 24 00000
	000A	0209	CADD1220 A	1111	11.00 12.55	1	6	1,122	210 24 00000
8	000A	0209	COMA1040 A	1 1	12.15 14.55	1	15	1,122	210 24 00000
	000A	0209	COMA1210 A	1 1 1	13.00 14.50		10	1,122	210 24 00000
	000A	0209	CADD1110 B	1111	13.00 15.00	1	8	1,122	210 24 00000
	000A	0210	COMA1050 A	1 1 1	8.00 9.50		20	470	110 18 00000
	000A	0210	COMA2020 A	1 1	8.00 10.40		14	470	110 18 00000
	000A	0210	COMA2030 A	1 1 1	10.00 11.50		10	470	110 18 00000
	000A	0210	COMA1020 A	1 1	12.15 14.55		21	470	110 18 00000
	000A	0210	COMA2050 A	1 1 1	13.00 14.50		10	470	110 18 00000
	000A	0210	COMA2320 A	1 1	13.00 14.50	1	3	470	110 18 00000
	000A	0212	SPCH1015 A	1 1 1	9.00 9.50		20	470	110 14 00000
	000A	0212	SPCH1015 C	1 1	9.25 10.40		20	470	110 14 00000
	000A	0212	SPCH1015 D	1 1	10.50 12.05		20	470	110 14 00000
	000A	0212	SPCH1015 B	1 1 1	14.00 14.50		19	470	110 14 00000
	000A	0212	SPCH1015 N	1	17.25 20.05		20	470	110 14 00000
	000A	0212	PSYC2015 N	1	17.25 20.05		20	470	110 14 00000
	000A	0214	ACCT1100 A	11111	8.00 8.50		18	470	110 22 00000
	000A	0214	ACCT1200 A	11111	9.00 9.50		14	470	110 22 00000
	000A	0214	ACCT1100 B	11111	10.00 10.50		14	470	110 22 00000
	000A	0214	ACCT1200 B	11111	11.00 11.50		13	470	110 22 00000
	000A	0214	ACCT1250 A	1 1 1	12.00 12.50		17	470	110 22 00000
	000A	0214	MATH1050 N	1	17.25 20.05		18	470	110 22 00000
	000A	0215	DRFT1150 A	11111	7.00 7.55		2	1,682	210 29 00000
	000A	0215	DRFT1210 A	11111	8.00 8.55		5	1,682	210 29 00000
	000A	0215	DRFT1110 A	11111	9.00 9.55		18	1,682	210 29 00000
	000A	0215	DRFT1220 A	11111	9.00 9.55	1	6	1,682	210 29 00000
	000A	0215	DRFT1120 A	11111	10.00 10.55		18	1,682	210 29 00000
	000A	0215	DRFT1230 A	11111	10.00 10.55	1	6	1,682	210 29 00000
	000A	0215	DRFT1130 A	11111	11.00 11.55		19	1,682	210 29 00000
	000A	0215	DRFT1140 A	11111	12.00 12.55		19	1,682	210 29 00000
	000A	0234	HNUR4010 A	11111	12.30 13.30		15	1,821	210 36 00000
4	000A	0234	LEIS7000 A	1111	15.00 21.00		23	1,821	210 36 00000
4	000B	0404	AMTG1010 A	11111	8.00 14.30		17	627	110 18 00000
4	8	000B	0404	AMTG1020 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1030 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1040 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1050 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1070 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1090 A	11111	8.00 14.30	1	627	110 18 00000
4	8	000B	0404	AMTG1110 A	11111	8.00 14.30	1	627	110 18 00000
4	000B	0408	AMTA2010 A	11111	8.00 14.30		5	487	110 15 00000
4	000B	0408	AMTA2030 A	11111	8.00 14.30	1	6	487	110 15 00000
4	000B	0408	AMTA2080 A	11111	8.00 14.30	1	10	487	110 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000B 0408	AMTA2100 A	111111	8.00 14.30	1	9	487 110 15	00000
4	8	000B 0408	AMTA2110 A	111111	8.00 14.30	1	9	487 110 15	00000
4	8	000B 0408	AMTA2120 A	111111	8.00 14.30	1	9	487 110 15	00000
4	8	000B 0408	AMTA2130 A	111111	8.00 14.30	1	7	487 110 15	00000
4	8	000B 0408	AMTA2140 A	111111	8.00 14.30	1	6	487 110 15	00000
4		000B 0409	AMTP2210 A	111111	8.00 14.30		7	482 110 12	00000
4		000B 0409	AMTP2230 A	111111	8.00 14.30	1	8	482 110 12	00000
4	8	000B 0409	AMTP2240 A	111111	8.00 14.30	1	8	482 110 12	00000
4	8	000B 0409	AMTP2250 A	111111	8.00 14.30	1	13	482 110 12	00000
4	8	000B 0409	AMTP2270 A	111111	8.00 14.30	1	7	482 110 12	00000
4	8	000B 0409	AMTP2290 A	111111	8.00 14.30	1	14	482 110 12	00000
4	8	000B 0409	AMTP2310 A	111111	8.00 14.30	1	2	482 110 12	00000
		000C 0804	ENGL2535 A	1 1 1	8.00 8.50		11	404 110 26	00000
		000C 0804	MATH1111 C	1 1 1	9.00 9.50		19	404 110 26	00000
		000C 0804	ENGL2535 B	1 1	9.25 10.40		16	404 110 26	00000
		000C 0804	MATH1250 A	1 1 1	11.00 11.50		15	404 110 26	00000
		000C 0804	MATH1111 H	1 1	12.15 13.30		20	404 110 26	00000
		000C 0804	MATH1020 B	1 1	13.40 14.55		18	404 110 26	00000
		000C 0804	MATH1111 E	1 1 1	14.00 14.50		17	404 110 26	00000
		000C 0805	ENGL1035 A	1 1 1	8.00 8.50		17	404 110 26	00000
		000C 0805	ENGL1035 G	1 1	8.00 9.15		17	404 110 26	00000
		000C 0805	ENGL1035 C	1 1 1	9.00 9.50		16	404 110 26	00000
		000C 0805	PHSC1015 A	1 1	9.25 10.40		17	404 110 26	00000
		000C 0805	ENGL1035 D	1 1 1	10.00 10.50		17	404 110 26	00000
		000C 0805	ENGL1035 J	1 1	10.50 12.05		16	404 110 26	00000
		000C 0805	JOBS2450 C	1 1	11.00 11.50		17	404 110 26	00000
		000C 0805	PHSC1015 B	1 1	12.15 13.30		17	404 110 26	00000
		000C 0805	PHSC1015 C	1 1	13.40 14.55		18	404 110 26	00000
		000C 0805	JOBS2450 N	1	17.25 20.05		15	404 110 26	00000
		000C 0809	ENSC2000 A	1 1	8.00 9.15		17	414 110 27	00000
		000C 0809	ENSC2000 B	1 1	9.25 10.40		18	414 110 27	00000
		000C 0809	MATH1020 A	1 1 1	12.00 12.50		17	414 110 27	00000
		000C 0809	ENSC2000 C	1 1	12.15 13.30		18	414 110 27	00000
		000C 0809	MATH1250 B	1 1 1	13.00 13.50		7	414 110 27	00000
		000C 0817	JOBS2450 D	1 1	9.25 10.40		15	397 110 26	00000
		000C 0817	MATH1050 A	1 1 1	10.00 10.50		19	397 110 26	00000
		000C 0817	ENGL1500 B	1 1	10.50 12.05		16	397 110 26	00000
		000C 0817	MATH1050 B	1 1 1	11.00 11.50		18	397 110 26	00000
		000C 0817	MATH1050 C	1 1 1	12.00 12.50		18	397 110 26	00000
		000C 0817	ECON1020 A	1 1	12.15 13.30		20	397 110 26	00000
		000C 0817	ENGL1500 A	1 1 1	13.00 13.50		11	397 110 26	00000
		000C 0817	ECON1020 B	1 1	13.40 14.55		14	397 110 26	00000
		000C 0817	CRMJ1310 N	1	17.30 20.00		20	397 110 26	00000
		000C 0817	CRMJ2520 N	1	17.30 20.00		20	397 110 26	00000
		000C 0817	CRMJ1210 N	1	17.30 20.00		21	397 110 26	00000
		000C 0818	CRMJ2552 A	1	8.00 8.50		8	398 110 26	00000
		000C 0818	CRMJ2510 A	1	8.00 9.00	1	1	398 110 26	00000
		000C 0818	CRMJ1220 A	1 1 1	9.00 9.50		20	398 110 26	00000
		000C 0818	CRMJ1110 A	1 1	9.25 10.40		20	398 110 26	00000
		000C 0818	CRMJ1422 A	1 1 1	10.00 10.50		20	398 110 26	00000
		000C 0818	CRMJ1410 N	1	17.30 20.00		19	398 110 26	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000C	0818	SOCL2112 N	1	17.30 20.00		17	398	110 26	00000
	000D	0309	ELEC1422 A	1 1	8.00 11.00		12	275	210 25	00000
	000D	0309	ELEC1340 B	1 1	11.45 14.30		14	275	210 25	00000
	000D	0309	ELEC1122 A	1 1 1	12.00 14.20		26	275	210 25	00000
	000D	0309	ELEC1422 N	1 1	17.00 20.30		17	275	210 25	00000
	000D	0313	HACR2112 A	1 1 1	8.00 10.20		7	144	210 24	00000
	000D	0313	HACR2114 A	1 1	8.00 11.30		8	144	210 24	00000
	000D	0313	HACR2003 A	1 1 1	12.00 14.20		10	144	210 24	00000
	000D	0313	HACR2540 A	1 1	12.30 14.30		9	144	210 24	00000
	000D	0314	INST2811 A	1 1 1	8.30 11.00		15	41	210 18	00000
	000D	0314	INST2841 A	1 1 1	12.00 14.20		15	41	210 18	00000
	000D	0314	INST1110 B	1 1	12.00 14.30		22	41	210 18	00000
	000D	0315	INST2721 A	1 1 1	8.30 11.00		15	599	210 18	00000
	000D	0316	ELEC1230 A	1 1	8.00 10.45		23	576	210 24	00000
	000D	0316	ELEC1340 A	1 1	8.00 11.00		20	576	210 24	00000
	000D	0316	ELEC1430 A	1 1	12.15 14.20		31	576	210 24	00000
	000D	0316	LEIS8004 A	1 1	18.00 21.00		28	576	210 24	00000
	000D	0319	INST1110 A	1 1	12.00 14.30		22	573	110 18	00000
	000D	0319	LEIS8003 A	1 1	18.00 21.00		22	573	110 18	00000
	000D	0320	PSYC2015 E	1 1	9.25 10.40		20	599	110 24	00000
	000D	0320	PSYC2015 F	1 1	10.50 12.05		20	599	110 24	00000
	000D	0320	INST1110 C	1 1	12.30 15.00		15	599	110 24	00000
	000D	0320	LEIS8005 A	1 1	18.00 21.00		21	599	110 24	00000
	000D	0324	ETRN1112 C	1 1	7.30 12.00		15	1,128	210 25	00000
	000D	0324	ETRN1212 A	1 1 1	8.00 11.15		16	1,128	210 25	00000
	000D	0324	ETRN1232 A	1 1	9.00 11.30		13	1,128	210 25	00000
	000D	0324	ETRN1212 B	1 1 1	11.45 15.00		15	1,128	210 25	00000
	000D	0324	ETRN1232 B	1 1	12.00 14.30		12	1,128	210 25	00000
8	000D	0325	ETRN1112 A	11111	9.00 11.00		36	1,260	210 21	00000
8	000D	0325	ETRN1112 B	1 1 1	11.30 14.45		39	1,260	210 21	00000
	000D	0325	ETRN1112 N	111	17.00 20.20		22	1,260	210 21	00000
	000D	0327	INST1411 A	1 1 1	8.00 9.40		19	144	210 18	00000
	000D	0327	INST2611 A	1 1	8.00 10.30		20	144	210 18	00000
	000D	0327	INST2730 A	1 1	9.30 11.00	1	6	144	210 18	00000
	000D	0327	INST2731 A	1 1 1	9.50 11.30		19	144	210 18	00000
	000D	0327	INST1311 A	1 1	12.00 14.30		16	144	210 18	00000
8	000D	0327	INST1311 B	1 1	12.00 14.30	1	15	144	210 18	00000
8	000D	0327	INST1411 N	1 1	17.00 20.30		35	144	210 18	00000
	000D	0330	ETRN2112 A	1 1	11.45 14.45		5	1,115	210 12	00000
	000D	0330	ETRN2120 A	1 1	11.45 14.45	1	9	1,115	210 12	00000
	000E	0012	DPET1110 A	1 1	8.00 8.30		7	6,355	210 127	00000
	000E	0012	AUTO1002 A	11111	8.00 8.50	1	19	6,355	210 127	00000
	000E	0012	DPET2991 A	1 1	8.00 8.50	1	3	6,355	210 127	00000
	000E	0012	DPET1130 A	11111	8.00 9.40	1	7	6,355	210 127	00000
	000E	0012	DPET1140 A	11111	8.00 10.00	1	9	6,355	210 127	00000
	000E	0012	DPET2130 A	1 1 1	8.00 11.20	1	3	6,355	210 127	00000
	000E	0012	DPET1210 A	1 1 1	8.30 10.50	1	5	6,355	210 127	00000
	000E	0012	DPET1220 A	1 1 1	8.30 10.50	1	3	6,355	210 127	00000
	000E	0012	DPET1120 A	1 1	8.30 11.00		7	6,355	210 127	00000
	000E	0012	DPET2993 A	1 1	9.00 9.50	1	3	6,355	210 127	00000
	000E	0012	AUTO1102 A	11111	9.00 10.30	1	21	6,355	210 127	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000E	0012	AUTO1802 A	111111	9.00 10.30	1	3	6,355	210 127	00000
	000E	0012	AUTO1812 A	111111	9.00 10.30	1	3	6,355	210 127	00000
	000E	0012	AUTO1822 A	111111	9.00 10.30	1	2	6,355	210 127	00000
	000E	0012	AUTO1202 A	111111	10.40 12.40	1	6	6,355	210 127	00000
	000E	0012	AUTO1302 A	111111	10.40 12.40	1	4	6,355	210 127	00000
	000E	0012	DPET2231 A	1 1 1	11.30 12.30	1	2	6,355	210 127	00000
	000E	0012	DPET1231 A	111111	11.30 12.45	1	1	6,355	210 127	00000
	000E	0012	DPET2110 A	1 1 1	11.30 13.50	1	1	6,355	210 127	00000
	000E	0012	DPET2995 A	1 1	11.30 14.30	1	3	6,355	210 127	00000
	000E	0012	DPET1150 A	1 1	12.00 14.30	1	5	6,355	210 127	00000
	000E	0012	DPET2140 A	1 1	12.00 14.30	1	2	6,355	210 127	00000
	000E	0012	DPET2210 A	1 1	12.00 14.30	1	2	6,355	210 127	00000
	000E	0012	AUTO1402 A	111111	12.50 14.20	1	2	6,355	210 127	00000
	000E	0012	AUTO1602 A	111111	13.00 14.30	1	15	6,355	210 127	00000
	000E	0012	AUTO1612 A	111111	13.00 14.30	1	2	6,355	210 127	00000
	000E	0012	AUTO1702 A	111111	13.00 14.30	1	2	6,355	210 127	00000
	000E	0012	DPET2120 A	111111	13.30 14.30	1	1	6,355	210 127	00000
	000F	0014	IMSS1112 A	1 1	8.00 8.30	1	5	4,054	210 20	00000
	000F	0014	IMSS1212 A	1 1 1	8.00 11.40	1	5	4,054	210 20	00000
	000F	0014	IMSS1332 A	1 1 1	8.00 11.40	1	6	4,054	210 20	00000
	000F	0014	IMSS2612 A	1 1 1	8.00 11.40	1	1	4,054	210 20	00000
4	000F	0014	IMSS2622 A	1 1 1	8.00 11.40	1	1	4,054	210 20	00000
	000F	0014	IMSS1422 A	1 1	8.00 14.30	1	2	4,054	210 20	00000
	000F	0014	IMSS1312 A	1 1	8.30 12.00	1	3	4,054	210 20	00000
	000F	0014	IMSS1322 A	1 1	9.00 12.30	1	3	4,054	210 20	00000
	000F	0014	IMSS1412 A	1 1	9.00 14.00	1	6	4,054	210 20	00000
	000F	0014	IMSS2522 A	1 1	9.30 11.00	1	2	4,054	210 20	00000
	000F	0014	IMSS2512 A	1 1	11.00 12.30	1	3	4,054	210 20	00000
	000F	0014	IMSS1222 A	1 1 1	11.10 14.30	1	7	4,054	210 20	00000
	000F	0017	WELD1110 A	1 1	8.00 10.00	1	10	119	210 36	00000
	000F	0017	WELD1420 A	1 1 1	8.00 10.20	1	2	119	210 36	00000
	000F	0017	WELD1512 A	1 1	8.00 11.00	1	3	119	210 36	00000
	000F	0017	WELD2311 A	1 1	8.00 11.00	1	1	119	210 36	00000
	000F	0017	WELD1510 A	1 1	8.00 11.30	1	3	119	210 36	00000
	000F	0017	WELD2310 A	1 1	8.00 11.30	1	2	119	210 36	00000
	000F	0017	WELD2222 A	1 1	8.00 12.30	1	1	119	210 36	00000
	000F	0017	WELD1140 A	1 1 1	10.00 11.20	1	9	119	210 36	00000
	000F	0017	WELD1511 A	1 1 1	10.00 12.00	1	3	119	210 36	00000
	000F	0017	WELD1130 A	1 1	10.00 12.00	1	9	119	210 36	00000
	000F	0017	WELD2221 A	1 1	10.00 14.30	1	1	119	210 36	00000
	000F	0017	WELD2220 A	1 1 1	11.00 14.20	1	2	119	210 36	00000
	000F	0017	WELD1210 A	1 1 1	11.30 12.50	1	9	119	210 36	00000
	000F	0017	WELD1412 A	1 1	11.30 14.30	1	2	119	210 36	00000
	000F	0017	WELD1310 A	1 1	12.00 14.00	1	8	119	210 36	00000
	000F	0017	WELD1410 A	1 1	12.00 14.00	1	7	119	210 36	00000
	000F	0017	WELD1411 A	1 1 1	12.30 14.30	1	1	119	210 36	00000
	000F	0102	ENGL1035 B	1 1 1	9.00 9.50	1	15	879	110 33	00000
	000F	0102	ENGL1035 I	1 1	10.50 12.05	1	17	879	110 33	00000
	000F	0102	ENGL1035 E	1 1 1	11.00 11.50	1	16	879	110 33	00000
	000F	0102	ENGL1035 F	1 1 1	13.00 13.50	1	18	879	110 33	00000
	000F	0103	PSYC2015 A	1 1 1	8.00 8.50	1	20	459	110 19	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000F	0103	ENGL1035 H	1 1	9.25 10.40		18	459	110 19 00000
	000F	0103	PSYC2015 B	1 1 1	10.00 10.50		20	459	110 19 00000
	000F	0103	PSYC2015 C	1 1 1	11.00 11.50		19	459	110 19 00000
	000F	0103	PSYC2015 G	1 1	12.15 13.30		19	459	110 19 00000
	000F	0103	PSYC2015 D	1 1 1	13.00 13.50		18	459	110 19 00000
	000F	0104	JOBS2450 E	1 1	8.00 8.50		10	459	110 25 00000
	000F	0104	CULN1110 A	1 1	10.00 11.15		22	459	110 25 00000
	000G	0101	CISX1005 A	1 1 1	8.00 8.50		17	696	210 15 00000
	000G	0101	CPTR1050 C	1 1	8.00 10.40		12	696	210 15 00000
	000G	0101	CISX1005 C	1 1 1	10.00 10.50		15	696	210 15 00000
	000G	0101	CISX1320 A	1 1	10.50 12.05		13	696	210 15 00000
	000G	0101	CPTR1000 S	1 1	12.30 14.00		13	696	210 15 00000
	000G	0103	PTEC1010 A	1 1 1	7.00 7.50		17	732	110 28 00000
	000G	0103	PTEC2070 A	1 1 1	8.00 8.50		29	732	110 28 00000
	000G	0103	PTEC2440 A	1 1 1	9.00 9.50		13	732	110 28 00000
	000G	0103	PTEC1010 B	1 1	9.25 10.40		14	732	110 28 00000
	000G	0103	PTEC1310 A	1 1 1	10.00 10.50		29	732	110 28 00000
	000G	0103	PTEC1320 A	1 1	10.50 12.05		25	732	110 28 00000
	000G	0103	PTEC1610 A	1 1 1	11.00 11.50		24	732	110 28 00000
	000G	0103	PTEC2030 A	1 1 1	12.00 12.50		21	732	110 28 00000
	000G	0103	PTEC2030 B	1 1	12.15 13.30		11	732	110 28 00000
	000G	0103	PTEC2420 A	1 1 1	13.00 13.50		17	732	110 28 00000
	000G	0103	PTEC2420 B	1 1	13.40 14.55		17	732	110 28 00000
	000G	0103	PTEC2440 B	1 1	15.05 16.20		1	732	110 28 00000
	000G	0103	PTEC2440 N	1	17.30 20.00		20	732	110 28 00000
	000G	0103	PTEC2630 N	1	17.30 20.00		23	732	110 28 00000
	000G	0106	CPTR1000 G	1 1 1	8.00 8.50		16	720	210 15 00000
	000G	0106	CISX1005 B	1 1	8.00 9.15		15	720	210 15 00000
	000G	0106	CISX1550 C	1 1 1	9.00 9.50		16	720	210 15 00000
	000G	0106	CPTR1050 B	1 1	9.25 12.05		17	720	210 15 00000
	000G	0106	CISX1320 B	1 1	12.15 13.30		10	720	210 15 00000
	000G	0106	CISX2911 N	1	17.00 20.00		15	720	210 15 00000
	000G	0108	CISX2270 A	1 1 1	8.00 8.50		8	720	210 15 00000
	000G	0108	WEBB1010 B	1 1	8.00 9.15		15	720	210 15 00000
	000G	0108	CISX1550 A	1 1 1	9.00 9.50		16	720	210 15 00000
	000G	0108	CISX2870 A	1 1	9.25 10.40		9	720	210 15 00000
	000G	0108	CISX1550 B	1 1	10.50 12.05		14	720	210 15 00000
	000G	0108	CPTR1000 I	1 1	12.15 13.30		10	720	210 15 00000
	000G	0109	CHEM1410 A	1 1	8.00 9.15		29	708	210 22 00000
	000G	0109	PTEC1000 A	1 1	9.00 10.00		23	708	210 22 00000
	000G	0109	CHEM1411 A	1	9.25 11.05		15	708	210 22 00000
	000G	0109	CHEM1411 B	1	9.25 11.05		14	708	210 22 00000
	000G	0109	CISX1210 A	1 1 1	10.00 10.50		29	708	210 22 00000
	000G	0109	PHYS2000 A	1 1	12.15 13.30		20	708	210 22 00000
	000G	0109	PHYS2001 A	1	13.40 15.20		10	708	210 22 00000
	000G	0109	PHYS2001 B	1	13.40 15.20		11	708	210 22 00000
	000G	0110	CPTR1000 T	1 1 1	7.30 8.20		15	720	210 15 00000
	000G	0110	CISX2450 A	1 1	8.00 9.15		12	720	210 15 00000
	000G	0110	CPTR1000 Y	1 1 1	9.00 9.50		20	720	210 15 00000
	000G	0110	KYBD1000 B	1 1	9.25 10.40		13	720	210 15 00000
	000G	0110	CISX2911 A	1 1 1	10.00 10.50		19	720	210 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2003
 RUN DATE 05/12/2004 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C. -SOWELA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000G 0110	CPTR1050 A	1 1 1	10.00 11.50	1	17	720	210 15	00000
	000G 0110	CISX2650 A	1 1	10.50 12.05		5	720	210 15	00000
	000G 0110	CISX2881 A	11111	12.00 14.00	1	5	720	210 15	00000
	000G 0110	CISX2902 A	11111	12.00 14.00	1	5	720	210 15	00000
	000G 0110	CISX2912 A	11111	12.00 14.00	1	1	720	210 15	00000
8	000G 0110	CISX1330 A	1 1	12.15 13.30	1	12	720	210 15	00000
	000G 0111	CISX1100 A	1 1	8.00 10.40		21	209	210 24	00000
	000G 0111	KYBD1000 A	1 1 1	9.00 9.50		18	209	210 24	00000
	000G 0111	KYBD1000 C	1 1	10.50 12.05		18	209	210 24	00000
	000G 0111	CISX2010 A	1 1 1	12.00 13.50		16	209	210 24	00000
	000G 0111	CISX1110 A	1 1	12.15 14.55		19	209	210 24	00000
	000G 0111	CISX2010 N	1	17.00 21.00		21	209	210 24	00000
	000G 0114	WEBB1010 A	1 1 1	8.00 8.50		16	135	210 32	00000
	000G 0114	CISX2120 A	1 1	8.00 10.40		12	135	210 32	00000
	000G 0114	CISX2130 A	1 1 1	9.00 10.50		11	135	210 32	00000
	000G 0114	CISX2140 A	1 1 1	9.00 10.50	1	6	135	210 32	00000
	000G 0114	CISX2110 A	1 1 1	12.00 13.50		25	135	210 32	00000
	000G 0114	CISX1005 N	1	17.00 20.00		17	135	210 32	00000
	000G 0114	CISX2120 N	1	17.00 21.00		7	135	210 32	00000
	000G 0114	CISX2130 N	1	17.00 21.00	1	5	135	210 32	00000
	000G 0114	CISX2110 N	1	17.00 21.00		18	135	210 32	00000
	000G 0300	PTEC2430 A	1111	8.00 8.48		15	3,142	210 24	00000
	000G 0300	PTEC2431 A	1111	9.00 9.30		15	3,142	210 24	00000
	000G 0300	PTEC2912 A	1111	9.40 12.00		15	3,142	210 24	00000
	000G 0300	CPTR1000 Z	1 1	10.50 12.05	1	13	3,142	210 24	00000
	000G 0300	PTEC2421 A	1 1 1	14.00 14.50		15	3,142	210 24	00000
	000G 0300	PTEC2421 B	1 1	15.05 16.20		18	3,142	210 24	00000
	000U 0062	MATH1111 A	1 1 1	8.00 8.50		20	600	110 30	00000
	000U 0062	MATH1111 F	1 1	8.00 9.15		20	600	110 30	00000
	000U 0062	MATH1111 B	1 1 1	9.00 9.50		21	600	110 30	00000
	000U 0062	MATH1111 G	1 1	9.25 10.40		20	600	110 30	00000
	000U 0062	TPEN9999 A	1 1 1	10.00 10.50		10	600	110 30	00000
	000U 0062	TPEN9999 B	1 1 1	12.00 12.50		8	600	110 30	00000
	000U 0062	TPMA9999 A	1 1	12.15 13.30		8	600	110 30	00000
	000U 0062	MATH1111 D	1 1 1	13.00 13.50		20	600	110 30	00000
	000V 0064	JOBS2450 A	1 1	8.00 8.50		14	600	110 30	00000
	000V 0064	TPEN9999 E	1 1	8.00 9.15		11	600	110 30	00000
	000V 0064	TPEN9999 C	1 1 1	9.00 9.50		7	600	110 30	00000
	000V 0064	TPSC9999 A	1 1	9.25 10.40		12	600	110 30	00000
	000V 0064	JOBS2450 B	1 1	10.00 10.50		16	600	110 30	00000
	000V 0064	TPEN9999 F	1 1	12.15 13.30		10	600	110 30	00000
	000V 0064	TPEN9999 D	1 1 1	13.00 13.50		10	600	110 30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 31

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 45
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 76

TOTAL NUMBER OF RECORDS READ 450
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 450
NUMBER OF JOINT-CLASS RECORDS 148
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			790
WEEKLY STUDENT CONTACT HOURS	18317	872	19189
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3060	1700	4760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2527	89	2616
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	71100	39500	110600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	47842	2022	49864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36634	1744	38378
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	82.6	5.2	55.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	51.5	4.4	34.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.6	86.3	77.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			790
WEEKLY STUDENT CONTACT HOURS	18317	872	19189
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3060	1700	4760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2527	89	2616
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	71100	39500	110600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	47842	2022	49864
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36634	1744	38378
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	82.6	5.2	55.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	51.5	4.4	34.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	76.6	86.3	77.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			59
TOTAL NUMBER OF STATIONS (CAPACITY)			1863
WEEKLY STUDENT CONTACT HOURS	12975	1185	14161
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5310	2950	8260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2863	160	3023
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	167670	93150	260820
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	112670	4883	117553
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25951	2371	28322
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	53.9	5.4	36.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.5	2.5	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.0	48.6	24.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			58
TOTAL NUMBER OF STATIONS (CAPACITY)			1861
WEEKLY STUDENT CONTACT HOURS	12975	1185	14161
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5220	2900	8120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2863	160	3023
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	167490	93050	260540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	112670	4883	117553
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25951	2371	28322
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	54.8	5.5	37.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.5	2.5	10.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	23.0	48.6	24.1

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			93
TOTAL NUMBER OF STATIONS (CAPACITY)			2653
WEEKLY STUDENT CONTACT HOURS	31292	2057	33350
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8370	4650	13020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5390	249	5639
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	238770	132650	371420
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	160512	6905	167417
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	62585	4115	66700
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	64.4	5.4	43.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	26.2	3.1	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.0	59.6	39.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY