

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
3	A000 0200	ETRN210 001	1111	8.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN220 003	1111	8.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN230 001	1111	8.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN240 002	1111	8.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN130 003	1 1	9.00		1	2,331	210 30	00000
3	A000 0200	ETRN120 001	1111	9.00 .01		9	2,331	210 30	00000
3	A000 0200	ETRN220 001	1111	9.00 .01		4	2,331	210 30	00000
3	A000 0200	DVMA090 004	1111	10.00 .01		9	2,331	210 30	00000
3	A000 0200	ETRN130 001	1111	10.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN240 001	1111	10.00 .01		2	2,331	210 30	00000
3	A000 0200	IDEL620 001	1111	10.00 .01		6	2,331	210 30	00000
3	A000 0200	ETRN110 001	1111	11.00 .01		5	2,331	210 30	00000
3	A000 0200	ETRN130 002	1111	11.00 .01		8	2,331	210 30	00000
3	A000 0200	ETRN210 002	1111	11.00 .01		3	2,331	210 30	00000
3	A000 0200	INST720 002	1111	11.00 .01		2	2,331	210 30	00000
3	A000 0200	ETRN120 001	1111	13.00 .01		7	2,331	210 30	00000
3	A000 0200	ETRN210 004	1111	13.00 .01		3	2,331	210 30	00000
3	A000 0200	ETRN220 002	1111	13.00 .01		2	2,331	210 30	00000
3	A000 0200	INST720 003	1111	13.00 .01		1	2,331	210 30	00000
3	A000 0200	ETRN130 001	1111	14.00 .01		6	2,331	210 30	00000
3	A000 0200	ETRN230 002	1111	14.00 .01		6	2,331	210 30	00000
3	A000 0200	IDEL991 001	1111	14.00 .01		2	2,331	210 30	00000
3	A000 0299	ENGL040 001	1 1	8.00		10	991	210 10	00000
3	8 A000 0299	DVMA090 001	1111	8.00 .01		24	991	210 10	00000
3	8 A000 0299	DVMA091 001	1111	8.00 .01		40	991	210 10	00000
3	A000 0299	AHMA000 001	1111	9.00 .01		1	991	210 10	00000
3	A000 0299	DVMA090 003	1111	9.00 .01		6	991	210 10	00000
3	A000 0299	DVMA091 003	1111	9.00 .01		1	991	210 10	00000
3	A000 0299	ENGL030 001	1 1	9.00 .01		12	991	210 10	00000
3	A000 0299	AHSC000 003	1111	10.00 .01		1	991	210 10	00000
3	A000 0299	DVEN090 001	1111	10.00 .01		2	991	210 10	00000
3	A000 0299	DVEN091 001	1111	10.00 .01		6	991	210 10	00000
3	A000 0299	DVEN092 001	1111	10.00 .01		4	991	210 10	00000
3	A000 0299	DVRE091 001	1111	10.00 .01		6	991	210 10	00000
3	A000 0299	DVRE092 001	1111	10.00 .01		3	991	210 10	00000
3	A000 0299	DVEN091 002	1111	11.00 .01		3	991	210 10	00000
3	A000 0299	DVEN092 002	1111	11.00 .01		4	991	210 10	00000
3	A000 0299	DVRE090 002	1111	11.00 .01		1	991	210 10	00000
3	A000 0299	DVRE091 002	1111	11.00 .01		5	991	210 10	00000
3	A000 0299	DVRE092 002	1111	11.00 .01		3	991	210 10	00000
3	8 A000 0299	ENGL030 002	1 1	12.40		21	991	210 10	00000
3	A000 0299	DVEN091 003	1	13.00 .01		4	991	210 10	00000
3	A000 0299	DVEN092 003	1	13.00 .01		3	991	210 10	00000
3	A000 0299	DVRE091 003	1	13.00 .01		1	991	210 10	00000
3	A000 0299	DVMA090 002	1111	15.00 .01		11	991	210 10	00000
3	A000 0299	DVMA091 002	1111	15.00 .01		2	991	210 10	00000
3	8 A000 0300	ORNT000 001	1111	8.00 .01		17	1,520	210 10	00000
3	A000 0300	INCT130 001	1 1	9.00 .01		7	1,520	210 10	00000
3	8 A000 0300	CPTR300 001	1 1	10.00		21	1,520	210 10	00000
3	A000 0300	CPTR640 001	1 1	10.00		1	1,520	210 10	00000
3	A000 0300	INCT210 001	1111	11.00 .01		10	1,520	210 10	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
3	A000 0300	INCT300 001	1111	12.00 .01		13	1,520	210 10	00000
3	A000 0300	CPTR010 001	1111	13.00 .01		11	1,520	210 10	00000
3	A000 0300	INCT120 001	1 1	13.00 .01		8	1,520	210 10	00000
3	A000 0300	ZMOS201 001	1 1	17.00 .01		7	1,520	210 10	00000
3	A000 0301	WKEY070 001	1 1	12.00 .01		1	500	210 20	00000
3	A000 0301	WKEY071 001	1 1	12.00 .01		1	500	210 20	00000
3	A000 0301	WKEY071 002	1 1	13.00 .01		2	500	210 20	00000
3	A000 0301	WKEY080 001	1 1	13.00 .01		1	500	210 20	00000
3	A000 0302	MAST110 001	1111	8.00 .01		10	1,665	210 30	00000
3	A000 0302	CPTR310 001	1 1	9.00 .01		6	1,665	210 30	00000
3	A000 0302	KYBD000 001	1 1	9.00 .01		28	1,665	210 30	00000
3	A000 0302	CPTR000 004	111	10.00 .01		1	1,665	210 30	00000
3	A000 0302	CPTR000 001	1 1	10.00 .01		25	1,665	210 30	00000
3	A000 0302	KYBD110 001	1111	11.00 .01		17	1,665	210 30	00000
3	A000 0302	MACH350 001	1 1	12.40 .01		17	1,665	210 30	00000
3	A000 0302	CPTR000 002	1 1	13.00 .01		26	1,665	210 30	00000
3	A000 0302	KYBD000 002	1 1	14.00 .01		26	1,665	210 30	00000
3	A000 0302	CPTR000 003	1 1	14.05 .01		15	1,665	210 30	00000
3	A000 0302	ZRES000 001	1	16.00 .01		5	1,665	210 30	00000
3	A000 0303	ACCT200 001	1111	9.00 .01		10	1,364	210 27	00000
3	A000 0303	ISYS550 001	1 1	10.00 .01		1	1,364	210 27	00000
3	A000 0303	ACCT100 001	1111	10.00 .01		18	1,364	210 27	00000
3	A000 0303	MATH050 001	1 1	10.00 .01		16	1,364	210 27	00000
3	A000 0303	KYBD210 001	1111	11.00 .01		9	1,364	210 27	00000
3	A000 0303	ISYS450 001	1 1	13.00 .01		18	1,364	210 27	00000
3	A000 0303B	WKEY070 004	1 1	15.00 .01		2	648	210 13	00000
3	A000 0303B	WKEY071 005	1 1	15.00 .01		1	648	210 13	00000
3	A000 0305	ISYS400 001	1 1	13.00 .01		16	1,089	210 22	00000
3	A000 0305	OSYS997 001	1 1	13.00 .01		1	1,089	210 22	00000
3	A000 0500	MTTC220 001	1	8.00 .01		2	3,187	210 64	00000
3	A000 0500	MTTC510 002	111	8.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC993 002	111	8.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC331 001	1 1	8.00 .01		4	3,187	210 64	00000
3	A000 0500	MTTC991 001	1	9.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC320 001	1 1	9.00 .01		4	3,187	210 64	00000
3	A000 0500	MTTC993 001	1	9.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC210 001	1111	9.00 .01		7	3,187	210 64	00000
3	A000 0500	MTTC420 002	1 1	9.00 .01		2	3,187	210 64	00000
3	A000 0500	MTTC431 001	1 1	9.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC510 001	1 1	9.00 .01		4	3,187	210 64	00000
3	A000 0500	MTTC230 001	1 1	10.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC320 002	1 1	10.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC420 003	1 1	10.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC710 001	1 1	10.00 .01		2	3,187	210 64	00000
3	A000 0500	MTTC110 002	1	10.00 .01		5	3,187	210 64	00000
3	A000 0500	MTTC991 002	1	10.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC120 001	1 1	10.00 .01		7	3,187	210 64	00000
3	A000 0500	MTTC995 002	1 1	10.00 .01		1	3,187	210 64	00000
3	A000 0500	MTTC310 001	1 1	11.00 .01		5	3,187	210 64	00000
3	A000 0500	MTTC110 001	111	13.00 .01		2	3,187	210 64	00000
3	A000 0500	MTTC220 003	1 1	13.00 .01		1	3,187	210 64	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
3	A000 0500	MTTC410 001	1 1	13.00 .01		7	3,187	210 64	00000
3	A000 0501	DRFT561 001	1 1	8.00		7	1,947	210 39	00000
3	A000 0501	DRFT110 002	1111	8.00 .01		1	1,947	210 39	00000
3	A000 0501	DRFT150 002	111	8.00 .01		1	1,947	210 39	00000
3	A000 0501	DRFT230 001	111	8.00 .01		8	1,947	210 39	00000
3	A000 0501	DRFT421 001	1	8.00 .01		7	1,947	210 39	00000
3	A000 0501	DRFT130 001	1	9.00		10	1,947	210 39	00000
3	A000 0501	DRFT161 002	1	9.00		1	1,947	210 39	00000
3	A000 0501	DRFT150 001	1	9.00		10	1,947	210 39	00000
3	A000 0501	DRFT210 002	1	9.00		1	1,947	210 39	00000
3	A000 0501	DRFT110 001	1	9.00 .01		10	1,947	210 39	00000
3	A000 0501	DRFT330 001	1 1	11.00 .01		2	1,947	210 39	00000
3	A000 0501	DRFT120 001	1	11.00 .01		10	1,947	210 39	00000
3	A000 0501	DRFT631 002	1 11	14.00		1	1,947	210 39	00000
3	A000 0501	DRFT310 002	111	14.00 .01		15	1,947	210 39	00000
3	A000 0501	DRFT140 001	1 1	14.00 .01		10	1,947	210 39	00000
3	A000 0501	DRFT631 001	1 1	14.00 .01		6	1,947	210 39	00000
3	A000 0502	HACR170 004	1111	8.00		1	2,829	210 30	00000
3	A000 0502	HACR150 003	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR150 004	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR170 002	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR170 007	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR220 005	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR410 001	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR530 001	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR530 002	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR540 002	1111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR150 002	111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR170 001	111	8.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR150 005	1111	11.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR160 005	1111	11.00 .01		1	2,829	210 30	00000
3	A000 0502	HACR150 007	1111	11.30 .01		1	2,829	210 30	00000
3	A000 0503	HNUR300 001	1 1	8.00		20	2,206	210 15	00000
3	A000 0503	HNUR300 002	1 1	8.00		17	2,206	210 15	00000
3	A000 0503	HNUR211 001	1 1	8.00		20	2,206	210 15	00000
3	A000 0503	HNUR211 002	1 1	8.00		17	2,206	210 15	00000
3	A000 0503	HNUR360 001	1	8.00		19	2,206	210 15	00000
3	A000 0503	HNUR360 002	1	8.00		17	2,206	210 15	00000
3	A000 0503	HNUR340 001	1 1	11.00		19	2,206	210 15	00000
3	A000 0503	HNUR340 002	1 1	11.00		17	2,206	210 15	00000
3	A000 0503	HNUR330 001	1 1	12.40		20	2,206	210 15	00000
3	A000 0503	HNUR330 002	1 1	12.40		17	2,206	210 15	00000
3	A000 0503	HNUR351 001	1 1	12.40		20	2,206	210 15	00000
3	A000 0503	HNUR351 002	1 1	12.40		17	2,206	210 15	00000
3	A000 0503B	HNUR220 001	1	8.00		27	1,106	210 35	00000
3	A000 0503B	HNUR650 001	111	8.00		27	1,106	210 35	00000
3	A000 0503B	HNUR230 001	1	8.00		27	1,106	210 35	00000
3	A000 0503B	HCOR120 001	1 1	10.00		2	1,106	210 35	00000
3	A000 0503B	MEDL300 001	1 1	10.00 .01		22	1,106	210 35	00000
3	A000 0503B	MAST210 002	1 1	13.00		8	1,106	210 35	00000
3	A000 0503B	MAST210 001	1 1	13.00 .01		7	1,106	210 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2006
 RUN DATE 03/26/2007 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
3	A000 0504	CARP120 001	1111	8.00 .01		6	481	210 20	00000
3	A000 0504	CARP140 002	1111	8.00 .01		2	481	210 20	00000
3	A000 0504	ORNT000 010	1111	8.00 .01		7	481	210 20	00000
3	A000 0504	CARP120 001	1111	9.00 .01		10	481	210 20	00000
3	A000 0504	CARP620 002	1111	9.00 .01		2	481	210 20	00000
3	A000 0504	CARP320 001	1111	12.00 .01		3	481	210 20	00000
3	A000 0600	WELD110 001	1111	8.00 .01		2	2,429	210 20	00000
3	A000 0600	WELD110 001	1111	8.00 .01		8	2,429	210 20	00000
3	A000 0600	WELD110 002	1111	8.00 .01		2	2,429	210 20	00000
3	A000 0600	WELD111 001	1111	8.00 .01		4	2,429	210 20	00000
3	A000 0600	WELD112 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD114 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD120 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD130 001	1111	8.00 .01		3	2,429	210 20	00000
3	A000 0600	WELD140 001	1111	8.00 .01		2	2,429	210 20	00000
3	A000 0600	WELD210 001	1111	8.00 .01		8	2,429	210 20	00000
3	A000 0600	WELD210 001	1111	8.00 .01		2	2,429	210 20	00000
3	A000 0600	WELD230 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD310 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD310 001	1111	8.00 .01		3	2,429	210 20	00000
3	A000 0600	WELD311 001	1111	8.00 .01		4	2,429	210 20	00000
3	A000 0600	WELD320 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD321 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD330 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD410 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD411 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD412 002	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD510 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD510 002	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD511 001	1111	8.00 .01		1	2,429	210 20	00000
3	A000 0600	WELD321 002	111	8.00 .01		1	2,429	210 20	00000
3	A000 0601	IAMT100 001	1111	8.00 .01		6	508	210 10	00000
3	A000 0601	IAMT110 001	1111	8.00 .01		5	508	210 10	00000
3	A000 0601	IAMT120 001	1111	8.00 .01		5	508	210 10	00000
3	A000 0601	IAMT130 001	1111	8.00 .01		2	508	210 10	00000
3	A000 0601	IAMT140 001	1111	8.00 .01		1	508	210 10	00000
3	A000 0601	IAMT150 001	1111	8.00 .01		4	508	210 10	00000
3	A000 0601	IAMT150 001	1111	8.00 .01		1	508	210 10	00000
3	A000 0601	IAMT160 001	1111	8.00 .01		1	508	210 10	00000
3	A000 0601	IAMT170 001	1111	8.00 .01		3	508	210 10	00000
3	A000 0601	IAMT180 001	1111	8.00 .01		3	508	210 10	00000
3	A000 0601	IAMT190 001	1111	8.00 .01		3	508	210 10	00000
3	A000 0601	IAMT210 001	1111	8.00 .01		1	508	210 10	00000
3	A000 0601	IAMT220 001	1111	8.00 .01		1	508	210 10	00000
3	C000 0102	ELEC120 003	1111	8.00 .01		11	841	210 17	00000
3	C000 0102	ELEC210 003	1111	8.00 .01		5	841	210 17	00000
3	C000 0102	ELEC410 001	1111	8.00 .01		1	841	210 17	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 200

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 5
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 205

TOTAL NUMBER OF RECORDS READ 200
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION
NUMBER OF JOINT-CLASS RECORDS
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY