

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2018  
 RUN DATE 10/24/2018 15:02:30  
 PAGE NUM 1

NWLTC - NORTHWEST LA CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	OMCS	0112	HPHL1013C01	11 11	8.30 12.00		3	712	110 22 00000	
	OMCS	0115	BOTH1300C01	1111	8.00 9.30		2	712	110 22 00000	
	OMCS	0115	HCOR1200C02	1111	8.00 9.30	1	24	712	110 22 00000	
	OMCS	0115	HCOR1211C01	11111	9.35 11.45		25	712	110 22 00000	
	OMCS	0115	HCOR1601C01	1111	12.00 13.00		24	712	110 22 00000	
	OMCS	0135	BOTH1230C01	1111	8.00 10.20		1	822	210 25 00000	
	OMCS	0135	BOTH1240C01	1111	8.00 10.20	1	4	822	210 25 00000	
	OMCS	0135	OSYS1250C01	1111	8.00 10.20	1	5	822	210 25 00000	
	OMCS	0135	BUSE1100C01	1111	10.30 11.50		6	822	210 25 00000	
	OMCS	0135	KYBD1010C01	1111	10.30 11.50	1	9	822	210 25 00000	
	OMCS	0135	KYBD1200C01	1111	10.30 11.50	1	6	822	210 25 00000	
	OMCS	0135	OSYS2530C01	1111	10.30 11.50	1	6	822	210 25 00000	
	OMCS	0135	BOTH1210C01	1111	13.30 15.50		10	822	210 25 00000	
	OMCS	0135	CSRV1000C01	1111	13.30 15.50	1	13	822	210 25 00000	
	OMCS	0138	LEAD1003C01	1111	8.00 9.30		18	938	210 35 00000	
	OMCS	0138	LEAD1003C04	1111	8.00 9.30	1	10	938	210 35 00000	
	OMCS	0138	LEAD1003C02	1111	9.35 11.05		12	938	210 35 00000	
	OMCS	0138	HEKG1113C01	1111	13.15 15.15		10	938	210 35 00000	
	OMCS	0138	LEAD1003C03	1 1	13.30 15.00	1	19	938	210 35 00000	
8	OMCS	0138	CPTR1002C01	1111	13.30 15.50	1	36	938	210 35 00000	
	OMCS	0138	LEAD1003CN1	1 1	17.30 19.00		26	938	210 35 00000	
	OMCS	0140	HNUR2996C01	1 1	9.35 11.00		2	1,223	110 41 00000	
	OMCS	0140	HNUR1211C01	1 1 1	9.35 11.45		31	1,223	110 41 00000	
	OMCS	0141	HNUR1100C01	11111	8.00 9.25		52	1,223	110 41 00000	
	OMCS	0141	HNUR1363C01	1 1 1	9.35 11.00		21	1,223	110 41 00000	
	OMCS	0141	HNUR1000C01	1 1 1	12.00 13.25		48	1,223	110 41 00000	
	OMCS	0141	HNUR1322C01	1 1	12.00 13.25		21	1,223	110 41 00000	
	OMCS	0141	HNUR1411C01	11111	13.35 15.00		21	1,223	110 41 00000	
	OMCS	0142	HNUR2128C01	1 1	8.00 11.00		9	1,223	110 25 00000	
	OMCS	0142	HNUR2722C01	1 1	12.00 13.25		9	1,223	110 25 00000	
	OMCS	0142	HNUR2522C01	1 1	13.35 15.00		8	1,223	110 25 00000	
	OMCS	0143	HNUR2138C01	1 1	8.00 11.00		13	1,223	110 25 00000	
	OMCS	0143	HNUR2712C01	1 1	12.00 13.25		13	1,223	110 25 00000	
	OMCS	0143	HNUR2812C01	1 1	13.35 15.00		13	1,223	110 25 00000	
	OMCT	0110	INST1430C03	1111	7.20 10.25		15	989	210 18 00000	
	OMCT	0110	IIET2014C03	1111	8.00 12.45	1	9	989	210 18 00000	
8	OMCT	0110	IIET2014C04	1111	8.00 12.45	1	14	989	210 18 00000	
8	OMCT	0110	IMMT1440C02	1111	8.00 12.45	1	1	989	210 18 00000	
4	8	OMCT	0110	IIET2024C03	1111	10.30 15.45	1	14	989	210 18 00000
4	8	OMCT	0110	IIET2024C04	1111	10.30 15.45	1	9	989	210 18 00000
4	8	OMCT	0110	IIET2034C03	1111	10.30 15.45	1	14	989	210 18 00000
4	8	OMCT	0110	INST1431C02	1111	10.30 15.45	1	6	989	210 18 00000
8	OMCT	0110	IIET2034C04	1111	13.30 15.45	1	9	989	210 18 00000	
	OMCT	0112	INST2731C01	11111	8.00 10.15		16	951	110 21 00000	
	OMCT	0112	IMMT1440C01	11111	9.30 11.30	1	2	951	110 21 00000	
	OMCT	0114	INST1430C01	11111	10.30 12.45		1	890	110 21 00000	
4	OMCT	0114	INST1340C01	11111	10.30 15.45	1	16	890	110 21 00000	
	OMCT	0114	INST2610C01	11111	13.30 15.45	1	11	890	110 21 00000	
	OMCT	0114	INST1430CN1	1111	16.00 18.15		16	890	110 21 00000	
8	OMCT	0114	INST2731CN1	1111	16.00 18.15	1	17	890	110 21 00000	
8	OMCT	0114	INST1340CN1	1111	16.00 20.00	1	17	890	110 21 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2018  
 RUN DATE 10/24/2018 15:02:30  
 PAGE NUM 2

NWLTC - NORTHWEST LA CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	OMCT 0114	INST1431CN1	1111	16.00 20.00	1	18	890	110 21	00000
	OMCT 0116	INST11110C02	1111	8.00 10.15		1	1,018	210 18	00000
	OMCT 0119	WKSF1003C02	1111	8.00 9.30		10	1,277	110 32	00000
	OMCT 0119	WKSF1003C01	1111	9.35 11.05		10	1,277	110 32	00000
	OMCT 0119	IMMT1410C02	1111	10.30 11.30	1	6	1,277	110 32	00000
	OMCT 0119	WKSF1003C05	1111	10.30 12.00	1	25	1,277	110 32	00000
8	OMCT 0119	IIET1022C01	1111	10.30 12.45	1	43	1,277	110 32	00000
	OMCT 0119	WKSF1003C03	1 1	13.30 15.00		12	1,277	110 32	00000
	OMCT 0119	IMMT2993C01	1111	13.30 15.20	1	4	1,277	110 32	00000
8	OMCT 0119	IIET1032C01	1111	13.30 15.45	1	41	1,277	110 32	00000
	OMCT 0119	IIET1022CN1	1111	16.00 18.15		20	1,277	110 32	00000
	OMCT 0119	WKSF1003CN1	1 1	19.05 20.35		25	1,277	110 32	00000
	OMCT 0123	INST2820C01	11111	10.15 12.45		15	1,269	110 18	00000
8	OMCT 0123	INST2841C01	11111	10.15 12.45	1	15	1,269	110 18	00000
	OMCT 0123	INST2831C01	11111	13.30 15.45		15	1,269	110 18	00000
	OMCT 0123	IIET1253C01	1111	13.30 15.45	1	9	1,269	110 18	00000
	OMCT 0123	INST2820CN1	1111	16.00 18.21		2	1,269	110 18	00000
	OMCT 0123	INST2831CN1	1111	16.00 18.21	1	2	1,269	110 18	00000
	OMCT 0123	INST2841CN1	1111	18.36 20.57		2	1,269	110 18	00000
	OMCT 0132	IMFG1023C07	1	8.00 9.15		4	3,642	210 25	00000
	OMCT 0132	IMFG1023C07	1111	8.00 10.30		4	3,642	210 25	00000
	OMCT 0132	IMFG1410C07	1111	8.00 11.30	1	1	3,642	210 25	00000
	OMCT 0132	IMFG1033C07	1	9.30 10.45		4	3,642	210 25	00000
	OMCT 0132	IMFG1033C07	1111	10.15 12.45		4	3,642	210 25	00000
	OMCT 0132	IMFG2993C01	1111	11.35 12.05	1	1	3,642	210 25	00000
	OMCT 0132	WBLE2034C07	1111	12.10 15.10		1	3,642	210 25	00000
	OMCT 0132	IIET1032CN2	1111	18.20 20.35		20	3,642	210 25	00000
	OMCT 0134	IMMT2995C01	11111	8.00 9.15		1	1,945	210 25	00000
	OMCT 0134	IMMT1411C01	11111	8.20 9.30	1	6	1,945	210 25	00000
	OMCT 0134	IMMT1220C01	11111	11.45 12.25		6	1,945	210 25	00000
	OMCT 0134	IMMT1411C02	1111	12.10 15.00	1	5	1,945	210 25	00000
	OMCT 0134	IMMT1221C01	11111	12.30 14.00	1	6	1,945	210 25	00000
	OMCT 0134	JOBS2450C01	11111	13.45 14.45	1	1	1,945	210 25	00000
	OMCT 0134	IMMT1430C02	1111	15.00 18.17		6	1,945	210 25	00000
	OMCT 0135	IMMT1311C02	1111	8.00 9.55		6	1,980	210 25	00000
	OMCT 0135	ELEC1440C01	1111	8.00 11.40	1	3	1,980	210 25	00000
4	OMCT 0135	IMMT1112C01	11111	8.00 15.00	1	1	1,980	210 25	00000
	OMCT 0135	ELEC1314C01	1111	10.27 12.53	1	3	1,980	210 25	00000
	OMCT 0135	INST2750CN1	1111	16.00 18.00		12	1,980	210 25	00000
	OMCT 0136	IMFG1013C07	1	11.00 12.15		4	606	110 25	00000
	OMCT 0136	IMFG1013C07	1111	11.15 13.45		4	606	110 25	00000
4	OMCT 0137	IMMT1410C01	11111	8.00 8.15		6	606	110 25	00000
	OMCT 0137	LEAD1003CN2	1 1	17.00 20.00		5	606	110 25	00000
	OMCT 0137	WKSF1003CN2	1 1	17.00 20.00		5	606	110 25	00000
8	OMCT 0138	IIET1222C01	1111	8.00 10.15		47	606	110 25	00000
	OMCT 0138	ELEC1450C01	1111	11.41 14.07		3	606	110 25	00000
	OMCT 0138	WBLE1011C07	1111	13.00 14.25	1	17	606	110 25	00000
	OMCT 0138	IIET1243C01	1111	13.30 15.45	1	12	606	110 25	00000
	OMCT 0138	ELEC1330C01	1111	14.08 16.14	1	3	606	110 25	00000
8	OMCT 0138	ELEC1450CN1	1111	16.00 20.00	1	9	606	110 25	00000
	OMCT 0140	WELD1023C01	1111	8.00 9.32		8	2,741	210 25	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2018  
 RUN DATE 10/24/2018 15:02:30  
 PAGE NUM 3

NWLTC - NORTHWEST LA CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	OMCT	0140	WELD1411C03	1111	8.00 9.32	1	1	2,741	210 25 00000
	OMCT	0140	WELD1413C01	1111	8.00 9.32	1	1	2,741	210 25 00000
	OMCT	0140	WELD2100C01	1111	8.00 10.35	1	3	2,741	210 25 00000
	OMCT	0140	WELD1023C02	1111	9.35 11.07	1	1	2,741	210 25 00000
	OMCT	0140	WELD1411C01	1111	9.35 11.07	1	8	2,741	210 25 00000
	OMCT	0140	WELD1131C01	1111	10.00 10.46	1	1	2,741	210 25 00000
	OMCT	0140	WELD1421C01	1111	10.00 12.05	1	3	2,741	210 25 00000
	OMCT	0140	JOBS2450C02	1111	10.40 11.25	1	1	2,741	210 25 00000
	OMCT	0140	WELD1122C01	1111	10.40 11.42	1	1	2,741	210 25 00000
	OMCT	0140	WELD1411C02	1111	10.50 13.25	1	1	2,741	210 25 00000
	OMCT	0140	WELD1511C01	1111	11.45 14.35	1	1	2,741	210 25 00000
	OMCT	0140	WELD2231C01	1111	12.00 14.08	1	1	2,741	210 25 00000
	OMCT	0140	WELD2211C01	1111	12.10 14.15	1	1	2,741	210 25 00000
	OMCT	0140	WELD2100C02	1111	14.10 15.42	1	1	2,741	210 25 00000
8	OMCT	0140	WELD1411CN1	1111	15.00 17.30	1	10	2,741	210 25 00000
8	OMCT	0140	WELD2100CN1	1111	15.00 17.30	1	5	2,741	210 25 00000
8	OMCT	0140	WELD1510CN1	1111	15.00 17.45	1	1	2,741	210 25 00000
8	OMCT	0140	WELD1512CN1	1111	15.00 17.45	1	3	2,741	210 25 00000
8	OMCT	0140	WELD1211CN1	1111	15.35 17.00	1	7	2,741	210 25 00000
8	OMCT	0140	WELD1413CN1	1111	16.20 18.50	1	8	2,741	210 25 00000
8	OMCT	0140	WELD1421CN1	1111	17.35 19.35	1	9	2,741	210 25 00000
8	OMCT	0140	WELD2312CN1	1111	17.35 20.05	1	3	2,741	210 25 00000
8	OMCT	0140	WELD1511CN1	1111	17.50 20.35	1	2	2,741	210 25 00000
8	OMCT	0140	WELD2211CN1	1111	18.10 20.10	1	3	2,741	210 25 00000
8	OMCT	0140	WELD1131CN1	1111	18.55 19.40	1	4	2,741	210 25 00000
	OMCT	0140	JOBS2450CN1	1111	19.45 20.15		2	2,741	210 25 00000
	OMCT	0144	WELD1122CN1	1111	17.05 18.05		1	175	110 25 00000
	OMCW	0145	IIET1012C02	1111	8.00 10.15		26	651	110 25 00000
	OMCW	0145	IIET1012C01	1111	11.10 13.20		26	651	110 25 00000
	OMCW	0145	IIET1012CN1	1 1	17.00 21.30		19	651	110 25 00000
	OMCW	0148	IIET1232C01	1111	8.00 10.15		25	650	110 25 00000
	OMIA	0108	HCVO1110I01	11111	7.00 7.37		15	463	110 30 00000
	OMIA	0108	HCVO1111I01	11111	7.38 8.15		15	463	110 30 00000
	OMIA	0108	HCVO1130I01	11111	8.16 9.17		15	463	110 30 00000
	OMIA	0108	HCVO1210I01	11111	9.18 10.07		15	463	110 30 00000
	OMIA	0108	HCVO1121I01	11111	10.08 11.09		15	463	110 30 00000
	OMIA	0108	HCVO1110IY2	1111	12.00 12.53		14	463	110 30 00000
	OMIA	0108	HCVO1120I01	11111	12.09 12.46	1	15	463	110 30 00000
	OMIA	0108	HCVO1131I01	11111	12.47 13.24		15	463	110 30 00000
	OMIA	0108	HCVO1111IY2	1111	12.54 13.47	1	14	463	110 30 00000
	OMIA	0108	HCVO1200I01	11111	13.25 14.14	1	15	463	110 30 00000
8	OMIA	0108	HCVO1120IY2	1111	13.54 14.41	1	14	463	110 30 00000
8	OMIA	0108	HCVO1220I01	11111	14.15 15.04	1	15	463	110 30 00000
8	OMIA	0108	HCVO1130IY2	1111	14.42 16.11	1	14	463	110 30 00000
8	OMIA	0108	HCVO1230I01	11111	15.05 15.54	1	15	463	110 30 00000
	OMIA	0108	HCVO1200IY2	1111	16.12 17.23		14	463	110 30 00000
	OMIA	0110	HCVO1212I01	11111	7.00 9.14		10	463	110 30 00000
	OMIA	0110	CTDP1211I01	11111	9.15 11.00		10	463	110 30 00000
	OMIA	0110	HCVO1140I01	11111	12.00 13.14		10	463	110 30 00000
	OMIA	0110	CTDP1110I01	11111	13.15 13.59		10	463	110 30 00000
	OMIA	0110	CTDP1120I01	11111	14.00 14.45		10	463	110 30 00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	7
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	31
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		38
TOTAL NUMBER OF RECORDS READ		153
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		153
NUMBER OF JOINT-CLASS RECORDS		77
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/24/2018 15:02:30

PAGE NUM 1

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			567
WEEKLY STUDENT CONTACT HOURS	9,109	330	9,439
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,173	76	1,249
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,030	28,350	79,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,381	1,802	32,183
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,219	660	18,879
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	62.1	7.2	42.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.7	2.3	23.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	60.0	36.6	58.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			21
TOTAL NUMBER OF STATIONS (CAPACITY)			567
WEEKLY STUDENT CONTACT HOURS	9,109	330	9,439
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,890	1,050	2,940
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,173	76	1,249
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,030	28,350	79,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30,381	1,802	32,183
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,219	660	18,879
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	62.1	7.2	42.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	35.7	2.3	23.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	60.0	36.6	58.7

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/24/2018 15:02:30  
 PAGE NUM 2

NWLTC - NORTHWEST LA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			427
WEEKLY STUDENT CONTACT HOURS	4,222	448	4,670
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,339	114	1,453
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,430	21,350	59,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,707	2,910	34,617
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,445	896	9,341
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.3	12.0	54.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.0	4.2	15.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.6	30.8	27.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			427
WEEKLY STUDENT CONTACT HOURS	4,222	448	4,670
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,339	114	1,453
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	38,430	21,350	59,780
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	31,707	2,910	34,617
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8,445	896	9,341
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.3	12.0	54.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.0	4.2	15.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.6	30.8	27.0

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY