

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2008
 RUN DATE 03/02/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
5	8	A000 0000	DRFT1210050	11111	13.31 15.08		3	030	00000
		A000 0200	ELTR2800001	11111	8.00 8.50		2	210 20	00000
		A000 0200	ETRN2130002	1 1 1	8.00 9.50	1	2	210 20	00000
		A000 0200	INST2720001	1 1 1	8.00 9.50	1	6	210 20	00000
		A000 0200	ETRN1220001	1 1	8.00 10.30		3	210 20	00000
		A000 0200	ETRN1210001	11111	9.00 9.50	1	4	210 20	00000
		A000 0200	ETRN1230002	11111	9.00 9.50	1	6	210 20	00000
		A000 0200	ETRN1240001	11111	9.00 9.50	1	2	210 20	00000
		A000 0200	ETRN1230001	11111	10.00 10.50		3	210 20	00000
		A000 0200	ETRN2120001	1 1 1	10.00 11.50	1	1	210 20	00000
		A000 0200	ELTR2840001	11111	11.00 11.50	1	5	210 20	00000
		A000 0200	CPTR2993001	11111	13.00 13.50		3	210 20	00000
		A000 0200	ELTR2800002	11111	13.00 13.50	1	2	210 20	00000
		A000 0200	ETRN1120001	11111	13.00 13.50	1	9	210 20	00000
		A000 0200	IDEL2993001	11111	13.00 13.50	1	4	210 20	00000
		A000 0200	ETRN2120002	11111	13.00 14.15	1	1	210 20	00000
		A000 0200	ETRN2110001	1 1 1	13.00 14.50	1	2	210 20	00000
		A000 0200	IDEL2995001	11111	14.00 14.50	1	3	210 20	00000
		A000 0200	ETRN2120003	1 1 1	14.00 15.50	1	1	210 20	00000
		A000 0200	ETRN2130003	11111	14.30 15.45	1	1	210 20	00000
	8	A000 0200	ETRN1240002	11111	15.00 15.50	1	8	210 20	00000
		A000 0299	DVEN091 004	11111	8.00 8.50		1	210 30	00000
		A000 0299	AHEN1000001	1 1	8.00 10.00	1	1	210 30	00000
		A000 0299	AHSC1000999	11111	8.00 12.00	1	1	210 30	00000
		A000 0299	AHMA1000001	1 1	8.00 12.00	1	1	210 30	00000
		A000 0299	AHSC1000001	1 1	8.00 12.00	1	4	210 30	00000
	4	A000 0299	AHRE1000001	1111	8.00 15.00	1	1	210 30	00000
		A000 0299	DVMA090 004	11111	9.00 9.50	1	3	210 30	00000
		A000 0299	ENGL1030001	1 1 1	9.00 9.50	1	15	210 30	00000
		A000 0299	AHMA1000002	1 1 1	9.00 12.00	1	1	210 30	00000
		A000 0299	DVEN090 001	11111	10.00 10.50	1	1	210 30	00000
		A000 0299	DVEN091 001	11111	10.00 10.50	1	9	210 30	00000
		A000 0299	DVEN092 001	11111	10.00 10.50	1	3	210 30	00000
		A000 0299	DVRE090 001	11111	10.00 10.50	1	2	210 30	00000
	8	A000 0299	DVRE091 001	11111	10.00 10.50	1	10	210 30	00000
	8	A000 0299	DVRE092 001	11111	10.00 10.50	1	3	210 30	00000
		A000 0299	DVEN091 002	11111	11.00 11.50		3	210 30	00000
		A000 0299	DVEN092 002	11111	11.00 11.50	1	1	210 30	00000
		A000 0299	DVRE090 002	11111	11.00 11.50	1	2	210 30	00000
		A000 0299	DVRE091 002	11111	11.00 11.50	1	6	210 30	00000
		A000 0299	DVRE092 002	11111	11.00 11.50	1	1	210 30	00000
		A000 0299	ENGL1030002	1 1	12.40 13.55		13	210 30	00000
		A000 0299	DVEN091 003	1 1	13.00 14.50		3	210 30	00000
		A000 0299	DVRE090 003	1 1	13.00 14.50	1	2	210 30	00000
		A000 0299	DVRE091 003	1 1	13.00 14.50	1	4	210 30	00000
		A000 0299	DVRE092 003	1 1	13.00 14.50	1	4	210 30	00000
		A000 0299	ENGL1040001	1 1	14.05 15.20		4	210 30	00000
		A000 0299	DVMA092 001	11111	14.50 15.50	1	2	210 30	00000
		A000 0299	DVMA090 001	11111	15.00 15.50	1	23	210 30	00000
		A000 0299	DVMA091 001	11111	15.00 15.50	1	1	210 30	00000
		A000 0299	ENGL1050001	1 1 1	15.00 15.50	1	7	210 30	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 0301	WKEY060 005	11111	8.00 14.30		1	500	110 25	00000
	A000 0302	JOBS2450001	1 1	8.00 8.50		14	1,665	210 30	00000
	A000 0302	JOBS2450002	1 1	8.00 8.50		23	1,665	210 30	00000
	A000 0302	CPTR1300999	11111	8.00 12.00	1	1	1,665	210 30	00000
	A000 0302	KYBD1110001	11111	9.00 9.50	1	6	1,665	210 30	00000
	A000 0302	KYBD1000003	1 1	9.00 10.00	1	9	1,665	210 30	00000
	A000 0302	ZRES1000001	1	9.00 13.00		7	1,665	210 30	00000
	A000 0302	KYBD1000001	1 1 1	10.00 10.50	1	18	1,665	210 30	00000
	A000 0302	ISYS1400001	1	10.00 11.30		5	1,665	210 30	00000
	A000 0302	KYBD1000002	1 1	12.40 13.55		10	1,665	210 30	00000
	A000 0302	KYBD1110002	11111	13.00 13.50	1	3	1,665	210 30	00000
	A000 0302	OSYS1100001	1 1 1	14.00 14.50		12	1,665	210 30	00000
	A000 0302	OSYS1250001	1 1	14.05 15.30		6	1,665	210 30	00000
	A000 0303	MAST2110001	11111	8.00 8.50		2	1,364	210 23	00000
	A000 0303	MACH1350002	1 1 1	8.00 8.50	1	6	1,364	210 23	00000
	A000 0303	KYBD1210001	11111	9.00 9.50		9	1,364	210 23	00000
	A000 0303	CPTR1000001	1 1 1	10.00 10.50		25	1,364	210 23	00000
	A000 0303	CPTR1310001	1 1	10.00 11.50		4	1,364	210 23	00000
	A000 0303	OSYS2530001	1 1	12.40 13.55		7	1,364	210 23	00000
	A000 0303	CPTR1000002	1 1 1	13.00 13.50		19	1,364	210 23	00000
	A000 0303	MACH1350001	1 1 1	14.00 14.50		4	1,364	210 23	00000
	A000 0303A	BUSI1000001	1 1 1	10.00 10.50		4	674	210 30	00000
	A000 0303A	MATH1050001	1 1 1	11.00 11.50		20	674	210 30	00000
	A000 0303B	ACCT1200001	11111	8.00 8.50		9	648	110 20	00000
	A000 0303B	ACCT1400001	11111	9.00 9.50		10	648	110 20	00000
	A000 0303B	OSYS2991001	1 1	10.00 10.50		1	648	110 20	00000
	A000 0303B	CPTR1300001	1 1	11.00 12.50		18	648	110 20	00000
	A000 0303B	CPTR2640001	1 1	11.00 12.50	1	4	648	110 20	00000
	A000 0303B	ACCT2991001	1 1	13.00 14.00		1	648	110 20	00000
	A000 0303B	ACCT2993001	1 1 1	13.00 14.30		3	648	110 20	00000
	A000 0305	ORNT1000001	11111	8.00 8.50		18	1,089	210 35	00000
	A000 0305	ORNT1000002	11111	8.00 8.50	1	26	1,089	210 35	00000
8	A000 0305	ORNT1000003	11111	8.00 8.50	1	31	1,089	210 35	00000
8	A000 0305	ORNT1000004	11111	8.00 8.50	1	26	1,089	210 35	00000
	A000 0305	ACCT1100001	11111	9.00 9.50		24	1,089	210 35	00000
	A000 0305	ISYS1450001	11111	10.00 10.50		9	1,089	210 35	00000
	A000 0305	ISYS1550001	11111	10.00 10.50	1	5	1,089	210 35	00000
	A000 0305	ISYS1410001	1 1	11.00 11.50		2	1,089	210 35	00000
	A000 0305	ISYS1650001	1 1 1	11.00 12.30		1	1,089	210 35	00000
	A000 0400A	INCT2130001	1 1 1	9.00 10.50		3	643	210 16	00000
	A000 0400A	CPTR1010001	11111	11.00 12.00		13	643	210 16	00000
	A000 0400A	INCT2902001	1 1	12.40 15.40		5	643	210 16	00000
	A000 0400A	INCT2140001	1 1 1	13.00 14.50		3	643	210 16	00000
	A000 0401A	INCT2110001	1 1 1	8.00 9.50		9	466	210 10	00000
	A000 0401A	INCT1100001	11111	10.00 10.50		5	466	210 10	00000
	A000 0401A	INCT1110001	11111	11.00 11.50		5	466	210 10	00000
	A000 0401A	INCT1210001	11111	13.00 13.50		10	466	210 10	00000
	A000 0401A	INCT1300001	11111	14.00 14.50		8	466	210 10	00000
4	A000 0500	MTTC2110001	11111	8.00 14.40		10	3,187	210 20	00000
4	A000 0500	MTTC2120001	11111	8.00 14.40	1	8	3,187	210 20	00000
4	A000 0500	MTTC2210001	11111	8.00 14.40	1	10	3,187	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2008
 RUN DATE 03/02/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0500	MTTC2220001	11111	8.00 14.40	1	7	3,187	210 20 00000
4	8	A000 0500	MTTC2230001	11111	8.00 14.40	1	1	3,187	210 20 00000
4	8	A000 0500	MTTC2310001	11111	8.00 14.40	1	3	3,187	210 20 00000
4	8	A000 0500	MTTC2320001	11111	8.00 14.40	1	4	3,187	210 20 00000
4	8	A000 0500	MTTC2331001	11111	8.00 14.40	1	5	3,187	210 20 00000
4	8	A000 0500	MTTC2410001	11111	8.00 14.40	1	7	3,187	210 20 00000
4	8	A000 0500	MTTC2420001	11111	8.00 14.40	1	4	3,187	210 20 00000
4	8	A000 0500	MTTC2431001	11111	8.00 14.40	1	2	3,187	210 20 00000
4	8	A000 0500	MTTC2510001	11111	8.00 14.40	1	4	3,187	210 20 00000
4	8	A000 0500	MTTC2710001	11111	8.00 14.40	1	1	3,187	210 20 00000
4	8	A000 0500	MTTC2710002	11111	8.00 14.40	1	2	3,187	210 20 00000
		A000 0500	ZTEC202 002	1 1	18.00 21.00		12	3,187	210 20 00000
		A000 0500	ZTEC202 001	1 1	18.00 21.00		6	3,187	210 20 00000
4		A000 0501	CADD1210001	11111	8.00 14.50		7	1,947	210 30 00000
4		A000 0501	CADD2310001	11111	8.00 14.50	1	8	1,947	210 30 00000
4		A000 0501	DRFT1110001	11111	8.00 14.50	1	17	1,947	210 30 00000
4	8	A000 0501	DRFT1120001	11111	8.00 14.50	1	18	1,947	210 30 00000
4	8	A000 0501	DRFT1130001	11111	8.00 14.50	1	11	1,947	210 30 00000
4	8	A000 0501	DRFT1140001	11111	8.00 14.50	1	10	1,947	210 30 00000
4	8	A000 0501	DRFT1150001	11111	8.00 14.50	1	4	1,947	210 30 00000
4	8	A000 0501	DRFT1161001	11111	8.00 14.50	1	1	1,947	210 30 00000
4	8	A000 0501	DRFT1210001	11111	8.00 14.50	1	5	1,947	210 30 00000
4	8	A000 0501	DRFT1220001	11111	8.00 14.50	1	6	1,947	210 30 00000
4	8	A000 0501	DRFT1230001	11111	8.00 14.50	1	4	1,947	210 30 00000
4	8	A000 0501	DRFT2310001	11111	8.00 14.50	1	11	1,947	210 30 00000
4	8	A000 0501	DRFT2320001	11111	8.00 14.50	1	12	1,947	210 30 00000
4	8	A000 0501	DRFT2330001	11111	8.00 14.50	1	6	1,947	210 30 00000
4	8	A000 0501	DRFT2421001	11111	8.00 14.50	1	7	1,947	210 30 00000
4	8	A000 0501	DRFT2561001	11111	8.00 14.50	1	3	1,947	210 30 00000
4	8	A000 0501	DRFT2631001	11111	8.00 14.50	1	2	1,947	210 30 00000
4		A000 0502	HACR1150001	1111	14.30 21.00		6	2,829	210 30 00000
4		A000 0502	HACR1160001	1111	14.30 21.00	1	6	2,829	210 30 00000
4		A000 0502	HACR1170001	1111	14.30 21.00	1	2	2,829	210 30 00000
4		A000 0502	HACR1210001	1111	14.30 21.00	1	3	2,829	210 30 00000
4		A000 0502	HACR1220001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR1230001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR1240001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR1410001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR1420001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR2510001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR2520001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR2530001	1111	14.30 21.00	1	1	2,829	210 30 00000
4		A000 0502	HACR2560001	1111	14.30 21.00	1	1	2,829	210 30 00000
		A000 0503	HNUR1300001	1 1	8.00 11.00		39	2,206	210 46 00000
		A000 0503	HNUR1211002	111	8.00 12.30		30	2,206	210 46 00000
		A000 0503	HNUR1411001	111	8.00 12.30	1	39	2,206	210 46 00000
4		A000 0503	ZTTT1000001	1	8.00 15.00		1	2,206	210 46 00000
		A000 0503	HNUR1270001	1 1	11.00 12.30	1	32	2,206	210 46 00000
		A000 0503	HNUR1320001	1 1	13.00 15.00		31	2,206	210 46 00000
		A000 0503	ORNT1000005	1	13.00 15.00		22	2,206	210 46 00000
		A000 0503	HNUR1361001	1 1	13.00 15.30		37	2,206	210 46 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2008
 RUN DATE 03/02/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000	0503A	HNUR2220001	1	8.00 12.00		24	492	210 7 00000
8	A000	0503A	HNUR2230001	1	8.00 12.00		24	492	210 7 00000
4	8	A000	0503A	HNUR2650001	111	8.00 15.30	26	492	210 7 00000
8	A000	0503A	HNUR2130001	1 1	12.40 15.40		27	492	210 7 00000
	A000	0503B	HCOR1120001	1 1 1	10.00 11.50		23	1,106	210 25 00000
8	A000	0503B	MEDL1300001	1 1 1	10.00 11.50	1	24	1,106	210 25 00000
	A000	0503B	MAST1230001	1 1	10.00 11.50		8	1,106	210 25 00000
	A000	0503B	MAST1210001	1 1 1	13.00 14.50		10	1,106	210 25 00000
	A000	0503B	HCOR1212001	1 1	16.00 21.00		8	1,106	210 25 00000
	A000	0503B	HNUR1211001	1 1	16.00 21.00	1	8	1,106	210 25 00000
4	A000	0504	CARP1120001	11111	8.00 14.30		2	481	210 17 00000
4	A000	0504	CARP1130001	11111	8.00 14.30	1	2	481	210 17 00000
4	A000	0504	CARP1140001	11111	8.00 14.30	1	2	481	210 17 00000
4	A000	0504	CARP1150001	11111	8.00 14.30	1	4	481	210 17 00000
4	A000	0504	CARP2110001	11111	8.00 14.30	1	3	481	210 17 00000
4	A000	0504	CARP2120001	11111	8.00 14.30	1	1	481	210 17 00000
4	A000	0504	CARP2131001	11111	8.00 14.30	1	1	481	210 17 00000
4	A000	0504	CARP2210001	11111	8.00 14.30	1	2	481	210 17 00000
4	A000	0504	CARP2230001	11111	8.00 14.30	1	1	481	210 17 00000
4	A000	0504	CARP2310001	11111	8.00 14.30	1	1	481	210 17 00000
4	A000	0504	CARP2620001	11111	8.00 14.30	1	3	481	210 17 00000
	A000	0504	CARP1110003	1111	18.00 21.00		4	481	210 17 00000
	A000	0504	CARP1120003	1111	18.00 21.00	1	4	481	210 17 00000
	A000	0504	CARP1130003	1111	18.00 21.00	1	4	481	210 17 00000
	A000	0504	ORNT1000006	1111	18.00 21.00	1	4	481	210 17 00000
	A000	0506	CARP1110001	11111	11.30 12.30		2	3,679	210 17 00000
4	A000	0600	WELD1110001	11111	7.30 14.30		8	2,429	210 35 00000
4	A000	0600	WELD1120001	11111	7.30 14.30	1	3	2,429	210 35 00000
4	A000	0600	WELD1130001	11111	7.30 14.30	1	9	2,429	210 35 00000
4	A000	0600	WELD1140001	11111	7.30 14.30	1	4	2,429	210 35 00000
4	A000	0600	WELD1210001	11111	7.30 14.30	1	11	2,429	210 35 00000
4	A000	0600	WELD1310001	11111	7.30 14.30	1	7	2,429	210 35 00000
4	A000	0600	WELD1410001	11111	7.30 14.30	1	10	2,429	210 35 00000
4	8	A000	0600	WELD1411001	11111	7.30 14.30	13	2,429	210 35 00000
4	8	A000	0600	WELD1412001	11111	7.30 14.30	10	2,429	210 35 00000
4	8	A000	0600	WELD1510001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD1511001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD2110001	11111	7.30 14.30	6	2,429	210 35 00000
4	8	A000	0600	WELD2111001	11111	7.30 14.30	7	2,429	210 35 00000
4	8	A000	0600	WELD2114001	11111	7.30 14.30	1	2,429	210 35 00000
4	8	A000	0600	WELD2210001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD2220001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD2221001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD2222001	11111	7.30 14.30	3	2,429	210 35 00000
4	8	A000	0600	WELD2230001	11111	7.30 14.30	2	2,429	210 35 00000
4	8	A000	0600	WELD2310001	11111	7.30 14.30	1	2,429	210 35 00000
4	8	A000	0600	WELD2311001	11111	7.30 14.30	2	2,429	210 35 00000
8	A000	0600	WELD1130003	11111	10.30 14.30	1	2	2,429	210 35 00000
8	A000	0600	WELD1210003	11111	10.30 14.30	1	2	2,429	210 35 00000
8	A000	0600	WELD1410003	11111	10.30 14.30	1	2	2,429	210 35 00000
8	A000	0600	ETRN1130001	11111	14.00 14.50	1	9	2,429	210 35 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2008
 RUN DATE 03/02/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0600	WELD2993003	1 1	18.00 21.00		18	210 35	00000
4	A000	0602	IAMT1105001	11111	8.00 14.30		6	210 20	00000
4	A000	0602	IAMT1110001	11111	8.00 14.30	1	7	210 20	00000
4	A000	0602	IAMT1120001	11111	8.00 14.30	1	8	210 20	00000
4	A000	0602	IAMT1130001	11111	8.00 14.30	1	7	210 20	00000
4	A000	0602	IAMT1135001	11111	8.00 14.30	1	1	210 20	00000
4	8	A000	0602	IAMT1140001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT1150001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT1160001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT1170001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT1180001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT2140001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT2210001	11111	8.00 14.30	1	210 20	00000
4	8	A000	0602	IAMT2220001	11111	8.00 14.30	1	210 20	00000
	8	A000	0602	IAMT1150003	11111	10.30 14.30	1	210 20	00000
	8	A000	0602	IAMT2150003	11111	10.30 14.30	1	210 20	00000
5	8	B000	0000	CDYC1151001	11111	7.45 10.25	2	030	00000
5	8	B000	0000	CDYC1241001	11111	7.45 10.25	1	030	00000
5	8	B000	0000	CDYC2993003	1 1 1	8.00 8.45	1	030	00000
5	8	B000	0000	CDYC2211001	11111	8.00 11.30	1	030	00000
5	8	B000	0000	CDYC2991001	1 1	9.00 10.00	1	030	00000
5	8	B000	0000	CDYC2995001	1 1	9.30 12.30	1	030	00000
5	8	B000	0000	CDYC2993001	1 1 1	10.25 11.40	2	030	00000
5	8	B000	0000	CDYC1151002	11111	10.25 13.05	1	030	00000
5	8	B000	0000	CDYC1210001	1 1	10.30 11.45	1	030	00000
5	8	B000	0000	CDYC1130001	1 1	11.50 13.05	11	030	00000
5	8	B000	0000	CDYC1320001	1 1 1	12.00 12.50	11	030	00000
5	8	B000	0000	CDYC1341003	11111	13.05 15.45	3	030	00000
5	8	B000	0000	CDYC1241003	1 1 1	13.05 15.45	1	030	00000
5	8	B000	0000	CDYC1330001	1 1 1	13.30 14.20	1	030	00000
1		B000	0002	CDYC1151003	11111	13.05 15.45	3		00000
1		B000	0301	CDYC2211002	11111	9.00 12.30	1		00000
1		B000	0301	CDYC1420001	1 1	12.30 14.30	5		00000
45	8	C000	0000	ELEC2991001	11111	8.00 14.30	1	235 030	00000
45	8	C000	0000	ELEC1120001	11111	8.00 14.45	13	235 030	00000
45	8	C000	0000	ELEC1210001	11111	8.00 14.45	13	235 030	00000
45	8	C000	0000	ELEC1220001	11111	8.00 14.45	3	235 030	00000
45	8	C000	0000	ELEC1230001	11111	8.00 14.45	3	235 030	00000
45	8	C000	0000	ELEC1311001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC1330001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC1410001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC1420001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC1430001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC1440001	11111	8.00 14.45	1	235 030	00000
45	8	C000	0000	ELEC2460001	11111	8.00 14.45	1	235 030	00000
4		0000	0000	HNUR1212001	111	6.30 14.30	1		00000
4		0000	0000	HNUR1212002	111	6.30 14.30	1		00000
4		0000	0000	HNUR2132001	111	6.30 14.30	1		00000
4		0000	0000	HNUR2132002	111	6.30 14.30	1		00000
4		0000	0000	HNUR2222001	111	6.30 14.30	1		00000
4		0000	0000	HNUR2222002	111	6.30 14.30	1		00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2008
 RUN DATE 03/02/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-TECHE AREA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	0000	0000	HNUR2232001	111	6.30 14.30	1	13		00000
4	0000	0000	HNUR2232002	111	6.30 14.30	1	14		00000
4	0000	0000	HNUR2652002	111	6.30 14.30	1	14		00000
	0000	0000	MEDL1300050	11111	7.30 9.20	1	11		00000
	0000	0000	CPTR1000050	11111	7.35 9.20	1	2		00000
	0000	0000	CPTR1300051	11111	7.35 9.20	1	9		00000
	0000	0000	CPTR1600051	11111	7.35 9.20	1	9		00000
	0000	0000	INCT1100050	11111	7.35 9.20	1	10		00000
	0000	0000	ISYS1450051	11111	7.35 9.20	1	9		00000
	0000	0000	KYBD1000050	11111	7.35 9.20	1	2		00000
	0000	0000	HCOR1212050	11111	7.45 10.30	1	9		00000
	0000	0000	HCOR1212052	11111	7.45 10.30	1	7		00000
	0000	0000	HNUR1211050	11111	7.45 10.30	1	9		00000
	0000	0000	HNUR1211052	11111	7.45 10.30	1	7		00000
	0000	0000	CPTR1300053	11111	7.53 9.23	1	4		00000
	0000	0000	CPTR1310051	11111	7.53 9.23	1	4		00000
	0000	0000	CPTR1600053	11111	7.53 9.23	1	4		00000
	0000	0000	ISYS1450053	11111	7.53 9.23	1	4		00000
	0000	0000	CPTR1000999	11111	8.00 10.00	1	3		00000
4	0000	0000	HNUR2640001	1	8.00 15.30	1	27		00000
4	0000	0000	ZTEC1201001	11111	8.00 17.00	1	121		00000
	0000	0000	CPTR1300050	11111	9.08 10.47	1	10		00000
	0000	0000	CPTR1600050	11111	9.08 10.47	1	10		00000
	0000	0000	ISYS1450050	11111	9.08 10.47	1	10		00000
	0000	0000	CDYC1110050	11111	9.28 10.59	1	6		00000
	0000	0000	ISYS1650050	11111	9.30 11.00	1	5		00000
	0000	0000	MEDL1300051	11111	9.40 11.05	1	6		00000
	0000	0000	CPTR1300052	11111	11.26 12.56	1	10		00000
	0000	0000	CPTR1310050	11111	11.26 12.56	1	10		00000
	0000	0000	CPTR1600052	11111	11.26 12.56	1	10		00000
	0000	0000	ISYS1450052	11111	11.26 12.56	1	10		00000
	0000	0000	HCOR1212051	11111	11.45 14.10	1	8		00000
	0000	0000	HCOR1212053	11111	11.45 14.10	1	4		00000
	0000	0000	HNUR1211051	11111	11.45 14.10	1	8		00000
	0000	0000	HNUR1211053	11111	11.45 14.10	1	4		00000
	0000	0000	MEDL1300052	11111	12.53 14.30	1	11		00000
	0000	0000	CPTR1000051	11111	13.00 14.30	1	1		00000
	0000	0000	KYBD1000051	11111	13.00 14.30	1	1		00000
	0000	0000	CDYC1140050	11111	13.05 14.36	1	9		00000
	0000	0000	CPTR1300054	11111	13.10 14.35	1	8		00000
	0000	0000	CPTR1600054	11111	13.10 14.35	1	8		00000
	0000	0000	ISYS1450054	11111	13.10 14.35	1	8		00000
	0000	0000	DRFT1110050	11111	13.31 15.08	1	7		00000
3	0000	0000	HNUR2652001	111	63.00 14.30	1	13		00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	3
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	1
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	116
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	27
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	90
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	237
TOTAL NUMBER OF RECORDS READ	299
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	246
NUMBER OF JOINT-CLASS RECORDS	168
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	50

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-TECHE AREA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			80
WEEKLY STUDENT CONTACT HOURS	233		233
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	118		118
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7200	4000	11200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2685		2685
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	466		466
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	43.7	.0	28.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.5	.0	4.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	17.4	.0	17.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			80
WEEKLY STUDENT CONTACT HOURS	233		233
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	118		118
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7200	4000	11200
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2685		2685
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	466		466
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	43.7	.0	28.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.5	.0	4.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	17.4	.0	17.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			634
WEEKLY STUDENT CONTACT HOURS	19692	408	20100
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2610	1450	4060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7309	132	7441
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57060	31700	88760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	194549	2532	197081
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	39385	816	40201
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	280.0	9.1	183.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	69.0	2.6	45.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.2	32.2	20.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			634
WEEKLY STUDENT CONTACT HOURS	19692	408	20100
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2610	1450	4060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7309	132	7441
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	57060	31700	88760
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	194549	2532	197081
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	39385	816	40201
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	280.0	9.1	183.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	69.0	2.6	45.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.2	32.2	20.4

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-TECHE AREA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			32
TOTAL NUMBER OF STATIONS (CAPACITY)			714
WEEKLY STUDENT CONTACT HOURS	19925	408	20333
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2880	1600	4480
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7427	132	7559
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	64260	35700	99960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	197234	2532	199766
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	39851	816	40667
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	257.9	8.3	168.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	62.0	2.3	40.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	20.2	32.2	20.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY