

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 1

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0002	0203	ART 1849002	1 1	12.30 15.30		18	1,621	210 24 00000
9	0002	0203	ART 1849002	1 1	12.30 15.30		18	1,621	210 24 00000
	0002	0203	ART 1849001	1 1	15.30 18.30		17	1,621	210 24 00000
9	0002	0203	ART 1849001	1 1	15.30 18.30		17	1,621	210 24 00000
	0002	0211	ART 1848001	1 1	8.30 11.30		17	882	210 24 00000
9	0002	0211	ART 1848001	1 1	8.30 11.30		17	882	210 24 00000
	0002	0211	ART 4887001	1 1	9.00 12.00		5	882	210 24 00000
9	0002	0211	ART 4887001	1 1	9.00 12.00		5	882	210 24 00000
	0002	0211	ART 1848002	1 1	12.00 15.00		17	882	210 24 00000
9	0002	0211	ART 1848002	1 1	12.00 15.00		17	882	210 24 00000
	0002	0211	ART 2879001	1 1	15.00 18.00		16	882	210 24 00000
9	0002	0211	ART 2879001	1 1	15.00 18.00		16	882	210 24 00000
	0002	0214	BIOL4141001	1 1	15.00 18.00		19	868	110 40 00000
9	0002	0214	BIOL4141001	1 1	15.00 18.00		19	868	110 40 00000
	0002	0227	ART 1847003	1 1	9.00 12.00		14	1,250	210 24 00000
9	0002	0227	ART 1847003	1 1	9.00 12.00		14	1,250	210 24 00000
	0002	0227	ART 1847001	1 1	12.00 15.00		15	1,250	210 24 00000
9	0002	0227	ART 1847001	1 1	12.00 15.00		15	1,250	210 24 00000
	0002	0227	ART 4889001	1 1	12.30 15.30		10	1,250	210 24 00000
9	0002	0227	ART 4889001	1 1	12.30 15.30		10	1,250	210 24 00000
	0002	0227	ART 1847002	1 1	15.00 18.00		16	1,250	210 24 00000
9	0002	0227	ART 1847002	1 1	15.00 18.00		16	1,250	210 24 00000
	0002	0227	ART 1847006	1 1	15.30 18.30		14	1,250	210 24 00000
9	0002	0227	ART 1847006	1 1	15.30 18.30		14	1,250	210 24 00000
	0002	0233	ART 2882001	1 1	12.30 15.30		12	1,194	210 20 00000
9	0002	0233	ART 2882001	1 1	12.30 15.30		12	1,194	210 20 00000
	0002	0233	ART 4881001	1 1	15.30 18.30		3	1,194	210 20 00000
9	0002	0233	ART 4881001	1 1	15.30 18.30		3	1,194	210 20 00000
	0013	0112	ENTM7010001	1	9.00 10.00		2	315	110 21 00000
9	0013	0112	ENTM7010001	1	9.00 10.00		2	315	110 21 00000
	0013	0112	ELRC7608001	1	16.30 19.30		7	315	110 21 00000
9	0013	0112	ELRC7608001	1	16.30 19.30		7	315	110 21 00000
	0013	0114	SPAN4005001	1 1	15.00 16.30		16	377	110 23 00000
9	0013	0114	SPAN4005001	1 1	15.00 16.30		16	377	110 23 00000
	0013	0116	WGS 4500001	1 1	15.00 16.30		10	325	110 21 00000
9	0013	0116	WGS 4500001	1 1	15.00 16.30		10	325	110 21 00000
	0013	0116	EDCI3703001	1	16.30 18.30		6	325	110 21 00000
9	0013	0116	EDCI3703001	1	16.30 18.30		6	325	110 21 00000
	0013	0118	AEEE7901001	1	16.30 19.30		6	325	110 21 00000
9	0013	0118	AEEE7901001	1	16.30 19.30		6	325	110 21 00000
	0013	0120	SSS 1001001	1	10.30 11.30		7	325	110 21 00000
9	0013	0120	SSS 1001001	1	10.30 11.30		7	325	110 21 00000
	0013	0120	CPLT7140001	1	15.00 18.00		6	325	110 21 00000
9	0013	0120	CPLT7140001	1	15.00 18.00		6	325	110 21 00000
	0013	0132	SPAN1152013	1111	8.30 9.30		22	1,024	110 68 00000
9	0013	0132	SPAN1152013	1111	8.30 9.30		22	1,024	110 68 00000
	0013	0132	SPAN2102003	1 1 1	9.30 10.30		20	1,024	110 68 00000
9	0013	0132	SPAN2102003	1 1 1	9.30 10.30		20	1,024	110 68 00000
	0013	0132	EDCI2700002	1 1	10.00 11.30		19	1,024	110 68 00000
9	0013	0132	EDCI2700002	1 1	10.00 11.30		19	1,024	110 68 00000
	0013	0132	SPAN2102005	1 1 1	10.30 11.30		24	1,024	110 68 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 2

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0013	0132	SPAN2102005	1 1 1	10.30 11.30		24	1,024	110 68 00000
	0013	0132	SPAN2102007	1 1 1	11.30 12.30		19	1,024	110 68 00000
9	0013	0132	SPAN2102007	1 1 1	11.30 12.30		19	1,024	110 68 00000
	0013	0132	ENGL4475001	1 1	12.00 13.30		10	1,024	110 68 00000
9	0013	0132	ENGL4475001	1 1	12.00 13.30		10	1,024	110 68 00000
	0013	0132	SPAN4147001	1 1 1	13.30 14.30		15	1,024	110 68 00000
9	0013	0132	SPAN4147001	1 1 1	13.30 14.30		15	1,024	110 68 00000
	0013	0132	SCI 1001007	1	15.30 17.00		22	1,024	110 68 00000
9	0013	0132	SCI 1001007	1	15.30 17.00		22	1,024	110 68 00000
	0013	0132	EDCI4003002	1	16.30 18.30		10	1,024	110 68 00000
9	0013	0132	EDCI4003002	1	16.30 18.30		10	1,024	110 68 00000
	0013	0136	SCI 2011001	1	10.30 12.00		12	725	110 36 00000
9	0013	0136	SCI 2011001	1	10.30 12.00		12	725	110 36 00000
	0013	0136	BIOL4005001	1 1	10.30 12.30		6	725	110 36 00000
9	0013	0136	BIOL4005001	1 1	10.30 12.30		6	725	110 36 00000
	0013	0136	CHEM4005001	1 1	10.30 12.30	1	4	725	110 36 00000
9	0013	0136	CHEM4005001	1 1	10.30 12.30	1	4	725	110 36 00000
	0013	0136	PHYS4005001	1 1	10.30 12.30	1	1	725	110 36 00000
9	0013	0136	PHYS4005001	1 1	10.30 12.30	1	1	725	110 36 00000
	0013	0136	SCI 2012001	1 1	14.30 15.30		9	725	110 36 00000
9	0013	0136	SCI 2012001	1 1	14.30 15.30		9	725	110 36 00000
	0013	0136	MATH3002001	1 1	15.00 16.30		6	725	110 36 00000
9	0013	0136	MATH3002001	1 1	15.00 16.30		6	725	110 36 00000
	0013	0136	CSC 2700003	1 1	15.30 17.00		3	725	110 36 00000
9	0013	0136	CSC 2700003	1 1	15.30 17.00		3	725	110 36 00000
	0013	0136	EDUC2000001	1 1	15.30 17.00	1	4	725	110 36 00000
9	0013	0136	EDUC2000001	1 1	15.30 17.00	1	4	725	110 36 00000
	0013	0205	SCI 2010001	1	10.30 12.00		16	900	110 60 00000
9	0013	0205	SCI 2010001	1	10.30 12.00		16	900	110 60 00000
	0013	0205	SCI 2010002	1	10.30 12.00		14	900	110 60 00000
9	0013	0205	SCI 2010002	1	10.30 12.00		14	900	110 60 00000
	0013	0205	SCI 2010004	1	12.00 13.30		10	900	110 60 00000
9	0013	0205	SCI 2010004	1	12.00 13.30		10	900	110 60 00000
	0013	0226	LATN1001001	1111	7.30 8.30		14	606	210 40 00000
9	0013	0226	LATN1001001	1111	7.30 8.30		14	606	210 40 00000
	0013	0226	HEBR2003001	1111	8.30 9.30		5	606	210 40 00000
9	0013	0226	HEBR2003001	1111	8.30 9.30		5	606	210 40 00000
	0013	0226	HEBR1001001	1111	9.30 10.30		10	606	210 40 00000
9	0013	0226	HEBR1001001	1111	9.30 10.30		10	606	210 40 00000
	0013	0226	LATN1001004	1111	10.30 11.30		22	606	210 40 00000
9	0013	0226	LATN1001004	1111	10.30 11.30		22	606	210 40 00000
	0013	0234A	GERM1102001	1111	9.30 10.30		16	772	110 31 00000
9	0013	0234A	GERM1102001	1111	9.30 10.30		16	772	110 31 00000
	0013	0234A	GERM2102001	1 1 1	10.30 11.30		12	772	110 31 00000
9	0013	0234A	GERM2102001	1 1 1	10.30 11.30		12	772	110 31 00000
	0013	0234A	SPAN3073001	1 1 1	12.30 13.30		13	772	110 31 00000
9	0013	0234A	SPAN3073001	1 1 1	12.30 13.30		13	772	110 31 00000
	0014	0026	SOCL7903001	1	11.30 12.30		6	336	350 22 00000
9	0014	0026	SOCL7903001	1	11.30 12.30		6	336	350 22 00000
	0014	0102	SOCL4466001	1	15.00 18.00		7	735	210 35 00000
9	0014	0102	SOCL4466001	1	15.00 18.00		7	735	210 35 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 3

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	0116	SOCL7201001	1 1	12.00 13.30		9	770	110 56 00000
9	0014	0116	SOCL7201001	1 1	12.00 13.30		9	770	110 56 00000
	0014	0116	POLI2053004	1	15.00 18.00		21	770	110 56 00000
9	0014	0116	POLI2053004	1	15.00 18.00		21	770	110 56 00000
	0014	0210	POLI7961001	1	9.00 12.00		6	357	110 25 00000
9	0014	0210	POLI7961001	1	9.00 12.00		6	357	110 25 00000
	0014	0210	POLI7941001	1	9.00 12.00		5	357	110 25 00000
9	0014	0210	POLI7941001	1	9.00 12.00		5	357	110 25 00000
	0014	0210	POLI7971001	1	9.00 12.00		5	357	110 25 00000
9	0014	0210	POLI7971001	1	9.00 12.00		5	357	110 25 00000
	0014	0210	POLI7000001	1	13.00 14.00		4	357	110 25 00000
9	0014	0210	POLI7000001	1	13.00 14.00		4	357	110 25 00000
	0014	0220	ATRN2000001	1 1	9.00 10.30		24	617	110 55 00000
9	0014	0220	ATRN2000001	1 1	9.00 10.30		24	617	110 55 00000
	0014	0220	CMST2060011	1 1 1	9.30 10.30		25	617	110 55 00000
9	0014	0220	CMST2060011	1 1 1	9.30 10.30		25	617	110 55 00000
	0014	0220	SPAN1152015	1111	10.30 11.30		21	617	110 55 00000
9	0014	0220	SPAN1152015	1111	10.30 11.30		21	617	110 55 00000
	0014	0220	POLI4001001	1 1 1	13.30 14.30		11	617	110 55 00000
9	0014	0220	POLI4001001	1 1 1	13.30 14.30		11	617	110 55 00000
	0014	0220	CMST2060028	1 1 1	14.30 15.30		20	617	110 55 00000
9	0014	0220	CMST2060028	1 1 1	14.30 15.30		20	617	110 55 00000
	0014	0220	LHRD7571001	1	16.30 19.30		13	617	110 55 00000
9	0014	0220	LHRD7571001	1	16.30 19.30		13	617	110 55 00000
	0014	0220	POLI7964001	1	16.30 19.30		11	617	110 55 00000
9	0014	0220	POLI7964001	1	16.30 19.30		11	617	110 55 00000
	0014	0220	SOCL7213002	1	16.30 19.30	1	2	617	110 55 00000
9	0014	0220	SOCL7213002	1	16.30 19.30		2	617	110 55 00000
	0015	0100	MATH2090001	1111	8.30 9.30		60	2,573	110 354 00000
9	0015	0100	MATH2090001	1111	8.30 9.30		60	2,573	110 354 00000
	0015	0100	MATH2090002	1111	9.30 10.30		80	2,573	110 354 00000
9	0015	0100	MATH2090002	1111	9.30 10.30		80	2,573	110 354 00000
	0015	0100	MATH2090003	1111	10.30 11.30		69	2,573	110 354 00000
9	0015	0100	MATH2090003	1111	10.30 11.30		69	2,573	110 354 00000
	0015	0100	CSC 1240001	1 1	11.30 12.30		64	2,573	110 354 00000
9	0015	0100	CSC 1240001	1 1	11.30 12.30		64	2,573	110 354 00000
	0015	0100	MATH2090004	1111	13.30 14.30		80	2,573	110 354 00000
9	0015	0100	MATH2090004	1111	13.30 14.30		80	2,573	110 354 00000
	0015	0100	POLI2056001	1 1	15.00 16.30		45	2,573	110 354 00000
9	0015	0100	POLI2056001	1 1	15.00 16.30		45	2,573	110 354 00000
	0016	0101	SSS 1001004	1	11.30 12.30		10	345	110 23 00000
9	0016	0101	SSS 1001004	1	11.30 12.30		10	345	110 23 00000
	0016	0101	SSS 1001007	1	11.30 12.30		8	345	110 23 00000
9	0016	0101	SSS 1001007	1	11.30 12.30		8	345	110 23 00000
	0016	0102	ATRN4400001	1 1	7.30 9.00		8	337	110 22 00000
9	0016	0102	ATRN4400001	1 1	7.30 9.00		8	337	110 22 00000
	0016	0102	ATRN3200001	1	7.45 8.45		13	337	110 22 00000
9	0016	0102	ATRN3200001	1	7.45 8.45		13	337	110 22 00000
	0016	0102	SSS 1001002	1	10.30 11.30		9	337	110 22 00000
9	0016	0102	SSS 1001002	1	10.30 11.30		9	337	110 22 00000
	0016	0102	SSS 1001003	1	10.30 11.30		9	337	110 22 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 4

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0016	0102	SSS 1001003	1	10.30 11.30		9	337	110 22 00000
	0016	0104	CMST2060004	1 1 1	7.30 8.30		26	1,103	110 74 00000
9	0016	0104	CMST2060004	1 1 1	7.30 8.30		26	1,103	110 74 00000
	0016	0104	KIN 2526001	1 1	7.30 9.00		39	1,103	110 74 00000
9	0016	0104	KIN 2526001	1 1	7.30 9.00		39	1,103	110 74 00000
	0016	0104	KIN 2604001	1 1 1	8.30 9.30		35	1,103	110 74 00000
9	0016	0104	KIN 2604001	1 1 1	8.30 9.30		35	1,103	110 74 00000
	0016	0104	POLI2060004	1 1 1	9.30 10.30		31	1,103	110 74 00000
9	0016	0104	POLI2060004	1 1 1	9.30 10.30		31	1,103	110 74 00000
	0016	0104	PETE2032001	1 1 1	10.30 11.30		11	1,103	110 74 00000
9	0016	0104	PETE2032001	1 1 1	10.30 11.30		11	1,103	110 74 00000
	0016	0104	KIN 3802002	1 1 1	11.30 12.30		17	1,103	110 74 00000
9	0016	0104	KIN 3802002	1 1 1	11.30 12.30		17	1,103	110 74 00000
	0016	0104	CPLT2201001	1 1	12.00 13.30		14	1,103	110 74 00000
9	0016	0104	CPLT2201001	1 1	12.00 13.30		14	1,103	110 74 00000
	0016	0104	ENGL2201001	1 1	12.00 13.30	1	18	1,103	110 74 00000
9	0016	0104	ENGL2201001	1 1	12.00 13.30		18	1,103	110 74 00000
	0016	0104	HIST2056001	1 1 1	12.30 13.30		21	1,103	110 74 00000
9	0016	0104	HIST2056001	1 1 1	12.30 13.30		21	1,103	110 74 00000
	0016	0104	HIST2056001	1	13.30 14.30		21	1,103	110 74 00000
9	0016	0104	HIST2056001	1	13.30 14.30		21	1,103	110 74 00000
	0016	0108	ATRN4508001	1 1 1	11.30 12.30		8	340	110 23 00000
9	0016	0108	ATRN4508001	1 1 1	11.30 12.30		8	340	110 23 00000
	0016	0108	AEEE4506001	1	13.30 16.30		11	340	110 23 00000
9	0016	0108	AEEE4506001	1	13.30 16.30		11	340	110 23 00000
	0016	0112	EXST7034001	1 1	10.30 12.00		14	684	110 46 00000
9	0016	0112	EXST7034001	1 1	10.30 12.00		14	684	110 46 00000
	0016	0112	HSS 1000020	1	11.30 12.30		16	684	110 46 00000
9	0016	0112	HSS 1000020	1	11.30 12.30		16	684	110 46 00000
	0016	0112	ANTH2423001	1 1	12.00 13.30		16	684	110 46 00000
9	0016	0112	ANTH2423001	1 1	12.00 13.30		16	684	110 46 00000
	0016	0112	ENGL2423001	1 1	12.00 13.30	1	17	684	110 46 00000
9	0016	0112	ENGL2423001	1 1	12.00 13.30		17	684	110 46 00000
	0016	0112	SPAN3010002	1 1 1	12.30 13.30		18	684	110 46 00000
9	0016	0112	SPAN3010002	1 1 1	12.30 13.30		18	684	110 46 00000
	0016	0112	ENGL2000020	1 1	13.30 15.00		18	684	110 46 00000
9	0016	0112	ENGL2000020	1 1	13.30 15.00		18	684	110 46 00000
	0016	0112	AEEE7016001	1	16.30 19.30		11	684	110 46 00000
9	0016	0112	AEEE7016001	1	16.30 19.30		11	684	110 46 00000
	0016	0114	SW 4007001	1 1	9.00 10.30		25	715	110 48 00000
9	0016	0114	SW 4007001	1 1	9.00 10.30		25	715	110 48 00000
	0016	0114	CMST2010002	1 1 1	10.30 11.30		34	715	110 48 00000
9	0016	0114	CMST2010002	1 1 1	10.30 11.30		34	715	110 48 00000
	0016	0114	CMST4012001	1 1	12.00 13.30		19	715	110 48 00000
9	0016	0114	CMST4012001	1 1	12.00 13.30		19	715	110 48 00000
	0016	0114	ANTH4022001	1 1 1	12.30 13.30		13	715	110 48 00000
9	0016	0114	ANTH4022001	1 1 1	12.30 13.30		13	715	110 48 00000
	0016	0205	PSYC7688004	1	9.00 11.00		8	333	110 18 00000
9	0016	0205	PSYC7688004	1	9.00 11.00		8	333	110 18 00000
	0016	0205	PSYC7171001	1	9.00 12.00		7	333	110 18 00000
9	0016	0205	PSYC7171001	1	9.00 12.00		7	333	110 18 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 5

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0016	0205	PSYC7982001	1	9.00 12.00		10	333	110 18 00000
9	0016	0205	PSYC7982001	1	9.00 12.00		10	333	110 18 00000
	0016	0212	LA 7402001	1 1	8.30 9.30		8	490	110 33 00000
9	0016	0212	LA 7402001	1 1	8.30 9.30		8	490	110 33 00000
	0016	0212	EVEG4780002	1	8.30 11.30		19	490	110 33 00000
9	0016	0212	EVEG4780002	1	8.30 11.30		19	490	110 33 00000
	0016	0212	PSYC7125001	1	12.00 15.00		13	490	110 33 00000
9	0016	0212	PSYC7125001	1	12.00 15.00		13	490	110 33 00000
	0016	0212	SW 7004002	1	12.00 15.00		21	490	110 33 00000
9	0016	0212	SW 7004002	1	12.00 15.00		21	490	110 33 00000
	0017	0015	ART 1762002	1 1	12.00 15.00		11	802	210 16 00000
9	0017	0015	ART 1762002	1 1	12.00 15.00		11	802	210 16 00000
	0017	0015	ART 2761001	1 1	15.00 18.00		3	802	210 16 00000
9	0017	0015	ART 2761001	1 1	15.00 18.00		3	802	210 16 00000
	0017	0015	ART 4761001	1 1	15.00 18.00	1	3	802	210 16 00000
9	0017	0015	ART 4761001	1 1	15.00 18.00	1	3	802	210 16 00000
	0017	0018	ART 1012005	1 1	15.00 18.00		15	1,570	110 26 00000
9	0017	0018	ART 1012005	1 1	15.00 18.00		15	1,570	110 26 00000
	0017	0045	ART 1012004	1 1	8.30 11.30		16	2,700	210 54 00000
9	0017	0045	ART 1012004	1 1	8.30 11.30		16	2,700	210 54 00000
	0017	0045	ART 1012003	1 1	9.00 12.00		15	2,700	210 54 00000
9	0017	0045	ART 1012003	1 1	9.00 12.00		15	2,700	210 54 00000
	0017	0045	ART 1009002	1 1	12.00 15.00		5	2,700	210 54 00000
9	0017	0045	ART 1009002	1 1	12.00 15.00		5	2,700	210 54 00000
	0017	0045	ART 1012007	1 1	12.00 15.00	1	9	2,700	210 54 00000
9	0017	0045	ART 1012007	1 1	12.00 15.00	1	9	2,700	210 54 00000
	0017	0045	ART 1009001	1 1	12.30 15.30		16	2,700	210 54 00000
9	0017	0045	ART 1009001	1 1	12.30 15.30		16	2,700	210 54 00000
	0017	0045	ART 1012001	1 1	15.00 18.00		15	2,700	210 54 00000
9	0017	0045	ART 1012001	1 1	15.00 18.00		15	2,700	210 54 00000
	0017	0045	ART 1012002	1 1	15.30 18.30		14	2,700	210 54 00000
9	0017	0045	ART 1012002	1 1	15.30 18.30		14	2,700	210 54 00000
	0017	0107	ARCH5000002	1 1 1	13.30 17.30		16	1,080	210 22 00000
9	0017	0107	ARCH5000002	1 1 1	13.30 17.30		16	1,080	210 22 00000
8	0017	0107	ARCH5000005	1 1 1	13.30 17.30	1	16	1,080	210 22 00000
89	0017	0107	ARCH5000005	1 1 1	13.30 17.30	1	16	1,080	210 22 00000
	0017	0213	ARCH5000001	1 1 1	13.30 17.30		12	1,024	210 17 00000
9	0017	0213	ARCH5000001	1 1 1	13.30 17.30		12	1,024	210 17 00000
8	0017	0213	ARCH5000003	1 1 1	13.30 17.30	1	11	1,024	210 17 00000
89	0017	0213	ARCH5000003	1 1 1	13.30 17.30	1	11	1,024	210 17 00000
	0017	0243	ARCH5000004	1 1 1	13.30 17.30		9	787	210 16 00000
9	0017	0243	ARCH5000004	1 1 1	13.30 17.30		9	787	210 16 00000
	0018	0108	ART 3996001	1 1	12.30 15.30		16	715	110 47 00000
9	0018	0108	ART 3996001	1 1	12.30 15.30		16	715	110 47 00000
	0018	0108	ART 2050003	1 1	15.00 17.00		16	715	110 47 00000
9	0018	0108	ART 2050003	1 1	15.00 17.00		16	715	110 47 00000
	0018	0108	ART 2050003	1 1	17.00 18.00		16	715	110 47 00000
9	0018	0108	ART 2050003	1 1	17.00 18.00		16	715	110 47 00000
	0018	0113	ART 2551002	1 1	8.30 10.30		14	500	140 33 00000
9	0018	0113	ART 2551002	1 1	8.30 10.30		14	500	140 33 00000
	0018	0113	ART 2551002	1 1	10.30 11.30		14	500	140 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 6

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0018	0113	ART 2551002	1 1	10.30 11.30		14	500	140 33 00000
	0018	0113	ART 2050001	1 1	12.00 14.00		14	500	140 33 00000
9	0018	0113	ART 2050001	1 1	12.00 14.00		14	500	140 33 00000
	0018	0113	ART 2050002	1 1	12.30 14.30		16	500	140 33 00000
9	0018	0113	ART 2050002	1 1	12.30 14.30		16	500	140 33 00000
	0018	0113	ART 2050001	1 1	14.00 15.00		14	500	140 33 00000
9	0018	0113	ART 2050001	1 1	14.00 15.00		14	500	140 33 00000
	0018	0113	ART 2050002	1 1	14.30 15.30		16	500	140 33 00000
9	0018	0113	ART 2050002	1 1	14.30 15.30		16	500	140 33 00000
	0018	0208	ART 2551001	1 1	12.00 14.00		12	742	110 14 00000
89	0018	0208	ART 2551001	1 1	12.00 14.00		12	742	110 14 00000
	0018	0208	ART 2551001	1 1	14.00 15.00		12	742	110 14 00000
89	0018	0208	ART 2551001	1 1	14.00 15.00		12	742	110 14 00000
	0018	0210	ART 4526002	1 1	9.00 12.00		17	710	110 24 00000
9	0018	0210	ART 4526002	1 1	9.00 12.00		17	710	110 24 00000
	0018	0210	ART 2564002	1 1	12.00 15.00		19	710	110 24 00000
89	0018	0210	ART 2564002	1 1	12.00 15.00		19	710	110 24 00000
	0018	0210	ART 2564001	1 1	12.30 15.30		18	710	110 24 00000
9	0018	0210	ART 2564001	1 1	12.30 15.30		18	710	110 24 00000
	0018	0211	ART 4997001	1 1	15.00 18.00		10	702	110 35 00000
9	0018	0211	ART 4997001	1 1	15.00 18.00		10	702	110 35 00000
	0018	0211	ART 2220001	1 1	18.30 21.30		21	702	110 35 00000
9	0018	0211	ART 2220001	1 1	18.30 21.30		21	702	110 35 00000
	0018	0229	ART 4998001	1 1	8.30 11.30		1	241	110 16 00000
9	0018	0229	ART 4998001	1 1	8.30 11.30		1	241	110 16 00000
	0018	0229	ART 2996001	1 1	9.00 12.00		13	241	110 16 00000
89	0018	0229	ART 2996001	1 1	9.00 12.00		13	241	110 16 00000
	0018	0229	ART 2995001	1 1	12.00 15.00		16	241	110 16 00000
89	0018	0229	ART 2995001	1 1	12.00 15.00		16	241	110 16 00000
	0018	0229	ART 2995003	1 1	12.30 15.30		17	241	110 16 00000
89	0018	0229	ART 2995003	1 1	12.30 15.30		17	241	110 16 00000
	0018	0229	ART 2995002	1 1	15.00 18.00		18	241	110 16 00000
89	0018	0229	ART 2995002	1 1	15.00 18.00		18	241	110 16 00000
	0018	0229	ART 4941001	1 1	15.30 18.30		8	241	110 16 00000
9	0018	0229	ART 4941001	1 1	15.30 18.30		8	241	110 16 00000
	0018	0302	ART 2055001	1 1	8.30 10.30		20	697	110 24 00000
89	0018	0302	ART 2055001	1 1	8.30 10.30		20	697	110 24 00000
	0018	0302	ART 4240001	1 1	9.00 12.00		18	697	110 24 00000
9	0018	0302	ART 4240001	1 1	9.00 12.00		18	697	110 24 00000
	0018	0302	ART 2055001	1 1	10.30 11.30		20	697	110 24 00000
89	0018	0302	ART 2055001	1 1	10.30 11.30		20	697	110 24 00000
	0018	0319	ART 1010001	1 1	8.30 11.30		11	709	210 35 00000
9	0018	0319	ART 1010001	1 1	8.30 11.30		11	709	210 35 00000
	0018	0319	ART 1847004	1 1	9.00 12.00		16	709	210 35 00000
9	0018	0319	ART 1847004	1 1	9.00 12.00		16	709	210 35 00000
	0018	0319	ART 1847005	1 1	12.00 15.00		9	709	210 35 00000
9	0018	0319	ART 1847005	1 1	12.00 15.00		9	709	210 35 00000
	0018	0319	ART 1010002	1 1	12.30 15.30		9	709	210 35 00000
9	0018	0319	ART 1010002	1 1	12.30 15.30		9	709	210 35 00000
	0018	0330	ART 2210002	1 1	9.00 12.00		20	1,396	210 28 00000
9	0018	0330	ART 2210002	1 1	9.00 12.00		20	1,396	210 28 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 7

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0018	0330	ART 2220002	1 1	15.00 18.00		18	210 28	00000
9	0018	0330	ART 2220002	1 1	15.00 18.00		18	210 28	00000
	0018	0334	ART 4270001	1 1	12.00 15.00		18	210 24	00000
9	0018	0334	ART 4270001	1 1	12.00 15.00		18	210 24	00000
	0026	0103	CMST2060030	1 1	7.30 9.00		26	110 44	00000
9	0026	0103	CMST2060030	1 1	7.30 9.00		26	110 44	00000
	0026	0103	KIN 3515001	1 1 1	8.30 9.30		31	110 44	00000
9	0026	0103	KIN 3515001	1 1 1	8.30 9.30		31	110 44	00000
	0026	0103	ENGL1001056	1 1 1	10.30 11.30		19	110 44	00000
9	0026	0103	ENGL1001056	1 1 1	10.30 11.30		19	110 44	00000
	0026	0103	ENGL1001049	1 1 1	11.30 12.30		20	110 44	00000
9	0026	0103	ENGL1001049	1 1 1	11.30 12.30		20	110 44	00000
	0026	0103	ANTH4475001	1 1	12.00 13.30		9	110 44	00000
9	0026	0103	ANTH4475001	1 1	12.00 13.30		9	110 44	00000
	0026	0103	KIN 3535001	1	12.30 14.30		6	110 44	00000
9	0026	0103	KIN 3535001	1	12.30 14.30		6	110 44	00000
	0026	0103	KIN 3535002	1	12.30 14.30	1	6	110 44	00000
9	0026	0103	KIN 3535002	1	12.30 14.30		6	110 44	00000
	0026	0103	CMST2060056	1 1	13.30 15.00		26	110 44	00000
9	0026	0103	CMST2060056	1 1	13.30 15.00		26	110 44	00000
	0026	0103	HIST7908001	1	15.00 18.00		12	110 44	00000
9	0026	0103	HIST7908001	1	15.00 18.00		12	110 44	00000
	0026	0109	CMST2060003	1 1 1	7.30 8.30		25	110 42	00000
9	0026	0109	CMST2060003	1 1 1	7.30 8.30		25	110 42	00000
	0026	0109	ENGL2000013	1 1	7.30 9.00		19	110 42	00000
9	0026	0109	ENGL2000013	1 1	7.30 9.00		19	110 42	00000
	0026	0109	CMST2060008	1 1 1	8.30 9.30		26	110 42	00000
9	0026	0109	CMST2060008	1 1 1	8.30 9.30		26	110 42	00000
	0026	0109	ENGL2000009	1 1	9.00 10.30		17	110 42	00000
9	0026	0109	ENGL2000009	1 1	9.00 10.30		17	110 42	00000
	0026	0109	CMST2060012	1 1 1	9.30 10.30		25	110 42	00000
9	0026	0109	CMST2060012	1 1 1	9.30 10.30		25	110 42	00000
	0026	0109	CMST2060013	1 1 1	10.30 11.30		25	110 42	00000
9	0026	0109	CMST2060013	1 1 1	10.30 11.30		25	110 42	00000
	0026	0109	ENGL1001066	1 1 1	11.30 12.30		18	110 42	00000
9	0026	0109	ENGL1001066	1 1 1	11.30 12.30		18	110 42	00000
	0026	0109	INTL4003001	1 1	12.00 13.30		10	110 42	00000
9	0026	0109	INTL4003001	1 1	12.00 13.30		10	110 42	00000
	0026	0109	HIST3118001	1 1	13.30 15.00		16	110 42	00000
9	0026	0109	HIST3118001	1 1	13.30 15.00		16	110 42	00000
	0026	0109	HIST4071001	1 1	13.30 15.00		30	110 42	00000
9	0026	0109	HIST4071001	1 1	13.30 15.00		30	110 42	00000
	0026	0109	PHIL7901001	1 1	16.30 18.00		8	110 42	00000
9	0026	0109	PHIL7901001	1 1	16.30 18.00		8	110 42	00000
	0026	0111	ENGL3401001	1 1	9.00 10.30		10	110 35	00000
9	0026	0111	ENGL3401001	1 1	9.00 10.30		10	110 35	00000
	0026	0111	CMST2060018	1 1 1	12.30 13.30		25	110 35	00000
9	0026	0111	CMST2060018	1 1 1	12.30 13.30		25	110 35	00000
	0026	0111	CMST2060023	1 1 1	13.30 14.30		26	110 35	00000
9	0026	0111	CMST2060023	1 1 1	13.30 14.30		26	110 35	00000
	0026	0127	CMST2060001	1 1 1	7.30 8.30		25	110 36	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 8

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0127	CMST2060001	1 1 1	7.30 8.30		25	495	110 36 00000
	0026	0127	CMST2060007	1 1 1	8.30 9.30		26	495	110 36 00000
9	0026	0127	CMST2060007	1 1 1	8.30 9.30		26	495	110 36 00000
	0026	0127	CMST2060034	1 1	9.00 10.30		25	495	110 36 00000
9	0026	0127	CMST2060034	1 1	9.00 10.30		25	495	110 36 00000
	0026	0127	CMST2060041	1 1	10.30 12.00		26	495	110 36 00000
9	0026	0127	CMST2060041	1 1	10.30 12.00		26	495	110 36 00000
	0026	0127	ENGL3086001	1 1	12.00 13.30		19	495	110 36 00000
9	0026	0127	ENGL3086001	1 1	12.00 13.30		19	495	110 36 00000
	0026	0127	CMST2060019	1 1 1	12.30 13.30		26	495	110 36 00000
9	0026	0127	CMST2060019	1 1 1	12.30 13.30		26	495	110 36 00000
	0026	0127	CMST2060046	1 1	13.30 15.00		26	495	110 36 00000
9	0026	0127	CMST2060046	1 1	13.30 15.00		26	495	110 36 00000
	0026	0137	CMST2040001	1 1 1	8.30 9.30		13	1,712	210 114 00000
9	0026	0137	CMST2040001	1 1 1	8.30 9.30		13	1,712	210 114 00000
	0026	0137	CMST2040004	1 1	9.00 10.30		19	1,712	210 114 00000
9	0026	0137	CMST2040004	1 1	9.00 10.30		19	1,712	210 114 00000
	0026	0137	CMST2040003	1 1 1	10.30 11.30		24	1,712	210 114 00000
9	0026	0137	CMST2040003	1 1 1	10.30 11.30		24	1,712	210 114 00000
	0026	0143	KIN 4571002	1 1	9.00 10.30		75	3,644	110 290 00000
9	0026	0143	KIN 4571002	1 1	9.00 10.30		75	3,644	110 290 00000
	0026	0143	ANSC2060001	1 1 1	10.30 11.30		69	3,644	110 290 00000
9	0026	0143	ANSC2060001	1 1 1	10.30 11.30		69	3,644	110 290 00000
	0026	0143	EDCI2001001	1 1	10.30 12.00		56	3,644	110 290 00000
9	0026	0143	EDCI2001001	1 1	10.30 12.00		56	3,644	110 290 00000
	0026	0143	KIN 2500001	1 1 1	11.30 12.30		97	3,644	110 290 00000
9	0026	0143	KIN 2500001	1 1 1	11.30 12.30		97	3,644	110 290 00000
	0026	0143	ASST1011001	1	15.00 17.00		33	3,644	110 290 00000
9	0026	0143	ASST1011001	1	15.00 17.00		33	3,644	110 290 00000
	0026	0143	ASST2011001	1	15.00 17.00	1	33	3,644	110 290 00000
9	0026	0143	ASST2011001	1	15.00 17.00		33	3,644	110 290 00000
	0026	0143	ASST3011001	1	15.00 17.00	1	12	3,644	110 290 00000
9	0026	0143	ASST3011001	1	15.00 17.00		12	3,644	110 290 00000
	0026	0143	ASST4011001	1	15.00 17.00	1	8	3,644	110 290 00000
9	0026	0143	ASST4011001	1	15.00 17.00		8	3,644	110 290 00000
	0026	0145	EXST7060001	1 1	7.30 9.00		10	1,209	110 94 00000
9	0026	0145	EXST7060001	1 1	7.30 9.00		10	1,209	110 94 00000
	0026	0145	PSYC4111001	1 1	9.00 10.30		28	1,209	110 94 00000
9	0026	0145	PSYC4111001	1 1	9.00 10.30		28	1,209	110 94 00000
	0026	0145	MATH1550003	1	9.30 10.30		39	1,209	110 94 00000
9	0026	0145	MATH1550003	1	9.30 10.30		39	1,209	110 94 00000
	0026	0145	FREN1001008	1111	10.30 11.30		17	1,209	110 94 00000
9	0026	0145	FREN1001008	1111	10.30 11.30		17	1,209	110 94 00000
	0026	0145	MATH1550007	1	10.30 11.30		39	1,209	110 94 00000
9	0026	0145	MATH1550007	1	10.30 11.30		39	1,209	110 94 00000
	0026	0145	KIN 3802001	1 1 1	11.30 12.30		44	1,209	110 94 00000
9	0026	0145	KIN 3802001	1 1 1	11.30 12.30		44	1,209	110 94 00000
	0026	0145	SOCL2371001	1 1	12.00 13.30		23	1,209	110 94 00000
9	0026	0145	SOCL2371001	1 1	12.00 13.30		23	1,209	110 94 00000
	0026	0145	SOCL2211002	1 1 1	12.30 13.30		27	1,209	110 94 00000
9	0026	0145	SOCL2211002	1 1 1	12.30 13.30		27	1,209	110 94 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 9

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0145	EDCI3381001	1	13.30 16.30		26	1,209	110 94 00000
9	0026	0145	EDCI3381001	1	13.30 16.30		26	1,209	110 94 00000
	0026	0145	COMD2051001	1 1	15.00 16.30		29	1,209	110 94 00000
9	0026	0145	COMD2051001	1 1	15.00 16.30		29	1,209	110 94 00000
	0026	0152	PSYC4032001	1 1 1	8.30 9.30		57	1,671	110 132 00000
9	0026	0152	PSYC4032001	1 1 1	8.30 9.30		57	1,671	110 132 00000
	0026	0152	ARCH3007001	1 1 1	9.30 10.30		53	1,671	110 132 00000
9	0026	0152	ARCH3007001	1 1 1	9.30 10.30		53	1,671	110 132 00000
	0026	0152	ARCH2003001	1 1 1	10.30 11.30		47	1,671	110 132 00000
9	0026	0152	ARCH2003001	1 1 1	10.30 11.30		47	1,671	110 132 00000
	0026	0152	ANSC4043001	1 1	10.30 12.00		62	1,671	110 132 00000
9	0026	0152	ANSC4043001	1 1	10.30 12.00		62	1,671	110 132 00000
	0026	0152	MATH1550012	1	11.30 12.30		38	1,671	110 132 00000
9	0026	0152	MATH1550012	1	11.30 12.30		38	1,671	110 132 00000
	0026	0152	BIOL4093001	1 1	13.30 15.00		56	1,671	110 132 00000
9	0026	0152	BIOL4093001	1 1	13.30 15.00		56	1,671	110 132 00000
	0026	0152	KIN 3800002	1 1	15.00 16.30		37	1,671	110 132 00000
9	0026	0152	KIN 3800002	1 1	15.00 16.30		37	1,671	110 132 00000
	0026	0153	CMST7900001	1 1 1	14.30 15.30		6	343	350 15 00000
9	0026	0153	CMST7900001	1 1 1	14.30 15.30		6	343	350 15 00000
	0026	0155	MATH2065003	1 1	9.00 10.30		33	1,272	110 84 00000
9	0026	0155	MATH2065003	1 1	9.00 10.30		33	1,272	110 84 00000
	0026	0155	MATH1550002	1	9.30 10.30		34	1,272	110 84 00000
9	0026	0155	MATH1550002	1	9.30 10.30		34	1,272	110 84 00000
	0026	0155	MATH1550008	1	10.30 11.30		39	1,272	110 84 00000
9	0026	0155	MATH1550008	1	10.30 11.30		39	1,272	110 84 00000
	0026	0155	MATH1550013	1	11.30 12.30		39	1,272	110 84 00000
9	0026	0155	MATH1550013	1	11.30 12.30		39	1,272	110 84 00000
	0026	0155	EDCI2081001	1	13.00 14.00		28	1,272	110 84 00000
9	0026	0155	EDCI2081001	1	13.00 14.00		28	1,272	110 84 00000
	0026	0155	KIN 4520005	1 1	13.30 15.00		21	1,272	110 84 00000
9	0026	0155	KIN 4520005	1 1	13.30 15.00		21	1,272	110 84 00000
	0026	0155	KIN 3515004	1 1	15.30 17.00		45	1,272	110 84 00000
9	0026	0155	KIN 3515004	1 1	15.30 17.00		45	1,272	110 84 00000
	0026	0168	LATN2051001	1111	8.30 9.30		12	682	110 48 00000
9	0026	0168	LATN2051001	1111	8.30 9.30		12	682	110 48 00000
	0026	0168	CMST1061006	1 1 1	10.30 11.30		34	682	110 48 00000
9	0026	0168	CMST1061006	1 1 1	10.30 11.30		34	682	110 48 00000
	0026	0171	COMD4380002	1	13.30 14.30		27	1,164	140 29 00000
89	0026	0171	COMD4380002	1	13.30 14.30		27	1,164	140 29 00000
	0026	0202	ENGL4148002	1 1 1	12.30 13.30		20	787	110 32 00000
9	0026	0202	ENGL4148002	1 1 1	12.30 13.30		20	787	110 32 00000
	0026	0202	CMST7912001	1 1	13.30 15.00		7	787	110 32 00000
9	0026	0202	CMST7912001	1 1	13.30 15.00		7	787	110 32 00000
	0026	0204	SPAN2155002	1 1 1	10.30 11.30		20	561	110 30 00000
9	0026	0204	SPAN2155002	1 1 1	10.30 11.30		20	561	110 30 00000
	0026	0204	SPAN2102006	1 1 1	11.30 12.30		24	561	110 30 00000
89	0026	0204	SPAN2102006	1 1 1	11.30 12.30		24	561	110 30 00000
	0026	0204	KIN 3609001	1 1	12.00 13.30		17	561	110 30 00000
9	0026	0204	KIN 3609001	1 1	12.00 13.30		17	561	110 30 00000
	0026	0205	MUS 7600001	1 1	10.30 12.00		8	873	110 58 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 10

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0205	MUS 7600001	1 1	10.30 12.00		8	873	110 58 00000
	0026	0205	COMD4380004	1	14.30 15.30		23	873	110 58 00000
9	0026	0205	COMD4380004	1	14.30 15.30		23	873	110 58 00000
	0026	0209	SPAN2102001	1 1 1	7.30 8.30		15	904	110 56 00000
9	0026	0209	SPAN2102001	1 1 1	7.30 8.30		15	904	110 56 00000
	0026	0209	SPAN2102002	1 1 1	8.30 9.30		25	904	110 56 00000
9	0026	0209	SPAN2102002	1 1 1	8.30 9.30		25	904	110 56 00000
	0026	0209	KIN 7537001	1 1	9.00 10.30		20	904	110 56 00000
9	0026	0209	KIN 7537001	1 1	9.00 10.30		20	904	110 56 00000
	0026	0209	KIN 2510002	1 1 1	9.30 10.30		40	904	110 56 00000
9	0026	0209	KIN 2510002	1 1 1	9.30 10.30		40	904	110 56 00000
	0026	0209	SPAN2101014	1 1 1	10.30 11.30		18	904	110 56 00000
9	0026	0209	SPAN2101014	1 1 1	10.30 11.30		18	904	110 56 00000
	0026	0209	KIN 4520003	1 1	10.30 12.00		33	904	110 56 00000
9	0026	0209	KIN 4520003	1 1	10.30 12.00		33	904	110 56 00000
	0026	0209	SPAN2101015	1 1 1	11.30 12.30		22	904	110 56 00000
9	0026	0209	SPAN2101015	1 1 1	11.30 12.30		22	904	110 56 00000
	0026	0209	EDCI2500001	1 1	13.30 15.00		23	904	110 56 00000
9	0026	0209	EDCI2500001	1 1	13.30 15.00		23	904	110 56 00000
	0026	0212	EDCI4382001	1	8.00 11.00		22	1,160	110 77 00000
9	0026	0212	EDCI4382001	1	8.00 11.00		22	1,160	110 77 00000
	0026	0212	KIN 4606001	1 1	9.00 10.30		24	1,160	110 77 00000
9	0026	0212	KIN 4606001	1 1	9.00 10.30		24	1,160	110 77 00000
	0026	0212	MATH2058001	1 1 1	12.30 13.30		28	1,160	110 77 00000
9	0026	0212	MATH2058001	1 1 1	12.30 13.30		28	1,160	110 77 00000
	0026	0212	EDCI2700003	1 1	13.30 15.00		24	1,160	110 77 00000
9	0026	0212	EDCI2700003	1 1	13.30 15.00		24	1,160	110 77 00000
	0026	0212	ELRC7299001	1	16.30 19.30		32	1,160	110 77 00000
9	0026	0212	ELRC7299001	1	16.30 19.30		32	1,160	110 77 00000
	0026	0212	POLI7962001	1	16.30 19.30		35	1,160	110 77 00000
9	0026	0212	POLI7962001	1	16.30 19.30		35	1,160	110 77 00000
	0026	0214	ENGL1001013	1 1	7.30 9.00		17	1,024	110 72 00000
9	0026	0214	ENGL1001013	1 1	7.30 9.00		17	1,024	110 72 00000
	0026	0214	ENGL1001002	1 1	9.00 10.30		19	1,024	110 72 00000
9	0026	0214	ENGL1001002	1 1	9.00 10.30		19	1,024	110 72 00000
	0026	0214	EDCI3383001	1	9.00 11.00		26	1,024	110 72 00000
9	0026	0214	EDCI3383001	1	9.00 11.00		26	1,024	110 72 00000
	0026	0214	CMST2060039	1 1	10.30 12.00		26	1,024	110 72 00000
9	0026	0214	CMST2060039	1 1	10.30 12.00		26	1,024	110 72 00000
	0026	0214	SCI 1001012	1	15.00 16.30		32	1,024	110 72 00000
9	0026	0214	SCI 1001012	1	15.00 16.30		32	1,024	110 72 00000
	0026	0214	SW 3007001	1	15.00 18.00		34	1,024	110 72 00000
9	0026	0214	SW 3007001	1	15.00 18.00		34	1,024	110 72 00000
	0026	0218	KIN 1600002	1 1	9.00 10.30		40	731	110 50 00000
89	0026	0218	KIN 1600002	1 1	9.00 10.30		40	731	110 50 00000
	0026	0218	CMST2060009	1 1 1	9.30 10.30		25	731	110 50 00000
9	0026	0218	CMST2060009	1 1 1	9.30 10.30		25	731	110 50 00000
	0026	0218	ENGL2005002	1 1	10.30 12.00		20	731	110 50 00000
9	0026	0218	ENGL2005002	1 1	10.30 12.00		20	731	110 50 00000
	0026	0218	PHYS7232002	1 1	13.30 15.00		18	731	110 50 00000
9	0026	0218	PHYS7232002	1 1	13.30 15.00		18	731	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 11

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0026	0218	ENTM7007001	1	14.00 15.00	5	731	110 50	00000
9	0026	0218	ENTM7007001	1	14.00 15.00	5	731	110 50	00000
	0026	0220	KIN 4517001	1 1	7.30 9.00	32	1,013	110 66	00000
9	0026	0220	KIN 4517001	1 1	7.30 9.00	32	1,013	110 66	00000
	0026	0220	MATH4200001	1 1 1	8.30 9.30	22	1,013	110 66	00000
9	0026	0220	MATH4200001	1 1 1	8.30 9.30	22	1,013	110 66	00000
	0026	0220	KIN 2540001	1 1	9.00 10.30	20	1,013	110 66	00000
9	0026	0220	KIN 2540001	1 1	9.00 10.30	20	1,013	110 66	00000
	0026	0220	KIN 3514001	1 1 1	10.30 11.30	65	1,013	110 66	00000
89	0026	0220	KIN 3514001	1 1 1	10.30 11.30	65	1,013	110 66	00000
	0026	0220	KIN 1600003	1 1	12.00 13.30	40	1,013	110 66	00000
9	0026	0220	KIN 1600003	1 1	12.00 13.30	40	1,013	110 66	00000
	0026	0220	CMST2060022	1 1 1	13.30 14.30	26	1,013	110 66	00000
9	0026	0220	CMST2060022	1 1 1	13.30 14.30	26	1,013	110 66	00000
	0026	0220	NFS 3119001	1	13.30 16.30	16	1,013	110 66	00000
9	0026	0220	NFS 3119001	1	13.30 16.30	16	1,013	110 66	00000
	0026	0220	NFS 3119002	1	13.30 16.30	14	1,013	110 66	00000
9	0026	0220	NFS 3119002	1	13.30 16.30	14	1,013	110 66	00000
	0026	0220	EDCI3001001	1	16.30 18.30	29	1,013	110 66	00000
9	0026	0220	EDCI3001001	1	16.30 18.30	29	1,013	110 66	00000
	0026	0225	LHRD2723003	1 1	10.30 12.00	15	725	110 42	00000
9	0026	0225	LHRD2723003	1 1	10.30 12.00	15	725	110 42	00000
	0026	0225	CMST2060027	1 1 1	14.30 15.30	25	725	110 42	00000
9	0026	0225	CMST2060027	1 1 1	14.30 15.30	25	725	110 42	00000
	0026	0228	MATH2203001	1 1	7.30 9.30	29	1,410	110 94	00000
9	0026	0228	MATH2203001	1 1	7.30 9.30	29	1,410	110 94	00000
	0026	0228	MATH1201001	1 1 1	9.30 10.30	18	1,410	110 94	00000
9	0026	0228	MATH1201001	1 1 1	9.30 10.30	18	1,410	110 94	00000
	0026	0228	MATH1201002	1 1 1	10.30 11.30	37	1,410	110 94	00000
9	0026	0228	MATH1201002	1 1 1	10.30 11.30	37	1,410	110 94	00000
	0026	0228	KIN 3608001	1 1	12.00 13.30	40	1,410	110 94	00000
9	0026	0228	KIN 3608001	1 1	12.00 13.30	40	1,410	110 94	00000
	0026	0228	LHRD3071001	1 1	13.30 15.00	30	1,410	110 94	00000
9	0026	0228	LHRD3071001	1 1	13.30 15.00	30	1,410	110 94	00000
	0026	0228	MATH1550037	11111	15.30 16.30	44	1,410	110 94	00000
9	0026	0228	MATH1550037	11111	15.30 16.30	44	1,410	110 94	00000
	0026	0228	KIN 4520002	1	16.30 19.30	35	1,410	110 94	00000
9	0026	0228	KIN 4520002	1	16.30 19.30	35	1,410	110 94	00000
	0026	0228	KIN 7604001	1	16.30 19.30	5	1,410	110 94	00000
9	0026	0228	KIN 7604001	1	16.30 19.30	5	1,410	110 94	00000
	0026	0236	CMST2060002	1 1 1	7.30 8.30	25	629	110 49	00000
9	0026	0236	CMST2060002	1 1 1	7.30 8.30	25	629	110 49	00000
	0026	0236	KIN 4512001	1 1 1	8.30 9.30	35	629	110 49	00000
9	0026	0236	KIN 4512001	1 1 1	8.30 9.30	35	629	110 49	00000
	0026	0236	FREN2101005	1 1	9.00 10.30	14	629	110 49	00000
9	0026	0236	FREN2101005	1 1	9.00 10.30	14	629	110 49	00000
	0026	0236	CMST2060014	1 1 1	10.30 11.30	26	629	110 49	00000
9	0026	0236	CMST2060014	1 1 1	10.30 11.30	26	629	110 49	00000
	0026	0236	AAAS3044001	1 1	12.00 13.30	12	629	110 49	00000
9	0026	0236	AAAS3044001	1 1	12.00 13.30	12	629	110 49	00000
	0026	0236	KIN 4571001	1 1 1	12.30 13.30	35	629	110 49	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 12

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0026	0236	KIN 4571001	1 1 1	12.30 13.30		35	629	110 49 00000
	0026	0236	PSYC7946001	1	14.00 17.00		14	629	110 49 00000
9	0026	0236	PSYC7946001	1	14.00 17.00		14	629	110 49 00000
	0026	0236	CMST2060025	1 1 1	14.30 15.30		26	629	110 49 00000
9	0026	0236	CMST2060025	1 1 1	14.30 15.30		26	629	110 49 00000
	0026	0237	CMST7945001	1 1	12.00 13.30		5	579	110 32 00000
9	0026	0237	CMST7945001	1 1	12.00 13.30		5	579	110 32 00000
	0028	0118	MEDP4331001	1 1 1	10.30 11.30		7	385	110 24 00000
9	0028	0118	MEDP4331001	1 1 1	10.30 11.30		7	385	110 24 00000
	0029	0101	ME 3834001	11111	7.30 8.30		112	8,272	110 1008 00000
9	0029	0101	ME 3834001	11111	7.30 8.30		112	8,272	110 1008 00000
	0029	0101	GEOG2050001	1 1 1	9.30 10.30		341	8,272	110 1008 00000
9	0029	0101	GEOG2050001	1 1 1	9.30 10.30		341	8,272	110 1008 00000
	0029	0101	HIST2055001	1 1 1	12.30 13.30		203	8,272	110 1008 00000
9	0029	0101	HIST2055001	1 1 1	12.30 13.30		203	8,272	110 1008 00000
	0029	0101	SOCL2001008	1 1	13.30 15.00		196	8,272	110 1008 00000
9	0029	0101	SOCL2001008	1 1	13.30 15.00		196	8,272	110 1008 00000
	0029	B0013	KIN 3535001	1	9.30 11.30		6	1,944	210 20 00000
9	0029	B0013	KIN 3535001	1	9.30 11.30		6	1,944	210 20 00000
	0029	B0013	KIN 3535002	1	9.30 11.30		6	1,944	210 20 00000
9	0029	B0013	KIN 3535002	1	9.30 11.30		6	1,944	210 20 00000
	0029	B0013	KIN 3525001	1	13.30 15.30		15	1,944	210 20 00000
9	0029	B0013	KIN 3525001	1	13.30 15.30		15	1,944	210 20 00000
	0034	0102	EDCI3125001	1	13.00 15.00		9	788	210 33 00000
9	0034	0102	EDCI3125001	1	13.00 15.00		9	788	210 33 00000
	0034	0102	EDCI3125002	1	13.00 15.00		9	788	210 33 00000
9	0034	0102	EDCI3125002	1	13.00 15.00		9	788	210 33 00000
	0034	0102	EDCI7822001	1	16.30 19.30		5	788	210 33 00000
9	0034	0102	EDCI7822001	1	16.30 19.30		5	788	210 33 00000
	0034	0104	EDCI3124001	1	16.30 19.30		9	529	110 30 00000
9	0034	0104	EDCI3124001	1	16.30 19.30		9	529	110 30 00000
	0034	0104	EDCI4465002	1	16.30 19.30		5	529	110 30 00000
9	0034	0104	EDCI4465002	1	16.30 19.30		5	529	110 30 00000
	0034	0118	ELRC3500001	1 1	9.00 10.30		22	743	140 22 00000
89	0034	0118	ELRC3500001	1 1	9.00 10.30		22	743	140 22 00000
	0034	0118	ELRC3500002	1 1	10.30 12.00		22	743	140 22 00000
89	0034	0118	ELRC3500002	1 1	10.30 12.00		22	743	140 22 00000
	0034	0118	ELRC2507001	1 1	13.30 15.00		22	743	140 22 00000
89	0034	0118	ELRC2507001	1 1	13.30 15.00		22	743	140 22 00000
	0034	0118	ELRC2507002	1 1	15.00 16.30		22	743	140 22 00000
89	0034	0118	ELRC2507002	1 1	15.00 16.30		22	743	140 22 00000
	0034	0118	ELRC4507001	1	16.30 19.30		21	743	140 22 00000
89	0034	0118	ELRC4507001	1	16.30 19.30		21	743	140 22 00000
	0034	0214	EDCI3701001	1	9.00 11.00		16	575	110 30 00000
9	0034	0214	EDCI3701001	1	9.00 11.00		16	575	110 30 00000
	0034	0214	ELRC7263001	1	16.30 19.30		7	575	110 30 00000
9	0034	0214	ELRC7263001	1	16.30 19.30		7	575	110 30 00000
	0034	0216	EDCI7009002	1	16.30 19.30		6	495	110 33 00000
9	0034	0216	EDCI7009002	1	16.30 19.30		6	495	110 33 00000
	0034	0216	EDCI7901001	1	16.30 19.30		11	495	110 33 00000
9	0034	0216	EDCI7901001	1	16.30 19.30		11	495	110 33 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 13

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0034	0218	EDCI3704001	1	9.00 12.00		9	541	110 30 00000
9	0034	0218	EDCI3704001	1	9.00 12.00		9	541	110 30 00000
	0034	0218	EDCI3702001	1	11.30 13.30		11	541	110 30 00000
9	0034	0218	EDCI3702001	1	11.30 13.30		11	541	110 30 00000
	0034	0218	EDCI4703001	1	12.30 15.30		11	541	110 30 00000
9	0034	0218	EDCI4703001	1	12.30 15.30		11	541	110 30 00000
	0034	0218	EDCI7930001	1	16.30 19.30		5	541	110 30 00000
9	0034	0218	EDCI7930001	1	16.30 19.30		5	541	110 30 00000
	0034	0218	EDCI7811001	1	16.30 19.30		9	541	110 30 00000
9	0034	0218	EDCI7811001	1	16.30 19.30		9	541	110 30 00000
4	8	0034	EDCI7129001	1	8.30 16.00		16	184	110 1 00000
4	89	0034	EDCI7129001	1	8.30 16.00		16	184	110 1 00000
	0040	1240	KIN 1999003	1 1 1	7.30 8.30		20	1,627	110 100 00000
9	0040	1240	KIN 1999003	1 1 1	7.30 8.30		20	1,627	110 100 00000
	0040	1240	KIN 1152005	1 1	7.30 9.00		12	1,627	110 100 00000
9	0040	1240	KIN 1152005	1 1	7.30 9.00		12	1,627	110 100 00000
	0040	1240	KIN 1999002	1 1 1	8.30 9.30		20	1,627	110 100 00000
9	0040	1240	KIN 1999002	1 1 1	8.30 9.30		20	1,627	110 100 00000
	0040	1240	KIN 1152004	1 1	9.00 10.30		17	1,627	110 100 00000
9	0040	1240	KIN 1152004	1 1	9.00 10.30		17	1,627	110 100 00000
	0040	1240	KIN 1152003	1 1	10.30 12.00		17	1,627	110 100 00000
9	0040	1240	KIN 1152003	1 1	10.30 12.00		17	1,627	110 100 00000
	0040	1240	KIN 2577001	1 1 1	11.30 12.30		22	1,627	110 100 00000
9	0040	1240	KIN 2577001	1 1 1	11.30 12.30		22	1,627	110 100 00000
	0040	1240	KIN 1803001	1 1	12.00 13.30		12	1,627	110 100 00000
9	0040	1240	KIN 1803001	1 1	12.00 13.30		12	1,627	110 100 00000
	0040	1240	KIN 1152002	1 1 1	12.30 13.30		18	1,627	110 100 00000
9	0040	1240	KIN 1152002	1 1 1	12.30 13.30		18	1,627	110 100 00000
	0040	1240	KIN 1802001	1 1	13.30 15.00		17	1,627	110 100 00000
9	0040	1240	KIN 1802001	1 1	13.30 15.00		17	1,627	110 100 00000
	0040	1240	KIN 2601001	1	14.30 15.30		30	1,627	110 100 00000
9	0040	1240	KIN 2601001	1	14.30 15.30		30	1,627	110 100 00000
	0040	1240	KIN 2601003	1	14.30 15.30		21	1,627	110 100 00000
9	0040	1240	KIN 2601003	1	14.30 15.30		21	1,627	110 100 00000
	0040	1240	KIN 7512001	1	16.30 19.30		6	1,627	110 100 00000
9	0040	1240	KIN 7512001	1	16.30 19.30		6	1,627	110 100 00000
	0043	0100	MC 4971002	1 1	15.00 16.30		9	626	110 26 00000
9	0043	0100	MC 4971002	1 1	15.00 16.30		9	626	110 26 00000
	0043	0107	MC 4550001	1	9.00 11.00		32	570	110 32 00000
89	0043	0107	MC 4550001	1	9.00 11.00		32	570	110 32 00000
	0043	0107	MC 4550001	1	9.00 11.00		32	570	110 32 00000
89	0043	0107	MC 4550001	1	9.00 11.00		32	570	110 32 00000
	0043	0107	MC 7000002	1	11.00 12.00		4	570	110 32 00000
9	0043	0107	MC 7000002	1	11.00 12.00		4	570	110 32 00000
	0043	0107	MC 7999002	1	13.00 16.00		15	570	110 32 00000
9	0043	0107	MC 7999002	1	13.00 16.00		15	570	110 32 00000
	0043	0107	MC 2015006	1	14.30 16.30		19	570	110 32 00000
9	0043	0107	MC 2015006	1	14.30 16.30		19	570	110 32 00000
	0043	0107	MC 2015006	1	14.30 16.30		19	570	110 32 00000
9	0043	0107	MC 2015006	1	14.30 16.30		19	570	110 32 00000
	0043	0111	MC 4250001	1	9.00 11.00		13	600	110 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 14

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0043	0111	MC 4250001	1	9.00 11.00		13	600	110 30 00000
	0043	0111	MC 4250001	1	9.00 11.00		13	600	110 30 00000
9	0043	0111	MC 4250001	1	9.00 11.00		13	600	110 30 00000
	0043	0122	MC 7001001	1	9.00 12.00		12	560	110 37 00000
9	0043	0122	MC 7001001	1	9.00 12.00		12	560	110 37 00000
	0043	0122	MC 7999001	1	9.00 12.00		9	560	110 37 00000
9	0043	0122	MC 7999001	1	9.00 12.00		9	560	110 37 00000
	0043	0122	MC 2010002	1	10.30 12.30		18	560	110 37 00000
9	0043	0122	MC 2010002	1	10.30 12.30		18	560	110 37 00000
	0043	0122	MC 2010002	1	10.30 12.30		18	560	110 37 00000
9	0043	0122	MC 4105001	1	12.00 14.00		26	560	110 37 00000
	0043	0122	MC 4105001	1	12.00 14.00		26	560	110 37 00000
9	0043	0122	MC 4105001	1	12.00 14.00		26	560	110 37 00000
	0043	0122	MC 4105001	1	12.00 14.00		26	560	110 37 00000
9	0043	0122	MC 2011001	1	14.00 16.00		16	560	110 37 00000
	0043	0122	MC 2011001	1	14.00 16.00		16	560	110 37 00000
9	0043	0122	MC 2011001	1	14.00 16.00		16	560	110 37 00000
	0043	0122	MC 2011001	1	14.00 16.00		16	560	110 37 00000
9	0043	0135	MC 2010001	1	8.30 10.30		18	624	110 42 00000
	0043	0135	MC 2010001	1	8.30 10.30		18	624	110 42 00000
9	0043	0135	MC 2010001	1	8.30 10.30		18	624	110 42 00000
	0043	0135	MC 2010001	1	8.30 10.30		18	624	110 42 00000
9	0043	0135	MC 4042001	1 1	10.30 12.00		20	624	110 42 00000
	0043	0135	MC 4042001	1 1	10.30 12.00		20	624	110 42 00000
9	0043	0135	MC 3104001	1	10.30 12.30		16	624	110 42 00000
	0043	0135	MC 3104001	1	10.30 12.30		16	624	110 42 00000
9	0043	0135	MC 3104001	1	10.30 12.30		16	624	110 42 00000
	0043	0135	MC 3104001	1	10.30 12.30		16	624	110 42 00000
9	0043	0135	MC 2010007	1	12.00 14.00		18	624	110 42 00000
	0043	0135	MC 2010007	1	12.00 14.00		18	624	110 42 00000
9	0043	0135	MC 2010007	1	12.00 14.00		18	624	110 42 00000
	0043	0135	MC 2010007	1	12.00 14.00		18	624	110 42 00000
9	0043	0135	MC 4005001	1	12.30 14.30		12	624	110 42 00000
	0043	0135	MC 4005001	1	12.30 14.30		12	624	110 42 00000
9	0043	0135	MC 4005001	1	12.30 14.30		12	624	110 42 00000
	0043	0135	MC 4005001	1	12.30 14.30		12	624	110 42 00000
9	0043	0135	MC 4045001	1	14.00 16.00		15	624	110 42 00000
	0043	0135	MC 4045001	1	14.00 16.00		15	624	110 42 00000
9	0043	0135	MC 4045001	1	14.00 16.00		15	624	110 42 00000
	0043	0135	MC 4045001	1	14.00 16.00		15	624	110 42 00000
9	0043	0135	MC 4971001	1 1	14.30 16.00		13	624	110 42 00000
	0043	0135	MC 4971001	1 1	14.30 16.00		13	624	110 42 00000
9	0043	0135	MC 3510001	1 1	16.00 17.30		26	624	110 42 00000
	0043	0135	MC 3510001	1 1	16.00 17.30		26	624	110 42 00000
9	0043	0140	MC 4020003	1 1	9.30 11.00		26	618	110 41 00000
	0043	0140	MC 4020003	1 1	9.30 11.00		26	618	110 41 00000
9	0043	0140	MC 3333001	1 1	10.30 12.00		30	618	110 41 00000
	0043	0140	MC 3333001	1 1	10.30 12.00		30	618	110 41 00000
89	0043	0140	MC 3520001	1 1 1	11.30 12.30		33	618	110 41 00000
	0043	0140	MC 3520001	1 1 1	11.30 12.30		33	618	110 41 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 15

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0043	0140	MC 3520001	1 1 1	11.30 12.30		33	618	110 41 00000
89	0043	0140	MC 3520001	1 1 1	11.30 12.30		33	618	110 41 00000
	0043	0140	MC 3001002	1	12.30 14.30		20	618	110 41 00000
9	0043	0140	MC 3001002	1	12.30 14.30		20	618	110 41 00000
	0043	0140	MC 3001001	1	12.30 14.30		19	618	110 41 00000
9	0043	0140	MC 3001001	1	12.30 14.30		19	618	110 41 00000
	0043	0140	MC 3001002	1	12.30 14.30		20	618	110 41 00000
9	0043	0140	MC 3001002	1	12.30 14.30		20	618	110 41 00000
	0043	0140	MC 3001001	1	12.30 14.30		19	618	110 41 00000
9	0043	0140	MC 3001001	1	12.30 14.30		19	618	110 41 00000
	0043	0140	MC 2971003	1 1	14.30 16.00		18	618	110 41 00000
9	0043	0140	MC 2971003	1 1	14.30 16.00		18	618	110 41 00000
	0043	0140	MC 4002001	1 1	15.00 16.30		30	618	110 41 00000
9	0043	0140	MC 4002001	1 1	15.00 16.30		30	618	110 41 00000
	0044	0019	ENGL1001025	1 1	9.00 10.30		20	732	110 40 00000
9	0044	0019	ENGL1001025	1 1	9.00 10.30		20	732	110 40 00000
	0044	0019	CMST2064003	1 1 1	9.30 10.30		26	732	110 40 00000
9	0044	0019	CMST2064003	1 1 1	9.30 10.30		26	732	110 40 00000
	0044	0019	CMST2064004	1 1 1	10.30 11.30		26	732	110 40 00000
9	0044	0019	CMST2064004	1 1 1	10.30 11.30		26	732	110 40 00000
	0044	0019	CMST2060040	1 1	10.30 12.00		26	732	110 40 00000
9	0044	0019	CMST2060040	1 1	10.30 12.00		26	732	110 40 00000
	0044	0019	GEOL4081001	1 1	12.00 13.30		7	732	110 40 00000
9	0044	0019	GEOL4081001	1 1	12.00 13.30		7	732	110 40 00000
	0044	0019	OCS 4126001	1 1	12.00 13.30	1	24	732	110 40 00000
89	0044	0019	OCS 4126001	1 1	12.00 13.30		24	732	110 40 00000
	0044	0019	HSS 1000046	1	12.30 13.30		18	732	110 40 00000
9	0044	0019	HSS 1000046	1	12.30 13.30		18	732	110 40 00000
	0044	0023	EDCI2700004	1 1	10.00 11.30		13	752	110 40 00000
9	0044	0023	EDCI2700004	1 1	10.00 11.30		13	752	110 40 00000
	0044	0023	CMST2064007	1 1 1	12.30 13.30		26	752	110 40 00000
9	0044	0023	CMST2064007	1 1 1	12.30 13.30		26	752	110 40 00000
	0044	0023	CMST2060021	1 1 1	13.30 14.30		26	752	110 40 00000
9	0044	0023	CMST2060021	1 1 1	13.30 14.30		26	752	110 40 00000
	0044	0027	CMST1061001	1 1 1	7.30 8.30		35	747	110 40 00000
89	0044	0027	CMST1061001	1 1 1	7.30 8.30		35	747	110 40 00000
	0044	0027	CMST1061002	1 1 1	8.30 9.30		35	747	110 40 00000
89	0044	0027	CMST1061002	1 1 1	8.30 9.30		35	747	110 40 00000
	0044	0027	HSS 1000024	1	9.30 10.30		15	747	110 40 00000
9	0044	0027	HSS 1000024	1	9.30 10.30		15	747	110 40 00000
	0044	0027	CMST2060016	1 1 1	10.30 11.30		26	747	110 40 00000
9	0044	0027	CMST2060016	1 1 1	10.30 11.30		26	747	110 40 00000
	0044	0027	CMST1061009	1 1 1	12.30 13.30		35	747	110 40 00000
89	0044	0027	CMST1061009	1 1 1	12.30 13.30		35	747	110 40 00000
	0044	0027	CMST1061010	1 1 1	13.30 14.30		35	747	110 40 00000
89	0044	0027	CMST1061010	1 1 1	13.30 14.30		35	747	110 40 00000
	0044	0027	ENGL1001032	1 1	13.30 15.00		20	747	110 40 00000
9	0044	0027	ENGL1001032	1 1	13.30 15.00		20	747	110 40 00000
	0044	0027	ENGL1001053	1 1	15.00 16.30		15	747	110 40 00000
9	0044	0027	ENGL1001053	1 1	15.00 16.30		15	747	110 40 00000
	0044	0031	ENGL2025003	1 1	9.00 10.30		24	742	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 16

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0031	ENGL2025003	1 1	9.00 10.30		24	742	110 40 00000
	0044	0031	CMST1061004	1 1 1	9.30 10.30		35	742	110 40 00000
89	0044	0031	CMST1061004	1 1 1	9.30 10.30		35	742	110 40 00000
	0044	0031	CMST3107001	1 1 1	10.30 11.30		29	742	110 40 00000
9	0044	0031	CMST3107001	1 1 1	10.30 11.30		29	742	110 40 00000
	0044	0031	ENGL1001071	1 1	10.30 12.00		17	742	110 40 00000
9	0044	0031	ENGL1001071	1 1	10.30 12.00		17	742	110 40 00000
	0044	0031	ENGL1001068	1 1	12.00 13.30		20	742	110 40 00000
9	0044	0031	ENGL1001068	1 1	12.00 13.30		20	742	110 40 00000
	0044	0031	EDCI4481001	1	12.00 16.00		22	742	110 40 00000
9	0044	0031	EDCI4481001	1	12.00 16.00		22	742	110 40 00000
	0044	0031	ENGL1001069	1 1	13.30 15.00		19	742	110 40 00000
9	0044	0031	ENGL1001069	1 1	13.30 15.00		19	742	110 40 00000
	0044	0032	ENGL1051004	1 1	10.30 12.00		5	432	110 24 00000
9	0044	0032	ENGL1051004	1 1	10.30 12.00		5	432	110 24 00000
	0044	0032	ENGL4710001	1 1	12.00 13.30		8	432	110 24 00000
9	0044	0032	ENGL4710001	1 1	12.00 13.30		8	432	110 24 00000
	0044	0032	LING4710001	1 1	12.00 13.30	1	4	432	110 24 00000
9	0044	0032	LING4710001	1 1	12.00 13.30		4	432	110 24 00000
	0044	0032	ENGL1004005	1 1 1	13.30 14.30		12	432	110 24 00000
9	0044	0032	ENGL1004005	1 1 1	13.30 14.30		12	432	110 24 00000
	0044	0035	CMST2060032	1 1	7.30 9.00		25	769	110 40 00000
9	0044	0035	CMST2060032	1 1	7.30 9.00		25	769	110 40 00000
	0044	0035	FREN1001012	1111	11.30 12.30		15	769	110 40 00000
9	0044	0035	FREN1001012	1111	11.30 12.30		15	769	110 40 00000
	0044	0036	ANTH3401001	1 1	9.00 10.30		10	426	110 24 00000
9	0044	0036	ANTH3401001	1 1	9.00 10.30		10	426	110 24 00000
	0044	0036	AEEE4011001	1	15.00 18.00		7	426	110 24 00000
9	0044	0036	AEEE4011001	1	15.00 18.00		7	426	110 24 00000
	0044	0046	CMST2060043	1 1	12.00 13.30		26	487	110 24 00000
89	0044	0046	CMST2060043	1 1	12.00 13.30		26	487	110 24 00000
	0044	0046	CMST2064009	1 1 1	13.30 14.30		26	487	110 24 00000
89	0044	0046	CMST2064009	1 1 1	13.30 14.30		26	487	110 24 00000
	0044	0046	CMST2064010	1 1 1	14.30 15.30		26	487	110 24 00000
89	0044	0046	CMST2064010	1 1 1	14.30 15.30		26	487	110 24 00000
	0044	0046	KIN 7602001	1	16.30 19.30		9	487	110 24 00000
9	0044	0046	KIN 7602001	1	16.30 19.30		9	487	110 24 00000
	0044	0051	KIN 4516001	1 1	8.30 10.30		3	519	110 24 00000
9	0044	0051	KIN 4516001	1 1	8.30 10.30		3	519	110 24 00000
	0044	0051	CMST2060010	1 1 1	9.30 10.30		26	519	110 24 00000
89	0044	0051	CMST2060010	1 1 1	9.30 10.30		26	519	110 24 00000
	0044	0051	CMST2060015	1 1 1	10.30 11.30		26	519	110 24 00000
89	0044	0051	CMST2060015	1 1 1	10.30 11.30		26	519	110 24 00000
	0044	0051	CMST2060020	1 1 1	12.30 13.30		24	519	110 24 00000
89	0044	0051	CMST2060020	1 1 1	12.30 13.30		24	519	110 24 00000
	0044	0051	CMST3900002	1 1 1	13.30 14.30		11	519	110 24 00000
9	0044	0051	CMST3900002	1 1 1	13.30 14.30		11	519	110 24 00000
	0044	0054	SPAN1152006	1111	11.30 12.30		24	1,415	110 94 00000
9	0044	0054	SPAN1152006	1111	11.30 12.30		24	1,415	110 94 00000
	0044	0054	SPAN1152008	1111	12.30 13.30		22	1,415	110 94 00000
9	0044	0054	SPAN1152008	1111	12.30 13.30		22	1,415	110 94 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 17

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0044	0054	SPAN1101021	1111	13.30 14.30		25	1,415	110 94 00000
9	0044	0054	SPAN1101021	1111	13.30 14.30		25	1,415	110 94 00000
	0044	0054	SPAN1101024	1111	14.30 15.30		25	1,415	110 94 00000
9	0044	0054	SPAN1101024	1111	14.30 15.30		25	1,415	110 94 00000
	0044	0054	POLI1001002	1	15.30 18.30		39	1,415	110 94 00000
9	0044	0054	POLI1001002	1	15.30 18.30		39	1,415	110 94 00000
	0044	0054	ITAL3502001	1	18.00 21.00		11	1,415	110 94 00000
9	0044	0054	ITAL3502001	1	18.00 21.00		11	1,415	110 94 00000
	0044	0054	SCRN3502001	1	18.00 21.00	1	16	1,415	110 94 00000
9	0044	0054	SCRN3502001	1	18.00 21.00		16	1,415	110 94 00000
	0044	0055	KIN 7420001	1	16.30 19.30		5	500	110 24 00000
9	0044	0055	KIN 7420001	1	16.30 19.30		5	500	110 24 00000
	0044	0102	MATH2070001	1111	10.30 11.30		69	2,225	110 140 00000
9	0044	0102	MATH2070001	1111	10.30 11.30		69	2,225	110 140 00000
	0044	0102	REL 2033001	1 1	12.00 13.30		49	2,225	110 140 00000
9	0044	0102	REL 2033001	1 1	12.00 13.30		49	2,225	110 140 00000
	0044	0102	MATH1029002	1 1 1	13.30 14.30		49	2,225	110 140 00000
9	0044	0102	MATH1029002	1 1 1	13.30 14.30		49	2,225	110 140 00000
	0044	0102	AGRI1500001	1	15.00 17.00		104	2,225	110 140 00000
9	0044	0102	AGRI1500001	1	15.00 17.00		104	2,225	110 140 00000
	0044	0102	ARCH4062001	1	15.00 18.00		61	2,225	110 140 00000
9	0044	0102	ARCH4062001	1	15.00 18.00		61	2,225	110 140 00000
	0044	0102	PSYC3081001	1	18.00 21.00		64	2,225	110 140 00000
9	0044	0102	PSYC3081001	1	18.00 21.00		64	2,225	110 140 00000
	0044	0113	ENGL2025005	1 1	9.00 10.30		23	663	110 35 00000
9	0044	0113	ENGL2025005	1 1	9.00 10.30		23	663	110 35 00000
	0044	0121	BIOL4141001	1 1	9.00 10.00		19	680	110 42 00000
9	0044	0121	BIOL4141001	1 1	9.00 10.00		19	680	110 42 00000
	0044	0121	CMST2064006	1 1 1	12.30 13.30		26	680	110 42 00000
9	0044	0121	CMST2064006	1 1 1	12.30 13.30		26	680	110 42 00000
	0044	0121	CMST2064008	1 1 1	13.30 14.30		26	680	110 42 00000
9	0044	0121	CMST2064008	1 1 1	13.30 14.30		26	680	110 42 00000
	0044	0121	CMST4100001	1 1 1	14.30 15.30		13	680	110 42 00000
9	0044	0121	CMST4100001	1 1 1	14.30 15.30		13	680	110 42 00000
	0044	0121	ELRC7243001	1	16.30 19.30		16	680	110 42 00000
9	0044	0121	ELRC7243001	1	16.30 19.30		16	680	110 42 00000
	0044	0121	ELRC7601001	1	16.30 19.30		22	680	110 42 00000
9	0044	0121	ELRC7601001	1	16.30 19.30		22	680	110 42 00000
	0044	0123	KIN 3801001	1 1 1	9.30 10.30		30	683	110 42 00000
9	0044	0123	KIN 3801001	1 1 1	9.30 10.30		30	683	110 42 00000
	0044	0123	KIN 3801002	1 1 1	10.30 11.30		40	683	110 42 00000
89	0044	0123	KIN 3801002	1 1 1	10.30 11.30		40	683	110 42 00000
	0044	0123	FREN2101006	1 1	10.30 12.00		17	683	110 42 00000
9	0044	0123	FREN2101006	1 1	10.30 12.00		17	683	110 42 00000
	0044	0123	KIN 3800001	1 1 1	12.30 13.30		39	683	110 42 00000
89	0044	0123	KIN 3800001	1 1 1	12.30 13.30		39	683	110 42 00000
	0044	0128	CBS 7004001	1	12.00 13.00		5	415	110 25 00000
9	0044	0128	CBS 7004001	1	12.00 13.00		5	415	110 25 00000
	0044	0128	ENGL1004006	1 1 1	12.30 13.30		12	415	110 25 00000
9	0044	0128	ENGL1004006	1 1 1	12.30 13.30		12	415	110 25 00000
	0044	0129	FREN1001001	1111	7.30 8.30		17	646	110 46 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 18

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0044	0129	FREN1001001	1111	7.30 8.30		17	646	110 46 00000
	0044	0129	SW 7501001	1	8.30 11.30		38	646	110 46 00000
89	0044	0129	SW 7501001	1	8.30 11.30		38	646	110 46 00000
	0044	0129	ENGL2027004	1 1	10.30 12.00		34	646	110 46 00000
9	0044	0129	ENGL2027004	1 1	10.30 12.00		34	646	110 46 00000
	0044	0129	ENGL1001044	1 1 1	11.30 12.30		19	646	110 46 00000
9	0044	0129	ENGL1001044	1 1 1	11.30 12.30		19	646	110 46 00000
	0044	0129	SW 7505002	1	12.30 15.30		38	646	110 46 00000
89	0044	0129	SW 7505002	1	12.30 15.30		38	646	110 46 00000
	0044	0129	ENGL1001006	1 1	13.30 15.00		20	646	110 46 00000
9	0044	0129	ENGL1001006	1 1	13.30 15.00		20	646	110 46 00000
	0044	0129	ENGL1001059	1 1	15.00 16.30		18	646	110 46 00000
9	0044	0129	ENGL1001059	1 1	15.00 16.30		18	646	110 46 00000
	0044	0129	KIN 7503001	1 1	15.30 17.00		15	646	110 46 00000
9	0044	0129	KIN 7503001	1 1	15.30 17.00		15	646	110 46 00000
	0044	0132	OCS 4465001	1	17.00 20.00		4	409	110 25 00000
9	0044	0132	OCS 4465001	1	17.00 20.00		4	409	110 25 00000
	0044	0134	KIN 7530001	1	17.00 20.00		9	417	110 25 00000
9	0044	0134	KIN 7530001	1	17.00 20.00		9	417	110 25 00000
	0044	0137	BIOL4154001	1 1	9.00 10.30		24	698	110 42 00000
9	0044	0137	BIOL4154001	1 1	9.00 10.30		24	698	110 42 00000
	0044	0137	ARCH5003001	1 1	13.30 15.00		10	698	110 42 00000
9	0044	0137	ARCH5003001	1 1	13.30 15.00		10	698	110 42 00000
	0044	0139	ANSC4045001	1 1 1	9.30 10.30		64	1,976	110 136 00000
9	0044	0139	ANSC4045001	1 1 1	9.30 10.30		64	1,976	110 136 00000
	0044	0139	ENGL2220002	1 1 1	10.30 11.30		33	1,976	110 136 00000
9	0044	0139	ENGL2220002	1 1 1	10.30 11.30		33	1,976	110 136 00000
	0044	0139	ENGL3022002	1 1	10.30 12.00		23	1,976	110 136 00000
9	0044	0139	ENGL3022002	1 1	10.30 12.00		23	1,976	110 136 00000
	0044	0139	POLI4046001	1 1	13.30 15.00		27	1,976	110 136 00000
9	0044	0139	POLI4046001	1 1	13.30 15.00		27	1,976	110 136 00000
	0044	0212C	ENGL7915001	1 1	10.30 12.00		10	358	110 17 00000
9	0044	0212C	ENGL7915001	1 1	10.30 12.00		10	358	110 17 00000
	0045	0123A	THTR1131001	1 1	8.00 9.30		14	2,590	210 173 00000
9	0045	0123A	THTR1131001	1 1	8.00 9.30		14	2,590	210 173 00000
	0045	0123A	THTR7002001	1	8.30 10.00		6	2,590	210 173 00000
9	0045	0123A	THTR7002001	1	8.30 10.00		6	2,590	210 173 00000
	0045	0123A	THTR1127001	1 1	9.00 10.30		13	2,590	210 173 00000
9	0045	0123A	THTR1127001	1 1	9.00 10.30		13	2,590	210 173 00000
	0045	0123A	THTR3802001	1 1	10.30 12.00		13	2,590	210 173 00000
9	0045	0123A	THTR3802001	1 1	10.30 12.00		13	2,590	210 173 00000
	0045	0123A	THTR1153001	1 1	13.30 15.00		12	2,590	210 173 00000
9	0045	0123A	THTR1153001	1 1	13.30 15.00		12	2,590	210 173 00000
	0045	0123A	MUS 4242001	1 1 1	14.30 16.00		7	2,590	210 173 00000
9	0045	0123A	MUS 4242001	1 1 1	14.30 16.00		7	2,590	210 173 00000
	0045	0123A	MUS 4241001	1	16.00 18.00		13	2,590	210 173 00000
9	0045	0123A	MUS 4241001	1	16.00 18.00		13	2,590	210 173 00000
	0045	0123A	MUS 4241001	1	16.00 19.00		13	2,590	210 173 00000
9	0045	0123A	MUS 4241001	1	16.00 19.00		13	2,590	210 173 00000
	0045	0123A	MUS 4240001	1 1	16.30 19.00		12	2,590	210 173 00000
9	0045	0123A	MUS 4240001	1 1	16.30 19.00		12	2,590	210 173 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 19

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0045	0123A	THTR1227001	1 1	19.00 20.30		11	2,590	210 173 00000
9	0045	0123A	THTR1227001	1 1	19.00 20.30		11	2,590	210 173 00000
	0045	0129A	THTR2025001	1 1	9.00 10.30		18	2,600	210 173 00000
9	0045	0129A	THTR2025001	1 1	9.00 10.30		18	2,600	210 173 00000
	0045	0129A	THTR2025002	1 1	12.00 13.30		21	2,600	210 173 00000
9	0045	0129A	THTR2025002	1 1	12.00 13.30		21	2,600	210 173 00000
	0045	0135	THTR2021001	1 1 1	8.30 9.30		18	1,008	110 67 00000
9	0045	0135	THTR2021001	1 1 1	8.30 9.30		18	1,008	110 67 00000
	0045	0135	THTR3026001	1 1	9.00 10.30		24	1,008	110 67 00000
9	0045	0135	THTR3026001	1 1	9.00 10.30		24	1,008	110 67 00000
9	0045	0135	THTR3026001	1 1	9.00 10.30		24	1,008	110 67 00000
9	0045	0135	THTR3026001	1 1	9.00 10.30		24	1,008	110 67 00000
	0045	0135	THTR1025001	1 1 1	10.30 11.30		15	1,008	110 67 00000
9	0045	0135	THTR1025001	1 1 1	10.30 11.30		15	1,008	110 67 00000
	0045	0135	THTR3025001	1 1	10.30 12.00		17	1,008	110 67 00000
9	0045	0135	THTR3025001	1 1	10.30 12.00		17	1,008	110 67 00000
	0045	0135	THTR7223001	1 1	12.00 13.30		6	1,008	110 67 00000
9	0045	0135	THTR7223001	1 1	12.00 13.30		6	1,008	110 67 00000
	0045	0135	THTR1025002	1 1 1	12.30 13.30		18	1,008	110 67 00000
9	0045	0135	THTR1025002	1 1 1	12.30 13.30		18	1,008	110 67 00000
	0045	0155	THTR7618001	1 1	8.30 10.00		3	2,185	210 10 00000
9	0045	0155	THTR7618001	1 1	8.30 10.00		3	2,185	210 10 00000
	0045	0155	THTR2026002	1	13.30 16.30		2	2,185	210 10 00000
9	0045	0155	THTR2026002	1	13.30 16.30		2	2,185	210 10 00000
	0045	0155	THTR2026003	1	13.30 16.30		1	2,185	210 10 00000
9	0045	0155	THTR2026003	1	13.30 16.30		1	2,185	210 10 00000
	0045	0155	THTR2026004	1	13.30 16.30		3	2,185	210 10 00000
9	0045	0155	THTR2026004	1	13.30 16.30		3	2,185	210 10 00000
	0045	0155	THTR2026005	1	13.30 16.30		1	2,185	210 10 00000
9	0045	0155	THTR2026005	1	13.30 16.30		1	2,185	210 10 00000
	0045	0166	THTR1029001	1 1	9.00 10.30		16	1,215	210 81 00000
9	0045	0166	THTR1029001	1 1	9.00 10.30		16	1,215	210 81 00000
	0045	0166	THTR4031001	1 1 1	10.30 11.30		10	1,215	210 81 00000
9	0045	0166	THTR4031001	1 1 1	10.30 11.30		10	1,215	210 81 00000
	0045	0166	THTR1029002	1 1	10.30 12.00		13	1,215	210 81 00000
9	0045	0166	THTR1029002	1 1	10.30 12.00		13	1,215	210 81 00000
	0045	0166	THTR2031002	1 1 1	12.30 13.30		10	1,215	210 81 00000
9	0045	0166	THTR2031002	1 1 1	12.30 13.30		10	1,215	210 81 00000
	0045	0166	THTR2031001	1 1 1	14.30 15.30		4	1,215	210 81 00000
9	0045	0166	THTR2031001	1 1 1	14.30 15.30		4	1,215	210 81 00000
	0045	0167	THTR2026011	1	13.30 16.30		3	167	210 2 00000
89	0045	0167	THTR2026011	1	13.30 16.30		3	167	210 2 00000
	0045	0167	THTR2026010	1	13.30 16.30		3	167	210 2 00000
89	0045	0167	THTR2026010	1	13.30 16.30		3	167	210 2 00000
	0045	0171	THTR2026007	1	13.30 16.30		3	624	210 12 00000
9	0045	0171	THTR2026007	1	13.30 16.30		3	624	210 12 00000
	0045	0171	THTR2026008	1	13.30 16.30		2	624	210 12 00000
9	0045	0171	THTR2026008	1	13.30 16.30		2	624	210 12 00000
	0045	0171	THTR2026009	1	13.30 16.30		1	624	210 12 00000
9	0045	0171	THTR2026009	1	13.30 16.30		1	624	210 12 00000
	0045	0173	THTR3123001	1 1	9.00 10.30		10	1,360	210 27 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 20

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0045	0173	THTR3123001	1 1	9.00 10.30		10	1,360	210 27 00000
	0045	0173	THTR2023001	1 1	10.30 12.00		20	1,360	210 27 00000
9	0045	0173	THTR2023001	1 1	10.30 12.00		20	1,360	210 27 00000
	0045	0173	THTR2026001	1	13.30 16.30		16	1,360	210 27 00000
9	0045	0173	THTR2026001	1	13.30 16.30		16	1,360	210 27 00000
	0045	0181	THTR7422001	1 1	9.00 10.30		3	1,012	240 67 00000
9	0045	0181	THTR7422001	1 1	9.00 10.30		3	1,012	240 67 00000
	0045	0181	THTR3531001	1 1	10.30 12.00		13	1,012	240 67 00000
9	0045	0181	THTR3531001	1 1	10.30 12.00		13	1,012	240 67 00000
	0045	0201	MUS 1130001	1 1	9.30 10.30		15	1,009	210 20 00000
9	0045	0201	MUS 1130001	1 1	9.30 10.30		15	1,009	210 20 00000
	0045	0201	MUS 3334001	1 1	9.30 10.30		2	1,009	210 20 00000
9	0045	0201	MUS 3334001	1 1	9.30 10.30		2	1,009	210 20 00000
	0045	0201	MUS 1130002	1 1	11.30 12.30		15	1,009	210 20 00000
9	0045	0201	MUS 1130002	1 1	11.30 12.30		15	1,009	210 20 00000
	0045	0201	MUS 1130003	1 1	12.30 13.30		10	1,009	210 20 00000
9	0045	0201	MUS 1130003	1 1	12.30 13.30		10	1,009	210 20 00000
	0045	0201	MUS 1130004	1 1	12.30 13.30		15	1,009	210 20 00000
9	0045	0201	MUS 1130004	1 1	12.30 13.30		15	1,009	210 20 00000
	0045	0201	MUS 4763001	1 1 1	13.30 14.30		2	1,009	210 20 00000
9	0045	0201	MUS 4763001	1 1 1	13.30 14.30		2	1,009	210 20 00000
	0045	0201	MUS 1130005	1 1	13.30 14.30		14	1,009	210 20 00000
9	0045	0201	MUS 1130005	1 1	13.30 14.30		14	1,009	210 20 00000
	0045	0201	MUS 1130006	1 1	15.30 16.30		10	1,009	210 20 00000
9	0045	0201	MUS 1130006	1 1	15.30 16.30		10	1,009	210 20 00000
	0045	0215	MUS 3141001	1	14.30 15.30		16	770	110 51 00000
9	0045	0215	MUS 3141001	1	14.30 15.30		16	770	110 51 00000
	0045	0215	MUS 7041001	1	14.30 15.30	1	3	770	110 51 00000
9	0045	0215	MUS 7041001	1	14.30 15.30	1	3	770	110 51 00000
	0045	0221	MUS 3997008	1 1 1	10.30 11.30		6	770	110 51 00000
9	0045	0221	MUS 3997008	1 1 1	10.30 11.30		6	770	110 51 00000
	0045	0221	MUS 2144001	1	14.30 15.30		3	770	110 51 00000
9	0045	0221	MUS 2144001	1	14.30 15.30		3	770	110 51 00000
	0045	0221	MUS 3144002	1	14.30 15.30	1	13	770	110 51 00000
9	0045	0221	MUS 3144002	1	14.30 15.30	1	13	770	110 51 00000
	0045	0221	MUS 7044001	1	14.30 15.30	1	3	770	110 51 00000
9	0045	0221	MUS 7044001	1	14.30 15.30	1	3	770	110 51 00000
	0045	0221	MUS 2142001	1	14.30 15.30		1	770	110 51 00000
9	0045	0221	MUS 2142001	1	14.30 15.30		1	770	110 51 00000
	0045	0221	MUS 3142001	1	14.30 15.30	1	15	770	110 51 00000
9	0045	0221	MUS 3142001	1	14.30 15.30	1	15	770	110 51 00000
	0045	0221	MUS 7042001	1	14.30 15.30	1	3	770	110 51 00000
9	0045	0221	MUS 7042001	1	14.30 15.30	1	3	770	110 51 00000
	0045	0221	MUS 7500001	1	14.30 15.30		9	770	110 51 00000
9	0045	0221	MUS 7500001	1	14.30 15.30		9	770	110 51 00000
	0045	0245	MUS 7019001	1 1	10.30 11.30		14	708	110 47 00000
9	0045	0245	MUS 7019001	1 1	10.30 11.30		14	708	110 47 00000
	0045	0245	MUS 7019001	1 1	10.30 11.30		14	708	110 47 00000
9	0045	0245	MUS 7019001	1 1	10.30 11.30		14	708	110 47 00000
	0045	0245	MUS 4351001	1 1	10.30 11.30		11	708	110 47 00000
9	0045	0245	MUS 4351001	1 1	10.30 11.30		11	708	110 47 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 21

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0045	0245	MUS 2143001	1	14.30 15.30		1	708	110 47 00000
9	0045	0245	MUS 2143001	1	14.30 15.30		1	708	110 47 00000
	0045	0245	MUS 3143001	1	14.30 15.30	1	7	708	110 47 00000
9	0045	0245	MUS 3143001	1	14.30 15.30		7	708	110 47 00000
	0045	0245	MUS 7043001	1	14.30 15.30	1	2	708	110 47 00000
9	0045	0245	MUS 7043001	1	14.30 15.30		2	708	110 47 00000
	0045	0247	MUS 2300002	1 1	10.30 11.30		3	1,175	110 78 00000
9	0045	0247	MUS 2300002	1 1	10.30 11.30		3	1,175	110 78 00000
	0045	0247	MUS 2300002	1 1	10.30 11.30		3	1,175	110 78 00000
9	0045	0247	MUS 2300002	1 1	10.30 11.30		3	1,175	110 78 00000
	0045	0247	MUED3630001	1	15.30 17.30		2	1,175	110 78 00000
9	0045	0247	MUED3630001	1	15.30 17.30		2	1,175	110 78 00000
	0045	0248	MUS 4745001	1 1	9.00 10.30		16	677	110 45 00000
9	0045	0248	MUS 4745001	1 1	9.00 10.30		16	677	110 45 00000
	0045	0248	MUS 2745001	1 1 1	9.30 10.30		23	677	110 45 00000
9	0045	0248	MUS 2745001	1 1 1	9.30 10.30		23	677	110 45 00000
	0045	0248	MUS 7745001	1 1	10.30 12.00		7	677	110 45 00000
9	0045	0248	MUS 7745001	1 1	10.30 12.00		7	677	110 45 00000
	0045	0248	MUS 4270001	1	15.00 18.00		11	677	110 45 00000
9	0045	0248	MUS 4270001	1	15.00 18.00		11	677	110 45 00000
	0045	0249	MUS 7998002	1 1	9.00 10.30		13	978	110 65 00000
9	0045	0249	MUS 7998002	1 1	9.00 10.30		13	978	110 65 00000
	0045	0249	HNRS2021004	1 1	10.30 12.00		20	978	110 65 00000
9	0045	0249	HNRS2021004	1 1	10.30 12.00		20	978	110 65 00000
	0045	0249	MUS 2145001	1	14.30 15.30		2	978	110 65 00000
9	0045	0249	MUS 2145001	1	14.30 15.30		2	978	110 65 00000
	0045	0249	MUS 3145001	1	14.30 15.30	1	13	978	110 65 00000
9	0045	0249	MUS 3145001	1	14.30 15.30		13	978	110 65 00000
	0045	0249	MUS 7045001	1	14.30 15.30	1	2	978	110 65 00000
9	0045	0249	MUS 7045001	1	14.30 15.30		2	978	110 65 00000
	0045	0301	THTR4021001	1 1 1	9.30 10.30		26	1,065	110 71 00000
9	0045	0301	THTR4021001	1 1 1	9.30 10.30		26	1,065	110 71 00000
	0045	0301	THTR7903001	1 1	13.30 15.00		6	1,065	110 71 00000
9	0045	0301	THTR7903001	1 1	13.30 15.00		6	1,065	110 71 00000
	0045	0314	THTR3530001	1 1	9.00 10.30		7	315	210 6 00000
89	0045	0314	THTR3530001	1 1	9.00 10.30		7	315	210 6 00000
	0045	0314	THTR2026006	1 1	12.00 13.30		4	315	210 6 00000
9	0045	0314	THTR2026006	1 1	12.00 13.30		4	315	210 6 00000
	0045	B0028	MUS 4227001	1 1	9.30 10.30		9	1,198	210 23 00000
9	0045	B0028	MUS 4227001	1 1	9.30 10.30		9	1,198	210 23 00000
	0048	0006	BIOL4254008	1	8.00 11.00		13	1,036	210 21 00000
9	0048	0006	BIOL4254008	1	8.00 11.00		13	1,036	210 21 00000
	0048	0006	BIOL4254001	1	9.30 12.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254001	1	9.30 12.30		13	1,036	210 21 00000
	0048	0006	BIOL4254003	1	9.30 12.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254003	1	9.30 12.30		13	1,036	210 21 00000
	0048	0006	BIOL4254005	1	9.30 12.30		12	1,036	210 21 00000
9	0048	0006	BIOL4254005	1	9.30 12.30		12	1,036	210 21 00000
	0048	0006	BIOL4263002	1	11.30 14.30		12	1,036	210 21 00000
9	0048	0006	BIOL4263002	1	11.30 14.30		12	1,036	210 21 00000
	0048	0006	BIOL4254002	1	13.30 16.30		13	1,036	210 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 22

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0048	0006	BIOL4254002	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254004	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254004	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254006	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254006	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4254007	1	13.30 16.30		13	1,036	210 21 00000
9	0048	0006	BIOL4254007	1	13.30 16.30		13	1,036	210 21 00000
	0048	0006	BIOL4263001	1	14.30 17.30		12	1,036	210 21 00000
9	0048	0006	BIOL4263001	1	14.30 17.30		12	1,036	210 21 00000
	0048	0011	EXST4025001	1	12.00 15.00		8	678	140 28 00000
9	0048	0011	EXST4025001	1	12.00 15.00		8	678	140 28 00000
	0048	0044	EXST4142001	1 1	13.30 15.00		2	514	140 34 00000
9	0048	0044	EXST4142001	1 1	13.30 15.00		2	514	140 34 00000
	0048	0204	LHRD2000001	1	18.00 21.00		5	498	110 33 00000
9	0048	0204	LHRD2000001	1	18.00 21.00		5	498	110 33 00000
	0048	0248	SPAN2156001	1 1 1	10.30 11.30		18	516	110 34 00000
9	0048	0248	SPAN2156001	1 1 1	10.30 11.30		18	516	110 34 00000
	0048	0248	CLST3050001	1 1	12.00 13.30		5	516	110 34 00000
9	0048	0248	CLST3050001	1 1	12.00 13.30		5	516	110 34 00000
	0048	0248	SPAN3020001	1 1	12.00 13.30		7	516	110 34 00000
9	0048	0248	SPAN3020001	1 1	12.00 13.30		7	516	110 34 00000
	0048	0269	SSS 1001005	1	11.30 12.30		10	300	110 20 00000
9	0048	0269	SSS 1001005	1	11.30 12.30		10	300	110 20 00000
	0048	0269	EDCI4003003	1	16.30 19.30		2	300	110 20 00000
9	0048	0269	EDCI4003003	1	16.30 19.30		2	300	110 20 00000
	0050	0012	ANSC2033001	1	13.30 14.30		29	575	110 38 00000
89	0050	0012	ANSC2033001	1	13.30 14.30		29	575	110 38 00000
	0050	0012	ANSC2033001	1	14.30 16.30		29	575	110 38 00000
89	0050	0012	ANSC2033001	1	14.30 16.30		29	575	110 38 00000
	0051	0120	HNRS2000001	1 1 1	10.30 11.30		19	1,462	110 37 00000
9	0051	0120	HNRS2000001	1 1 1	10.30 11.30		19	1,462	110 37 00000
	0051	0120	HNRS2000025	1 1	12.00 13.30		19	1,462	110 37 00000
9	0051	0120	HNRS2000025	1 1	12.00 13.30		19	1,462	110 37 00000
	0051	0120	HNRS3025001	1	16.30 19.30		12	1,462	110 37 00000
9	0051	0120	HNRS3025001	1	16.30 19.30		12	1,462	110 37 00000
	0051	0135	HNRS2021002	1 1	9.00 10.30		16	930	110 62 00000
9	0051	0135	HNRS2021002	1 1	9.00 10.30		16	930	110 62 00000
	0051	0135	HNRS2020001	1 1 1	9.30 10.30		17	930	110 62 00000
9	0051	0135	HNRS2020001	1 1 1	9.30 10.30		17	930	110 62 00000
	0051	0135	HNRS2000004	1 1 1	10.30 11.30		22	930	110 62 00000
9	0051	0135	HNRS2000004	1 1 1	10.30 11.30		22	930	110 62 00000
	0051	0135	HNRS2030004	1 1 1	11.30 12.30		19	930	110 62 00000
9	0051	0135	HNRS2030004	1 1 1	11.30 12.30		19	930	110 62 00000
	0051	0135	HNRS2000023	1 1	12.00 13.30		21	930	110 62 00000
9	0051	0135	HNRS2000023	1 1	12.00 13.30		21	930	110 62 00000
	0051	0135	HNRS2012001	1 1	13.30 15.00		17	930	110 62 00000
9	0051	0135	HNRS2012001	1 1	13.30 15.00		17	930	110 62 00000
	0051	0135	HNRS2000008	1 1	15.00 16.30		20	930	110 62 00000
9	0051	0135	HNRS2000008	1 1	15.00 16.30		20	930	110 62 00000
	0051	0135	HNRS2020008	1	18.00 21.00		19	930	110 62 00000
9	0051	0135	HNRS2020008	1	18.00 21.00		19	930	110 62 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 23

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0051	0200	HNRS2000026	1 1	12.00 13.30		15	537	110 36 00000
9	0051	0200	HNRS2000026	1 1	12.00 13.30		15	537	110 36 00000
	0051	0200	HNRS2404002	1 1	15.00 16.30		13	537	110 36 00000
9	0051	0200	HNRS2404002	1 1	15.00 16.30		13	537	110 36 00000
	0051	0218	HNRS2000013	1 1	9.00 10.30		22	763	110 51 00000
9	0051	0218	HNRS2000013	1 1	9.00 10.30		22	763	110 51 00000
	0051	0218	HNRS2020002	1 1 1	9.30 10.30		19	763	110 51 00000
9	0051	0218	HNRS2020002	1 1 1	9.30 10.30		19	763	110 51 00000
	0051	0218	HNRS2000002	1 1 1	10.30 11.30		22	763	110 51 00000
9	0051	0218	HNRS2000002	1 1 1	10.30 11.30		22	763	110 51 00000
	0051	0218	HNRS2000021	1 1	10.30 12.00		19	763	110 51 00000
9	0051	0218	HNRS2000021	1 1	10.30 12.00		19	763	110 51 00000
	0051	0218	HNRS2000028	1 1	12.00 13.30		19	763	110 51 00000
9	0051	0218	HNRS2000028	1 1	12.00 13.30		19	763	110 51 00000
	0051	0218	HNRS2000009	1 1	15.00 16.30		19	763	110 51 00000
9	0051	0218	HNRS2000009	1 1	15.00 16.30		19	763	110 51 00000
	0051	0221	HNRS2000005	1 1 1	10.30 11.30		18	741	110 49 00000
9	0051	0221	HNRS2000005	1 1 1	10.30 11.30		18	741	110 49 00000
	0051	0221	HNRS2000022	1 1	10.30 12.00		19	741	110 49 00000
9	0051	0221	HNRS2000022	1 1	10.30 12.00		19	741	110 49 00000
	0051	0221	HNRS2000024	1 1	12.00 13.30		20	741	110 49 00000
9	0051	0221	HNRS2000024	1 1	12.00 13.30		20	741	110 49 00000
	0051	0221	HNRS2000007	1 1	15.00 16.30		20	741	110 49 00000
9	0051	0221	HNRS2000007	1 1	15.00 16.30		20	741	110 49 00000
	0053	B0040	MATH1550028	11111	13.30 14.30		42	839	110 50 00000
89	0053	B0040	MATH1550028	11111	13.30 14.30		42	839	110 50 00000
	0053	B0040	MATH1550036	11111	14.30 15.30		33	839	110 50 00000
9	0053	B0040	MATH1550036	11111	14.30 15.30		33	839	110 50 00000
	0055	0010	PHYS2207001	1	13.30 16.30		5	384	210 26 00000
9	0055	0010	PHYS2207001	1	13.30 16.30		5	384	210 26 00000
	0055	0010	PHYS2207003	1	13.30 16.30		7	384	210 26 00000
9	0055	0010	PHYS2207003	1	13.30 16.30		7	384	210 26 00000
	0055	0010	PHYS2207004	1	14.30 17.30		8	384	210 26 00000
9	0055	0010	PHYS2207004	1	14.30 17.30		8	384	210 26 00000
	0055	0010	PHYS2207002	1	14.30 17.30		8	384	210 26 00000
9	0055	0010	PHYS2207002	1	14.30 17.30		8	384	210 26 00000
	0055	0011	PHYS1208001	1	13.30 16.30		12	890	210 48 00000
9	0055	0011	PHYS1208001	1	13.30 16.30		12	890	210 48 00000
	0055	0011	PHYS1208002	1	14.30 17.30		6	890	210 48 00000
9	0055	0011	PHYS1208002	1	14.30 17.30		6	890	210 48 00000
	0055	0011	PHYS1208004	1	15.00 18.00		10	890	210 48 00000
9	0055	0011	PHYS1208004	1	15.00 18.00		10	890	210 48 00000
	0055	0011	PHYS1208003	1	18.30 21.30		10	890	210 48 00000
9	0055	0011	PHYS1208003	1	18.30 21.30		10	890	210 48 00000
	0055	0011	PHYS1208005	1	18.30 21.30		9	890	210 48 00000
9	0055	0011	PHYS1208005	1	18.30 21.30		9	890	210 48 00000
	0055	0017	PHYS7398001	1 1	14.30 17.30		9	588	210 39 00000
9	0055	0017	PHYS7398001	1 1	14.30 17.30		9	588	210 39 00000
	0055	0106	PHYS7373001	1 1 1	9.30 10.30		10	480	110 32 00000
9	0055	0106	PHYS7373001	1 1 1	9.30 10.30		10	480	110 32 00000
	0055	0106	ASTR7751001	1 1 1	11.30 12.30		6	480	110 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 24

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0055	0106	ASTR7751001	1 1 1	11.30 12.30	6	480	110 32	00000
	0055	0106	PHYS7363001	1 1	12.00 13.30	9	480	110 32	00000
9	0055	0106	PHYS7363001	1 1	12.00 13.30	9	480	110 32	00000
	0055	0108	BIOL7800003	1 1	15.00 16.30	7	495	110 33	00000
9	0055	0108	BIOL7800003	1 1	15.00 16.30	7	495	110 33	00000
	0055	0109	WGS 2500008	1 1	7.30 9.00	23	903	110 89	00000
9	0055	0109	WGS 2500008	1 1	7.30 9.00	23	903	110 89	00000
	0055	0109	PHYS2231001	1 1	9.00 10.30	24	903	110 89	00000
9	0055	0109	PHYS2231001	1 1	9.00 10.30	24	903	110 89	00000
	0055	0109	PHYS2411001	1 1	11.30 12.30	16	903	110 89	00000
9	0055	0109	PHYS2411001	1 1	11.30 12.30	16	903	110 89	00000
	0055	0109	ASTR1401001	1 1	13.30 15.00	15	903	110 89	00000
9	0055	0109	ASTR1401001	1 1	13.30 15.00	15	903	110 89	00000
	0055	0109	WGS 2500012	1 1	15.00 16.30	32	903	110 89	00000
9	0055	0109	WGS 2500012	1 1	15.00 16.30	32	903	110 89	00000
	0055	0118	MEDP7992001	1 1 1	9.30 10.30	5	540	110 36	00000
9	0055	0118	MEDP7992001	1 1 1	9.30 10.30	5	540	110 36	00000
	0055	0118	PHYS2401001	1 1 1	12.30 13.30	8	540	110 36	00000
9	0055	0118	PHYS2401001	1 1 1	12.30 13.30	8	540	110 36	00000
	0055	0118	ASTR4221001	1 1	13.30 15.00	11	540	110 36	00000
9	0055	0118	ASTR4221001	1 1	13.30 15.00	11	540	110 36	00000
	0055	0118	ASTR7361001	1	14.30 15.30	7	540	110 36	00000
9	0055	0118	ASTR7361001	1	14.30 15.30	7	540	110 36	00000
	0055	0119	KIN 2510003	1 1 1	8.30 9.30	41	890	110 85	00000
9	0055	0119	KIN 2510003	1 1 1	8.30 9.30	41	890	110 85	00000
	0055	0119	PHYS7221001	1 1	9.00 10.30	11	890	110 85	00000
9	0055	0119	PHYS7221001	1 1	9.00 10.30	11	890	110 85	00000
	0055	0119	PHYS4142001	1 1 1	10.30 11.30	11	890	110 85	00000
9	0055	0119	PHYS4142001	1 1 1	10.30 11.30	11	890	110 85	00000
	0055	0119	PHYS7353001	1 1 1	12.30 13.30	11	890	110 85	00000
9	0055	0119	PHYS7353001	1 1 1	12.30 13.30	11	890	110 85	00000
	0055	0119	WGS 2500011	1 1	13.30 15.00	34	890	110 85	00000
9	0055	0119	WGS 2500011	1 1	13.30 15.00	34	890	110 85	00000
	0055	0130	PHYS2112003	1 1	9.00 10.30	46	3,227	110 343	00000
9	0055	0130	PHYS2112003	1 1	9.00 10.30	46	3,227	110 343	00000
	0055	0130	PHYS1201001	1111	10.30 11.30	40	3,227	110 343	00000
9	0055	0130	PHYS1201001	1111	10.30 11.30	40	3,227	110 343	00000
	0055	0130	PHYS2113002	1 1 1	11.30 12.30	70	3,227	110 343	00000
9	0055	0130	PHYS2113002	1 1 1	11.30 12.30	70	3,227	110 343	00000
	0055	0130	PSYC4072001	1 1	12.00 13.30	72	3,227	110 343	00000
9	0055	0130	PSYC4072001	1 1	12.00 13.30	72	3,227	110 343	00000
	0055	0130	KIN 2500002	1 1 1	12.30 13.30	100	3,227	110 343	00000
9	0055	0130	KIN 2500002	1 1 1	12.30 13.30	100	3,227	110 343	00000
	0055	0130	KIN 2500003	1 1 1	13.30 14.30	100	3,227	110 343	00000
9	0055	0130	KIN 2500003	1 1 1	13.30 14.30	100	3,227	110 343	00000
	0055	0130	PSYC4070001	1 1	13.30 15.00	70	3,227	110 343	00000
9	0055	0130	PSYC4070001	1 1	13.30 15.00	70	3,227	110 343	00000
	0055	0262	MEDP4351001	1 1	9.30 10.30	7	620	350 40	00000
9	0055	0262	MEDP4351001	1 1	9.30 10.30	7	620	350 40	00000
	0055	0262	ASTR7777001	1	12.00 13.30	4	620	350 40	00000
9	0055	0262	ASTR7777001	1	12.00 13.30	4	620	350 40	00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 25

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0055	0262	MEDP7995001	1	12.30 13.30		12	620	350 40 00000
9	0055	0262	MEDP7995001	1	12.30 13.30		12	620	350 40 00000
	0055	0262	PHYS7398001	1	13.30 14.30		9	620	350 40 00000
9	0055	0262	PHYS7398001	1	13.30 14.30		9	620	350 40 00000
	0055	0365	PHYS2411001	1	11.30 13.30		16	803	210 53 00000
9	0055	0365	PHYS2411001	1	11.30 13.30		16	803	210 53 00000
	0059	0265	POLI7971002	1	9.00 12.00		3	540	110 33 00000
9	0059	0265	POLI7971002	1	9.00 12.00		3	540	110 33 00000
8	0059	W0209	BIOL1209004	1	8.30 11.30		24	766	210 15 00000
89	0059	W0209	BIOL1209004	1	8.30 11.30		24	766	210 15 00000
8	0059	W0209	BIOL1209001	1	9.00 12.00		24	766	210 15 00000
89	0059	W0209	BIOL1209001	1	9.00 12.00		24	766	210 15 00000
8	0059	W0209	BIOL1209007	1	9.00 12.00		24	766	210 15 00000
89	0059	W0209	BIOL1209007	1	9.00 12.00		24	766	210 15 00000
	0059	W0209	BIOL1209005	1	11.30 14.30		23	766	210 15 00000
89	0059	W0209	BIOL1209005	1	11.30 14.30		23	766	210 15 00000
8	0059	W0209	BIOL1209002	1	12.00 15.00		24	766	210 15 00000
89	0059	W0209	BIOL1209002	1	12.00 15.00		24	766	210 15 00000
	0059	W0209	BIOL1209008	1	12.00 15.00		23	766	210 15 00000
89	0059	W0209	BIOL1209008	1	12.00 15.00		23	766	210 15 00000
8	0059	W0209	BIOL1209006	1	14.30 17.30		24	766	210 15 00000
89	0059	W0209	BIOL1209006	1	14.30 17.30		24	766	210 15 00000
8	0059	W0209	BIOL1209003	1	15.00 18.00		24	766	210 15 00000
89	0059	W0209	BIOL1209003	1	15.00 18.00		24	766	210 15 00000
	0070	0130	CSC 1350004	1 1 1	9.30 10.30		77	2,756	110 356 00000
9	0070	0130	CSC 1350004	1 1 1	9.30 10.30		77	2,756	110 356 00000
	0070	0130	MC 2971001	1 1	10.30 12.00		77	2,756	110 356 00000
9	0070	0130	MC 2971001	1 1	10.30 12.00		77	2,756	110 356 00000
	0070	0130	HIST2023001	1 1	13.30 15.00		87	2,756	110 356 00000
9	0070	0130	HIST2023001	1 1	13.30 15.00		87	2,756	110 356 00000
	0070	0130	GEOG7906001	1	17.00 20.00		7	2,756	110 356 00000
9	0070	0130	GEOG7906001	1	17.00 20.00		7	2,756	110 356 00000
	0070	0245	ANTH4014001	1 1	9.00 10.30		18	782	110 49 00000
9	0070	0245	ANTH4014001	1 1	9.00 10.30		18	782	110 49 00000
	0070	0245	GEOG4221001	1 1 1	11.30 12.30		26	782	110 49 00000
9	0070	0245	GEOG4221001	1 1 1	11.30 12.30		26	782	110 49 00000
	0070	0245	GEOG4022001	1 1 1	12.30 13.30		5	782	110 49 00000
9	0070	0245	GEOG4022001	1 1 1	12.30 13.30		5	782	110 49 00000
	0070	0245	ANTH4086001	1 1 1	13.30 14.30		8	782	110 49 00000
9	0070	0245	ANTH4086001	1 1 1	13.30 14.30		8	782	110 49 00000
	0070	0245	GEOG4086001	1 1 1	13.30 14.30	1	9	782	110 49 00000
9	0070	0245	GEOG4086001	1 1 1	13.30 14.30		9	782	110 49 00000
	0070	0245	ANTH4997002	1 1	14.30 16.00		14	782	110 49 00000
9	0070	0245	ANTH4997002	1 1	14.30 16.00		14	782	110 49 00000
	0070	0254	ANTH4997001	1 1	10.30 12.00		9	538	110 35 00000
9	0070	0254	ANTH4997001	1 1	10.30 12.00		9	538	110 35 00000
	0070	0254	LING7962001	1	16.00 19.00		2	538	110 35 00000
9	0070	0254	LING7962001	1	16.00 19.00		2	538	110 35 00000
	0070	0254	ANTH7954001	1	16.30 19.30		13	538	110 35 00000
9	0070	0254	ANTH7954001	1	16.30 19.30		13	538	110 35 00000
	0070	0260	GEOG4031001	1 1 1	12.30 13.30		13	824	140 49 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 26

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0070	0260	GEOG4031001	1 1 1	12.30 13.30		13	824	140 49 00000
	0070	0260	ANTH7943001	1 1	15.00 16.30		1	824	140 49 00000
9	0070	0260	ANTH7943001	1 1	15.00 16.30		1	824	140 49 00000
	0070	0260	GEOG7943001	1 1	15.00 16.30	1	4	824	140 49 00000
9	0070	0260	GEOG7943001	1 1	15.00 16.30		4	824	140 49 00000
	0070	0260	GEOG7943001	1 1	15.00 16.30		4	824	140 49 00000
	0070	0260	GEOG7943001	1 1	15.00 16.30	1	12	824	140 49 00000
9	0070	0260	GEOG7943001	1 1	15.00 16.30		12	824	140 49 00000
	0070	0310	OCS 7123002	1 1	10.30 12.00		4	555	350 25 00000
9	0070	0310	OCS 7123002	1 1	10.30 12.00		4	555	350 25 00000
	0070	0347	GEOG7900002	1 1	9.00 12.00		6	536	110 35 00000
9	0070	0347	GEOG7900002	1 1	9.00 12.00		6	536	110 35 00000
	0070	0347	GEOG4060001	1 1 1	10.30 11.30		3	536	110 35 00000
9	0070	0347	GEOG4060001	1 1 1	10.30 11.30		3	536	110 35 00000
	0070	0347	GEOG7130001	1 1	12.30 15.30		11	536	110 35 00000
9	0070	0347	GEOG7130001	1 1	12.30 15.30		11	536	110 35 00000
	0070	0347	GEOG4044001	1 1	13.30 15.00		17	536	110 35 00000
9	0070	0347	GEOG4044001	1 1	13.30 15.00		17	536	110 35 00000
	0070	0360	GEOG3032001	1	13.30 16.30		13	892	210 30 00000
9	0070	0360	GEOG3032001	1	13.30 16.30		13	892	210 30 00000
	0070	E0130	ANSC2050001	1 1	9.00 10.00		73	1,466	110 209 00000
9	0070	E0130	ANSC2050001	1 1	9.00 10.00		73	1,466	110 209 00000
	0070	E0130	ANSC4009001	1 1 1	10.30 11.30		62	1,466	110 209 00000
9	0070	E0130	ANSC4009001	1 1 1	10.30 11.30		62	1,466	110 209 00000
	0070	E0130	HIST2126001	1 1	10.30 12.00		55	1,466	110 209 00000
9	0070	E0130	HIST2126001	1 1	10.30 12.00		55	1,466	110 209 00000
	0070	E0130	HIST4043001	1 1 1	12.30 13.30		40	1,466	110 209 00000
9	0070	E0130	HIST4043001	1 1 1	12.30 13.30		40	1,466	110 209 00000
	0070	E0130	KIN 4512003	1 1	13.30 15.00		64	1,466	110 209 00000
9	0070	E0130	KIN 4512003	1 1	13.30 15.00		64	1,466	110 209 00000
	0070	E0130	SCI 1001010	1	15.30 17.00		46	1,466	110 209 00000
9	0070	E0130	SCI 1001010	1	15.30 17.00		46	1,466	110 209 00000
	0070	E0134	KIN 2530001	1 1 1	8.30 9.30		40	936	110 134 00000
9	0070	E0134	KIN 2530001	1 1 1	8.30 9.30		40	936	110 134 00000
	0070	E0134	KIN 2510004	1 1 1	9.30 10.30		39	936	110 134 00000
9	0070	E0134	KIN 2510004	1 1 1	9.30 10.30		39	936	110 134 00000
	0070	E0134	KIN 3660001	1 1 1	10.30 11.30		38	936	110 134 00000
9	0070	E0134	KIN 3660001	1 1 1	10.30 11.30		38	936	110 134 00000
	0070	E0134	MATH2020001	1 1 1	13.30 14.30		21	936	110 134 00000
9	0070	E0134	MATH2020001	1 1 1	13.30 14.30		21	936	110 134 00000
	0070	E0134	MKT 4423001	1 1	13.30 15.00		40	936	110 134 00000
9	0070	E0134	MKT 4423001	1 1	13.30 15.00		40	936	110 134 00000
	0070	E0134	MKT 4423002	1 1	15.00 16.30		38	936	110 134 00000
9	0070	E0134	MKT 4423002	1 1	15.00 16.30		38	936	110 134 00000
	0070	E0134	ANTH7901001	1	16.00 17.00		14	936	110 134 00000
9	0070	E0134	ANTH7901001	1	16.00 17.00		14	936	110 134 00000
	0070	E0134	GEOG7901001	1	16.00 17.00	1	8	936	110 134 00000
9	0070	E0134	GEOG7901001	1	16.00 17.00		8	936	110 134 00000
	0070	E0137	ACCT3021003	1 1	10.30 12.00		60	1,466	110 209 00000
9	0070	E0137	ACCT3021003	1 1	10.30 12.00		60	1,466	110 209 00000
	0070	E0137	SOCL3601001	1 1	10.30 12.00		33	1,466	110 209 00000
9	0070	E0137	SOCL3601001	1 1	10.30 12.00		33	1,466	110 209 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 27

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0070	E0137	SOCL3601002	1 1	12.00 13.30		25	1,466	110 209 00000
9	0070	E0137	SOCL3601002	1 1	12.00 13.30		25	1,466	110 209 00000
	0070	E0137	GEOL7921001		15.30 16.30	1	26	1,466	110 209 00000
9	0070	E0137	GEOL7921001		15.30 16.30	1	26	1,466	110 209 00000
	0070	E0137	PSYC4039001	1	18.00 21.00		60	1,466	110 209 00000
9	0070	E0137	PSYC4039001	1	18.00 21.00		60	1,466	110 209 00000
	0070	E0137	PSYC4037001		18.00 21.00	1	60	1,466	110 209 00000
9	0070	E0137	PSYC4037001		18.00 21.00	1	60	1,466	110 209 00000
	0070	E0206	GEOL3041001	1	13.30 16.30		10	480	210 22 00000
9	0070	E0206	GEOL3041001	1	13.30 16.30		10	480	210 22 00000
	0070	E0207	GEOL3032001	1 1	10.30 12.00		13	960	140 64 00000
9	0070	E0207	GEOL3032001	1 1	10.30 12.00		13	960	140 64 00000
	0070	E0207	GEOL3041001	1 1	10.30 12.00		10	960	140 64 00000
9	0070	E0207	GEOL3041001	1 1	10.30 12.00		10	960	140 64 00000
	0070	E0207	GEOL7061001		10.30 13.30	1	10	960	140 64 00000
9	0070	E0207	GEOL7061001		10.30 13.30	1	10	960	140 64 00000
	0070	E0207	GEOL4035001	1 1	12.00 13.30		13	960	140 64 00000
9	0070	E0207	GEOL4035001	1 1	12.00 13.30		13	960	140 64 00000
	0070	E0207	GEOL1201001	1 1	13.30 15.00		18	960	140 64 00000
9	0070	E0207	GEOL1201001	1 1	13.30 15.00		18	960	140 64 00000
	0070	E0207	GEOL1201001		13.30 16.30	1	18	960	140 64 00000
9	0070	E0207	GEOL1201001		13.30 16.30	1	18	960	140 64 00000
	0070	E0208	GEOL4068001	1	13.30 16.30		5	540	210 27 00000
9	0070	E0208	GEOL4068001	1	13.30 16.30		5	540	210 27 00000
	0070	E0213	GEOL4068001	1	7.30 9.30		5	1,007	210 28 00000
9	0070	E0213	GEOL4068001	1	7.30 9.30		5	1,007	210 28 00000
	0070	E0213	GEOL1601001		7.30 10.30	1	9	1,007	210 28 00000
9	0070	E0213	GEOL1601001		7.30 10.30	1	9	1,007	210 28 00000
	0070	E0213	GEOL1602002	1	10.30 13.30		15	1,007	210 28 00000
9	0070	E0213	GEOL1602002	1	10.30 13.30		15	1,007	210 28 00000
	0070	E0213	GEOL1601002	1	10.30 13.30		20	1,007	210 28 00000
9	0070	E0213	GEOL1601002	1	10.30 13.30		20	1,007	210 28 00000
	0070	E0213	GEOL1601006	1	10.30 13.30		13	1,007	210 28 00000
9	0070	E0213	GEOL1601006	1	10.30 13.30		13	1,007	210 28 00000
	0070	E0213	GEOL1601007	1	13.30 16.30		17	1,007	210 28 00000
9	0070	E0213	GEOL1601007	1	13.30 16.30		17	1,007	210 28 00000
	0070	E0213	GEOL1601003		16.30 19.20	1	12	1,007	210 28 00000
9	0070	E0213	GEOL1601003		16.30 19.20	1	12	1,007	210 28 00000
	0070	E0213	GEOL1601004	1	16.30 19.30		14	1,007	210 28 00000
9	0070	E0213	GEOL1601004	1	16.30 19.30		14	1,007	210 28 00000
	0070	E0213	GEOL1601008	1	16.30 19.30		18	1,007	210 28 00000
9	0070	E0213	GEOL1601008	1	16.30 19.30		18	1,007	210 28 00000
	0070	E0220	GEOG7973001	1 1 1	13.30 14.30		10	788	140 16 00000
9	0070	E0220	GEOG7973001	1 1 1	13.30 14.30		10	788	140 16 00000
	0070	E0332	GEOG7917001	1	16.00 19.00		10	667	350 35 00000
9	0070	E0332	GEOG7917001	1	16.00 19.00		10	667	350 35 00000
	0070	E0332	ANTH7909001		16.30 19.30	1	12	667	350 35 00000
9	0070	E0332	ANTH7909001		16.30 19.30	1	12	667	350 35 00000
	0076	0241	MC 2000002	1 1	9.00 10.30		46	1,650	110 110 00000
9	0076	0241	MC 2000002	1 1	9.00 10.30		46	1,650	110 110 00000
	0076	0241	KIN 2513001	1 1 1	11.30 12.30		97	1,650	110 110 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 28

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0076	0241	KIN 2513001	1 1 1	11.30 12.30		97	110 110	00000
	0076	0241	PSYC3020001	1 1	12.00 13.30		14	110 110	00000
9	0076	0241	PSYC3020001	1 1	12.00 13.30		14	110 110	00000
	0076	0253	SPAN1101003	1111	8.30 9.30		23	110 40	00000
9	0076	0253	SPAN1101003	1111	8.30 9.30		23	110 40	00000
	0076	0253	HIST7904001	1	15.00 18.00		4	110 40	00000
9	0076	0253	HIST7904001	1	15.00 18.00		4	110 40	00000
	0076	0253	HIST7922001	1	17.00 20.00		7	110 40	00000
9	0076	0253	HIST7922001	1	17.00 20.00		7	110 40	00000
	0116	0216	MC 2101001	1	8.30 10.30		20	110 63	00000
9	0116	0216	MC 2101001	1	8.30 10.30		20	110 63	00000
	0116	0216	MC 2010004	1	8.30 10.30		19	110 63	00000
9	0116	0216	MC 2010004	1	8.30 10.30		19	110 63	00000
	0116	0216	MC 2101001	1	8.30 10.30		20	110 63	00000
9	0116	0216	MC 2101001	1	8.30 10.30		20	110 63	00000
	0116	0216	MC 2010004	1	8.30 10.30		19	110 63	00000
9	0116	0216	MC 2010004	1	8.30 10.30		19	110 63	00000
	0116	0216	MC 2102001	1	10.30 12.30		18	110 63	00000
9	0116	0216	MC 2102001	1	10.30 12.30		18	110 63	00000
	0116	0216	MC 2102001	1	10.30 12.30		18	110 63	00000
9	0116	0216	MC 2102001	1	10.30 12.30		18	110 63	00000
	0116	0216	MC 3001003	1	11.30 13.30		17	110 63	00000
9	0116	0216	MC 3001003	1	11.30 13.30		17	110 63	00000
	0116	0216	MC 3001003	1	11.30 13.30		17	110 63	00000
9	0116	0216	MC 3001003	1	11.30 13.30		17	110 63	00000
	0116	0216	MC 2015005	1	12.30 14.30		20	110 63	00000
9	0116	0216	MC 2015005	1	12.30 14.30		20	110 63	00000
	0116	0216	MC 2015005	1	12.30 14.30		20	110 63	00000
9	0116	0216	MC 2015005	1	12.30 14.30		20	110 63	00000
	0116	0216	MC 2010006	1	14.30 16.30		18	110 63	00000
9	0116	0216	MC 2010006	1	14.30 16.30		18	110 63	00000
	0116	0216	MC 2015007	1	14.30 16.30		20	110 63	00000
9	0116	0216	MC 2015007	1	14.30 16.30		20	110 63	00000
	0116	0216	MC 2010006	1	14.30 16.30		18	110 63	00000
9	0116	0216	MC 2010006	1	14.30 16.30		18	110 63	00000
	0116	0216	MC 2015007	1	14.30 16.30		20	110 63	00000
9	0116	0216	MC 2015007	1	14.30 16.30		20	110 63	00000
	0116	0236	MC 3333006	1 1	9.00 10.30		30	110 63	00000
9	0116	0236	MC 3333006	1 1	9.00 10.30		30	110 63	00000
	0116	0236	MC 2102002	1	10.00 12.00		18	110 63	00000
9	0116	0236	MC 2102002	1	10.00 12.00		18	110 63	00000
	0116	0236	MC 2102002	1	10.00 12.00		18	110 63	00000
9	0116	0236	MC 2102002	1	10.00 12.00		18	110 63	00000
	0116	0236	MC 4090003	1 1	10.30 12.00		40	110 63	00000
9	0116	0236	MC 4090003	1 1	10.30 12.00		40	110 63	00000
	0116	0236	MC 3333003	1 1	12.00 13.30		40	110 63	00000
9	0116	0236	MC 3333003	1 1	12.00 13.30		40	110 63	00000
	0116	0236	MC 4095001	1 1	13.30 15.00		28	110 63	00000
9	0116	0236	MC 4095001	1 1	13.30 15.00		28	110 63	00000
	0116	0236	MC 4020002	1 1	13.30 15.00		20	110 63	00000
9	0116	0236	MC 4020002	1 1	13.30 15.00		20	110 63	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 29

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0116	0236	MC 3505001	1 1	15.00 16.30		40	938	110 63 00000
9	0116	0236	MC 3505001	1 1	15.00 16.30		40	938	110 63 00000
	0116	0236	MC 3333004	1 1	16.30 18.00		30	938	110 63 00000
9	0116	0236	MC 3333004	1 1	16.30 18.00		30	938	110 63 00000
	0116	0324	SPAN4602001	1 1	13.30 15.00		12	520	110 35 00000
9	0116	0324	SPAN4602001	1 1	13.30 15.00		12	520	110 35 00000
	0116	0336	SPAN4003001	1	16.30 17.30		1	300	350 20 00000
9	0116	0336	SPAN4003001	1	16.30 17.30		1	300	350 20 00000
	0116	0424	CMST2060006	1 1 1	8.30 9.30		24	520	110 35 00000
9	0116	0424	CMST2060006	1 1 1	8.30 9.30		24	520	110 35 00000
	0116	0424	SPAN3071001	1 1	9.00 10.30		20	520	110 35 00000
9	0116	0424	SPAN3071001	1 1	9.00 10.30		20	520	110 35 00000
	0116	0424	SPAN2155003	1 1	12.00 13.30		20	520	110 35 00000
9	0116	0424	SPAN2155003	1 1	12.00 13.30		20	520	110 35 00000
	0116	0424	FREN2155002	1 1	13.30 15.00		16	520	110 35 00000
9	0116	0424	FREN2155002	1 1	13.30 15.00		16	520	110 35 00000
	0116	0424	SPAN7946001	1	16.30 19.30		7	520	110 35 00000
9	0116	0424	SPAN7946001	1	16.30 19.30		7	520	110 35 00000
	0116	0434	FREN4030001	1 1	10.30 12.00		6	270	110 20 00000
9	0116	0434	FREN4030001	1 1	10.30 12.00		6	270	110 20 00000
	0116	0434	FREN7960001	1 1	12.00 13.30		11	270	110 20 00000
9	0116	0434	FREN7960001	1 1	12.00 13.30		11	270	110 20 00000
	0116	0434	FREN7962001	1	15.00 18.00		3	270	110 20 00000
9	0116	0434	FREN7962001	1	15.00 18.00		3	270	110 20 00000
	0116	0436	FREN7052001	1	15.00 18.00		4	300	110 20 00000
9	0116	0436	FREN7052001	1	15.00 18.00		4	300	110 20 00000
	0116	0436	FREN7100001	1	15.00 18.00		7	300	110 20 00000
9	0116	0436	FREN7100001	1	15.00 18.00		7	300	110 20 00000
	0116	B0012	MC 7201001	1	9.30 12.30		7	559	140 20 00000
9	0116	B0012	MC 7201001	1	9.30 12.30		7	559	140 20 00000
	0116	B0012	MC 4280001	1	13.30 15.30		10	559	140 20 00000
9	0116	B0012	MC 4280001	1	13.30 15.30		10	559	140 20 00000
	0116	B0012	MC 4280001	1	13.30 15.30		10	559	140 20 00000
9	0116	B0012	MC 4280001	1	13.30 15.30		10	559	140 20 00000
	0117	0001	SW 7505001	1	8.30 11.30		33	780	110 49 00000
9	0117	0001	SW 7505001	1	8.30 11.30		33	780	110 49 00000
	0117	0001	ENGL1001010	1 1	9.00 10.30		19	780	110 49 00000
9	0117	0001	ENGL1001010	1 1	9.00 10.30		19	780	110 49 00000
	0117	0001	SW 7202001	1	12.30 15.30		5	780	110 49 00000
9	0117	0001	SW 7202001	1	12.30 15.30		5	780	110 49 00000
	0117	0001	OCS 1005004	1 1	13.30 15.00		18	780	110 49 00000
9	0117	0001	OCS 1005004	1 1	13.30 15.00		18	780	110 49 00000
8	0117	0019	KIN 3534003	1	7.30 9.30		20	598	210 12 00000
89	0117	0019	KIN 3534003	1	7.30 9.30		20	598	210 12 00000
	0117	0019	KIN 3534004	1	9.30 11.30		17	598	210 12 00000
89	0117	0019	KIN 3534004	1	9.30 11.30		17	598	210 12 00000
	0117	0019	KIN 3534005	1	11.30 13.30		18	598	210 12 00000
89	0117	0019	KIN 3534005	1	11.30 13.30		18	598	210 12 00000
8	0117	0019	KIN 3534001	1	13.30 15.30		22	598	210 12 00000
89	0117	0019	KIN 3534001	1	13.30 15.30		22	598	210 12 00000
8	0117	0019	KIN 3534002	1	13.30 15.30		23	598	210 12 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 30

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0117	0019	KIN 3534002	1	13.30 15.30		23	598	210 12 00000
	0117	0019	KIN 3534006	1	13.30 15.30		14	598	210 12 00000
89	0117	0019	KIN 3534006	1	13.30 15.30		14	598	210 12 00000
	0117	0020	ART 1360002	1 1	8.30 11.30		18	3,450	210 69 00000
9	0117	0020	ART 1360002	1 1	8.30 11.30		18	3,450	210 69 00000
	0117	0020	ART 2381001	1 1	9.00 12.00		1	3,450	210 69 00000
9	0117	0020	ART 2381001	1 1	9.00 12.00		1	3,450	210 69 00000
	0117	0020	ART 4381001	1 1	9.00 12.00	1	7	3,450	210 69 00000
9	0117	0020	ART 4381001	1 1	9.00 12.00		7	3,450	210 69 00000
	0117	0020	ART 1360001	1 1	12.00 15.00		16	3,450	210 69 00000
9	0117	0020	ART 1360001	1 1	12.00 15.00		16	3,450	210 69 00000
	0117	0020	ART 2360001	1 1	12.30 15.30		12	3,450	210 69 00000
9	0117	0020	ART 2360001	1 1	12.30 15.30		12	3,450	210 69 00000
	0117	0020	ART 2361001	1 1	12.30 15.30	1	1	3,450	210 69 00000
9	0117	0020	ART 2361001	1 1	12.30 15.30		1	3,450	210 69 00000
	0117	0020	ART 1360003	1 1	15.00 18.00		18	3,450	210 69 00000
9	0117	0020	ART 1360003	1 1	15.00 18.00		18	3,450	210 69 00000
	0117	0020	ART 4300001	1 1	18.30 21.30		1	3,450	210 69 00000
9	0117	0020	ART 4300001	1 1	18.30 21.30		1	3,450	210 69 00000
	0117	0020	ART 4360001	1 1	18.30 21.30	1	3	3,450	210 69 00000
9	0117	0020	ART 4360001	1 1	18.30 21.30		3	3,450	210 69 00000
	0117	0020	ART 7300001	1 1	18.30 21.30	1	6	3,450	210 69 00000
9	0117	0020	ART 7300001	1 1	18.30 21.30		6	3,450	210 69 00000
8	0117	0022	KIN 2504001	1 1	7.30 8.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504001	1 1	7.30 8.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504010	1 1	7.30 8.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504010	1 1	7.30 8.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504002	1 1	8.30 9.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504002	1 1	8.30 9.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504011	1 1	9.00 10.00		26	1,633	210 10 00000
89	0117	0022	KIN 2504011	1 1	9.00 10.00		26	1,633	210 10 00000
8	0117	0022	KIN 2504003	1 1	9.30 10.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504003	1 1	9.30 10.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504004	1 1	10.30 11.30		26	1,633	210 10 00000
89	0117	0022	KIN 2504004	1 1	10.30 11.30		26	1,633	210 10 00000
8	0117	0022	KIN 2504005	1 1	11.30 12.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504005	1 1	11.30 12.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504012	1 1	12.00 13.00		27	1,633	210 10 00000
89	0117	0022	KIN 2504012	1 1	12.00 13.00		27	1,633	210 10 00000
8	0117	0022	KIN 2504006	1 1	12.30 13.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504006	1 1	12.30 13.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504007	1 1	13.30 14.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504007	1 1	13.30 14.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504008	1 1	14.30 15.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504008	1 1	14.30 15.30		27	1,633	210 10 00000
8	0117	0022	KIN 2504009	1 1	15.30 16.30		27	1,633	210 10 00000
89	0117	0022	KIN 2504009	1 1	15.30 16.30		27	1,633	210 10 00000
	0117	0026	KIN 3513002	1 1	9.00 10.30		66	1,736	110 116 00000
9	0117	0026	KIN 3513002	1 1	9.00 10.30		66	1,736	110 116 00000
	0117	0026	CLST2102001	1 1	12.00 13.30		53	1,736	110 116 00000
9	0117	0026	CLST2102001	1 1	12.00 13.30		53	1,736	110 116 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 31

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0117	0026	POLI2057005	1 1	15.00 16.30		49	1,736	110 116 00000
9	0117	0026	POLI2057005	1 1	15.00 16.30		49	1,736	110 116 00000
	0117	0064A	COMD7784001	1	13.00 16.00		7	440	110 29 00000
9	0117	0064A	COMD7784001	1	13.00 16.00		7	440	110 29 00000
	0117	0064A	COMD7784002	1	16.30 19.30		18	440	110 29 00000
9	0117	0064A	COMD7784002	1	16.30 19.30		18	440	110 29 00000
	0121	0106	BE 1251001	1	9.00 12.00		38	1,271	140 48 00000
89	0121	0106	BE 1251001	1	9.00 12.00		38	1,271	140 48 00000
	0121	0106	BE 1251002	1	9.30 12.30		17	1,271	140 48 00000
9	0121	0106	BE 1251002	1	9.30 12.30		17	1,271	140 48 00000
	0121	0106	BE 3320001	1	13.30 16.30		25	1,271	140 48 00000
9	0121	0106	BE 3320001	1	13.30 16.30		25	1,271	140 48 00000
	0121	0106	BE 3320002	1	13.30 16.30		28	1,271	140 48 00000
9	0121	0106	BE 3320002	1	13.30 16.30		28	1,271	140 48 00000
	0121	0106	BE 1251003	1	13.30 16.30		43	1,271	140 48 00000
89	0121	0106	BE 1251003	1	13.30 16.30		43	1,271	140 48 00000
	0121	0106	BE 1251004	1	13.30 16.30		44	1,271	140 48 00000
89	0121	0106	BE 1251004	1	13.30 16.30		44	1,271	140 48 00000
	0121	0140	BE 4303001	1	10.30 13.30		27	583	210 30 00000
89	0121	0140	BE 4303001	1	10.30 13.30		27	583	210 30 00000
	0121	0140	BE 4303003	1	10.30 13.30		10	583	210 30 00000
9	0121	0140	BE 4303003	1	10.30 13.30		10	583	210 30 00000
	0121	0140	BE 4303002	1	13.30 16.30		29	583	210 30 00000
89	0121	0140	BE 4303002	1	13.30 16.30		29	583	210 30 00000
	0123	0119	HORT2020001	1	13.30 14.30		11	650	110 43 00000
9	0123	0119	HORT2020001	1	13.30 14.30		11	650	110 43 00000
	0123	0119	CHEM4559001	1 1	13.30 15.00		14	650	110 43 00000
9	0123	0119	CHEM4559001	1 1	13.30 15.00		14	650	110 43 00000
	0123	0119	AEEE4102001	1	13.30 15.00		6	650	110 43 00000
9	0123	0119	AEEE4102001	1	13.30 15.00		6	650	110 43 00000
	0123	0119	AEEE4102001	1	13.30 15.00		6	650	110 43 00000
9	0123	0119	AEEE4102001	1	13.30 15.00		6	650	110 43 00000
	0123	0119	HORT2020001	1	14.30 16.30		11	650	110 43 00000
9	0123	0119	HORT2020001	1	14.30 16.30		11	650	110 43 00000
	0123	0132	HORT2086001	1 1	8.00 9.30		22	935	110 62 00000
9	0123	0132	HORT2086001	1 1	8.00 9.30		22	935	110 62 00000
	0123	0132	HORT4099001	1 1	12.30 13.30		18	935	110 62 00000
9	0123	0132	HORT4099001	1 1	12.30 13.30		18	935	110 62 00000
	0123	0132	AEEE4101001	1 1	13.30 15.00		9	935	110 62 00000
9	0123	0132	AEEE4101001	1 1	13.30 15.00		9	935	110 62 00000
	0123	0134	AEEE2819002	1 1	11.00 12.30		17	930	110 62 00000
9	0123	0134	AEEE2819002	1 1	11.00 12.30		17	930	110 62 00000
	0123	0134	AEEE2001001	1	11.00 13.00		20	930	110 62 00000
9	0123	0134	AEEE2001001	1	11.00 13.00		20	930	110 62 00000
	0123	0134	AEEE2001001	1	11.00 13.00		20	930	110 62 00000
9	0123	0134	AEEE2001001	1	11.00 13.00		20	930	110 62 00000
	0123	0232	HORT4083001	1 1	9.00 10.30		21	950	110 63 00000
9	0123	0232	HORT4083001	1 1	9.00 10.30		21	950	110 63 00000
	0123	0232	HORT2525001	1 1	10.30 12.00		18	950	110 63 00000
9	0123	0232	HORT2525001	1 1	10.30 12.00		18	950	110 63 00000
	0123	0241	AEEE4819001	1 1	10.00 11.30		2	921	210 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 32

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0123 0241	AEEE4819001	1 1	10.00 11.30		2	921	210 32	00000
	0178 0102	ANSC3053001	1	8.00 10.00		18	1,278	110 32	00000
9	0178 0102	ANSC3053001	1	8.00 10.00		18	1,278	110 32	00000
	0178 0102	ANSC3053001	1	8.00 10.00		18	1,278	110 32	00000
9	0178 0102	ANSC3053001	1	8.00 10.00		18	1,278	110 32	00000
	0185 0149A	ASST4001001	1	17.00 20.00		9	792	110 52	00000
9	0185 0149A	ASST4001001	1	17.00 20.00		9	792	110 52	00000
	0185 0149A	ASST3001001	1	17.00 20.00		13	792	110 52	00000
9	0185 0149A	ASST3001001	1	17.00 20.00		13	792	110 52	00000
	0185 0150	MILS2161001	1 1	7.30 8.30		20	783	110 52	00000
9	0185 0150	MILS2161001	1 1	7.30 8.30		20	783	110 52	00000
	0185 0150	MILS3011001	1 1	7.30 9.00		18	783	110 52	00000
9	0185 0150	MILS3011001	1 1	7.30 9.00		18	783	110 52	00000
	0185 0150	MILS1011001	1	14.00 15.00		26	783	110 52	00000
9	0185 0150	MILS1011001	1	14.00 15.00		26	783	110 52	00000
	0185 0152	MILS1010001	1	10.30 11.30		12	789	110 52	00000
9	0185 0152	MILS1010001	1	10.30 11.30		12	789	110 52	00000
	0185 0152	MILS1010001	1	10.30 11.30		12	789	110 52	00000
9	0185 0152	MILS1010001	1	10.30 11.30		12	789	110 52	00000
	0185 0152	MILS1010002	1	11.30 12.30		12	789	110 52	00000
9	0185 0152	MILS1010002	1	11.30 12.30		12	789	110 52	00000
	0185 0152	MILS1010002	1	11.30 12.30		12	789	110 52	00000
9	0185 0152	MILS1010002	1	11.30 12.30		12	789	110 52	00000
	0185 0152	MILS1011001	1	15.00 16.30		26	789	110 52	00000
9	0185 0152	MILS1011001	1	15.00 16.30		26	789	110 52	00000
	0185 0152	MILS2161001	1	15.00 16.30	1	20	789	110 52	00000
89	0185 0152	MILS2161001	1	15.00 16.30		20	789	110 52	00000
8	0185 0152	MILS3011001	1	15.00 16.30	1	18	789	110 52	00000
89	0185 0152	MILS3011001	1	15.00 16.30		18	789	110 52	00000
	0185 0250	MILS4011001	1 1	8.30 10.00		11	787	110 52	00000
9	0185 0250	MILS4011001	1 1	8.30 10.00		11	787	110 52	00000
	0185 0250	MILS4011001	1	15.00 16.30		11	787	110 52	00000
9	0185 0250	MILS4011001	1	15.00 16.30		11	787	110 52	00000
	0197 0001	MUS 3771001	1 1	9.00 10.30		19	3,265	210 300	00000
9	0197 0001	MUS 3771001	1 1	9.00 10.30		19	3,265	210 300	00000
	0197 0001	MUS 3771002	1 1	10.30 12.00		13	3,265	210 300	00000
9	0197 0001	MUS 3771002	1 1	10.30 12.00		13	3,265	210 300	00000
	0197 0001	MUS 4251001	1 1 1	12.30 14.30		50	3,265	210 300	00000
9	0197 0001	MUS 4251001	1 1 1	12.30 14.30		50	3,265	210 300	00000
	0197 0001	MUS 3146001	1	14.30 15.30		5	3,265	210 300	00000
9	0197 0001	MUS 3146001	1	14.30 15.30		5	3,265	210 300	00000
	0197 0001	MUS 3148001	1	14.30 15.30	1	10	3,265	210 300	00000
9	0197 0001	MUS 3148001	1	14.30 15.30		10	3,265	210 300	00000
	0197 0001	MUS 7046001	1	14.30 15.30	1	1	3,265	210 300	00000
9	0197 0001	MUS 7046001	1	14.30 15.30		1	3,265	210 300	00000
	0197 0001	MUS 7048001	1	14.30 15.30	1	3	3,265	210 300	00000
9	0197 0001	MUS 7048001	1	14.30 15.30		3	3,265	210 300	00000
	0212 0126	ART 1662001	1 1	8.30 11.30		16	2,106	210 48	00000
9	0212 0126	ART 1662001	1 1	8.30 11.30		16	2,106	210 48	00000
	0212 0126	ART 2661001	1 1	9.00 12.00		9	2,106	210 48	00000
9	0212 0126	ART 2661001	1 1	9.00 12.00		9	2,106	210 48	00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 33

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0212	0126	ART 1661001	1 1	12.00 15.00		16	2,106	210 48 00000
9	0212	0126	ART 1661001	1 1	12.00 15.00		16	2,106	210 48 00000
	0212	0126	ART 4661001	1 1	12.30 15.30		6	2,106	210 48 00000
9	0212	0126	ART 4661001	1 1	12.30 15.30		6	2,106	210 48 00000
	0212	0126	ART 1662002	1 1	15.00 18.00		16	2,106	210 48 00000
9	0212	0126	ART 1662002	1 1	15.00 18.00		16	2,106	210 48 00000
	0212	0126	ART 7600001	1 1	15.30 18.30		7	2,106	210 48 00000
9	0212	0126	ART 7600001	1 1	15.30 18.30		7	2,106	210 48 00000
	0212	0149	CE 7335001	1 1	10.00 11.30		6	550	110 36 00000
9	0212	0149	CE 7335001	1 1	10.00 11.30		6	550	110 36 00000
	0213	0151	TAM 7030001	1 1	8.30 10.30		3	457	110 4 00000
9	0213	0151	TAM 7030001	1 1	8.30 10.30		3	457	110 4 00000
	0213	0151	TAM 7030001	1	10.30 11.30		3	457	110 4 00000
9	0213	0151	TAM 7030001	1	10.30 11.30		3	457	110 4 00000
	0213	0152	TAM 3091001	1 1	8.30 10.30		1	684	110 46 00000
9	0213	0152	TAM 3091001	1 1	8.30 10.30		1	684	110 46 00000
	0213	0152	TAM 3091001	1	10.30 11.30		1	684	110 46 00000
9	0213	0152	TAM 3091001	1	10.30 11.30		1	684	110 46 00000
	0213	0244	TAM 2037001	1 1	8.00 11.00		19	1,460	210 29 00000
9	0213	0244	TAM 2037001	1 1	8.00 11.00		19	1,460	210 29 00000
	0213	0244	TAM 3037001	1 1	9.00 12.00		17	1,460	210 29 00000
9	0213	0244	TAM 3037001	1 1	9.00 12.00		17	1,460	210 29 00000
	0213	0244	TAM 2037002	1 1	13.00 16.00		15	1,460	210 29 00000
9	0213	0244	TAM 2037002	1 1	13.00 16.00		15	1,460	210 29 00000
	0213	0244	TAM 4037001	1 1	13.00 16.00		12	1,460	210 29 00000
9	0213	0244	TAM 4037001	1 1	13.00 16.00		12	1,460	210 29 00000
	0213	0247	TAM 4034001	1 1	9.00 10.00		17	938	110 60 00000
9	0213	0247	TAM 4034001	1 1	9.00 10.00		17	938	110 60 00000
	0213	0247	TAM 4034001	1	10.00 12.00		17	938	110 60 00000
9	0213	0247	TAM 4034001	1	10.00 12.00		17	938	110 60 00000
	0213	0247	TAM 2032001	1 1	12.00 14.00		18	938	110 60 00000
9	0213	0247	TAM 2032001	1 1	12.00 14.00		18	938	110 60 00000
	0213	0247	TAM 2032001	1	14.00 15.00		18	938	110 60 00000
9	0213	0247	TAM 2032001	1	14.00 15.00		18	938	110 60 00000
	0213	0251	TAM 4043001	1 1	12.00 13.00		19	916	210 60 00000
9	0213	0251	TAM 4043001	1 1	12.00 13.00		19	916	210 60 00000
	0213	0251	TAM 4043001	1	13.00 15.00		19	916	210 60 00000
9	0213	0251	TAM 4043001	1	13.00 15.00		19	916	210 60 00000
	0221	0250	MUS 4261001	1 1	12.00 14.00		67	10,060	110 800 00000
9	0221	0250	MUS 4261001	1 1	12.00 14.00		67	10,060	110 800 00000
	0221	0250	MUS 4236001	1 1 1	12.30 14.30		44	10,060	110 800 00000
9	0221	0250	MUS 4236001	1 1 1	12.30 14.30		44	10,060	110 800 00000
	0221	0250	MUS 4253001	1 1	14.00 16.00		17	10,060	110 800 00000
9	0221	0250	MUS 4253001	1 1	14.00 16.00		17	10,060	110 800 00000
	0221	0250	MUS 4233001	1 1 1	14.30 15.30		52	10,060	110 800 00000
9	0221	0250	MUS 4233001	1 1 1	14.30 15.30		52	10,060	110 800 00000
	0221	0250	MUS 4232001	1 1 1	15.30 16.30		18	10,060	110 800 00000
9	0221	0250	MUS 4232001	1 1 1	15.30 16.30		18	10,060	110 800 00000
	0221	0329	MATH1431001	1	8.30 9.30		31	2,494	110 240 00000
9	0221	0329	MATH1431001	1	8.30 9.30		31	2,494	110 240 00000
	0221	0329	MATH1431011	1	8.30 9.30		33	2,494	110 240 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 34

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0221	0329	MATH1431011	1	8.30 9.30		33	2,494	110 240 00000
	0221	0329	MATH1431002	1	9.30 10.30		35	2,494	110 240 00000
9	0221	0329	MATH1431002	1	9.30 10.30		35	2,494	110 240 00000
	0221	0329	MATH1431008	1	9.30 10.30		33	2,494	110 240 00000
9	0221	0329	MATH1431008	1	9.30 10.30		33	2,494	110 240 00000
	0221	0329	MATH1431012	1	9.30 10.30		35	2,494	110 240 00000
9	0221	0329	MATH1431012	1	9.30 10.30		35	2,494	110 240 00000
	0221	0329	MATH1431017	1	9.30 10.30		35	2,494	110 240 00000
9	0221	0329	MATH1431017	1	9.30 10.30		35	2,494	110 240 00000
	0221	0329	MATH1431003	1	10.30 11.30		34	2,494	110 240 00000
9	0221	0329	MATH1431003	1	10.30 11.30		34	2,494	110 240 00000
	0221	0329	MATH1431009	1	10.30 11.30		35	2,494	110 240 00000
9	0221	0329	MATH1431009	1	10.30 11.30		35	2,494	110 240 00000
	0221	0329	MATH1431013	1	10.30 11.30		35	2,494	110 240 00000
9	0221	0329	MATH1431013	1	10.30 11.30		35	2,494	110 240 00000
	0221	0329	MATH1431018	1	10.30 11.30		36	2,494	110 240 00000
9	0221	0329	MATH1431018	1	10.30 11.30		36	2,494	110 240 00000
	0221	0329	MATH1431004	1	11.30 12.30		35	2,494	110 240 00000
9	0221	0329	MATH1431004	1	11.30 12.30		35	2,494	110 240 00000
	0221	0329	MATH1431014	1	11.30 12.30		35	2,494	110 240 00000
9	0221	0329	MATH1431014	1	11.30 12.30		35	2,494	110 240 00000
	0221	0329	MATH1431005	1	12.30 13.30		32	2,494	110 240 00000
9	0221	0329	MATH1431005	1	12.30 13.30		32	2,494	110 240 00000
	0221	0329	MATH1431015	1	12.30 13.30		34	2,494	110 240 00000
9	0221	0329	MATH1431015	1	12.30 13.30		34	2,494	110 240 00000
	0221	0329	MATH1431023	1	12.30 13.30		33	2,494	110 240 00000
9	0221	0329	MATH1431023	1	12.30 13.30		33	2,494	110 240 00000
	0221	0329	MATH1431006	1	13.30 14.30		35	2,494	110 240 00000
9	0221	0329	MATH1431006	1	13.30 14.30		35	2,494	110 240 00000
	0221	0329	MATH1431010	1	13.30 14.30		36	2,494	110 240 00000
9	0221	0329	MATH1431010	1	13.30 14.30		36	2,494	110 240 00000
	0221	0329	MATH1431016	1	13.30 14.30		34	2,494	110 240 00000
9	0221	0329	MATH1431016	1	13.30 14.30		34	2,494	110 240 00000
	0221	0329	MATH1431019	1	13.30 14.30		34	2,494	110 240 00000
9	0221	0329	MATH1431019	1	13.30 14.30		34	2,494	110 240 00000
	0221	0329	MATH1431024	1	13.30 14.30		33	2,494	110 240 00000
9	0221	0329	MATH1431024	1	13.30 14.30		33	2,494	110 240 00000
	0221	0329	MATH1431007	1	14.30 15.30		36	2,494	110 240 00000
9	0221	0329	MATH1431007	1	14.30 15.30		36	2,494	110 240 00000
	0221	0329	MATH1431020	1	14.30 15.30		32	2,494	110 240 00000
9	0221	0329	MATH1431020	1	14.30 15.30		32	2,494	110 240 00000
	0240	0029	HIST1001005	1 1	12.00 13.30		24	1,375	110 60 00000
9	0240	0029	HIST1001005	1 1	12.00 13.30		24	1,375	110 60 00000
	0253	0140	ME 4243001	1	12.30 14.30		17	2,100	110 49 00000
9	0253	0140	ME 4243001	1	12.30 14.30		17	2,100	110 49 00000
	0253	0140	ME 2212001	1	15.00 16.00		46	2,100	110 49 00000
89	0253	0140	ME 2212001	1	15.00 16.00		46	2,100	110 49 00000
	0253	0140	ME 2212001	1	15.00 17.00		46	2,100	110 49 00000
89	0253	0140	ME 2212001	1	15.00 17.00		46	2,100	110 49 00000
	0253	0140	ME 2212003	1	16.30 17.30		50	2,100	110 49 00000
89	0253	0140	ME 2212003	1	16.30 17.30		50	2,100	110 49 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 35

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0253	0140	ME 2212003	1	17.00 19.00		50	2,100	110 49 00000
89	0253	0140	ME 2212003	1	17.00 19.00		50	2,100	110 49 00000
	0266	0002	MATH1550006	1	9.30 10.30		35	3,223	110 386 00000
9	0266	0002	MATH1550006	1	9.30 10.30		35	3,223	110 386 00000
	0266	0002	MATH1550011	1	10.30 11.30		38	3,223	110 386 00000
9	0266	0002	MATH1550011	1	10.30 11.30		38	3,223	110 386 00000
	0266	0002	MATH1550016	1	11.30 12.30		39	3,223	110 386 00000
9	0266	0002	MATH1550016	1	11.30 12.30		39	3,223	110 386 00000
	0266	0002	MATH1550027	11111	12.30 13.30		39	3,223	110 386 00000
9	0266	0002	MATH1550027	11111	12.30 13.30		39	3,223	110 386 00000
	0266	0002	MATH1550030	11111	13.30 14.30		40	3,223	110 386 00000
9	0266	0002	MATH1550030	11111	13.30 14.30		40	3,223	110 386 00000
	0266	0005	MATH1550020	11111	8.30 9.30		40	1,892	110 193 00000
9	0266	0005	MATH1550020	11111	8.30 9.30		40	1,892	110 193 00000
	0266	0005	EE 2741001	1 1	10.30 11.30		16	1,892	110 193 00000
9	0266	0005	EE 2741001	1 1	10.30 11.30		16	1,892	110 193 00000
	0266	0005	EE 2741002	1 1	10.30 11.30	1	17	1,892	110 193 00000
9	0266	0005	EE 2741002	1 1	10.30 11.30	1	17	1,892	110 193 00000
	0266	0005	EE 2741003	1 1	10.30 11.30	1	7	1,892	110 193 00000
9	0266	0005	EE 2741003	1 1	10.30 11.30	1	7	1,892	110 193 00000
	0266	0005	EE 2741004	1 1	10.30 11.30	1	18	1,892	110 193 00000
9	0266	0005	EE 2741004	1 1	10.30 11.30	1	18	1,892	110 193 00000
	0266	0005	EE 2741005	1 1	10.30 11.30	1	9	1,892	110 193 00000
9	0266	0005	EE 2741005	1 1	10.30 11.30	1	9	1,892	110 193 00000
	0266	0005	MATH1550024	11111	12.30 13.30		40	1,892	110 193 00000
9	0266	0005	MATH1550024	11111	12.30 13.30		40	1,892	110 193 00000
	0266	0005	SCI 1001032	1	15.00 16.30		31	1,892	110 193 00000
9	0266	0005	SCI 1001032	1	15.00 16.30		31	1,892	110 193 00000
	0266	0006	MATH1550010	1	10.30 11.30		39	1,867	110 193 00000
9	0266	0006	MATH1550010	1	10.30 11.30		39	1,867	110 193 00000
	0266	0006	CHE 2176001	1 1	12.00 13.30		65	1,867	110 193 00000
9	0266	0006	CHE 2176001	1 1	12.00 13.30		65	1,867	110 193 00000
	0266	0006	MATH1550033	11111	13.30 14.30		38	1,867	110 193 00000
9	0266	0006	MATH1550033	11111	13.30 14.30		38	1,867	110 193 00000
	0266	0006	MATH1551004	11111	14.30 15.30		24	1,867	110 193 00000
9	0266	0006	MATH1551004	11111	14.30 15.30		24	1,867	110 193 00000
	0266	0006	GERM2075001	1 1	16.30 18.00		10	1,867	110 193 00000
9	0266	0006	GERM2075001	1 1	16.30 18.00		10	1,867	110 193 00000
	0266	0006	HIST2075002	1 1	16.30 18.00	1	13	1,867	110 193 00000
9	0266	0006	HIST2075002	1 1	16.30 18.00	1	13	1,867	110 193 00000
	0266	0009	MATH1550004	1	9.30 10.30		38	1,252	110 178 00000
9	0266	0009	MATH1550004	1	9.30 10.30		38	1,252	110 178 00000
	0266	0009	ENVS4268001	1 1 1	10.30 11.30		1	1,252	110 178 00000
9	0266	0009	ENVS4268001	1 1 1	10.30 11.30		1	1,252	110 178 00000
	0266	0009	OCS 4268001	1 1 1	10.30 11.30	1	5	1,252	110 178 00000
9	0266	0009	OCS 4268001	1 1 1	10.30 11.30	1	5	1,252	110 178 00000
	0266	0009	RNR 4268001	1 1 1	10.30 11.30	1	9	1,252	110 178 00000
9	0266	0009	RNR 4268001	1 1 1	10.30 11.30	1	9	1,252	110 178 00000
	0266	0009	CSC 1253002	1 1	12.00 13.30		62	1,252	110 178 00000
9	0266	0009	CSC 1253002	1 1	12.00 13.30		62	1,252	110 178 00000
	0266	0010	CSC 1253001	1 1	9.00 10.30		77	1,252	110 178 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 36

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0010	CSC 1253001	1 1	9.00 10.30		77	1,252	110 178 00000
	0266	0010	MATH1550005	1	9.30 10.30		38	1,252	110 178 00000
9	0266	0010	MATH1550005	1	9.30 10.30		38	1,252	110 178 00000
	0266	0010	MATH1550009	1	10.30 11.30		39	1,252	110 178 00000
9	0266	0010	MATH1550009	1	10.30 11.30		39	1,252	110 178 00000
	0266	0010	MATH1552004	1111	13.30 14.30		40	1,252	110 178 00000
9	0266	0010	MATH1552004	1111	13.30 14.30		40	1,252	110 178 00000
	0266	0015	MATH4031001	1 1 1	9.30 10.30		22	1,954	110 193 00000
9	0266	0015	MATH4031001	1 1 1	9.30 10.30		22	1,954	110 193 00000
	0266	0015	MATH1550015	1	11.30 12.30		37	1,954	110 193 00000
9	0266	0015	MATH1550015	1	11.30 12.30		37	1,954	110 193 00000
	0266	0015	MATH1550029	11111	13.30 14.30		40	1,954	110 193 00000
9	0266	0015	MATH1550029	11111	13.30 14.30		40	1,954	110 193 00000
	0266	0015	PETE3050001	1 1 1	15.30 16.30		57	1,954	110 193 00000
9	0266	0015	PETE3050001	1 1 1	15.30 16.30		57	1,954	110 193 00000
	0266	0015	MATH1552005	1 1	16.30 18.30		40	1,954	110 193 00000
9	0266	0015	MATH1552005	1 1	16.30 18.30		40	1,954	110 193 00000
	0266	0016	MATH1550026	11111	9.30 10.30		34	1,978	110 193 00000
9	0266	0016	MATH1550026	11111	9.30 10.30		34	1,978	110 193 00000
	0266	0016	MATH1550014	1	11.30 12.30		39	1,978	110 193 00000
9	0266	0016	MATH1550014	1	11.30 12.30		39	1,978	110 193 00000
	0266	0016	MATH2070002	1111	13.30 14.30		54	1,978	110 193 00000
9	0266	0016	MATH2070002	1111	13.30 14.30		54	1,978	110 193 00000
	0266	0111	ARAB2101001	1 1 1	9.30 10.30		12	467	110 31 00000
9	0266	0111	ARAB2101001	1 1 1	9.30 10.30		12	467	110 31 00000
	0266	0111	ARAB2101002	1 1 1	10.30 11.30		18	467	110 31 00000
9	0266	0111	ARAB2101002	1 1 1	10.30 11.30		18	467	110 31 00000
	0266	0111	HNRS3000001	1 1	10.30 12.00		22	467	110 31 00000
9	0266	0111	HNRS3000001	1 1	10.30 12.00		22	467	110 31 00000
	0266	0111	ENVS4264001	1 1	16.30 18.00		9	467	110 31 00000
9	0266	0111	ENVS4264001	1 1	16.30 18.00		9	467	110 31 00000
	0266	0112	SPAN1152003	1111	9.30 10.30		25	569	110 40 00000
9	0266	0112	SPAN1152003	1111	9.30 10.30		25	569	110 40 00000
	0266	0112	MATH7590001	1 1	10.30 12.00		10	569	110 40 00000
9	0266	0112	MATH7590001	1 1	10.30 12.00		10	569	110 40 00000
	0266	0112	AGEC2700002	1	11.30 12.30		18	569	110 40 00000
9	0266	0112	AGEC2700002	1	11.30 12.30		18	569	110 40 00000
	0266	0113	MATH6303001	1	16.30 18.30		5	473	110 32 00000
9	0266	0113	MATH6303001	1	16.30 18.30		5	473	110 32 00000
	0266	0114	LATN2053001	1 1 1	9.30 10.30		14	564	110 40 00000
9	0266	0114	LATN2053001	1 1 1	9.30 10.30		14	564	110 40 00000
	0266	0114	GREK1001001	1111	10.30 11.30		9	564	110 40 00000
9	0266	0114	GREK1001001	1111	10.30 11.30		9	564	110 40 00000
	0266	0114	SPAN1102006	1111	11.30 12.30		23	564	110 40 00000
9	0266	0114	SPAN1102006	1111	11.30 12.30		23	564	110 40 00000
	0266	0114	MATH3050001	11111	14.30 15.30		11	564	110 40 00000
9	0266	0114	MATH3050001	11111	14.30 15.30		11	564	110 40 00000
	0266	0116	ENGL1001041	1 1 1	9.30 10.30		19	582	110 40 00000
9	0266	0116	ENGL1001041	1 1 1	9.30 10.30		19	582	110 40 00000
	0266	0116	SPAN1102005	1111	11.30 12.30		24	582	110 40 00000
9	0266	0116	SPAN1102005	1111	11.30 12.30		24	582	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 37

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0266	0116	HSS 1000042	1	15.00 16.00		16	582	110 40 0000
9	0266	0116	HSS 1000042	1	15.00 16.00		16	582	110 40 0000
	0266	0130	ELRC4364001	1	16.30 19.30		16	331	110 22 0000
9	0266	0130	ELRC4364001	1	16.30 19.30		16	331	110 22 0000
	0266	0132	ITAL2102001	1 1	10.30 12.00		10	453	110 31 0000
9	0266	0132	ITAL2102001	1 1	10.30 12.00		10	453	110 31 0000
	0266	0132	MATH4020001	1 1	13.30 15.00		12	453	110 31 0000
9	0266	0132	MATH4020001	1 1	13.30 15.00		12	453	110 31 0000
	0266	0134	ENGL1004007	1 1 1	9.30 10.30		13	590	110 39 0000
9	0266	0134	ENGL1004007	1 1 1	9.30 10.30		13	590	110 39 0000
	0266	0136	SPAN1102003	1111	9.30 10.30		24	560	110 40 0000
9	0266	0136	SPAN1102003	1111	9.30 10.30		24	560	110 40 0000
	0266	0138	SPAN1102002	1111	9.30 10.30		24	562	110 40 0000
9	0266	0138	SPAN1102002	1111	9.30 10.30		24	562	110 40 0000
	0266	0138	HSS 1000026	1	10.30 11.30		18	562	110 40 0000
9	0266	0138	HSS 1000026	1	10.30 11.30		18	562	110 40 0000
	0266	0138	EDCI4460001	1	12.30 14.30		14	562	110 40 0000
9	0266	0138	EDCI4460001	1	12.30 14.30		14	562	110 40 0000
	0266	0232	MATH7390002	1 1 1	8.30 9.30		3	601	110 42 0000
9	0266	0232	MATH7390002	1 1 1	8.30 9.30		3	601	110 42 0000
	0266	0232	MATH7510001	1 1 1	10.30 11.30		13	601	110 42 0000
9	0266	0232	MATH7510001	1 1 1	10.30 11.30		13	601	110 42 0000
	0266	0232	MATH7290001	1 1	10.30 12.00		8	601	110 42 0000
9	0266	0232	MATH7290001	1 1	10.30 12.00		8	601	110 42 0000
	0266	0232	MATH7230001	1 1 1	11.30 12.30		7	601	110 42 0000
9	0266	0232	MATH7230001	1 1 1	11.30 12.30		7	601	110 42 0000
	0266	0232	MATH4997002	1 1	12.00 13.30		10	601	110 42 0000
9	0266	0232	MATH4997002	1 1	12.00 13.30		10	601	110 42 0000
	0266	0232	MATH7240001	1 1	13.30 15.00		9	601	110 42 0000
9	0266	0232	MATH7240001	1 1	13.30 15.00		9	601	110 42 0000
	0266	0232	MATH7384002	1 1 1	14.30 15.30		9	601	110 42 0000
9	0266	0232	MATH7384002	1 1 1	14.30 15.30		9	601	110 42 0000
	0266	0235	HSS 1000052	1	11.30 12.30		16	627	110 41 0000
9	0266	0235	HSS 1000052	1	11.30 12.30		16	627	110 41 0000
	0266	0237	SPAN1101008	1111	9.30 10.30		25	622	110 40 0000
9	0266	0237	SPAN1101008	1111	9.30 10.30		25	622	110 40 0000
	0266	0237	SPAN1152005	1111	10.30 11.30		23	622	110 40 0000
9	0266	0237	SPAN1152005	1111	10.30 11.30		23	622	110 40 0000
	0266	0237	FREN1001014	1111	12.30 13.30		18	622	110 40 0000
9	0266	0237	FREN1001014	1111	12.30 13.30		18	622	110 40 0000
	0266	0237	FREN1001015	1111	13.30 14.30		18	622	110 40 0000
9	0266	0237	FREN1001015	1111	13.30 14.30		18	622	110 40 0000
	0266	0237	FREN1001018	1111	14.30 15.30		13	622	110 40 0000
9	0266	0237	FREN1001018	1111	14.30 15.30		13	622	110 40 0000
	0266	0239	COMD7382001	1	8.00 11.00		14	628	110 40 0000
9	0266	0239	COMD7382001	1	8.00 11.00		14	628	110 40 0000
	0266	0239	HSS 1000019	1	10.30 11.30		18	628	110 40 0000
9	0266	0239	HSS 1000019	1	10.30 11.30		18	628	110 40 0000
	0266	0239	HSS 1000028	1	11.30 12.30		15	628	110 40 0000
9	0266	0239	HSS 1000028	1	11.30 12.30		15	628	110 40 0000
	0266	0239	FREN3080001	1 1	13.30 15.00		6	628	110 40 0000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 38

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0266	0239	FREN3080001	1 1	13.30 15.00		6	628	110 40 00000
	0266	0240	MATH4153001	1 1 1	10.30 11.30		8	482	110 32 00000
9	0266	0240	MATH4153001	1 1 1	10.30 11.30		8	482	110 32 00000
	0266	0240	MATH4019001	1	12.30 13.30		7	482	110 32 00000
9	0266	0240	MATH4019001	1	12.30 13.30		7	482	110 32 00000
	0266	0241	FREN1001005	1111	9.30 10.30		18	685	110 46 00000
9	0266	0241	FREN1001005	1111	9.30 10.30		18	685	110 46 00000
	0266	0243	FREN1002004	1111	9.30 10.30		13	637	110 42 00000
9	0266	0243	FREN1002004	1111	9.30 10.30		13	637	110 42 00000
	0266	0243	MATH2025001	1 1 1	11.30 12.30		18	637	110 42 00000
9	0266	0243	MATH2025001	1 1 1	11.30 12.30		18	637	110 42 00000
	0266	0243	GREK2103001	1 1 1	12.30 13.30		4	637	110 42 00000
9	0266	0243	GREK2103001	1 1 1	12.30 13.30		4	637	110 42 00000
	0266	0243	EXST7142001	1 1	13.30 15.00		12	637	110 42 00000
9	0266	0243	EXST7142001	1 1	13.30 15.00		12	637	110 42 00000
	0266	0243	ANSC4050001	1 1	14.30 16.00		14	637	110 42 00000
9	0266	0243	ANSC4050001	1 1	14.30 16.00		14	637	110 42 00000
	0266	0244	MATH4019001	1	11.30 12.30		7	597	110 39 00000
9	0266	0244	MATH4019001	1	11.30 12.30		7	597	110 39 00000
	0266	0244	MATH4019001	1	12.30 13.30		7	597	110 39 00000
9	0266	0244	MATH4019001	1	12.30 13.30		7	597	110 39 00000
	0266	0276	AGEC2700003	1	11.30 12.30		15	594	110 41 00000
9	0266	0276	AGEC2700003	1	11.30 12.30		15	594	110 41 00000
	0266	0284	SPAN1101001	1111	7.30 8.30		25	602	110 40 00000
9	0266	0284	SPAN1101001	1111	7.30 8.30		25	602	110 40 00000
	0266	0284	SPAN1102001	1111	8.30 9.30		25	602	110 40 00000
9	0266	0284	SPAN1102001	1111	8.30 9.30		25	602	110 40 00000
	0266	0284	SPAN1101005	1111	9.30 10.30		25	602	110 40 00000
9	0266	0284	SPAN1101005	1111	9.30 10.30		25	602	110 40 00000
	0266	0284	SPAN1102004	1111	10.30 11.30		24	602	110 40 00000
9	0266	0284	SPAN1102004	1111	10.30 11.30		24	602	110 40 00000
	0266	0284	SPAN1101013	1111	11.30 12.30		24	602	110 40 00000
9	0266	0284	SPAN1101013	1111	11.30 12.30		24	602	110 40 00000
	0266	0284	SPAN1101019	1111	12.30 13.30		22	602	110 40 00000
9	0266	0284	SPAN1101019	1111	12.30 13.30		22	602	110 40 00000
	0266	0284	COMD7382002	1	13.00 16.00		14	602	110 40 00000
9	0266	0284	COMD7382002	1	13.00 16.00		14	602	110 40 00000
	0266	0284	SPAN1152010	1111	13.30 14.30		22	602	110 40 00000
9	0266	0284	SPAN1152010	1111	13.30 14.30		22	602	110 40 00000
	0273	0012	BIOL4161001	1	9.30 12.30		21	945	210 32 00000
9	0273	0012	BIOL4161001	1	9.30 12.30		21	945	210 32 00000
	0273	0012	BIOL4161004	1	9.30 12.30		21	945	210 32 00000
9	0273	0012	BIOL4161004	1	9.30 12.30		21	945	210 32 00000
	0273	0012	BIOL4161002	1	13.30 16.30		21	945	210 32 00000
9	0273	0012	BIOL4161002	1	13.30 16.30		21	945	210 32 00000
	0273	0012	BIOL4161003	1	13.30 16.30		21	945	210 32 00000
9	0273	0012	BIOL4161003	1	13.30 16.30		21	945	210 32 00000
	0273	0012	BIOL4161005	1	13.30 16.30		21	945	210 32 00000
9	0273	0012	BIOL4161005	1	13.30 16.30		21	945	210 32 00000
	0273	0110	ENTM7008004	1	10.00 12.00		4	962	210 36 00000
9	0273	0110	ENTM7008004	1	10.00 12.00		4	962	210 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 39

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0273	0110	ENTM7001001	1 1 1	13.00 14.00		10	962	210 36 00000
9	0273	0110	ENTM7001001	1 1 1	13.00 14.00		10	962	210 36 00000
	0273	0110	ENTM2001002	1	13.30 15.30		13	962	210 36 00000
9	0273	0110	ENTM2001002	1	13.30 15.30		13	962	210 36 00000
	0273	0110	ENTM7001001	1	14.00 16.00		10	962	210 36 00000
9	0273	0110	ENTM7001001	1	14.00 16.00		10	962	210 36 00000
	0273	0110	ENTM2001001	1	14.30 16.30		19	962	210 36 00000
9	0273	0110	ENTM2001001	1	14.30 16.30		19	962	210 36 00000
	0273	0111	BIOL4106001	1	11.30 14.30		15	689	210 45 00000
9	0273	0111	BIOL4106001	1	11.30 14.30		15	689	210 45 00000
	0273	0111	BIOL4106003	1	11.30 14.30		15	689	210 45 00000
9	0273	0111	BIOL4106003	1	11.30 14.30		15	689	210 45 00000
	0273	0111	BIOL4106004	1	11.30 14.30		10	689	210 45 00000
9	0273	0111	BIOL4106004	1	11.30 14.30		10	689	210 45 00000
	0273	0111	BIOL4154001	1	13.30 16.30		24	689	210 45 00000
9	0273	0111	BIOL4154001	1	13.30 16.30		24	689	210 45 00000
	0273	0111	BIOL4106002	1	14.30 17.30		15	689	210 45 00000
9	0273	0111	BIOL4106002	1	14.30 17.30		15	689	210 45 00000
	0273	0119	BIOL1209012	1	8.30 11.30		27	966	210 32 00000
89	0273	0119	BIOL1209012	1	8.30 11.30		27	966	210 32 00000
	0273	0119	BIOL1207001	1	9.00 12.00		22	966	210 32 00000
9	0273	0119	BIOL1207001	1	9.00 12.00		22	966	210 32 00000
	0273	0119	BIOL1209013	1	11.30 14.30		27	966	210 32 00000
89	0273	0119	BIOL1209013	1	11.30 14.30		27	966	210 32 00000
	0273	0119	BIOL1207002	1	12.00 15.00		21	966	210 32 00000
9	0273	0119	BIOL1207002	1	12.00 15.00		21	966	210 32 00000
	0273	0119	BIOL1209014	1	12.00 15.00		27	966	210 32 00000
89	0273	0119	BIOL1209014	1	12.00 15.00		27	966	210 32 00000
	0273	0119	BIOL1207003	1	14.30 17.30		20	966	210 32 00000
9	0273	0119	BIOL1207003	1	14.30 17.30		20	966	210 32 00000
	0273	0119	BIOL1209015	1	15.00 18.00		28	966	210 32 00000
89	0273	0119	BIOL1209015	1	15.00 18.00		28	966	210 32 00000
	0273	0119	BIOL1207004	1	17.30 20.30		22	966	210 32 00000
9	0273	0119	BIOL1207004	1	17.30 20.30		22	966	210 32 00000
	0273	0136	BIOL2051001	1 1	7.30 9.00		32	916	210 32 00000
89	0273	0136	BIOL2051001	1 1	7.30 9.00		32	916	210 32 00000
	0273	0136	BIOL2051008	1 1	7.30 9.00		32	916	210 32 00000
89	0273	0136	BIOL2051008	1 1	7.30 9.00		32	916	210 32 00000
	0273	0136	BIOL2051002	1 1	9.00 10.30		32	916	210 32 00000
89	0273	0136	BIOL2051002	1 1	9.00 10.30		32	916	210 32 00000
	0273	0136	BIOL2051009	1 1	9.00 10.30		32	916	210 32 00000
89	0273	0136	BIOL2051009	1 1	9.00 10.30		32	916	210 32 00000
	0273	0136	BIOL2051003	1 1	10.30 12.00		32	916	210 32 00000
89	0273	0136	BIOL2051003	1 1	10.30 12.00		32	916	210 32 00000
	0273	0136	BIOL2051010	1 1	10.30 12.00		32	916	210 32 00000
89	0273	0136	BIOL2051010	1 1	10.30 12.00		32	916	210 32 00000
	0273	0136	BIOL2051004	1 1	12.00 13.30		32	916	210 32 00000
89	0273	0136	BIOL2051004	1 1	12.00 13.30		32	916	210 32 00000
	0273	0136	BIOL2051011	1 1	12.00 13.30		32	916	210 32 00000
89	0273	0136	BIOL2051011	1 1	12.00 13.30		32	916	210 32 00000
	0273	0136	BIOL2051005	1 1	13.30 15.00		32	916	210 32 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 40

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0273	0136	BIOL2051005	1 1	13.30 15.00		32	916	210 32 00000
	0273	0136	BIOL2051012	1 1	13.30 15.00		32	916	210 32 00000
89	0273	0136	BIOL2051012	1 1	13.30 15.00		32	916	210 32 00000
	0273	0136	BIOL2051006	1 1	15.00 16.30		32	916	210 32 00000
89	0273	0136	BIOL2051006	1 1	15.00 16.30		32	916	210 32 00000
	0273	0136	BIOL2051013	1 1	15.00 16.30		32	916	210 32 00000
89	0273	0136	BIOL2051013	1 1	15.00 16.30		32	916	210 32 00000
	0273	0136	BIOL2051007	1 1	16.30 18.00		32	916	210 32 00000
89	0273	0136	BIOL2051007	1 1	16.30 18.00		32	916	210 32 00000
	0273	0136	BIOL2051014	1 1	16.30 18.00		32	916	210 32 00000
89	0273	0136	BIOL2051014	1 1	16.30 18.00		32	916	210 32 00000
	0273	0138	BIOL1012001	1 1	12.00 13.30		20	942	210 19 00000
89	0273	0138	BIOL1012001	1 1	12.00 13.30		20	942	210 19 00000
	0273	0138	BIOL1012002	1 1	13.30 15.00		15	942	210 19 00000
89	0273	0138	BIOL1012002	1 1	13.30 15.00		15	942	210 19 00000
	0273	0308	BIOL3060001	1	13.30 16.30		13	702	210 24 00000
9	0273	0308	BIOL3060001	1	13.30 16.30		13	702	210 24 00000
	0273	0501	BIOL4385002	1 1	9.00 12.00		15	950	210 24 00000
9	0273	0501	BIOL4385002	1 1	9.00 12.00		15	950	210 24 00000
	0273	0501	BIOL4385001	1 1	13.30 16.30		18	950	210 24 00000
9	0273	0501	BIOL4385001	1 1	13.30 16.30		18	950	210 24 00000
	0273	0536	BIOL3116001	1 1	8.30 11.30		24	943	210 28 00000
89	0273	0536	BIOL3116001	1 1	8.30 11.30		24	943	210 28 00000
	0273	0555	ENTM7020001	1	14.00 17.00		9	471	210 10 00000
89	0273	0555	ENTM7020001	1	14.00 17.00		9	471	210 10 00000
	0352	0103	CHEM1212017	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0103	CHEM1212017	1 1	10.30 12.30		15	542	210 16 00000
	0352	0103	CHEM1212053	1 1	10.30 12.30		12	542	210 16 00000
9	0352	0103	CHEM1212053	1 1	10.30 12.30		12	542	210 16 00000
	0352	0103	CHEM1212026	1 1	13.30 15.30		16	542	210 16 00000
89	0352	0103	CHEM1212026	1 1	13.30 15.30		16	542	210 16 00000
	0352	0107	CHEM1212016	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0107	CHEM1212016	1 1	10.30 12.30		16	542	210 16 00000
	0352	0107	CHEM1212052	1 1	10.30 12.30		14	542	210 16 00000
89	0352	0107	CHEM1212052	1 1	10.30 12.30		14	542	210 16 00000
	0352	0107	CHEM1212025	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0107	CHEM1212025	1 1	13.30 15.30		15	542	210 16 00000
	0352	0107	CHEM1212034	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0107	CHEM1212034	1 1	15.30 17.30		15	542	210 16 00000
	0352	0111	CHEM1212042	1 1	8.30 10.30		11	542	210 16 00000
9	0352	0111	CHEM1212042	1 1	8.30 10.30		11	542	210 16 00000
	0352	0111	CHEM1212015	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0111	CHEM1212015	1 1	10.30 12.30		16	542	210 16 00000
	0352	0111	CHEM1212051	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0111	CHEM1212051	1 1	10.30 12.30		15	542	210 16 00000
	0352	0111	CHEM1212024	1 1	13.30 15.30		13	542	210 16 00000
89	0352	0111	CHEM1212024	1 1	13.30 15.30		13	542	210 16 00000
	0352	0111	CHEM1212060	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0111	CHEM1212060	1 1	13.30 15.30		15	542	210 16 00000
	0352	0111	CHEM1212033	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0111	CHEM1212033	1 1	15.30 17.30		15	542	210 16 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 41

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0352	0125	CHEM1212005	1 1	8.30 10.30		12	542	210 16 00000
9	0352	0125	CHEM1212005	1 1	8.30 10.30		12	542	210 16 00000
	0352	0125	CHEM1212041	1 1	8.30 10.30		10	542	210 16 00000
9	0352	0125	CHEM1212041	1 1	8.30 10.30		10	542	210 16 00000
	0352	0125	CHEM1212014	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0125	CHEM1212014	1 1	10.30 12.30		16	542	210 16 00000
	0352	0125	CHEM1212050	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0125	CHEM1212050	1 1	10.30 12.30		15	542	210 16 00000
	0352	0125	CHEM1212023	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0125	CHEM1212023	1 1	13.30 15.30		15	542	210 16 00000
	0352	0125	CHEM1212059	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0125	CHEM1212059	1 1	13.30 15.30		15	542	210 16 00000
	0352	0125	CHEM1212032	1 1	15.30 17.30		16	542	210 16 00000
89	0352	0125	CHEM1212032	1 1	15.30 17.30		16	542	210 16 00000
	0352	0129	CHEM1212004	1 1	8.30 10.30		15	542	210 16 00000
89	0352	0129	CHEM1212004	1 1	8.30 10.30		15	542	210 16 00000
	0352	0129	CHEM1212040	1 1	8.30 10.30		15	542	210 16 00000
89	0352	0129	CHEM1212040	1 1	8.30 10.30		15	542	210 16 00000
	0352	0129	CHEM1212013	1 1	10.30 12.30		14	542	210 16 00000
89	0352	0129	CHEM1212013	1 1	10.30 12.30		14	542	210 16 00000
	0352	0129	CHEM1212049	1 1	10.30 12.30		13	542	210 16 00000
89	0352	0129	CHEM1212049	1 1	10.30 12.30		13	542	210 16 00000
	0352	0129	CHEM1212022	1 1	13.30 15.30		16	542	210 16 00000
89	0352	0129	CHEM1212022	1 1	13.30 15.30		16	542	210 16 00000
	0352	0129	CHEM1212058	1 1	13.30 15.30		10	542	210 16 00000
9	0352	0129	CHEM1212058	1 1	13.30 15.30		10	542	210 16 00000
	0352	0129	CHEM1212031	1 1	15.30 17.30		14	542	210 16 00000
89	0352	0129	CHEM1212031	1 1	15.30 17.30		14	542	210 16 00000
	0352	0132	CHEM1212003	1 1	8.30 10.30		15	542	210 16 00000
89	0352	0132	CHEM1212003	1 1	8.30 10.30		15	542	210 16 00000
	0352	0132	CHEM1212039	1 1	8.30 10.30		15	542	210 16 00000
89	0352	0132	CHEM1212039	1 1	8.30 10.30		15	542	210 16 00000
	0352	0132	CHEM1212012	1 1	10.30 12.30		13	542	210 16 00000
89	0352	0132	CHEM1212012	1 1	10.30 12.30		13	542	210 16 00000
	0352	0132	CHEM1212048	1 1	10.30 12.30		15	542	210 16 00000
89	0352	0132	CHEM1212048	1 1	10.30 12.30		15	542	210 16 00000
	0352	0132	CHEM1212021	1 1	13.30 15.30		16	542	210 16 00000
89	0352	0132	CHEM1212021	1 1	13.30 15.30		16	542	210 16 00000
	0352	0132	CHEM1212057	1 1	13.30 15.30		12	542	210 16 00000
9	0352	0132	CHEM1212057	1 1	13.30 15.30		12	542	210 16 00000
	0352	0132	CHEM1212030	1 1	15.30 17.30		15	542	210 16 00000
89	0352	0132	CHEM1212030	1 1	15.30 17.30		15	542	210 16 00000
	0352	0134	CHEM1212002	1 1	8.30 10.30		14	542	210 16 00000
89	0352	0134	CHEM1212002	1 1	8.30 10.30		14	542	210 16 00000
	0352	0134	CHEM1212038	1 1	8.30 10.30		14	542	210 16 00000
89	0352	0134	CHEM1212038	1 1	8.30 10.30		14	542	210 16 00000
	0352	0134	CHEM1212011	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0134	CHEM1212011	1 1	10.30 12.30		16	542	210 16 00000
	0352	0134	CHEM1212047	1 1	10.30 12.30		16	542	210 16 00000
89	0352	0134	CHEM1212047	1 1	10.30 12.30		16	542	210 16 00000
	0352	0134	CHEM1212020	1 1	13.30 15.30		15	542	210 16 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 42

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0352	0134	CHEM1212020	1 1	13.30 15.30		15	542	210 16 00000
	0352	0134	CHEM1212056	1 1	13.30 15.30		15	542	210 16 00000
89	0352	0134	CHEM1212056	1 1	13.30 15.30		15	542	210 16 00000
	0352	0134	CHEM1212029	1 1	15.30 17.30		16	542	210 16 00000
89	0352	0134	CHEM1212029	1 1	15.30 17.30		16	542	210 16 00000
	0352	0138	CHEM1212001	1 1	8.30 10.30		14	560	210 16 00000
89	0352	0138	CHEM1212001	1 1	8.30 10.30		14	560	210 16 00000
	0352	0138	CHEM1212037	1 1	8.30 10.30		16	560	210 16 00000
89	0352	0138	CHEM1212037	1 1	8.30 10.30		16	560	210 16 00000
	0352	0138	CHEM1212010	1 1	10.30 12.30		16	560	210 16 00000
89	0352	0138	CHEM1212010	1 1	10.30 12.30		16	560	210 16 00000
	0352	0138	CHEM1212046	1 1	10.30 12.30		16	560	210 16 00000
89	0352	0138	CHEM1212046	1 1	10.30 12.30		16	560	210 16 00000
	0352	0138	CHEM1212019	1 1	13.30 15.30		16	560	210 16 00000
89	0352	0138	CHEM1212019	1 1	13.30 15.30		16	560	210 16 00000
	0352	0138	CHEM1212055	1 1	13.30 15.30		14	560	210 16 00000
89	0352	0138	CHEM1212055	1 1	13.30 15.30		14	560	210 16 00000
	0352	0138	CHEM1212028	1 1	15.30 17.30		16	560	210 16 00000
89	0352	0138	CHEM1212028	1 1	15.30 17.30		16	560	210 16 00000
	0352	0732	CHEM2002001	1	13.30 16.30		14	493	210 16 00000
89	0352	0732	CHEM2002001	1	13.30 16.30		14	493	210 16 00000
	0352	0732	CHEM2002002	1	13.30 16.30		13	493	210 16 00000
89	0352	0732	CHEM2002002	1	13.30 16.30		13	493	210 16 00000
	0366	0102	CHEM2001001	1 1 1	9.30 10.30		60	2,955	110 265 00000
9	0366	0102	CHEM2001001	1 1 1	9.30 10.30		60	2,955	110 265 00000
	0366	0102	KIN 2500004	1 1	10.30 12.00		96	2,955	110 265 00000
9	0366	0102	KIN 2500004	1 1	10.30 12.00		96	2,955	110 265 00000
	0366	0102	BIOL4160001	1 1 1	12.30 13.30		48	2,955	110 265 00000
9	0366	0102	BIOL4160001	1 1 1	12.30 13.30		48	2,955	110 265 00000
	0366	0102	CHEM2060001	1 1	13.30 15.00		60	2,955	110 265 00000
9	0366	0102	CHEM2060001	1 1	13.30 15.00		60	2,955	110 265 00000
	0366	0102	BIOL4158001	1 1	15.00 16.30		65	2,955	110 265 00000
9	0366	0102	BIOL4158001	1 1	15.00 16.30		65	2,955	110 265 00000
	0366	0103	BIOL4105001	1 1 1	9.30 10.30		67	3,314	110 295 00000
9	0366	0103	BIOL4105001	1 1 1	9.30 10.30		67	3,314	110 295 00000
	0366	0103	CHE 2171001	1 1 1	10.30 11.30		97	3,314	110 295 00000
9	0366	0103	CHE 2171001	1 1 1	10.30 11.30		97	3,314	110 295 00000
	0366	0103	CHEM3492001	1 1	10.30 12.00		73	3,314	110 295 00000
9	0366	0103	CHEM3492001	1 1	10.30 12.00		73	3,314	110 295 00000
	0366	0103	CHE 4220001	1 1	13.30 15.00		94	3,314	110 295 00000
9	0366	0103	CHE 4220001	1 1	13.30 15.00		94	3,314	110 295 00000
	0366	0201	KIN 3515003	1 1 1	12.30 13.30		45	805	110 53 00000
89	0366	0201	KIN 3515003	1 1 1	12.30 13.30		45	805	110 53 00000
	0366	0201	CHEM7800007	1	12.30 13.30		17	805	110 53 00000
9	0366	0201	CHEM7800007	1	12.30 13.30		17	805	110 53 00000
	0366	0201	CHEM4010001	1	13.30 15.30		11	805	110 53 00000
9	0366	0201	CHEM4010001	1	13.30 15.30		11	805	110 53 00000
	0366	0201	CHEM4010001	1	13.30 15.30		11	805	110 53 00000
9	0366	0201	CHEM4010001	1	13.30 15.30		11	805	110 53 00000
	0366	0202	CHEM3492002	1 1	9.00 10.30		22	1,340	110 89 00000
9	0366	0202	CHEM3492002	1 1	9.00 10.30		22	1,340	110 89 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 43

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0366	0202		CHEM7800006	1	9.00 11.00	26	1,340	110 89 00000
9	0366	0202		CHEM7800006	1	9.00 11.00	26	1,340	110 89 00000
	0366	0202	1 1 1	BIOL4094001		10.30 11.30	31	1,340	110 89 00000
9	0366	0202	1 1 1	BIOL4094001		10.30 11.30	31	1,340	110 89 00000
	0366	0202	1 1	BIOL4123001		10.30 12.00	50	1,340	110 89 00000
9	0366	0202	1 1	BIOL4123001		10.30 12.00	50	1,340	110 89 00000
	0366	0202	1 1 1	KIN 3515002		11.30 12.30	45	1,340	110 89 00000
9	0366	0202	1 1 1	KIN 3515002		11.30 12.30	45	1,340	110 89 00000
	0366	0202	1	CHEM7800004		12.30 13.30	25	1,340	110 89 00000
9	0366	0202	1	CHEM7800004		12.30 13.30	25	1,340	110 89 00000
	0366	0202	1 1	CHEM4562001		15.00 16.30	34	1,340	110 89 00000
9	0366	0202	1 1	CHEM4562001		15.00 16.30	34	1,340	110 89 00000
	0366	0202	1	SCI 1001019		15.00 16.30	25	1,340	110 89 00000
9	0366	0202	1	SCI 1001019		15.00 16.30	25	1,340	110 89 00000
	0366	0206	1 1	CHEM4594001		10.30 12.00	12	675	110 45 00000
9	0366	0206	1 1	CHEM4594001		10.30 12.00	12	675	110 45 00000
	0366	0206	1 1	INTL3001001		13.30 15.00	29	675	110 45 00000
9	0366	0206	1 1	INTL3001001		13.30 15.00	29	675	110 45 00000
	0366	0206	1	BIOL7901003		14.00 15.00	15	675	110 45 00000
9	0366	0206	1	BIOL7901003		14.00 15.00	15	675	110 45 00000
	0366	0206	1 1	PHIL3020001		16.30 18.00	24	675	110 45 00000
9	0366	0206	1 1	PHIL3020001		16.30 18.00	24	675	110 45 00000
	0366	0206	1	BASC7000001		18.00 20.00	11	675	110 45 00000
9	0366	0206	1	BASC7000001		18.00 20.00	11	675	110 45 00000
	0366	0208	1 1	CHEM4552001		9.30 10.30	19	795	110 53 00000
9	0366	0208	1 1	CHEM4552001		9.30 10.30	19	795	110 53 00000
	0366	0208	1 1	HORT3005001		15.00 16.30	9	795	110 53 00000
9	0366	0208	1 1	HORT3005001		15.00 16.30	9	795	110 53 00000
	0366	0214	1 1	BIOL4001001		9.00 10.30	31	1,345	110 89 00000
9	0366	0214	1 1	BIOL4001001		9.00 10.30	31	1,345	110 89 00000
	0366	0214	1 1 1	AAAS3425001		10.30 11.30	25	1,345	110 89 00000
9	0366	0214	1 1 1	AAAS3425001		10.30 11.30	25	1,345	110 89 00000
	0366	0214	1 1 1	CHEM1002001		11.30 12.30	44	1,345	110 89 00000
9	0366	0214	1 1 1	CHEM1002001		11.30 12.30	44	1,345	110 89 00000
	0366	0214	1	BIOL4385001		13.30 14.30	18	1,345	110 89 00000
9	0366	0214	1	BIOL4385001		13.30 14.30	18	1,345	110 89 00000
	0366	0214	1	BIOL4385002	1	13.30 14.30	15	1,345	110 89 00000
9	0366	0214	1	BIOL4385002		13.30 14.30	15	1,345	110 89 00000
	0366	0214	1	SCI 1001006		15.30 17.00	23	1,345	110 89 00000
9	0366	0214	1	SCI 1001006		15.30 17.00	23	1,345	110 89 00000
	0366	0214	1	SCI 1001024		15.30 17.00	22	1,345	110 89 00000
9	0366	0214	1	SCI 1001024		15.30 17.00	22	1,345	110 89 00000
	0366	0215	1 1 1	KIN 2510001		8.30 9.30	40	851	110 56 00000
9	0366	0215	1 1 1	KIN 2510001		8.30 9.30	40	851	110 56 00000
	0366	0215	1 1	CHEM3491001		9.00 10.30	22	851	110 56 00000
9	0366	0215	1 1	CHEM3491001		9.00 10.30	22	851	110 56 00000
	0366	0215	1 1 1	SOCL3101001		10.30 11.30	54	851	110 56 00000
89	0366	0215	1 1 1	SOCL3101001		10.30 11.30	54	851	110 56 00000
	0366	0215	1	CHEM7800002		12.30 13.30	18	851	110 56 00000
9	0366	0215	1	CHEM7800002		12.30 13.30	18	851	110 56 00000
	0366	0308	1 1	CHEM2364002		7.30 10.30	24	1,495	210 30 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 44

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0366	0308	CHEM2364002	1 1	7.30 10.30		24	1,495	210 30 00000
	0366	0308	CHEM2364011	1 1	9.00 12.00		24	1,495	210 30 00000
89	0366	0308	CHEM2364011	1 1	9.00 12.00		24	1,495	210 30 00000
	0366	0308	CHEM2364005	1 1	10.30 13.30		24	1,495	210 30 00000
89	0366	0308	CHEM2364005	1 1	10.30 13.30		24	1,495	210 30 00000
	0366	0308	CHEM2364008	1 1	13.30 16.30		24	1,495	210 30 00000
89	0366	0308	CHEM2364008	1 1	13.30 16.30		24	1,495	210 30 00000
	0366	0308	CHEM2364014	1 1	13.30 16.30		24	1,495	210 30 00000
89	0366	0308	CHEM2364014	1 1	13.30 16.30		24	1,495	210 30 00000
	0366	0314	CHEM2364001	1 1	7.30 10.30		24	1,472	210 30 00000
89	0366	0314	CHEM2364001	1 1	7.30 10.30		24	1,472	210 30 00000
	0366	0314	CHEM2364010	1 1	9.00 12.00		24	1,472	210 30 00000
89	0366	0314	CHEM2364010	1 1	9.00 12.00		24	1,472	210 30 00000
	0366	0314	CHEM2364004	1 1	10.30 13.30		24	1,472	210 30 00000
89	0366	0314	CHEM2364004	1 1	10.30 13.30		24	1,472	210 30 00000
	0366	0314	CHEM2364007	1 1	13.30 16.30		24	1,472	210 30 00000
89	0366	0314	CHEM2364007	1 1	13.30 16.30		24	1,472	210 30 00000
	0366	0314	CHEM2364013	1 1	13.30 16.30		24	1,472	210 30 00000
89	0366	0314	CHEM2364013	1 1	13.30 16.30		24	1,472	210 30 00000
	0373	1100	EE 2120001	1 1 1	9.30 10.30		83	3,295	110 250 00000
9	0373	1100	EE 2120001	1 1 1	9.30 10.30		83	3,295	110 250 00000
	0373	1100	CSC 1350001	1 1 1	10.30 11.30		101	3,295	110 250 00000
9	0373	1100	CSC 1350001	1 1 1	10.30 11.30		101	3,295	110 250 00000
	0373	1100	CSC 1351001	1 1	10.30 12.00		86	3,295	110 250 00000
9	0373	1100	CSC 1351001	1 1	10.30 12.00		86	3,295	110 250 00000
	0373	1100	CSC 4330001	1 1	15.00 16.30		95	3,295	110 250 00000
9	0373	1100	CSC 4330001	1 1	15.00 16.30		95	3,295	110 250 00000
	0373	1114	CHE 3104001	1	13.30 16.30		2	3,117	210 50 00000
9	0373	1114	CHE 3104001	1	13.30 16.30		2	3,117	210 50 00000
	0373	1114	CHE 3104002	1	13.30 16.30	1	4	3,117	210 50 00000
9	0373	1114	CHE 3104002	1	13.30 16.30		4	3,117	210 50 00000
	0373	1114	CHE 3104003	1	13.30 16.30	1	3	3,117	210 50 00000
9	0373	1114	CHE 3104003	1	13.30 16.30		3	3,117	210 50 00000
	0373	1114	CHE 3104004	1	13.30 16.30		5	3,117	210 50 00000
9	0373	1114	CHE 3104004	1	13.30 16.30		5	3,117	210 50 00000
	0373	1114	CHE 3104005	1	13.30 16.30	1	3	3,117	210 50 00000
9	0373	1114	CHE 3104005	1	13.30 16.30		3	3,117	210 50 00000
	0373	1114	CHE 3104006	1	13.30 16.30	1	4	3,117	210 50 00000
9	0373	1114	CHE 3104006	1	13.30 16.30		4	3,117	210 50 00000
	0373	1114	CHE 3104007	1	13.30 16.30		3	3,117	210 50 00000
9	0373	1114	CHE 3104007	1	13.30 16.30		3	3,117	210 50 00000
	0373	1114	CHE 3104008	1	13.30 16.30	1	4	3,117	210 50 00000
9	0373	1114	CHE 3104008	1	13.30 16.30		4	3,117	210 50 00000
	0373	1114	CHE 3104009	1	13.30 16.30	1	4	3,117	210 50 00000
9	0373	1114	CHE 3104009	1	13.30 16.30		4	3,117	210 50 00000
	0373	1114	CHE 3104010	1	13.30 16.30		3	3,117	210 50 00000
9	0373	1114	CHE 3104010	1	13.30 16.30		3	3,117	210 50 00000
	0373	1114	CHE 3104011	1	13.30 16.30	1	3	3,117	210 50 00000
9	0373	1114	CHE 3104011	1	13.30 16.30		3	3,117	210 50 00000
	0373	1114	CHE 3104012	1	13.30 16.30	1	4	3,117	210 50 00000
9	0373	1114	CHE 3104012	1	13.30 16.30		4	3,117	210 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 45

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0373	1118	CHE 4162001	1 1	13.30 16.30		212	210 6	00000
89	0373	1118	CHE 4162001	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162002	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162002	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162003	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162003	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162004	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162004	1 1	13.30 16.30		212	210 6	00000
89	0373	1118	CHE 4162005	1 1	13.30 16.30		212	210 6	00000
89	0373	1118	CHE 4162005	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162006	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162006	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162007	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162007	1 1	13.30 16.30		212	210 6	00000
8	0373	1118	CHE 4162008	1 1	13.30 16.30	1	212	210 6	00000
89	0373	1118	CHE 4162008	1 1	13.30 16.30		212	210 6	00000
89	0373	1124	CHE 4151001	1 1	9.00 10.30		63	240 96	00000
9	0373	1124	CHE 4151001	1 1	9.00 10.30		63	240 96	00000
9	0373	1124	CHE 2176001	1	13.30 16.30		65	240 96	00000
9	0373	1124	CHE 2176001	1	13.30 16.30		65	240 96	00000
9	0373	1131	DMAE7115001	1	13.00 16.00		3	140 36	00000
9	0373	1131	DMAE7115001	1	13.00 16.00		3	140 36	00000
9	0373	1131	DMAE7115001	1	13.00 16.00		3	140 36	00000
9	0373	1131	DMAE7115001	1	13.00 16.00		3	140 36	00000
9	0373	1200	EE 2742001	1	8.00 9.00		18	110 149	00000
9	0373	1200	EE 2742001	1	8.00 9.00		18	110 149	00000
9	0373	1200	EE 2742002	1	8.00 9.00	1	18	110 149	00000
9	0373	1200	EE 2742002	1	8.00 9.00		18	110 149	00000
9	0373	1200	EE 2742003	1	8.00 9.00	1	18	110 149	00000
9	0373	1200	EE 2742003	1	8.00 9.00		18	110 149	00000
9	0373	1200	EE 2742004	1	8.00 9.00	1	18	110 149	00000
9	0373	1200	EE 2742004	1	8.00 9.00		18	110 149	00000
9	0373	1200	EE 2742005	1	8.00 9.00	1	4	110 149	00000
9	0373	1200	EE 2742005	1	8.00 9.00		4	110 149	00000
9	0373	1200	CE 4750001	1	8.30 10.30		72	110 149	00000
9	0373	1200	CE 4750001	1	8.30 10.30		72	110 149	00000
9	0373	1200	IE 4530001	1 1	9.00 10.00		35	110 149	00000
9	0373	1200	IE 4530001	1 1	9.00 10.00		35	110 149	00000
9	0373	1200	IE 4530002	1 1	9.00 10.00	1	22	110 149	00000
9	0373	1200	IE 4530002	1 1	9.00 10.00		22	110 149	00000
9	0373	1200	CHE 2172001	1 1 1	10.30 11.30		62	110 149	00000
9	0373	1200	CHE 2172001	1 1 1	10.30 11.30		62	110 149	00000
9	0373	1200	IE 4461001	1 1	10.30 11.30		32	110 149	00000
9	0373	1200	IE 4461001	1 1	10.30 11.30		32	110 149	00000
9	0373	1200	IE 4461002	1 1	10.30 11.30	1	30	110 149	00000
9	0373	1200	IE 4461002	1 1	10.30 11.30		30	110 149	00000
9	0373	1200	EVEG3110001	1 1	12.00 13.30		63	110 149	00000
9	0373	1200	EVEG3110001	1 1	12.00 13.30		63	110 149	00000
9	0373	1200	CSC 3501001	1 1	13.30 15.00		70	110 149	00000
9	0373	1200	CSC 3501001	1 1	13.30 15.00		70	110 149	00000
9	0373	1200	PETE4998002	1	14.30 16.30		21	110 149	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 46

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0373	1200	PETE4998002	1	14.30 16.30		21	2,367	110 149 00000
	0373	1200	ENTR2000002	1 1	16.30 18.00		19	2,367	110 149 00000
9	0373	1200	ENTR2000002	1 1	16.30 18.00		19	2,367	110 149 00000
	0373	1200	CSC 2362001	1 1	17.00 18.30		76	2,367	110 149 00000
9	0373	1200	CSC 2362001	1 1	17.00 18.30		76	2,367	110 149 00000
	0373	1202	PETE4058001	1	8.30 10.30		22	2,376	110 149 00000
9	0373	1202	PETE4058001	1	8.30 10.30		22	2,376	110 149 00000
	0373	1202	PETE4045001	1 1 1	9.30 10.30		56	2,376	110 149 00000
9	0373	1202	PETE4045001	1 1 1	9.30 10.30		56	2,376	110 149 00000
	0373	1202	PETE4051001	1 1 1	10.30 11.30		64	2,376	110 149 00000
9	0373	1202	PETE4051001	1 1 1	10.30 11.30		64	2,376	110 149 00000
	0373	1202	PETE3085001	1 1 1	11.30 12.30		60	2,376	110 149 00000
9	0373	1202	PETE3085001	1 1 1	11.30 12.30		60	2,376	110 149 00000
	0373	1202	PETE4058001	1	13.30 14.30		22	2,376	110 149 00000
9	0373	1202	PETE4058001	1	13.30 14.30		22	2,376	110 149 00000
	0373	1202	PETE4058002	1	13.30 14.30	1	20	2,376	110 149 00000
9	0373	1202	PETE4058002	1	13.30 14.30		20	2,376	110 149 00000
	0373	1202	PETE4058003	1	13.30 14.30	1	20	2,376	110 149 00000
9	0373	1202	PETE4058003	1	13.30 14.30		20	2,376	110 149 00000
	0373	1202	PETE2031001	1 1	13.30 15.00		33	2,376	110 149 00000
9	0373	1202	PETE2031001	1 1	13.30 15.00		33	2,376	110 149 00000
	0373	1202	PETE3053001	1 1	15.30 17.00		34	2,376	110 149 00000
9	0373	1202	PETE3053001	1 1	15.30 17.00		34	2,376	110 149 00000
	0373	1206	ME 4433001	1 1 1	8.30 9.30		33	1,826	110 80 00000
9	0373	1206	ME 4433001	1 1 1	8.30 9.30		33	1,826	110 80 00000
	0373	1206	ME 4243004	1	12.30 14.30		26	1,826	110 80 00000
9	0373	1206	ME 4243004	1	12.30 14.30		26	1,826	110 80 00000
	0373	1212	ME 4183002	1 1	9.00 10.30		16	1,199	110 52 00000
9	0373	1212	ME 4183002	1 1	9.00 10.30		16	1,199	110 52 00000
	0373	1212	ME 4853001	1 1 1	9.30 10.30		13	1,199	110 52 00000
9	0373	1212	ME 4853001	1 1 1	9.30 10.30		13	1,199	110 52 00000
	0373	1212	KIN 2600001	1 1 1	12.30 13.30		35	1,199	110 52 00000
9	0373	1212	KIN 2600001	1 1 1	12.30 13.30		35	1,199	110 52 00000
	0373	1212	IE 7765001	1	14.30 17.00		11	1,199	110 52 00000
9	0373	1212	IE 7765001	1	14.30 17.00		11	1,199	110 52 00000
	0373	1212	CHE 7130001	1 1	15.30 17.00		13	1,199	110 52 00000
9	0373	1212	CHE 7130001	1 1	15.30 17.00		13	1,199	110 52 00000
	0373	1216	CE 7701001	1 1	9.30 11.00		6	629	110 41 00000
9	0373	1216	CE 7701001	1 1	9.30 11.00		6	629	110 41 00000
	0373	1216	CE 7405001	1 1	10.30 12.00		8	629	110 41 00000
9	0373	1216	CE 7405001	1 1	10.30 12.00		8	629	110 41 00000
	0373	1216	ME 4933001	1 1 1	11.30 12.30		7	629	110 41 00000
9	0373	1216	ME 4933001	1 1 1	11.30 12.30		7	629	110 41 00000
	0373	1216	ME 7953001	1 1 1	11.30 12.30	1	6	629	110 41 00000
9	0373	1216	ME 7953001	1 1 1	11.30 12.30		6	629	110 41 00000
	0373	1216	CE 7265001	1 1	15.00 16.30		4	629	110 41 00000
9	0373	1216	CE 7265001	1 1	15.00 16.30		4	629	110 41 00000
	0373	1218	CE 7430001	1 1	9.00 10.30		5	649	110 37 00000
9	0373	1218	CE 7430001	1 1	9.00 10.30		5	649	110 37 00000
	0373	1218	CE 7610001	1 1	13.30 15.00		4	649	110 37 00000
9	0373	1218	CE 7610001	1 1	13.30 15.00		4	649	110 37 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 47

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	1218	PETE4998001	1	14.30 16.30		21	649	110 37 00000
9	0373	1218	PETE4998001	1	14.30 16.30		21	649	110 37 00000
	0373	1218	ME 4723001	1 1	15.00 16.30		16	649	110 37 00000
9	0373	1218	ME 4723001	1 1	15.00 16.30		16	649	110 37 00000
	0373	1218	CSC 2700001	1	18.00 20.00		18	649	110 37 00000
9	0373	1218	CSC 2700001	1	18.00 20.00		18	649	110 37 00000
	0373	1221	PETE7999003	1	9.00 10.30		32	1,578	110 88 00000
9	0373	1221	PETE7999003	1	9.00 10.30		32	1,578	110 88 00000
	0373	1221	CE 3600001	1 1	10.30 12.00		63	1,578	110 88 00000
9	0373	1221	CE 3600001	1 1	10.30 12.00		63	1,578	110 88 00000
	0373	1221	EE 2130001	1 1 1	11.30 12.30		40	1,578	110 88 00000
9	0373	1221	EE 2130001	1 1 1	11.30 12.30		40	1,578	110 88 00000
	0373	1221	CHE 3171001	1 1	12.00 13.30		41	1,578	110 88 00000
9	0373	1221	CHE 3171001	1 1	12.00 13.30		41	1,578	110 88 00000
	0373	1221	EE 4810003	1	12.30 14.30		44	1,578	110 88 00000
9	0373	1221	EE 4810003	1	12.30 14.30		44	1,578	110 88 00000
	0373	1221	EE 4412001	1 1	14.30 15.30		8	1,578	110 88 00000
9	0373	1221	EE 4412001	1 1	14.30 15.30		8	1,578	110 88 00000
	0373	1221	EE 4412002	1 1	14.30 15.30	1	12	1,578	110 88 00000
9	0373	1221	EE 4412002	1 1	14.30 15.30		12	1,578	110 88 00000
	0373	1221	CSC 2262001	1 1	15.00 16.30		63	1,578	110 88 00000
9	0373	1221	CSC 2262001	1 1	15.00 16.30		63	1,578	110 88 00000
	0373	1221	EE 3530001	1 1 1	15.30 16.30		82	1,578	110 88 00000
89	0373	1221	EE 3530001	1 1 1	15.30 16.30		82	1,578	110 88 00000
	0373	1221	CHE 4162001	1	16.30 17.30		10	1,578	110 88 00000
9	0373	1221	CHE 4162001	1	16.30 17.30		10	1,578	110 88 00000
	0373	1221	CHE 4162002	1	16.30 17.30	1	8	1,578	110 88 00000
9	0373	1221	CHE 4162002	1	16.30 17.30		8	1,578	110 88 00000
	0373	1221	CHE 4162003	1	16.30 17.30	1	8	1,578	110 88 00000
9	0373	1221	CHE 4162003	1	16.30 17.30		8	1,578	110 88 00000
	0373	1221	CHE 4162004	1	16.30 17.30	1	8	1,578	110 88 00000
9	0373	1221	CHE 4162004	1	16.30 17.30		8	1,578	110 88 00000
	0373	1221	CHE 4162005	1	16.30 17.30		8	1,578	110 88 00000
9	0373	1221	CHE 4162005	1	16.30 17.30		8	1,578	110 88 00000
	0373	1221	CHE 4162006	1	16.30 17.30	1	8	1,578	110 88 00000
9	0373	1221	CHE 4162006	1	16.30 17.30		8	1,578	110 88 00000
	0373	1221	CHE 4162007	1	16.30 17.30	1	9	1,578	110 88 00000
9	0373	1221	CHE 4162007	1	16.30 17.30		9	1,578	110 88 00000
	0373	1221	CHE 4162008	1	16.30 17.30	1	9	1,578	110 88 00000
9	0373	1221	CHE 4162008	1	16.30 17.30		9	1,578	110 88 00000
	0373	1225	CHE 4151001	1 1 1	9.30 10.30		63	1,524	110 88 00000
9	0373	1225	CHE 4151001	1 1 1	9.30 10.30		63	1,524	110 88 00000
	0373	1225	CM 2215002	1 1	10.30 12.00		39	1,524	110 88 00000
9	0373	1225	CM 2215002	1 1	10.30 12.00		39	1,524	110 88 00000
	0373	1225	CHE 3104001	1 1	12.30 13.30		2	1,524	110 88 00000
9	0373	1225	CHE 3104001	1 1	12.30 13.30		2	1,524	110 88 00000
	0373	1225	CHE 3104002	1 1	12.30 13.30	1	4	1,524	110 88 00000
9	0373	1225	CHE 3104002	1 1	12.30 13.30		4	1,524	110 88 00000
	0373	1225	CHE 3104003	1 1	12.30 13.30	1	3	1,524	110 88 00000
9	0373	1225	CHE 3104003	1 1	12.30 13.30		3	1,524	110 88 00000
	0373	1225	CHE 3104004	1 1	12.30 13.30	1	5	1,524	110 88 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 48

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0373	1225	CHE 3104004	1 1	12.30 13.30		5	1,524	110 88 00000
	0373	1225	CHE 3104005	1 1	12.30 13.30	1	3	1,524	110 88 00000
9	0373	1225	CHE 3104005	1 1	12.30 13.30		3	1,524	110 88 00000
	0373	1225	CHE 3104006	1 1	12.30 13.30	1	4	1,524	110 88 00000
9	0373	1225	CHE 3104006	1 1	12.30 13.30		4	1,524	110 88 00000
	0373	1225	CHE 3104007	1 1	12.30 13.30	1	3	1,524	110 88 00000
9	0373	1225	CHE 3104007	1 1	12.30 13.30		3	1,524	110 88 00000
	0373	1225	CHE 3104008	1 1	12.30 13.30	1	4	1,524	110 88 00000
9	0373	1225	CHE 3104008	1 1	12.30 13.30		4	1,524	110 88 00000
	0373	1225	CHE 3104009	1 1	12.30 13.30	1	4	1,524	110 88 00000
9	0373	1225	CHE 3104009	1 1	12.30 13.30		4	1,524	110 88 00000
	0373	1225	CHE 3104010	1 1	12.30 13.30	1	3	1,524	110 88 00000
9	0373	1225	CHE 3104010	1 1	12.30 13.30		3	1,524	110 88 00000
	0373	1225	CHE 3104011	1 1	12.30 13.30	1	3	1,524	110 88 00000
9	0373	1225	CHE 3104011	1 1	12.30 13.30		3	1,524	110 88 00000
	0373	1225	CHE 3104012	1 1	12.30 13.30	1	4	1,524	110 88 00000
9	0373	1225	CHE 3104012	1 1	12.30 13.30		4	1,524	110 88 00000
	0373	1225	EE 4810001		12.30 14.30	1	45	1,524	110 88 00000
9	0373	1225	EE 4810001		12.30 14.30	1	45	1,524	110 88 00000
	0373	1225	ACCT3122002	1 1	13.30 15.00		32	1,524	110 88 00000
9	0373	1225	ACCT3122002	1 1	13.30 15.00		32	1,524	110 88 00000
	0373	1225	CE 3415001	1 1	13.30 15.00		68	1,524	110 88 00000
89	0373	1225	CE 3415001	1 1	13.30 15.00		68	1,524	110 88 00000
	0373	1225	CE 3300001	1 1	15.00 16.30		55	1,524	110 88 00000
9	0373	1225	CE 3300001	1 1	15.00 16.30		55	1,524	110 88 00000
	0373	1225	PETE2034001	1	16.30 17.30		14	1,524	110 88 00000
9	0373	1225	PETE2034001	1	16.30 17.30		14	1,524	110 88 00000
	0373	1225	PETE2034002	1	16.30 17.30	1	15	1,524	110 88 00000
9	0373	1225	PETE2034002	1	16.30 17.30		15	1,524	110 88 00000
	0373	1225	ME 4611005	1	16.30 19.30		3	1,524	110 88 00000
9	0373	1225	ME 4611005	1	16.30 19.30		3	1,524	110 88 00000
	0373	1233	CM 2105001	1	7.30 9.30		25	950	140 40 00000
9	0373	1233	CM 2105001	1	7.30 9.30		25	950	140 40 00000
	0373	1233	CM 2105001	1	7.30 9.30		25	950	140 40 00000
9	0373	1233	CM 2105001	1	7.30 9.30		25	950	140 40 00000
	0373	1233	CM 2105002	1	9.30 11.30		25	950	140 40 00000
9	0373	1233	CM 2105002	1	9.30 11.30		25	950	140 40 00000
	0373	1233	CM 2105002	1	9.30 11.30		25	950	140 40 00000
9	0373	1233	CM 2105002	1	9.30 11.30		25	950	140 40 00000
	0373	1233	CM 2105003	1	12.30 14.30		25	950	140 40 00000
9	0373	1233	CM 2105003	1	12.30 14.30		25	950	140 40 00000
	0373	1233	CM 2105003	1	12.30 14.30		25	950	140 40 00000
9	0373	1233	CM 2105003	1	12.30 14.30		25	950	140 40 00000
	0373	1233	CM 2105004	1	14.30 16.30		25	950	140 40 00000
9	0373	1233	CM 2105004	1	14.30 16.30		25	950	140 40 00000
	0373	1233	CM 2105004	1	14.30 16.30		25	950	140 40 00000
9	0373	1233	CM 2105004	1	14.30 16.30		25	950	140 40 00000
	0373	1236	ME 3603002	1 1	7.30 9.00		4	995	110 68 00000
9	0373	1236	ME 3603002	1 1	7.30 9.00		4	995	110 68 00000
	0373	1236	EE 4745001	1 1 1	10.30 11.30		27	995	110 68 00000
9	0373	1236	EE 4745001	1 1 1	10.30 11.30		27	995	110 68 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 49

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	1236	CE 3400003	1 1	10.30 12.00		50	995	110 68 00000
9	0373	1236	CE 3400003	1 1	10.30 12.00		50	995	110 68 00000
	0373	1236	KIN 3515005	1 1	12.00 13.30		39	995	110 68 00000
9	0373	1236	KIN 3515005	1 1	12.00 13.30		39	995	110 68 00000
	0373	1236	EVEG1050001	1	12.30 14.30		46	995	110 68 00000
9	0373	1236	EVEG1050001	1	12.30 14.30		46	995	110 68 00000
	0373	1236	CE 4440001	1 1	13.30 15.00		19	995	110 68 00000
9	0373	1236	CE 4440001	1 1	13.30 15.00		19	995	110 68 00000
	0373	1236	ME 4943001	1 1	15.00 16.30		16	995	110 68 00000
9	0373	1236	ME 4943001	1 1	15.00 16.30		16	995	110 68 00000
	0373	1236	ME 4933003	1 1	16.30 18.00		18	995	110 68 00000
9	0373	1236	ME 4933003	1 1	16.30 18.00		18	995	110 68 00000
	0373	1240	CHE 7120001	1 1	10.30 12.00		9	1,089	110 68 00000
9	0373	1240	CHE 7120001	1 1	10.30 12.00		9	1,089	110 68 00000
	0373	1240	CSC 4356001	1 1	10.30 12.00		41	1,089	110 68 00000
9	0373	1240	CSC 4356001	1 1	10.30 12.00		41	1,089	110 68 00000
	0373	1240	PETE4241003	1 1 1	12.30 13.30		10	1,089	110 68 00000
9	0373	1240	PETE4241003	1 1 1	12.30 13.30		10	1,089	110 68 00000
	0373	1240	HNRS3035002	1 1	13.30 15.00		3	1,089	110 68 00000
9	0373	1240	HNRS3035002	1 1	13.30 15.00		3	1,089	110 68 00000
	0373	1240	EE 3320001	1 1 1	14.30 15.30		19	1,089	110 68 00000
9	0373	1240	EE 3320001	1 1 1	14.30 15.30		19	1,089	110 68 00000
	0373	1240	CHE 7110001	1 1	15.30 17.00		9	1,089	110 68 00000
9	0373	1240	CHE 7110001	1 1	15.30 17.00		9	1,089	110 68 00000
	0373	1253	CM 2215001	1 1	9.00 10.30		27	1,720	110 88 00000
9	0373	1253	CM 2215001	1 1	9.00 10.30		27	1,720	110 88 00000
	0373	1253	CHE 3173001	1 1 1	10.30 11.30		45	1,720	110 88 00000
9	0373	1253	CHE 3173001	1 1 1	10.30 11.30		45	1,720	110 88 00000
	0373	1253	CHE 4420002	1 1	12.00 13.30		39	1,720	110 88 00000
9	0373	1253	CHE 4420002	1 1	12.00 13.30		39	1,720	110 88 00000
	0373	1253	ME 4243003	1	12.30 14.30		23	1,720	110 88 00000
9	0373	1253	ME 4243003	1	12.30 14.30		23	1,720	110 88 00000
	0373	1253	CM 2215003	1 1	13.30 15.00		31	1,720	110 88 00000
9	0373	1253	CM 2215003	1 1	13.30 15.00		31	1,720	110 88 00000
	0373	1253	CE 4435001	1 1	17.00 18.30		19	1,720	110 88 00000
9	0373	1253	CE 4435001	1 1	17.00 18.30		19	1,720	110 88 00000
	0373	1256	ME 2543002	1 1	12.00 13.30		37	1,621	140 58 00000
9	0373	1256	ME 2543002	1 1	12.00 13.30		37	1,621	140 58 00000
	0373	1256	EE 1810002	1	12.30 14.30		33	1,621	140 58 00000
9	0373	1256	EE 1810002	1	12.30 14.30		33	1,621	140 58 00000
	0373	1256	IE 4597001	1	14.00 17.00		38	1,621	140 58 00000
9	0373	1256	IE 4597001	1	14.00 17.00		38	1,621	140 58 00000
	0373	1256	EE 1810001	1	14.30 16.30		33	1,621	140 58 00000
9	0373	1256	EE 1810001	1	14.30 16.30		33	1,621	140 58 00000
	0373	1256	CE 4760001	1	15.00 18.00		28	1,621	140 58 00000
9	0373	1256	CE 4760001	1	15.00 18.00		28	1,621	140 58 00000
	0373	1256	EE 1810003	1	16.30 18.30		33	1,621	140 58 00000
9	0373	1256	EE 1810003	1	16.30 18.30		33	1,621	140 58 00000
	0373	1259	ME 4243005	1	12.30 14.30		29	1,278	110 54 00000
9	0373	1259	ME 4243005	1	12.30 14.30		29	1,278	110 54 00000
	0373	1263	ECON2035004	1 1	7.30 9.00		116	1,932	110 131 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 50

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	0373	1263	ECON2035004	1 1	7.30 9.00		116	1,932	110 131 00000
	0373	1263	SOCL3505001	1 1	9.00 10.30		31	1,932	110 131 00000
9	0373	1263	SOCL3505001	1 1	9.00 10.30		31	1,932	110 131 00000
	0373	1263	CHE 4172001	1 1 1	9.30 10.30		69	1,932	110 131 00000
9	0373	1263	CHE 4172001	1 1 1	9.30 10.30		69	1,932	110 131 00000
	0373	1263	CE 2460001	1 1 1	10.30 11.30		63	1,932	110 131 00000
9	0373	1263	CE 2460001	1 1 1	10.30 11.30		63	1,932	110 131 00000
	0373	1263	CHE 4172001	1 1	10.30 12.00		69	1,932	110 131 00000
9	0373	1263	CHE 4172001	1 1	10.30 12.00		69	1,932	110 131 00000
	0373	1263	ISDS2000004	1 1 1	13.30 14.30		91	1,932	110 131 00000
9	0373	1263	ISDS2000004	1 1 1	13.30 14.30		91	1,932	110 131 00000
	0373	1263	ENTR2000001	1 1	13.30 15.00		40	1,932	110 131 00000
9	0373	1263	ENTR2000001	1 1	13.30 15.00		40	1,932	110 131 00000
	0373	1263	CE 4300001	1 1	15.00 16.30		57	1,932	110 131 00000
9	0373	1263	CE 4300001	1 1	15.00 16.30		57	1,932	110 131 00000
	0373	1263	EE 4445001	1	18.00 21.00		30	1,932	110 131 00000
9	0373	1263	EE 4445001	1	18.00 21.00		30	1,932	110 131 00000
	0373	1300	ENGR4103001	1	13.30 15.30		7	1,581	210 32 00000
9	0373	1300	ENGR4103001	1	13.30 15.30		7	1,581	210 32 00000
	0373	1300	ENGR4103001	1	13.30 16.30		7	1,581	210 32 00000
9	0373	1300	ENGR4103001	1	13.30 16.30		7	1,581	210 32 00000
	0373	1300	ENGR3100002	1	16.30 19.30		28	1,581	210 32 00000
89	0373	1300	ENGR3100002	1	16.30 19.30		28	1,581	210 32 00000
	0373	1308	EE 4412001	1	8.30 10.30		8	1,167	210 12 00000
9	0373	1308	EE 4412001	1	8.30 10.30		8	1,167	210 12 00000
	0373	1308	EE 4412002	1	12.30 14.30		12	1,167	210 12 00000
89	0373	1308	EE 4412002	1	12.30 14.30		12	1,167	210 12 00000
	0373	1312	CE 4500001	1	19.00 22.00		9	703	210 30 00000
9	0373	1312	CE 4500001	1	19.00 22.00		9	703	210 30 00000
	0373	1312	CE 4520001	1	19.00 22.00		8	703	210 30 00000
9	0373	1312	CE 4520001	1	19.00 22.00		8	703	210 30 00000
	0373	1316	CE 3350002	1	12.30 15.30		25	792	210 30 00000
89	0373	1316	CE 3350002	1	12.30 15.30		25	792	210 30 00000
	0373	1316	CE 3350001	1	15.00 18.00		25	792	210 30 00000
89	0373	1316	CE 3350001	1	15.00 18.00		25	792	210 30 00000
	0373	1321	CE 3700002	1	17.30 19.30		22	1,276	210 30 00000
9	0373	1321	CE 3700002	1	17.30 19.30		22	1,276	210 30 00000
	0373	1321	CE 3700001	1	17.30 19.30		13	1,276	210 30 00000
9	0373	1321	CE 3700001	1	17.30 19.30		13	1,276	210 30 00000
	0373	1321	CE 3700003	1	17.30 19.30		11	1,276	210 30 00000
9	0373	1321	CE 3700003	1	17.30 19.30		11	1,276	210 30 00000
	0373	1323	CE 3410001	1	15.00 18.00		15	1,236	210 30 00000
9	0373	1323	CE 3410001	1	15.00 18.00		15	1,236	210 30 00000
	0373	1323	CE 3410003	1	15.00 18.00		22	1,236	210 30 00000
9	0373	1323	CE 3410003	1	15.00 18.00		22	1,236	210 30 00000
	0373	1323	CE 3410002	1	16.30 19.30		25	1,236	210 30 00000
89	0373	1323	CE 3410002	1	16.30 19.30		25	1,236	210 30 00000
	0373	1340	ME 4243002	1	12.30 14.30		28	1,278	210 54 00000
9	0373	1340	ME 4243002	1	12.30 14.30		28	1,278	210 54 00000
	0373	1355	ME 4621001	1	10.30 13.30		12	1,029	210 20 00000
9	0373	1355	ME 4621001	1	10.30 13.30		12	1,029	210 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 51

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	1355	ME 4621002	1	10.30 13.30		12	1,029	210 20 00000
9	0373	1355	ME 4621002	1	10.30 13.30		12	1,029	210 20 00000
	0373	1355	ME 4621003	1	13.30 16.30		10	1,029	210 20 00000
9	0373	1355	ME 4621003	1	13.30 16.30		10	1,029	210 20 00000
	0373	1355	ME 4621004	1	13.30 16.30		12	1,029	210 20 00000
9	0373	1355	ME 4621004	1	13.30 16.30		12	1,029	210 20 00000
	0373	1355	ME 4621008	1	16.30 19.30		10	1,029	210 20 00000
9	0373	1355	ME 4621008	1	16.30 19.30		10	1,029	210 20 00000
	0373	1356	ME 3603002	1	9.30 12.30		4	1,392	210 20 00000
9	0373	1356	ME 3603002	1	9.30 12.30		4	1,392	210 20 00000
	0373	1358	ME 3701001	1	9.30 12.30		11	1,191	210 20 00000
9	0373	1358	ME 3701001	1	9.30 12.30		11	1,191	210 20 00000
	0373	1358	ME 3701005	1	13.30 16.30		11	1,191	210 20 00000
9	0373	1358	ME 3701005	1	13.30 16.30		11	1,191	210 20 00000
	0373	1358	ME 3701006	1	13.30 16.30		13	1,191	210 20 00000
9	0373	1358	ME 3701006	1	13.30 16.30		13	1,191	210 20 00000
	0373	1358	ME 3701007	1	13.30 16.30		13	1,191	210 20 00000
9	0373	1358	ME 3701007	1	13.30 16.30		13	1,191	210 20 00000
	0373	1368	ME 4201001	1	10.30 13.30		12	602	210 16 00000
9	0373	1368	ME 4201001	1	10.30 13.30		12	602	210 16 00000
	0373	1368	ME 4201002	1	10.30 13.30		12	602	210 16 00000
9	0373	1368	ME 4201002	1	10.30 13.30		12	602	210 16 00000
	0373	1368	ME 4201003	1	13.30 16.30		12	602	210 16 00000
9	0373	1368	ME 4201003	1	13.30 16.30		12	602	210 16 00000
	0373	1368	ME 4201004	1	13.30 16.30		12	602	210 16 00000
9	0373	1368	ME 4201004	1	13.30 16.30		12	602	210 16 00000
	0373	1368	ME 4201005	1	13.30 16.30		12	602	210 16 00000
9	0373	1368	ME 4201005	1	13.30 16.30		12	602	210 16 00000
	0373	1368	ME 4201006	1	16.30 19.30		10	602	210 16 00000
9	0373	1368	ME 4201006	1	16.30 19.30		10	602	210 16 00000
	0373	1368	ME 4201007	1	16.30 19.30		12	602	210 16 00000
9	0373	1368	ME 4201007	1	16.30 19.30		12	602	210 16 00000
	0373	1368	ME 4201008	1	16.30 19.30		12	602	210 16 00000
9	0373	1368	ME 4201008	1	16.30 19.30		12	602	210 16 00000
	0373	1368	ME 4201009	1	16.30 19.30		12	602	210 16 00000
9	0373	1368	ME 4201009	1	16.30 19.30		12	602	210 16 00000
	0373	2147	PETE4059001	1	16.30 17.30		20	1,158	210 24 00000
89	0373	2147	PETE4059001	1	16.30 17.30		20	1,158	210 24 00000
8	0373	2147	PETE4059002	1	16.30 17.30	1	20	1,158	210 24 00000
89	0373	2147	PETE4059002	1	16.30 17.30		20	1,158	210 24 00000
8	0373	2147	PETE4059003	1	16.30 17.30	1	19	1,158	210 24 00000
89	0373	2147	PETE4059003	1	16.30 17.30		19	1,158	210 24 00000
	0373	2219	CE 2250004	1	9.30 12.30		24	1,573	210 30 00000
89	0373	2219	CE 2250004	1	9.30 12.30		24	1,573	210 30 00000
	0373	2219	CE 2250003	1	12.30 15.30		24	1,573	210 30 00000
89	0373	2219	CE 2250003	1	12.30 15.30		24	1,573	210 30 00000
	0373	2219	CE 2250002	1	14.30 17.30		12	1,573	210 30 00000
9	0373	2219	CE 2250002	1	14.30 17.30		12	1,573	210 30 00000
	0373	2219	CE 2250001	1	15.30 18.30		16	1,573	210 30 00000
9	0373	2219	CE 2250001	1	15.30 18.30		16	1,573	210 30 00000
	0373	2243	PETE2061001	1	8.30 10.30		30	1,343	240 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 52

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0373	2243	PETE2061001	1	8.30 10.30		30	1,343	240 50 00000
	0373	2243	PETE2061001	1	9.00 10.00		30	1,343	240 50 00000
9	0373	2243	PETE2061001	1	9.00 10.00		30	1,343	240 50 00000
	0373	2246	EE 2741001	1	8.30 10.30		16	559	210 20 00000
89	0373	2246	EE 2741001	1	8.30 10.30		16	559	210 20 00000
	0373	2246	EE 2741002	1	10.30 12.30		17	559	210 20 00000
89	0373	2246	EE 2741002	1	10.30 12.30		17	559	210 20 00000
	0373	2246	EE 2742001	1	10.30 12.30		18	559	210 20 00000
89	0373	2246	EE 2742001	1	10.30 12.30		18	559	210 20 00000
	0373	2246	EE 2741003	1	13.00 15.00		7	559	210 20 00000
9	0373	2246	EE 2741003	1	13.00 15.00		7	559	210 20 00000
	0373	2246	EE 2742002	1	13.00 15.00		18	559	210 20 00000
89	0373	2246	EE 2742002	1	13.00 15.00		18	559	210 20 00000
	0373	2246	EE 2741004	1	15.00 17.00		18	559	210 20 00000
89	0373	2246	EE 2741004	1	15.00 17.00		18	559	210 20 00000
	0373	2246	EE 2742003	1	15.00 17.00		18	559	210 20 00000
89	0373	2246	EE 2742003	1	15.00 17.00		18	559	210 20 00000
	0373	2246	EE 2741005	1	17.00 19.00		9	559	210 20 00000
9	0373	2246	EE 2741005	1	17.00 19.00		9	559	210 20 00000
	0373	2246	EE 2742004	1	17.00 19.00		18	559	210 20 00000
89	0373	2246	EE 2742004	1	17.00 19.00		18	559	210 20 00000
	0373	2246	EE 2742005	1	19.00 21.00		4	559	210 20 00000
9	0373	2246	EE 2742005	1	19.00 21.00		4	559	210 20 00000
	0373	2247	EE 2231001	1	10.30 12.30		16	987	210 18 00000
89	0373	2247	EE 2231001	1	10.30 12.30		16	987	210 18 00000
	0373	2247	EE 2231002	1	13.00 15.00		9	987	210 18 00000
9	0373	2247	EE 2231002	1	13.00 15.00		9	987	210 18 00000
	0373	2247	EE 2231005	1	17.00 19.00		11	987	210 18 00000
9	0373	2247	EE 2231005	1	17.00 19.00		11	987	210 18 00000
	0373	2279	EE 4242001	1	8.30 10.30		12	560	210 14 00000
89	0373	2279	EE 4242001	1	8.30 10.30		12	560	210 14 00000
	0373	2279	EE 4242002	1	13.00 15.00		12	560	210 14 00000
89	0373	2279	EE 4242002	1	13.00 15.00		12	560	210 14 00000
	0373	2279	EE 4242003	1	15.00 17.00		13	560	210 14 00000
89	0373	2279	EE 4242003	1	15.00 17.00		13	560	210 14 00000
	0373	2324	CSC 4610001	1 1	9.00 10.30		24	1,077	140 49 00000
9	0373	2324	CSC 4610001	1 1	9.00 10.30		24	1,077	140 49 00000
	0373	2324	CSC 1240001	1	11.30 13.30		64	1,077	140 49 00000
89	0373	2324	CSC 1240001	1	11.30 13.30		64	1,077	140 49 00000
	0373	2324	CSC 1350001	1	16.30 19.30		101	1,077	140 49 00000
89	0373	2324	CSC 1350001	1	16.30 19.30		101	1,077	140 49 00000
	0373	2324	CSC 1350004	1	17.00 20.00		77	1,077	140 49 00000
89	0373	2324	CSC 1350004	1	17.00 20.00		77	1,077	140 49 00000
	0373	2324	CSC 1351001	1	17.00 20.00		86	1,077	140 49 00000
89	0373	2324	CSC 1351001	1	17.00 20.00		86	1,077	140 49 00000
	0373	3102	EVEG4780001	1	8.30 11.30		10	1,567	210 40 00000
9	0373	3102	EVEG4780001	1	8.30 11.30		10	1,567	210 40 00000
	0373	3125	CM 4202001	1 1	13.00 14.00		32	1,002	210 54 00000
9	0373	3125	CM 4202001	1 1	13.00 14.00		32	1,002	210 54 00000
	0373	3125	CM 4202002	1 1	14.00 15.00		54	1,002	210 54 00000
89	0373	3125	CM 4202002	1 1	14.00 15.00		54	1,002	210 54 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 53

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0373	3133	CM	3111004	1	7.30 9.30	8	2,096	210 48 00000
9	0373	3133	CM	3111004	1	7.30 9.30	8	2,096	210 48 00000
	0373	3133	CM	4101001	1	8.30 10.30	44	2,096	210 48 00000
89	0373	3133	CM	4101001	1 1	8.30 10.30	44	2,096	210 48 00000
	0373	3133	CM	3111001	1	9.30 11.30	42	2,096	210 48 00000
89	0373	3133	CM	3111001	1	9.30 11.30	42	2,096	210 48 00000
	0373	3133	CM	4101002	1	10.30 12.30	31	2,096	210 48 00000
9	0373	3133	CM	4101002	1	10.30 12.30	31	2,096	210 48 00000
	0373	3133	CM	3111002	1	11.30 13.30	44	2,096	210 48 00000
89	0373	3133	CM	3111002	1	11.30 13.30	44	2,096	210 48 00000
	0373	3133	CM	4101003	1	13.30 15.30	25	2,096	210 48 00000
9	0373	3133	CM	4101003	1	13.30 15.30	25	2,096	210 48 00000
	0373	3133	CM	3111003	1	14.30 16.30	44	2,096	210 48 00000
89	0373	3133	CM	3111003	1	14.30 16.30	44	2,096	210 48 00000
	0373	3133	CM	4357001	1	18.00 21.00	21	2,096	210 48 00000
9	0373	3133	CM	4357001	1	18.00 21.00	21	2,096	210 48 00000
	0418	0103	ID	2770001	1 1	9.00 9.30	26	2,427	110 153 00000
9	0418	0103	ID	2770001	1 1	9.00 9.30	26	2,427	110 153 00000
	0418	0103	ID	2770002	1 1	9.00 9.30	27	2,427	110 153 00000
9	0418	0103	ID	2770002	1 1	9.00 9.30	27	2,427	110 153 00000
	0418	0103	GEOL	1001005	1 1	10.30 12.00	93	2,427	110 153 00000
9	0418	0103	GEOL	1001005	1 1	10.30 12.00	93	2,427	110 153 00000
	0418	0103	ARCH	4031001	1 1	10.30 12.00	65	2,427	110 153 00000
9	0418	0103	ARCH	4031001	1 1	10.30 12.00	65	2,427	110 153 00000
	0418	0103	PSYC	4008001	1 1	13.30 15.00	48	2,427	110 153 00000
9	0418	0103	PSYC	4008001	1 1	13.30 15.00	48	2,427	110 153 00000
	0418	0201	LA	2201001	1 1 1	8.30 9.30	36	1,062	110 68 00000
9	0418	0201	LA	2201001	1 1 1	8.30 9.30	36	1,062	110 68 00000
	0418	0201	ARTH	4451001	1 1 1	10.30 11.30	17	1,062	110 68 00000
9	0418	0201	ARTH	4451001	1 1 1	10.30 11.30	17	1,062	110 68 00000
	0418	0201	ARTH	7441002	1 1 1	10.30 11.30	4	1,062	110 68 00000
9	0418	0201	ARTH	7441002	1 1 1	10.30 11.30	4	1,062	110 68 00000
	0418	0201	ARTH	4410001	1 1	10.30 12.00	27	1,062	110 68 00000
9	0418	0201	ARTH	4410001	1 1	10.30 12.00	27	1,062	110 68 00000
	0418	0201	ARTH	4433001	1 1 1	11.30 12.30	17	1,062	110 68 00000
9	0418	0201	ARTH	4433001	1 1 1	11.30 12.30	17	1,062	110 68 00000
	0418	0201	ARTH	7441003	1 1 1	11.30 12.30	4	1,062	110 68 00000
9	0418	0201	ARTH	7441003	1 1 1	11.30 12.30	4	1,062	110 68 00000
	0418	0201	ARTH	4441001	1 1 1	12.30 13.30	16	1,062	110 68 00000
9	0418	0201	ARTH	4441001	1 1 1	12.30 13.30	16	1,062	110 68 00000
	0418	0201	ARTH	4423001	1 1	13.30 15.00	29	1,062	110 68 00000
9	0418	0201	ARTH	4423001	1 1	13.30 15.00	29	1,062	110 68 00000
	0418	0201	ARTH	4420001	1 1	15.00 16.30	20	1,062	110 68 00000
9	0418	0201	ARTH	4420001	1 1	15.00 16.30	20	1,062	110 68 00000
	0418	0201	ARTH	7441001	1 1	15.00 16.30	7	1,062	110 68 00000
9	0418	0201	ARTH	7441001	1 1	15.00 16.30	7	1,062	110 68 00000
	0418	0201	ARTH	7410001	1 1	16.30 17.30	5	1,062	110 68 00000
9	0418	0201	ARTH	7410001	1 1	16.30 17.30	5	1,062	110 68 00000
	0418	0209	ART	1008001	1 1	8.30 11.30	16	1,270	210 25 00000
9	0418	0209	ART	1008001	1 1	8.30 11.30	16	1,270	210 25 00000
	0418	0209	ART	1011001	1 1	9.00 10.00	19	1,270	210 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 54

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0418	0209	ART 1011001	1 1	9.00 10.00		19	1,270	210 25 00000
	0418	0209	ART 1011001	1 1	10.00 12.00		19	1,270	210 25 00000
9	0418	0209	ART 1011001	1 1	10.00 12.00		19	1,270	210 25 00000
	0418	0209	ART 1011003	1 1	12.00 13.00		17	1,270	210 25 00000
9	0418	0209	ART 1011003	1 1	12.00 13.00		17	1,270	210 25 00000
	0418	0209	ART 1011002	1 1	12.30 13.30		18	1,270	210 25 00000
9	0418	0209	ART 1011002	1 1	12.30 13.30		18	1,270	210 25 00000
	0418	0209	ART 1011003	1 1	13.00 15.00		17	1,270	210 25 00000
9	0418	0209	ART 1011003	1 1	13.00 15.00		17	1,270	210 25 00000
	0418	0209	ART 1011002	1 1	13.30 15.30		18	1,270	210 25 00000
9	0418	0209	ART 1011002	1 1	13.30 15.30		18	1,270	210 25 00000
	0418	0209	ART 1011005	1 1	15.00 16.00		13	1,270	210 25 00000
9	0418	0209	ART 1011005	1 1	15.00 16.00		13	1,270	210 25 00000
	0418	0209	ART 1011004	1 1	15.30 16.30		16	1,270	210 25 00000
9	0418	0209	ART 1011004	1 1	15.30 16.30		16	1,270	210 25 00000
	0418	0209	ART 1011005	1 1	16.00 18.00		13	1,270	210 25 00000
9	0418	0209	ART 1011005	1 1	16.00 18.00		13	1,270	210 25 00000
	0418	0209	ART 1011004	1 1	16.30 18.30		16	1,270	210 25 00000
9	0418	0209	ART 1011004	1 1	16.30 18.30		16	1,270	210 25 00000
	0418	0209	ART 1008002	1 1	18.00 21.00		16	1,270	210 25 00000
9	0418	0209	ART 1008002	1 1	18.00 21.00		16	1,270	210 25 00000
	0418	0209	ART 1011006	1 1	18.30 19.30		13	1,270	210 25 00000
9	0418	0209	ART 1011006	1 1	18.30 19.30		13	1,270	210 25 00000
	0418	0209	ART 1011006	1 1	19.30 21.30		13	1,270	210 25 00000
9	0418	0209	ART 1011006	1 1	19.30 21.30		13	1,270	210 25 00000
	0418	0212	ART 4574001	1 1	8.30 11.30		9	1,330	210 40 00000
9	0418	0212	ART 4574001	1 1	8.30 11.30		9	1,330	210 40 00000
	0418	0212	ART 2552001	1 1	9.00 12.00		19	1,330	210 40 00000
9	0418	0212	ART 2552001	1 1	9.00 12.00		19	1,330	210 40 00000
	0418	0212	ART 2544002	1 1	12.00 15.00		17	1,330	210 40 00000
9	0418	0212	ART 2544002	1 1	12.00 15.00		17	1,330	210 40 00000
	0418	0212	ART 2544001	1 1	12.30 15.30		18	1,330	210 40 00000
9	0418	0212	ART 2544001	1 1	12.30 15.30		18	1,330	210 40 00000
	0418	0212	ART 4526001	1 1	15.00 18.00		18	1,330	210 40 00000
9	0418	0212	ART 4526001	1 1	15.00 18.00		18	1,330	210 40 00000
	0418	0212	ART 4555001	1 1	15.30 18.30		16	1,330	210 40 00000
9	0418	0212	ART 4555001	1 1	15.30 18.30		16	1,330	210 40 00000
	0418	0215	ART 4567001	1 1	9.00 12.00		17	1,315	210 40 00000
9	0418	0215	ART 4567001	1 1	9.00 12.00		17	1,315	210 40 00000
	0418	0215	ART 4527002	1 1	12.30 15.30		17	1,315	210 40 00000
9	0418	0215	ART 4527002	1 1	12.30 15.30		17	1,315	210 40 00000
	0418	0217	ART 4230002	1 1	9.00 12.00		22	1,317	210 30 00000
9	0418	0217	ART 4230002	1 1	9.00 12.00		22	1,317	210 30 00000
	0418	0217	LA 4201001	1 1 1	9.30 10.30		23	1,317	210 30 00000
89	0418	0217	LA 4201001	1 1 1	9.30 10.30		23	1,317	210 30 00000
	0418	0217	LA 4201001	1 1 1	10.30 11.30		23	1,317	210 30 00000
89	0418	0217	LA 4201001	1 1 1	10.30 11.30		23	1,317	210 30 00000
	0418	0217	ART 4230001	1 1	12.30 15.30		24	1,317	210 30 00000
89	0418	0217	ART 4230001	1 1	12.30 15.30		24	1,317	210 30 00000
	0418	0225	LA 7024001	1 1	9.00 10.00		8	1,050	210 21 00000
9	0418	0225	LA 7024001	1 1	9.00 10.00		8	1,050	210 21 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 55

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0418	0225	LA 7024001	1 1	10.00 12.00		8	1,050	210 21 00000
9	0418	0225	LA 7024001	1 1	10.00 12.00		8	1,050	210 21 00000
	0418	0225	LA 7031001	1 1 1	13.30 17.30		9	1,050	210 21 00000
9	0418	0225	LA 7031001	1 1 1	13.30 17.30		9	1,050	210 21 00000
	0418	0230	LA 7101001	1 1	8.30 11.30		7	1,050	210 21 00000
9	0418	0230	LA 7101001	1 1	8.30 11.30		7	1,050	210 21 00000
	0418	0230	LA 7014001	1 1	13.30 14.30		7	1,050	210 21 00000
9	0418	0230	LA 7014001	1 1	13.30 14.30		7	1,050	210 21 00000
	0418	0230	LA 7011001	1 1 1	13.30 17.30		7	1,050	210 21 00000
9	0418	0230	LA 7011001	1 1 1	13.30 17.30		7	1,050	210 21 00000
	0418	0230	LA 7014001	1 1	14.30 16.30		7	1,050	210 21 00000
9	0418	0230	LA 7014001	1 1	14.30 16.30		7	1,050	210 21 00000
	0418	0301	LA 2301001	1 1	13.30 14.30		35	1,160	110 77 00000
9	0418	0301	LA 2301001	1 1	13.30 14.30		35	1,160	110 77 00000
	0418	0301	LA 2301001	1 1	14.30 16.30		35	1,160	110 77 00000
9	0418	0301	LA 2301001	1 1	14.30 16.30		35	1,160	110 77 00000
	0418	0304	LA 3001001	1 1 1	13.30 17.30		23	1,270	210 26 00000
89	0418	0304	LA 3001001	1 1 1	13.30 17.30		23	1,270	210 26 00000
	0418	0308	LA 7504001	1 1 1	8.30 9.30		4	555	110 37 00000
9	0418	0308	LA 7504001	1 1 1	8.30 9.30		4	555	110 37 00000
	0418	0308	LA 4504001	1 1	10.30 12.00		1	555	110 37 00000
9	0418	0308	LA 4504001	1 1	10.30 12.00		1	555	110 37 00000
	0418	0310	LA 5201001	1 1	9.00 10.30		9	1,315	210 26 00000
9	0418	0310	LA 5201001	1 1	9.00 10.30		9	1,315	210 26 00000
	0418	0310	LA 5001001	1 1 1	13.30 17.30		9	1,315	210 26 00000
9	0418	0310	LA 5001001	1 1 1	13.30 17.30		9	1,315	210 26 00000
	0418	0313	LA 3401001	1 1	9.00 10.00		23	1,317	110 100 00000
9	0418	0313	LA 3401001	1 1	9.00 10.00		23	1,317	110 100 00000
	0418	0313	LA 4504002	1 1 1	9.30 10.30		14	1,317	110 100 00000
9	0418	0313	LA 4504002	1 1 1	9.30 10.30		14	1,317	110 100 00000
	0418	0313	LA 3401001	1 1	10.00 12.00		23	1,317	110 100 00000
9	0418	0313	LA 3401001	1 1	10.00 12.00		23	1,317	110 100 00000
	0418	0313	LA 7201001	1 1	13.00 14.30		11	1,317	110 100 00000
9	0418	0313	LA 7201001	1 1	13.00 14.30		11	1,317	110 100 00000
	0418	0316	LA 4301001	1 1	12.30 14.00		17	1,317	210 26 00000
9	0418	0316	LA 4301001	1 1	12.30 14.00		17	1,317	210 26 00000
	0418	0316	LA 4001001	1 1 1	13.30 17.30		16	1,317	210 26 00000
9	0418	0316	LA 4001001	1 1 1	13.30 17.30		16	1,317	210 26 00000
	0418	0316	LA 4301001	1 1	14.00 15.00		17	1,317	210 26 00000
9	0418	0316	LA 4301001	1 1	14.00 15.00		17	1,317	210 26 00000
	0418	0321	LA 7013001	1 1 1	8.30 9.30		9	1,218	210 24 00000
9	0418	0321	LA 7013001	1 1 1	8.30 9.30		9	1,218	210 24 00000
	0418	0322	LA 2001001	1 1 1	13.30 17.30		34	1,218	210 24 00000
89	0418	0322	LA 2001001	1 1 1	13.30 17.30		34	1,218	210 24 00000
	0418	0324	LA 7051001	1 1 1	13.30 17.30		7	1,218	210 24 00000
9	0418	0324	LA 7051001	1 1 1	13.30 17.30		7	1,218	210 24 00000
	0418	0401	ART 4020003	1 1	9.00 12.00		11	1,093	110 72 00000
9	0418	0401	ART 4020003	1 1	9.00 12.00		11	1,093	110 72 00000
	0418	0401	ID 4742001	1 1 1	9.30 10.30		18	1,093	110 72 00000
9	0418	0401	ID 4742001	1 1 1	9.30 10.30		18	1,093	110 72 00000
	0418	0401	ID 4620001	1 1	11.00 12.30		1	1,093	110 72 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 56

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0418 0401	ID 4620001	1 1	11.00 12.30		1	1,093	110 72	00000
	0418 0401	ID 2774001	1 1	18.00 19.30		46	1,093	110 72	00000
9	0418 0401	ID 2774001	1 1	18.00 19.30		46	1,093	110 72	00000
	0418 0404	ID 3752001	1 1 1	13.30 17.30		17	1,270	210 20	00000
89	0418 0404	ID 3752001	1 1 1	13.30 17.30		17	1,270	210 20	00000
	0418 0407	ID 3782001	1 1	8.00 8.30		16	1,330	110 60	00000
9	0418 0407	ID 3782001	1 1	8.00 8.30		16	1,330	110 60	00000
	0418 0407	ID 3782002	1 1	8.00 8.30		19	1,330	110 60	00000
9	0418 0407	ID 3782002	1 1	8.00 8.30		19	1,330	110 60	00000
	0418 0407	ID 3782001	1 1	8.30 10.30		16	1,330	110 60	00000
9	0418 0407	ID 3782001	1 1	8.30 10.30		16	1,330	110 60	00000
	0418 0407	ID 3782002	1 1	8.30 10.30		19	1,330	110 60	00000
9	0418 0407	ID 3782002	1 1	8.30 10.30		19	1,330	110 60	00000
	0418 0407	ID 3770001	1 1	13.30 14.00		12	1,330	110 60	00000
9	0418 0407	ID 3770001	1 1	13.30 14.00		12	1,330	110 60	00000
	0418 0407	ID 3770001	1 1	14.00 16.00		12	1,330	110 60	00000
9	0418 0407	ID 3770001	1 1	14.00 16.00		12	1,330	110 60	00000
	0418 0411	ID 3752002	1 1 1	13.30 17.30		18	1,315	110 87	00000
9	0418 0411	ID 3752002	1 1 1	13.30 17.30		18	1,315	110 87	00000
	0418 0414	ID 1711001	1 1 1	13.30 15.30		34	1,317	210 30	00000
89	0418 0414	ID 1711001	1 1 1	13.30 15.30		34	1,317	210 30	00000
	0418 0417	ID 1711002	1 1 1	15.30 17.30		31	1,317	210 30	00000
89	0418 0417	ID 1711002	1 1 1	15.30 17.30		31	1,317	210 30	00000
	0418 0422	ID 2770001	1 1	9.30 11.30		26	1,218	210 20	00000
89	0418 0422	ID 2770001	1 1	9.30 11.30		26	1,218	210 20	00000
8	0418 0422	ID 2770002	1 1	9.30 11.30	1	27	1,218	210 20	00000
89	0418 0422	ID 2770002	1 1	9.30 11.30		27	1,218	210 20	00000
8	0418 0422	ID 3760001	1	11.30 12.30		35	1,218	210 20	00000
89	0418 0422	ID 3760001	1	11.30 12.30		35	1,218	210 20	00000
8	0418 0422	ID 3777001	1 1	13.30 15.00		38	1,218	210 20	00000
89	0418 0422	ID 3777001	1 1	13.30 15.00		38	1,218	210 20	00000
	0418 0422	ID 2650001	1 1 1	13.30 17.30		1	1,218	210 20	00000
9	0418 0422	ID 2650001	1 1 1	13.30 17.30		1	1,218	210 20	00000
	0418 0422	ID 2750001	1 1 1	13.30 17.30	1	15	1,218	210 20	00000
89	0418 0422	ID 2750001	1 1 1	13.30 17.30		15	1,218	210 20	00000
8	0418 0422	ID 2781001	1 1	16.30 18.00		46	1,218	210 20	00000
89	0418 0422	ID 2781001	1 1	16.30 18.00		46	1,218	210 20	00000
	0418 0423	ID 2750002	1 1 1	13.30 17.30		15	1,218	210 20	00000
9	0418 0423	ID 2750002	1 1 1	13.30 17.30		15	1,218	210 20	00000
	0418 0425	ID 2750003	1 1 1	13.30 17.30		15	1,218	110 25	00000
9	0418 0425	ID 2750003	1 1 1	13.30 17.30		15	1,218	110 25	00000
	0418 0427	ID 4758001	1 1 1	13.30 17.30		17	1,218	110 40	00000
9	0418 0427	ID 4758001	1 1 1	13.30 17.30		17	1,218	110 40	00000
	0435 0114	MUS 7775001	1 1 1	10.30 11.30		2	673	110 75	00000
9	0435 0114	MUS 7775001	1 1 1	10.30 11.30		2	673	110 75	00000
	0435 0114	MUS 2130002	1	14.30 15.30		1	673	110 75	00000
9	0435 0114	MUS 2130002	1	14.30 15.30		1	673	110 75	00000
	0435 0114	MUS 3130002	1	14.30 15.30	1	7	673	110 75	00000
9	0435 0114	MUS 3130002	1	14.30 15.30		7	673	110 75	00000
	0435 0115	MUS 2300004	1 1 1	9.30 10.30		27	2,150	110 200	00000
9	0435 0115	MUS 2300004	1 1 1	9.30 10.30		27	2,150	110 200	00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 57

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0435	0115	MUS 2300004	1 1 1	9.30 10.30		27	2,150	110 200 00000
9	0435	0115	MUS 2300004	1 1 1	9.30 10.30		27	2,150	110 200 00000
	0435	0115	MUS 3620001	1 1 1	11.30 12.30		39	2,150	110 200 00000
9	0435	0115	MUS 3620001	1 1 1	11.30 12.30		39	2,150	110 200 00000
	0435	0115	MUS 3630001	1 1 1	11.30 12.30	1	7	2,150	110 200 00000
9	0435	0115	MUS 3630001	1 1 1	11.30 12.30		7	2,150	110 200 00000
	0435	0115	MUS 4235001	1 1	12.00 13.30		19	2,150	110 200 00000
9	0435	0115	MUS 4235001	1 1	12.00 13.30		19	2,150	110 200 00000
	0435	0115	MUS 7771001	1 1	15.30 17.00		9	2,150	110 200 00000
9	0435	0115	MUS 7771001	1 1	15.30 17.00		9	2,150	110 200 00000
	0435	0115	MUS 4230001	1 1	16.30 17.30		7	2,150	110 200 00000
9	0435	0115	MUS 4230001	1 1	16.30 17.30		7	2,150	110 200 00000
	0435	0118	MUS 2300001	1 1	10.30 11.30		17	2,481	210 150 00000
9	0435	0118	MUS 2300001	1 1	10.30 11.30		17	2,481	210 150 00000
9	0435	0118	MUS 2300001	1 1	10.30 11.30		17	2,481	210 150 00000
9	0435	0118	MUS 2300001	1 1	10.30 11.30		17	2,481	210 150 00000
	0435	0118	MUS 3137001	1	12.30 14.30		3	2,481	210 150 00000
9	0435	0118	MUS 3137001	1	12.30 14.30		3	2,481	210 150 00000
	0435	0118	MUS 7037001	1	12.30 14.30	1	7	2,481	210 150 00000
9	0435	0118	MUS 7037001	1	12.30 14.30		7	2,481	210 150 00000
	0435	0118	MUS 4261002	1	12.30 14.30		33	2,481	210 150 00000
9	0435	0118	MUS 4261002	1	12.30 14.30		33	2,481	210 150 00000
9	0435	0118	MUS 4261002	1	12.30 14.30		33	2,481	210 150 00000
9	0435	0118	MUS 4261002	1	12.30 14.30		33	2,481	210 150 00000
	0435	0118	MUS 2147001	1	14.30 15.30		1	2,481	210 150 00000
9	0435	0118	MUS 2147001	1	14.30 15.30		1	2,481	210 150 00000
	0435	0118	MUS 3147001	1	14.30 15.30	1	12	2,481	210 150 00000
9	0435	0118	MUS 3147001	1	14.30 15.30		12	2,481	210 150 00000
	0435	0118	MUS 7047001	1	14.30 15.30	1	2	2,481	210 150 00000
9	0435	0118	MUS 7047001	1	14.30 15.30		2	2,481	210 150 00000
	0435	0118	MUS 2154003	1	16.00 17.00		5	2,481	210 150 00000
9	0435	0118	MUS 2154003	1	16.00 17.00		5	2,481	210 150 00000
	0435	0118	MUS 3154002	1	16.00 17.00	1	2	2,481	210 150 00000
9	0435	0118	MUS 3154002	1	16.00 17.00		2	2,481	210 150 00000
	0435	0118	MUS 3154003	1	16.00 17.00	1	9	2,481	210 150 00000
9	0435	0118	MUS 3154003	1	16.00 17.00		9	2,481	210 150 00000
	0435	0118	MUS 3154004	1	16.00 17.00	1	7	2,481	210 150 00000
9	0435	0118	MUS 3154004	1	16.00 17.00		7	2,481	210 150 00000
	0435	0118	MUS 7054001	1	16.00 17.00	1	1	2,481	210 150 00000
9	0435	0118	MUS 7054001	1	16.00 17.00		1	2,481	210 150 00000
	0435	0118	MUS 7054002	1	16.00 17.00	1	3	2,481	210 150 00000
9	0435	0118	MUS 7054002	1	16.00 17.00		3	2,481	210 150 00000
	0435	0118	MUS 7054003	1	16.00 17.00	1	5	2,481	210 150 00000
9	0435	0118	MUS 7054003	1	16.00 17.00		5	2,481	210 150 00000
	0435	0118	MUS 7054005	1	16.00 17.00	1	1	2,481	210 150 00000
9	0435	0118	MUS 7054005	1	16.00 17.00		1	2,481	210 150 00000
	0435	0118	MUS 4253002	1 1	18.00 19.30		28	2,481	210 150 00000
9	0435	0118	MUS 4253002	1 1	18.00 19.30		28	2,481	210 150 00000
	0435	0232	MUS 4223001	1 1	14.30 15.30		6	380	270 25 00000
9	0435	0232	MUS 4223001	1 1	14.30 15.30		6	380	270 25 00000
	0435	0232	MUS 4223002	1 1	14.30 15.30	1	4	380	270 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 58

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0435	0232	MUS 4223002	1 1	14.30 15.30		4	380	270 25 00000
	0435	0232	MUS 4223004	1 1	14.30 15.30	1	5	380	270 25 00000
9	0435	0232	MUS 4223004	1 1	14.30 15.30		5	380	270 25 00000
	0435	0232	MUS 4223005	1 1	14.30 15.30	1	1	380	270 25 00000
9	0435	0232	MUS 4223005	1 1	14.30 15.30		1	380	270 25 00000
	0435	0331	MUS 3135002	1	12.30 13.30		9	367	110 20 00000
9	0435	0331	MUS 3135002	1	12.30 13.30		9	367	110 20 00000
	0435	0331	MUS 4222001	1 1	14.30 15.30		6	367	110 20 00000
9	0435	0331	MUS 4222001	1 1	14.30 15.30		6	367	110 20 00000
	0435	0331	MUS 4222002	1 1	14.30 15.30	1	5	367	110 20 00000
9	0435	0331	MUS 4222002	1 1	14.30 15.30		5	367	110 20 00000
	0435	0331	MUS 4222005	1 1	14.30 15.30	1	1	367	110 20 00000
9	0435	0331	MUS 4222005	1 1	14.30 15.30		1	367	110 20 00000
	0440	0134	AGRO3040001	1	14.30 16.30		11	818	110 58 00000
9	0440	0134	AGRO3040001	1	14.30 16.30		11	818	110 58 00000
	0440	0135	HORT3050002	1 1	8.30 9.30		3	693	110 30 00000
9	0440	0135	HORT3050002	1 1	8.30 9.30		3	693	110 30 00000
	0440	0241	HORT3050002	1	13.30 16.30		3	917	210 24 00000
9	0440	0241	HORT3050002	1	13.30 16.30		3	917	210 24 00000
	0448	0100	BIOL7800004	1 1	10.30 12.00		10	654	110 44 00000
9	0448	0100	BIOL7800004	1 1	10.30 12.00		10	654	110 44 00000
	0448	0100	ENGL1001103	1 1 1	11.30 12.30		19	654	110 44 00000
9	0448	0100	ENGL1001103	1 1 1	11.30 12.30		19	654	110 44 00000
	0448	0100	CE 4520001	1	17.00 19.00		8	654	110 44 00000
9	0448	0100	CE 4520001	1	17.00 19.00		8	654	110 44 00000
	0448	0101	AGEC2700001	1	11.30 12.30		16	659	110 44 00000
9	0448	0101	AGEC2700001	1	11.30 12.30		16	659	110 44 00000
	0448	0101	ENVS3102001	1 1	12.00 13.30		17	659	110 44 00000
9	0448	0101	ENVS3102001	1 1	12.00 13.30		17	659	110 44 00000
	0448	0101	ANSC2051001	1	13.30 16.30		20	659	110 44 00000
9	0448	0101	ANSC2051001	1	13.30 16.30		20	659	110 44 00000
	0448	0102	ANSC4005001	1 1	9.00 10.30		25	935	110 66 00000
9	0448	0102	ANSC4005001	1 1	9.00 10.30		25	935	110 66 00000
	0448	0102	ANSC4018001	1 1	12.00 13.30		18	935	110 66 00000
9	0448	0102	ANSC4018001	1 1	12.00 13.30		18	935	110 66 00000
	0448	0102	PETE1010002	1 1	14.30 15.30		31	935	110 66 00000
9	0448	0102	PETE1010002	1 1	14.30 15.30		31	935	110 66 00000
	0448	0102	CE 4760001	1	15.00 17.00		28	935	110 66 00000
9	0448	0102	CE 4760001	1	15.00 17.00		28	935	110 66 00000
	0448	0103	AGEC3413001	1 1 1	8.30 9.30		33	1,017	110 100 00000
9	0448	0103	AGEC3413001	1 1 1	8.30 9.30		33	1,017	110 100 00000
	0448	0103	CHEM4570001	1 1	9.00 10.30		34	1,017	110 100 00000
9	0448	0103	CHEM4570001	1 1	9.00 10.30		34	1,017	110 100 00000
	0448	0103	ENTM2001001	1 1	9.30 10.30		19	1,017	110 100 00000
9	0448	0103	ENTM2001001	1 1	9.30 10.30		19	1,017	110 100 00000
	0448	0103	ENTM2001002	1 1	9.30 10.30	1	13	1,017	110 100 00000
9	0448	0103	ENTM2001002	1 1	9.30 10.30		13	1,017	110 100 00000
	0448	0103	CFS 2065001	1 1	10.30 12.00		64	1,017	110 100 00000
9	0448	0103	CFS 2065001	1 1	10.30 12.00		64	1,017	110 100 00000
	0448	0103	REL 1000004	1 1 1	11.30 12.30		55	1,017	110 100 00000
9	0448	0103	REL 1000004	1 1 1	11.30 12.30		55	1,017	110 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 59

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0103	BIOL4132001	1 1	12.00 13.30		16	1,017	110 100 00000
9	0448	0103	BIOL4132001	1 1	12.00 13.30		16	1,017	110 100 00000
	0448	0103	ASST1001002	1	14.00 15.00		24	1,017	110 100 00000
9	0448	0103	ASST1001002	1	14.00 15.00		24	1,017	110 100 00000
	0448	0103	OCS 3103001	1 1	15.00 16.30		36	1,017	110 100 00000
9	0448	0103	OCS 3103001	1 1	15.00 16.30		36	1,017	110 100 00000
	0448	0103	ENTR4113001	1	15.00 18.00		41	1,017	110 100 00000
9	0448	0103	ENTR4113001	1	15.00 18.00		41	1,017	110 100 00000
	0448	0103	CSC 7103001	1 1	17.00 18.30		19	1,017	110 100 00000
9	0448	0103	CSC 7103001	1 1	17.00 18.30		19	1,017	110 100 00000
	0448	0105	CHE 3102001	1 1	8.30 10.30		40	1,415	110 94 00000
9	0448	0105	CHE 3102001	1 1	8.30 10.30		40	1,415	110 94 00000
	0448	0105	ASST2001001	1	9.30 10.30		16	1,415	110 94 00000
9	0448	0105	ASST2001001	1	9.30 10.30		16	1,415	110 94 00000
	0448	0105	ME 3133001	1 1 1	10.30 11.30		37	1,415	110 94 00000
9	0448	0105	ME 3133001	1 1 1	10.30 11.30		37	1,415	110 94 00000
	0448	0105	ASST1001001	1	10.30 11.30		23	1,415	110 94 00000
9	0448	0105	ASST1001001	1	10.30 11.30		23	1,415	110 94 00000
	0448	0105	ANSC3060001	1 1 1	11.30 12.30		40	1,415	110 94 00000
9	0448	0105	ANSC3060001	1 1 1	11.30 12.30		40	1,415	110 94 00000
	0448	0105	SCI 1001037	1	12.00 13.30		31	1,415	110 94 00000
9	0448	0105	SCI 1001037	1	12.00 13.30		31	1,415	110 94 00000
	0448	0105	CFS 4062001	1 1	13.30 15.00		39	1,415	110 94 00000
9	0448	0105	CFS 4062001	1 1	13.30 15.00		39	1,415	110 94 00000
	0448	0105	EVEG4125001	1 1	15.00 16.30		25	1,415	110 94 00000
9	0448	0105	EVEG4125001	1 1	15.00 16.30		25	1,415	110 94 00000
	0448	0105	SCI 1001009	1	15.30 17.00		35	1,415	110 94 00000
9	0448	0105	SCI 1001009	1	15.30 17.00		35	1,415	110 94 00000
	0448	0108	ENTM7020001	1 1	9.00 10.30		9	666	110 44 00000
9	0448	0108	ENTM7020001	1 1	9.00 10.30		9	666	110 44 00000
	0448	0108	CHEM4561001	1 1 1	10.30 11.30		12	666	110 44 00000
9	0448	0108	CHEM4561001	1 1 1	10.30 11.30		12	666	110 44 00000
	0448	0108	HSS 1000053	1	11.30 12.30		18	666	110 44 00000
9	0448	0108	HSS 1000053	1	11.30 12.30		18	666	110 44 00000
	0448	0108	HSS 1000021	1	11.30 12.30		19	666	110 44 00000
9	0448	0108	HSS 1000021	1	11.30 12.30		19	666	110 44 00000
	0448	0108	MATH4172001	1 1	12.00 13.30		8	666	110 44 00000
9	0448	0108	MATH4172001	1 1	12.00 13.30		8	666	110 44 00000
	0448	0109	HNRS2030002	1 1	9.00 10.30		15	933	110 66 00000
9	0448	0109	HNRS2030002	1 1	9.00 10.30		15	933	110 66 00000
	0448	0109	ENGL1001061	1 1 1	10.30 11.30		20	933	110 66 00000
9	0448	0109	ENGL1001061	1 1 1	10.30 11.30		20	933	110 66 00000
	0448	0109	ANSC4092001	1	13.30 14.30		19	933	110 66 00000
9	0448	0109	ANSC4092001	1	13.30 14.30		19	933	110 66 00000
	0448	0109	ENGL1001040	1 1	13.30 15.00		20	933	110 66 00000
9	0448	0109	ENGL1001040	1 1	13.30 15.00		20	933	110 66 00000
	0448	0109	ANSC2051002	1	13.30 16.30		20	933	110 66 00000
9	0448	0109	ANSC2051002	1	13.30 16.30		20	933	110 66 00000
	0448	0109	PETE1010001	1 1	15.00 16.00		33	933	110 66 00000
9	0448	0109	PETE1010001	1 1	15.00 16.00		33	933	110 66 00000
	0448	0112	FIN 3826002	1 1	10.30 12.00		30	611	110 41 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 60

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0112	FIN 3826002	1 1	10.30 12.00		30	611	110 41 00000
	0448	0112	FIN 3826003	1 1	12.00 13.30		29	611	110 41 00000
9	0448	0112	FIN 3826003	1 1	12.00 13.30		29	611	110 41 00000
	0448	0112	NFS 4070001	1	12.30 14.30		13	611	110 41 00000
9	0448	0112	NFS 4070001	1	12.30 14.30		13	611	110 41 00000
	0448	0116	ANSC4020001	1 1	8.30 9.30		8	611	110 41 00000
9	0448	0116	ANSC4020001	1 1	8.30 9.30		8	611	110 41 00000
	0448	0116	NFS 4060001	1 1	10.30 12.00		10	611	110 41 00000
9	0448	0116	NFS 4060001	1 1	10.30 12.00		10	611	110 41 00000
	0448	0116	ANSC7001001	1 1	11.30 12.30		5	611	110 41 00000
9	0448	0116	ANSC7001001	1 1	11.30 12.30		5	611	110 41 00000
	0448	0116	ANSC4020001	1	14.30 17.30		8	611	110 41 00000
9	0448	0116	ANSC4020001	1	14.30 17.30		8	611	110 41 00000
	0448	0117	NFS 4075001	1 1	9.00 10.00		11	611	110 41 00000
9	0448	0117	NFS 4075001	1 1	9.00 10.00		11	611	110 41 00000
	0448	0117	KIN 4520001	1 1 1	10.30 11.30		35	611	110 41 00000
89	0448	0117	KIN 4520001	1 1 1	10.30 11.30		35	611	110 41 00000
	0448	0117	NFS 4075001	1	13.30 16.30		11	611	110 41 00000
9	0448	0117	NFS 4075001	1	13.30 16.30		11	611	110 41 00000
	0448	0117	CE 4320001	1 1	15.00 16.30		15	611	110 41 00000
9	0448	0117	CE 4320001	1 1	15.00 16.30		15	611	110 41 00000
	0448	0117	ME 4643001	1 1	16.30 18.00		11	611	110 41 00000
9	0448	0117	ME 4643001	1 1	16.30 18.00		11	611	110 41 00000
	0448	0119	CE 7310001	1 1	8.30 10.00		8	624	110 42 00000
9	0448	0119	CE 7310001	1 1	8.30 10.00		8	624	110 42 00000
	0448	0119	CE 7200001	1 1	10.30 12.00		9	624	110 42 00000
9	0448	0119	CE 7200001	1 1	10.30 12.00		9	624	110 42 00000
	0448	0120	SOCL2002001	1 1	9.00 10.30		30	1,461	110 84 00000
9	0448	0120	SOCL2002001	1 1	9.00 10.30		30	1,461	110 84 00000
	0448	0120	BIOL3060001	1 1 1	9.30 10.30		13	1,461	110 84 00000
9	0448	0120	BIOL3060001	1 1 1	9.30 10.30		13	1,461	110 84 00000
	0448	0120	ECON2010006	1 1	10.30 12.00		58	1,461	110 84 00000
9	0448	0120	ECON2010006	1 1	10.30 12.00		58	1,461	110 84 00000
	0448	0120	EE 4755001	1 1 1	11.30 12.30		31	1,461	110 84 00000
9	0448	0120	EE 4755001	1 1 1	11.30 12.30		31	1,461	110 84 00000
	0448	0120	SOCL2002002	1 1	12.00 13.30		29	1,461	110 84 00000
9	0448	0120	SOCL2002002	1 1	12.00 13.30		29	1,461	110 84 00000
	0448	0120	PETE7241002	1 1	13.30 15.00		10	1,461	110 84 00000
9	0448	0120	PETE7241002	1 1	13.30 15.00		10	1,461	110 84 00000
	0448	0120	CE 4410001	1 1	13.30 15.00		51	1,461	110 84 00000
9	0448	0120	CE 4410001	1 1	13.30 15.00		51	1,461	110 84 00000
	0448	0120	SCI 1001028	1	15.00 16.30		30	1,461	110 84 00000
9	0448	0120	SCI 1001028	1	15.00 16.30		30	1,461	110 84 00000
	0448	0120	SCI 1001002	1	15.30 17.00		31	1,461	110 84 00000
9	0448	0120	SCI 1001002	1	15.30 17.00		31	1,461	110 84 00000
	0448	0120	SCI 1001023	1	15.30 17.00		29	1,461	110 84 00000
9	0448	0120	SCI 1001023	1	15.30 17.00		29	1,461	110 84 00000
	0448	0120	POLI2051004	1	16.00 19.00		28	1,461	110 84 00000
9	0448	0120	POLI2051004	1	16.00 19.00		28	1,461	110 84 00000
	0448	0120	CM 3355001	1	18.00 21.00		55	1,461	110 84 00000
9	0448	0120	CM 3355001	1	18.00 21.00		55	1,461	110 84 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 61

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0125	EE 4702001	1 1 1	9.30 10.30		12	611	110 41 00000
9	0448	0125	EE 4702001	1 1 1	9.30 10.30		12	611	110 41 00000
	0448	0125	ANSC2040001	1	13.30 16.30		19	611	110 41 00000
9	0448	0125	ANSC2040001	1	13.30 16.30		19	611	110 41 00000
	0448	0127	BE 4336001	1 1 1	12.30 13.30		17	611	110 41 00000
9	0448	0127	BE 4336001	1 1 1	12.30 13.30		17	611	110 41 00000
	0448	0127	BIOL7280001	1 1	13.30 15.00		13	611	110 41 00000
9	0448	0127	BIOL7280001	1 1	13.30 15.00		13	611	110 41 00000
	0448	0127	EE 4775001	1 1 1	14.30 15.30		14	611	110 41 00000
9	0448	0127	EE 4775001	1 1 1	14.30 15.30		14	611	110 41 00000
	0448	0127	CE 4500001	1	17.00 19.00		9	611	110 41 00000
9	0448	0127	CE 4500001	1	17.00 19.00		9	611	110 41 00000
	0448	0129	CE 7475001	1 1	9.00 10.30		3	611	110 41 00000
9	0448	0129	CE 7475001	1 1	9.00 10.30		3	611	110 41 00000
	0448	0129	AGEC7113001	1 1	10.30 12.00		5	611	110 41 00000
9	0448	0129	AGEC7113001	1 1	10.30 12.00		5	611	110 41 00000
	0448	0129	BIOL7800006	1 1	12.00 13.30		7	611	110 41 00000
9	0448	0129	BIOL7800006	1 1	12.00 13.30		7	611	110 41 00000
	0448	0129	PETE4241001	1 1 1	12.30 13.30		31	611	110 41 00000
9	0448	0129	PETE4241001	1 1 1	12.30 13.30		31	611	110 41 00000
	0448	0129	PETE4241002	1 1	15.30 17.00		3	611	110 41 00000
9	0448	0129	PETE4241002	1 1	15.30 17.00		3	611	110 41 00000
	0448	0200	BIOL4308001	1 1	9.00 10.30		4	654	110 44 00000
9	0448	0200	BIOL4308001	1 1	9.00 10.30		4	654	110 44 00000
	0448	0200	OCS 1006001	1 1	13.30 15.00		13	654	110 44 00000
9	0448	0200	OCS 1006001	1 1	13.30 15.00		13	654	110 44 00000
	0448	0201	BIOL4170001	1 1	9.00 10.30		11	659	110 44 00000
9	0448	0201	BIOL4170001	1 1	9.00 10.30		11	659	110 44 00000
	0448	0201	ENGL1004001	1 1 1	10.30 11.30		14	659	110 44 00000
9	0448	0201	ENGL1004001	1 1 1	10.30 11.30		14	659	110 44 00000
	0448	0201	CHEM3493001	1 1	13.30 16.30		13	659	110 44 00000
9	0448	0201	CHEM3493001	1 1	13.30 16.30		13	659	110 44 00000
	0448	0201	CHEM3493001	1	16.30 17.30		13	659	110 44 00000
9	0448	0201	CHEM3493001	1	16.30 17.30		13	659	110 44 00000
	0448	0203	EDCI3200001	1 1	9.00 10.30		20	768	110 66 00000
9	0448	0203	EDCI3200001	1 1	9.00 10.30		20	768	110 66 00000
	0448	0203	EDCI3200001	11	9.00 12.00		20	768	110 66 00000
9	0448	0203	EDCI3200001	11	9.00 12.00		20	768	110 66 00000
	0448	0203	COMD4380001	1 1	12.00 13.30		25	768	110 66 00000
9	0448	0203	COMD4380001	1 1	12.00 13.30		25	768	110 66 00000
	0448	0203	COMD4380003	1 1	12.00 13.30	1	25	768	110 66 00000
89	0448	0203	COMD4380003	1 1	12.00 13.30		25	768	110 66 00000
	0448	0203	PSYC3020002	1 1	13.30 15.00		5	768	110 66 00000
9	0448	0203	PSYC3020002	1 1	13.30 15.00		5	768	110 66 00000
	0448	0203	EVEG2000001	1 1	15.00 16.30		26	768	110 66 00000
9	0448	0203	EVEG2000001	1 1	15.00 16.30		26	768	110 66 00000
	0448	0204	SPAN1101029	1111	8.30 9.30		23	1,296	110 100 00000
9	0448	0204	SPAN1101029	1111	8.30 9.30		23	1,296	110 100 00000
	0448	0204	ANSC3070001	1 1 1	9.30 10.30		40	1,296	110 100 00000
9	0448	0204	ANSC3070001	1 1 1	9.30 10.30		40	1,296	110 100 00000
	0448	0204	CFS 4052001	1 1	10.30 12.00		42	1,296	110 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 62

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0204	CFS 4052001	1 1	10.30 12.00		42	1,296	110 100 00000
	0448	0204	OCS 2008001	1 1	12.00 13.30		34	1,296	110 100 00000
9	0448	0204	OCS 2008001	1 1	12.00 13.30		34	1,296	110 100 00000
	0448	0204	TAM 3045001	1 1	15.00 16.30		55	1,296	110 100 00000
9	0448	0204	TAM 3045001	1 1	15.00 16.30		55	1,296	110 100 00000
	0448	0204	EE 3410001	1 1	16.30 18.00		26	1,296	110 100 00000
9	0448	0204	EE 3410001	1 1	16.30 18.00		26	1,296	110 100 00000
	0448	0206	SPAN1101028	1111	7.30 8.30		22	1,415	110 94 00000
9	0448	0206	SPAN1101028	1111	7.30 8.30		22	1,415	110 94 00000
	0448	0206	MKT 3427005	1 1 1	9.30 10.30		25	1,415	110 94 00000
9	0448	0206	MKT 3427005	1 1 1	9.30 10.30		25	1,415	110 94 00000
	0448	0206	MKT 3427002	1 1 1	10.30 11.30		30	1,415	110 94 00000
9	0448	0206	MKT 3427002	1 1 1	10.30 11.30		30	1,415	110 94 00000
	0448	0206	ECON2001001	1 1	10.30 12.00		40	1,415	110 94 00000
9	0448	0206	ECON2001001	1 1	10.30 12.00		40	1,415	110 94 00000
	0448	0206	MATH1551003	11111	13.30 14.30		37	1,415	110 94 00000
9	0448	0206	MATH1551003	11111	13.30 14.30		37	1,415	110 94 00000
	0448	0206	SCI 1001014	1	15.00 16.30		37	1,415	110 94 00000
9	0448	0206	SCI 1001014	1	15.00 16.30		37	1,415	110 94 00000
	0448	0206	SCI 1001027	1	15.00 16.30		28	1,415	110 94 00000
9	0448	0206	SCI 1001027	1	15.00 16.30		28	1,415	110 94 00000
	0448	0206	SCI 1001005	1	15.30 17.00		26	1,415	110 94 00000
9	0448	0206	SCI 1001005	1	15.30 17.00		26	1,415	110 94 00000
	0448	0210	BIOL7800005	1 1 1	9.30 10.30		5	666	110 44 00000
9	0448	0210	BIOL7800005	1 1 1	9.30 10.30		5	666	110 44 00000
	0448	0210	CHE 4285001	1 1	10.30 12.00		9	666	110 44 00000
9	0448	0210	CHE 4285001	1 1	10.30 12.00		9	666	110 44 00000
	0448	0210	POLI4060001	1 1	13.30 15.00		27	666	110 44 00000
9	0448	0210	POLI4060001	1 1	13.30 15.00		27	666	110 44 00000
	0448	0210	BIOL7063001	1 1	15.00 16.30		7	666	110 44 00000
9	0448	0210	BIOL7063001	1 1	15.00 16.30		7	666	110 44 00000
	0448	0210	PLHL7063001	1 1	15.00 16.30	1	7	666	110 44 00000
9	0448	0210	PLHL7063001	1 1	15.00 16.30	1	7	666	110 44 00000
	0448	0211	ENGL1001092	1 1	10.30 12.00		16	930	110 60 00000
9	0448	0211	ENGL1001092	1 1	10.30 12.00		16	930	110 60 00000
	0448	0211	COMD4380002	1 1	13.30 15.00		27	930	110 60 00000
9	0448	0211	COMD4380002	1 1	13.30 15.00		27	930	110 60 00000
	0448	0211	COMD4380004	1 1	13.30 15.00	1	23	930	110 60 00000
89	0448	0211	COMD4380004	1 1	13.30 15.00	1	23	930	110 60 00000
	0448	0213	BE 4383001	1 1	10.30 12.00		7	735	110 42 00000
9	0448	0213	BE 4383001	1 1	10.30 12.00		7	735	110 42 00000
	0448	0213	CHEM7750002	1 1	13.30 15.00		6	735	110 42 00000
9	0448	0213	CHEM7750002	1 1	13.30 15.00		6	735	110 42 00000
	0448	0213	CE 4430001	1 1	15.00 18.00		13	735	110 42 00000
9	0448	0213	CE 4430001	1 1	15.00 18.00		13	735	110 42 00000
	0448	0218	NFS 3110001	1 1	10.30 12.00		34	728	110 49 00000
9	0448	0218	NFS 3110001	1 1	10.30 12.00		34	728	110 49 00000
	0448	0218	EVEG4150001	1	15.00 18.00		20	728	110 49 00000
9	0448	0218	EVEG4150001	1	15.00 18.00		20	728	110 49 00000
	0448	0220	CHEM7760001	1 1 1	8.30 9.30		8	624	110 42 00000
9	0448	0220	CHEM7760001	1 1 1	8.30 9.30		8	624	110 42 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 63

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0448	0220	CHEM7750001	1 1 1	9.30 10.30		12	624	110 42 00000
9	0448	0220	CHEM7750001	1 1 1	9.30 10.30		12	624	110 42 00000
	0448	0220	FREN2102005	1 1	10.30 12.00		13	624	110 42 00000
9	0448	0220	FREN2102005	1 1	10.30 12.00		13	624	110 42 00000
	0448	0221	NFS 2112001	1 1	7.30 9.00		40	979	110 84 00000
9	0448	0221	NFS 2112001	1 1	7.30 9.00		40	979	110 84 00000
	0448	0221	MATH1202001	1 1	9.00 10.30		28	979	110 84 00000
9	0448	0221	MATH1202001	1 1	9.00 10.30		28	979	110 84 00000
	0448	0221	ME 3133001	1 1 1	9.30 10.30		37	979	110 84 00000
9	0448	0221	ME 3133001	1 1 1	9.30 10.30		37	979	110 84 00000
	0448	0221	CFS 2050002	1 1 1	10.30 11.30		42	979	110 84 00000
9	0448	0221	CFS 2050002	1 1 1	10.30 11.30		42	979	110 84 00000
	0448	0221	MKT 3427003	1 1 1	12.30 13.30		28	979	110 84 00000
9	0448	0221	MKT 3427003	1 1 1	12.30 13.30		28	979	110 84 00000
	0448	0221	MKT 3427004	1 1 1	13.30 14.30		21	979	110 84 00000
9	0448	0221	MKT 3427004	1 1 1	13.30 14.30		21	979	110 84 00000
	0448	0221	NFS 2110001	1 1	13.30 15.00		35	979	110 84 00000
9	0448	0221	NFS 2110001	1 1	13.30 15.00		35	979	110 84 00000
	0448	0221	SCI 1001011	1	15.00 16.30		27	979	110 84 00000
9	0448	0221	SCI 1001011	1	15.00 16.30		27	979	110 84 00000
	0448	0221	SCI 1001029	1	15.00 16.30		27	979	110 84 00000
9	0448	0221	SCI 1001029	1	15.00 16.30		27	979	110 84 00000
	0448	0221	SCI 1001004	1	15.30 17.00		25	979	110 84 00000
9	0448	0221	SCI 1001004	1	15.30 17.00		25	979	110 84 00000
	0448	0225	HORT2120001	1 1	8.00 9.00		24	666	110 40 00000
9	0448	0225	HORT2120001	1 1	8.00 9.00		24	666	110 40 00000
	0448	0225	TAM 7041001	1 1	13.30 15.00		2	666	110 40 00000
9	0448	0225	TAM 7041001	1 1	13.30 15.00		2	666	110 40 00000
	0448	0225	BIOL7080001	1 1	13.30 15.00		9	666	110 40 00000
9	0448	0225	BIOL7080001	1 1	13.30 15.00		9	666	110 40 00000
	0448	0226	NFS 4095001	1 1 1	10.30 11.30		9	728	110 40 00000
9	0448	0226	NFS 4095001	1 1 1	10.30 11.30		9	728	110 40 00000
	0448	0226	ECON7629001	1 1	10.30 12.00		2	728	110 40 00000
9	0448	0226	ECON7629001	1 1	10.30 12.00		2	728	110 40 00000
	0448	0226	NFS 4095001	1	13.30 16.30		9	728	110 40 00000
9	0448	0226	NFS 4095001	1	13.30 16.30		9	728	110 40 00000
	0448	0226	NFS 3115001	1 1	16.30 18.00		10	728	110 40 00000
9	0448	0226	NFS 3115001	1 1	16.30 18.00		10	728	110 40 00000
	0448	0228	ISDS3110001	1 1	9.00 10.30		43	735	110 50 00000
89	0448	0228	ISDS3110001	1 1	9.00 10.30		43	735	110 50 00000
	0448	0228	ISDS3110002	1 1	10.30 12.00		47	735	110 50 00000
89	0448	0228	ISDS3110002	1 1	10.30 12.00		47	735	110 50 00000
	0448	0228	EVEG4154001	1 1	13.30 15.00		23	735	110 50 00000
9	0448	0228	EVEG4154001	1 1	13.30 15.00		23	735	110 50 00000
	0448	0229	CFS 2050001	1 1 1	9.30 10.30		33	735	110 50 00000
9	0448	0229	CFS 2050001	1 1 1	9.30 10.30		33	735	110 50 00000
	0448	0229	FREN1001011	1111	11.30 12.30		16	735	110 50 00000
9	0448	0229	FREN1001011	1111	11.30 12.30		16	735	110 50 00000
	0448	0229	ASST2001002	1	13.00 14.00		18	735	110 50 00000
9	0448	0229	ASST2001002	1	13.00 14.00		18	735	110 50 00000
	0448	0229	ANSC2031001	1	13.30 14.30		16	735	110 50 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 64

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0448	0229	ANSC2031001	1	13.30 14.30		16	735	110 50 00000
	0448	0229	ANSC2031001	1	14.30 16.30		16	735	110 50 00000
9	0448	0229	ANSC2031001	1	14.30 16.30		16	735	110 50 00000
	0448	0229	EE 4280001	1 1	16.30 18.00		22	735	110 50 00000
9	0448	0229	EE 4280001	1 1	16.30 18.00		22	735	110 50 00000
	0464	0141	RNR 2070001	1 1	8.30 9.30		4	1,020	110 78 00000
9	0464	0141	RNR 2070001	1 1	8.30 9.30		4	1,020	110 78 00000
	0464	0141	RNR 4101001	1 1	8.30 9.30		11	1,020	110 78 00000
9	0464	0141	RNR 4101001	1 1	8.30 9.30		11	1,020	110 78 00000
	0464	0141	RNR 2039001	1 1 1	9.30 10.30		36	1,020	110 78 00000
9	0464	0141	RNR 2039001	1 1 1	9.30 10.30		36	1,020	110 78 00000
	0464	0141	RNR 4101001	1 1	9.30 12.30		11	1,020	110 78 00000
9	0464	0141	RNR 4101001	1 1	9.30 12.30		11	1,020	110 78 00000
	0464	0141	RNR 2070001	1 1 1	10.30 11.30		4	1,020	110 78 00000
9	0464	0141	RNR 2070001	1 1 1	10.30 11.30		4	1,020	110 78 00000
	0464	0141	RNR 2101001	1 1 1	10.30 11.30	1	24	1,020	110 78 00000
9	0464	0141	RNR 2101001	1 1 1	10.30 11.30		24	1,020	110 78 00000
	0464	0141	RNR 4013001	1 1 1	12.30 13.30		12	1,020	110 78 00000
9	0464	0141	RNR 4013001	1 1 1	12.30 13.30		12	1,020	110 78 00000
	0464	0141	RNR 4051001	1	13.30 17.30		11	1,020	110 78 00000
9	0464	0141	RNR 4051001	1	13.30 17.30		11	1,020	110 78 00000
	0464	0142	RNR 4011001	1 1	7.00 8.30		28	1,245	110 95 00000
9	0464	0142	RNR 4011001	1 1	7.00 8.30		28	1,245	110 95 00000
	0464	0142	RNR 4040001	1 1 1	8.30 9.30		24	1,245	110 95 00000
9	0464	0142	RNR 4040001	1 1 1	8.30 9.30		24	1,245	110 95 00000
	0464	0142	RNR 2102001	1 1	9.00 10.30		24	1,245	110 95 00000
9	0464	0142	RNR 2102001	1 1	9.00 10.30		24	1,245	110 95 00000
	0464	0142	RNR 2102002	1 1	9.00 10.30	1	18	1,245	110 95 00000
9	0464	0142	RNR 2102002	1 1	9.00 10.30		18	1,245	110 95 00000
	0464	0142	RNR 4107001	1 1 1	9.30 10.30		44	1,245	110 95 00000
9	0464	0142	RNR 4107001	1 1 1	9.30 10.30		44	1,245	110 95 00000
	0464	0142	RNR 1010001	1 1 1	10.30 11.30		49	1,245	110 95 00000
9	0464	0142	RNR 1010001	1 1 1	10.30 11.30		49	1,245	110 95 00000
	0464	0142	RNR 1010001	1	11.30 12.30		49	1,245	110 95 00000
9	0464	0142	RNR 1010001	1	11.30 12.30		49	1,245	110 95 00000
	0464	0142	BIOL4015001	1 1 1	12.30 13.30		3	1,245	110 95 00000
9	0464	0142	BIOL4015001	1 1 1	12.30 13.30		3	1,245	110 95 00000
	0464	0142	BIOL4015002	1 1 1	12.30 13.30	1	5	1,245	110 95 00000
9	0464	0142	BIOL4015002	1 1 1	12.30 13.30		5	1,245	110 95 00000
	0464	0142	BIOL4015003	1 1 1	12.30 13.30	1	3	1,245	110 95 00000
9	0464	0142	BIOL4015003	1 1 1	12.30 13.30		3	1,245	110 95 00000
	0464	0142	BIOL4015004	1 1 1	12.30 13.30	1	5	1,245	110 95 00000
9	0464	0142	BIOL4015004	1 1 1	12.30 13.30		5	1,245	110 95 00000
	0464	0142	RNR 4015001	1 1 1	12.30 13.30	1	8	1,245	110 95 00000
9	0464	0142	RNR 4015001	1 1 1	12.30 13.30		8	1,245	110 95 00000
	0464	0142	RNR 4015002	1 1 1	12.30 13.30	1	8	1,245	110 95 00000
9	0464	0142	RNR 4015002	1 1 1	12.30 13.30		8	1,245	110 95 00000
	0464	0142	RNR 4015003	1 1 1	12.30 13.30	1	6	1,245	110 95 00000
9	0464	0142	RNR 4015003	1 1 1	12.30 13.30		6	1,245	110 95 00000
	0464	0142	RNR 4015004	1 1 1	12.30 13.30	1	8	1,245	110 95 00000
9	0464	0142	RNR 4015004	1 1 1	12.30 13.30		8	1,245	110 95 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 65

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0464	0142	RNR 2102001	1	13.30 16.30		24	1,245	110 95 00000
9	0464	0142	RNR 2102001	1	13.30 16.30		24	1,245	110 95 00000
	0464	0142	RNR 2102002		13.30 16.30	1	18	1,245	110 95 00000
9	0464	0142	RNR 2102002		13.30 16.30	1	18	1,245	110 95 00000
	0464	0142	RNR 4011001	1	13.30 17.30		28	1,245	110 95 00000
9	0464	0142	RNR 4011001	1	13.30 17.30		28	1,245	110 95 00000
	0464	0206	RNR 2101002	1 1 1	8.30 9.30		25	1,383	210 30 00000
89	0464	0206	RNR 2101002	1 1 1	8.30 9.30		25	1,383	210 30 00000
	0464	0206	RNR 4020001	1 1	9.30 11.00		12	1,383	210 30 00000
9	0464	0206	RNR 4020001	1 1	9.30 11.00		12	1,383	210 30 00000
	0464	0206	RNR 4051001	1 1	10.30 11.30		11	1,383	210 30 00000
9	0464	0206	RNR 4051001	1 1	10.30 11.30		11	1,383	210 30 00000
	0464	0206	RNR 4060001		12.30 13.30	1	11	1,383	210 30 00000
9	0464	0206	RNR 4060001		12.30 13.30	1	11	1,383	210 30 00000
	0464	0206	RNR 2001001	1	13.00 17.30		14	1,383	210 30 00000
9	0464	0206	RNR 2001001	1	13.00 17.30		14	1,383	210 30 00000
	0464	0206	RNR 2001002		13.00 17.30	1	14	1,383	210 30 00000
9	0464	0206	RNR 2001002		13.00 17.30	1	14	1,383	210 30 00000
	0464	0206	RNR 4020001		13.30 18.00	1	12	1,383	210 30 00000
9	0464	0206	RNR 4020001		13.30 18.00	1	12	1,383	210 30 00000
	0464	0206	RNR 4060001		13.30 19.30	1	11	1,383	210 30 00000
4	9	0464	0206	RNR 4060001		13.30 19.30	11	1,383	210 30 00000
4		0464	0207	RNR 3106001		13.30 14.30	11	860	210 17 00000
9		0464	0207	RNR 3106001		13.30 14.30	11	860	210 17 00000
	0464	0207	RNR 2072001		13.30 14.30	1	2	860	210 17 00000
9		0464	0207	RNR 2072001		13.30 14.30	2	860	210 17 00000
	0464	0207	RNR 3106001		14.30 18.30	1	11	860	210 17 00000
9		0464	0207	RNR 3106001		14.30 18.30	11	860	210 17 00000
	0464	0214	RNR 4913001	1 1	11.30 12.30		22	1,090	140 70 00000
9		0464	0214	RNR 4913001	1 1	11.30 12.30	22	1,090	140 70 00000
	0464	0214	RNR 7013001	1 1	11.30 12.30	1	3	1,090	140 70 00000
9		0464	0214	RNR 7013001	1 1	11.30 12.30	3	1,090	140 70 00000
	0464	0214	RNR 3004001		13.30 16.30	1	21	1,090	140 70 00000
9		0464	0214	RNR 3004001		13.30 16.30	21	1,090	140 70 00000
	0464	0214	RNR 3004002		13.30 16.30	1	13	1,090	140 70 00000
9		0464	0214	RNR 3004002		13.30 16.30	13	1,090	140 70 00000
	0464	0214	RNR 3004001		13.30 16.30	1	21	1,090	140 70 00000
9		0464	0214	RNR 3004001		13.30 16.30	21	1,090	140 70 00000
	0464	0214	RNR 3004002		13.30 16.30	1	13	1,090	140 70 00000
9		0464	0214	RNR 3004002		13.30 16.30	13	1,090	140 70 00000
	0464	0214	RNR 4913001		18.00 21.00	1	22	1,090	140 70 00000
9		0464	0214	RNR 4913001		18.00 21.00	22	1,090	140 70 00000
	0464	0214	RNR 7013001		18.00 21.00	1	3	1,090	140 70 00000
9		0464	0214	RNR 7013001		18.00 21.00	3	1,090	140 70 00000
	0464	0225	RNR 2062001		12.30 13.30	1	4	467	110 20 00000
9		0464	0225	RNR 2062001		12.30 13.30	4	467	110 20 00000
	0464	0225	RNR 4062001		12.30 13.30	1	1	467	110 20 00000
9		0464	0225	RNR 4062001		12.30 13.30	1	467	110 20 00000
	0464	0225	BIOL4015001		13.30 14.30	1	3	467	110 20 00000
9		0464	0225	BIOL4015001		13.30 14.30	3	467	110 20 00000
	0464	0225	RNR 4015001		13.30 14.30	1	8	467	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 66

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	0464	0225	RNR 4015001	1	13.30 14.30		8	467	110 20 00000
	0464	0225	BIOL4015002	1	13.30 14.30		5	467	110 20 00000
9	0464	0225	BIOL4015002	1	13.30 14.30		5	467	110 20 00000
	0464	0225	RNR 4015002	1	13.30 14.30	1	8	467	110 20 00000
9	0464	0225	RNR 4015002	1	13.30 14.30		8	467	110 20 00000
	0464	0225	BIOL4015003	1	14.30 15.30		3	467	110 20 00000
9	0464	0225	BIOL4015003	1	14.30 15.30		3	467	110 20 00000
	0464	0225	RNR 4015003	1	14.30 15.30	1	6	467	110 20 00000
9	0464	0225	RNR 4015003	1	14.30 15.30		6	467	110 20 00000
	0464	0230	RNR 2031001	1 1 1	8.30 9.30		22	843	110 55 00000
9	0464	0230	RNR 2031001	1 1 1	8.30 9.30		22	843	110 55 00000
	0464	0230	RNR 2072001	1 1 1	8.30 9.30	1	2	843	110 55 00000
9	0464	0230	RNR 2072001	1 1 1	8.30 9.30		2	843	110 55 00000
	0464	0230	RNR 4025001	1 1	11.30 13.00		12	843	110 55 00000
9	0464	0230	RNR 4025001	1 1	11.30 13.00		12	843	110 55 00000
	0464	0230	RNR 4150001	1 1	12.30 13.30		13	843	110 55 00000
9	0464	0230	RNR 4150001	1 1	12.30 13.30		13	843	110 55 00000
	0464	0230	BIOL4015004	1	13.30 14.30		5	843	110 55 00000
9	0464	0230	BIOL4015004	1	13.30 14.30		5	843	110 55 00000
	0464	0230	RNR 4015004	1	13.30 14.30	1	8	843	110 55 00000
9	0464	0230	RNR 4015004	1	13.30 14.30		8	843	110 55 00000
	0464	0230	RNR 4150001	1	13.30 16.30		13	843	110 55 00000
9	0464	0230	RNR 4150001	1	13.30 16.30		13	843	110 55 00000
	0464	0230	RNR 4013001	1	13.30 17.30		12	843	110 55 00000
9	0464	0230	RNR 4013001	1	13.30 17.30		12	843	110 55 00000
	0857	0107	HORT2525001	1	12.30 14.30		18	1,150	110 50 00000
9	0857	0107	HORT2525001	1	12.30 14.30		18	1,150	110 50 00000
	0857	0107	HORT4083001	1	12.30 15.30		21	1,150	110 50 00000
9	0857	0107	HORT4083001	1	12.30 15.30		21	1,150	110 50 00000
	0916	1001	OCS 1010001	1	9.30 10.30		51	2,616	610 218 00000
9	0916	1001	OCS 1010001	1	9.30 10.30		51	2,616	610 218 00000
	0916	1001	ENVS1010001	1	10.30 11.30		47	2,616	610 218 00000
9	0916	1001	ENVS1010001	1	10.30 11.30		47	2,616	610 218 00000
	0916	1001	ENVS2126002	1 1	10.30 12.00		45	2,616	610 218 00000
9	0916	1001	ENVS2126002	1 1	10.30 12.00		45	2,616	610 218 00000
	0916	1001	ENVS1127001	1 1	12.00 13.30		27	2,616	610 218 00000
9	0916	1001	ENVS1127001	1 1	12.00 13.30		27	2,616	610 218 00000
	0916	1001	ENVS4477001	1 1	16.30 18.00		11	2,616	610 218 00000
9	0916	1001	ENVS4477001	1 1	16.30 18.00		11	2,616	610 218 00000
	0916	1070	OCS 4170002	1 1	9.00 10.30		20	920	210 60 00000
9	0916	1070	OCS 4170002	1 1	9.00 10.30		20	920	210 60 00000
	0916	1070	OCS 7001005	1 1 1	9.30 10.30		5	920	210 60 00000
9	0916	1070	OCS 7001005	1 1 1	9.30 10.30		5	920	210 60 00000
	0916	1070	OCS 7001004	1 1	10.30 12.00		6	920	210 60 00000
9	0916	1070	OCS 7001004	1 1	10.30 12.00		6	920	210 60 00000
	0916	1070	OCS 2020001	1	14.00 16.00		12	920	210 60 00000
9	0916	1070	OCS 2020001	1	14.00 16.00		12	920	210 60 00000
	0916	1070	OCS 2007001	1 1	15.00 16.30		26	920	210 60 00000
9	0916	1070	OCS 2007001	1 1	15.00 16.30		26	920	210 60 00000
	0916	1280	ENVS4010001	1	7.30 10.30		9	612	140 25 00000
9	0916	1280	ENVS4010001	1	7.30 10.30		9	612	140 25 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 67

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0916	1280	OCS 2011001	1 1	9.00 10.30		19	612	140 25 00000
9	0916	1280	OCS 2011001	1 1	9.00 10.30		19	612	140 25 00000
	0916	1280	ENVS4010001	1 1	10.30 11.30		9	612	140 25 00000
9	0916	1280	ENVS4010001	1 1	10.30 11.30		9	612	140 25 00000
	0916	1280	OCS 7122001	1 1	12.00 13.30		7	612	140 25 00000
9	0916	1280	OCS 7122001	1 1	12.00 13.30		7	612	140 25 00000
	0916	1280	ENVS7995001	1	13.00 14.00		5	612	140 25 00000
9	0916	1280	ENVS7995001	1	13.00 14.00		5	612	140 25 00000
	0916	1280	ENVS7900002	1 1	15.00 16.30		2	612	140 25 00000
9	0916	1280	ENVS7900002	1 1	15.00 16.30		2	612	140 25 00000
	0916	2215	OCS 4030001	1	13.30 14.30		7	414	350 6 00000
89	0916	2215	OCS 4030001	1	13.30 14.30		7	414	350 6 00000
	0916	3178	OCS 4308001	1 1	9.00 10.30		15	542	110 25 00000
9	0916	3178	OCS 4308001	1 1	9.00 10.30		15	542	110 25 00000
	0916	3178	OCS 4001001	1 1	13.30 15.00		6	542	110 25 00000
9	0916	3178	OCS 4001001	1 1	13.30 15.00		6	542	110 25 00000
	0916	3178	OCS 7001001	1 1	13.30 15.00	1	7	542	110 25 00000
9	0916	3178	OCS 7001001	1 1	13.30 15.00		7	542	110 25 00000
	0916	3178	OCS 7129001	1 1	15.00 16.30		10	542	110 25 00000
9	0916	3178	OCS 7129001	1 1	15.00 16.30		10	542	110 25 00000
	0916	3178	ENVS4999001	1	16.00 17.00		5	542	110 25 00000
9	0916	3178	ENVS4999001	1	16.00 17.00		5	542	110 25 00000
	0916	3178	OCS 4999001	1	16.00 17.00	1	6	542	110 25 00000
9	0916	3178	OCS 4999001	1	16.00 17.00		6	542	110 25 00000
	1048	0105	GBUS1000001	1	9.30 10.30		26	825	110 55 00000
9	1048	0105	GBUS1000001	1	9.30 10.30		26	825	110 55 00000
	1048	0105	GBUS1000004	1	9.30 10.30		17	825	110 55 00000
9	1048	0105	GBUS1000004	1	9.30 10.30		17	825	110 55 00000
	1048	0105	GBUS1000002	1	10.30 11.30		24	825	110 55 00000
9	1048	0105	GBUS1000002	1	10.30 11.30		24	825	110 55 00000
	1048	0105	GBUS1000005	1	10.30 11.30		17	825	110 55 00000
9	1048	0105	GBUS1000005	1	10.30 11.30		17	825	110 55 00000
	1048	0105	GBUS1000003	1	11.30 12.30		30	825	110 55 00000
9	1048	0105	GBUS1000003	1	11.30 12.30		30	825	110 55 00000
	1048	0105	GBUS1000006	1	11.30 12.30		19	825	110 55 00000
9	1048	0105	GBUS1000006	1	11.30 12.30		19	825	110 55 00000
	1048	0169	MC 2010005	1	8.30 10.30		15	825	110 55 00000
9	1048	0169	MC 2010005	1	8.30 10.30		15	825	110 55 00000
	1048	0169	MC 2010005	1	8.30 10.30		15	825	110 55 00000
9	1048	0169	MC 2010005	1	8.30 10.30		15	825	110 55 00000
	1048	0169	INTL2000006	1 1 1	13.30 14.30		17	825	110 55 00000
9	1048	0169	INTL2000006	1 1 1	13.30 14.30		17	825	110 55 00000
	1048	0169	HSS 1000037	1	13.30 14.30		18	825	110 55 00000
9	1048	0169	HSS 1000037	1	13.30 14.30		18	825	110 55 00000
	1106	0115	ENGL1001001	1 1	7.30 9.00		6	817	110 54 00000
9	1106	0115	ENGL1001001	1 1	7.30 9.00		6	817	110 54 00000
	1106	0115	HSS 1000010	1	9.00 10.00		17	817	110 54 00000
9	1106	0115	HSS 1000010	1	9.00 10.00		17	817	110 54 00000
	1106	0115	HSS 1000001	1	9.30 10.30		20	817	110 54 00000
9	1106	0115	HSS 1000001	1	9.30 10.30		20	817	110 54 00000
	1106	0115	HSS 1000029	1	9.30 10.30		10	817	110 54 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 68

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1106	0115	HSS 1000029	1	9.30 10.30		10	817	110 54 00000
	1106	0115	HSS 1000038	1	10.30 11.30		18	817	110 54 00000
9	1106	0115	HSS 1000038	1	10.30 11.30		18	817	110 54 00000
	1106	0115	HSS 1000039	1	13.30 14.30		18	817	110 54 00000
9	1106	0115	HSS 1000039	1	13.30 14.30		18	817	110 54 00000
	1106	0115	SOCL2001011	1 1	13.30 15.00		36	817	110 54 00000
9	1106	0115	SOCL2001011	1 1	13.30 15.00		36	817	110 54 00000
8	1108	0110	MUS 4250001	1111	15.50 17.20		333	6,805	210 170 00000
89	1108	0110	MUS 4250001	1111	15.50 17.20		333	6,805	210 170 00000
	1128	1034	DMAE7250001	1 1	9.00 12.00		7	1,044	110 70 00000
9	1128	1034	DMAE7250001	1 1	9.00 12.00		7	1,044	110 70 00000
	1128	1034	DMAE7255001	1 1	13.00 15.00		3	1,044	110 70 00000
9	1128	1034	DMAE7255001	1 1	13.00 15.00		3	1,044	110 70 00000
	1128	1034	DMAE7255002	1 1	13.00 15.00	1	4	1,044	110 70 00000
9	1128	1034	DMAE7255002	1 1	13.00 15.00		4	1,044	110 70 00000
	1128	1034	DMAE7110001	1 1	13.00 16.00		3	1,044	110 70 00000
9	1128	1034	DMAE7110001	1 1	13.00 16.00		3	1,044	110 70 00000
	1128	1034	DMAE7270001	1	13.00 16.00		1	1,044	110 70 00000
9	1128	1034	DMAE7270001	1	13.00 16.00		1	1,044	110 70 00000
	1128	1034	DMAE7255001	1 1	15.00 16.00		3	1,044	110 70 00000
9	1128	1034	DMAE7255001	1 1	15.00 16.00		3	1,044	110 70 00000
	1128	1034	DMAE7255002	1 1	15.00 16.00	1	4	1,044	110 70 00000
9	1128	1034	DMAE7255002	1 1	15.00 16.00		4	1,044	110 70 00000
	1136	1510	ECON2000006	1 1	9.00 10.30		72	3,427	110 300 00000
9	1136	1510	ECON2000006	1 1	9.00 10.30		72	3,427	110 300 00000
	1136	1510	ECON2000007	1 1	10.30 12.00		92	3,427	110 300 00000
9	1136	1510	ECON2000007	1 1	10.30 12.00		92	3,427	110 300 00000
	1136	1510	ACCT2001003	1 1	15.00 16.30		97	3,427	110 300 00000
9	1136	1510	ACCT2001003	1 1	15.00 16.30		97	3,427	110 300 00000
	1136	1510	PADM7912001	1	18.00 21.00		40	3,427	110 300 00000
9	1136	1510	PADM7912001	1	18.00 21.00		40	3,427	110 300 00000
	1136	2510	ACCT4244001	1	8.30 11.30		23	1,622	140 60 00000
9	1136	2510	ACCT4244001	1	8.30 11.30		23	1,622	140 60 00000
	1136	2520	ENTR3111001	1 1	7.30 9.00		48	1,622	110 60 00000
89	1136	2520	ENTR3111001	1 1	7.30 9.00		48	1,622	110 60 00000
	1136	2520	ENTR3111002	1 1	9.00 10.30		56	1,622	110 60 00000
89	1136	2520	ENTR3111002	1 1	9.00 10.30		56	1,622	110 60 00000
	1136	2520	ISDS3100001	1 1	9.00 10.30		51	1,622	110 60 00000
89	1136	2520	ISDS3100001	1 1	9.00 10.30		51	1,622	110 60 00000
	1136	2520	ISDS3100002	1 1	10.30 12.00		49	1,622	110 60 00000
89	1136	2520	ISDS3100002	1 1	10.30 12.00		49	1,622	110 60 00000
	1136	2520	FIN 7950001	1	10.30 12.00		7	1,622	110 60 00000
9	1136	2520	FIN 7950001	1	10.30 12.00		7	1,622	110 60 00000
	1136	2520	ISDS3107001	1 1	12.00 13.30		45	1,622	110 60 00000
9	1136	2520	ISDS3107001	1 1	12.00 13.30		45	1,622	110 60 00000
	1136	2520	ISDS3107002	1 1	15.00 16.30		19	1,622	110 60 00000
9	1136	2520	ISDS3107002	1 1	15.00 16.30		19	1,622	110 60 00000
	1137	1120	FIN 3352001	1 1	10.30 12.00		19	758	110 22 00000
89	1137	1120	FIN 3352001	1 1	10.30 12.00		19	758	110 22 00000
	1137	1120	FIN 7650001	1	12.00 15.00		2	758	110 22 00000
9	1137	1120	FIN 7650001	1	12.00 15.00		2	758	110 22 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 69

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1137	1120	FIN 7719001	1	18.00 21.00		14	758	110 22 00000
9	1137	1120	FIN 7719001	1	18.00 21.00		14	758	110 22 00000
	1137	1120	FIN 4910002	1	18.00 21.00		14	758	110 22 00000
9	1137	1120	FIN 4910002	1	18.00 21.00		14	758	110 22 00000
	1137	1125	MGT 4830001	1 1	7.30 9.00		32	2,516	110 120 00000
9	1137	1125	MGT 4830001	1 1	7.30 9.00		32	2,516	110 120 00000
	1137	1125	ISDS4141001	1 1	9.00 10.30		52	2,516	110 120 00000
9	1137	1125	ISDS4141001	1 1	9.00 10.30		52	2,516	110 120 00000
	1137	1125	ECON2035007	1 1 1	9.30 10.30		60	2,516	110 120 00000
9	1137	1125	ECON2035007	1 1 1	9.30 10.30		60	2,516	110 120 00000
	1137	1125	ENTR3012001	1 1	10.30 12.00		52	2,516	110 120 00000
9	1137	1125	ENTR3012001	1 1	10.30 12.00		52	2,516	110 120 00000
	1137	1125	ECON2035006	1 1 1	11.30 12.30		60	2,516	110 120 00000
9	1137	1125	ECON2035006	1 1 1	11.30 12.30		60	2,516	110 120 00000
	1137	1125	ENTR3012002	1 1	12.00 13.30		55	2,516	110 120 00000
9	1137	1125	ENTR3012002	1 1	12.00 13.30		55	2,516	110 120 00000
	1137	1125	ECON2035005	1 1 1	12.30 13.30		59	2,516	110 120 00000
9	1137	1125	ECON2035005	1 1 1	12.30 13.30		59	2,516	110 120 00000
	1137	1125	ISDS1102001	1 1	13.30 15.00		91	2,516	110 120 00000
89	1137	1125	ISDS1102001	1 1	13.30 15.00		91	2,516	110 120 00000
	1137	1125	ECON2010008	1 1	13.30 15.00		72	2,516	110 120 00000
9	1137	1125	ECON2010008	1 1	13.30 15.00		72	2,516	110 120 00000
	1137	1125	MGT 4450001	1 1	15.00 16.30		40	2,516	110 120 00000
9	1137	1125	MGT 4450001	1 1	15.00 16.30		40	2,516	110 120 00000
	1137	1125	ECON2010003	1 1	15.00 16.30		73	2,516	110 120 00000
9	1137	1125	ECON2010003	1 1	15.00 16.30		73	2,516	110 120 00000
	1137	1125	ACCT7235001	1	18.00 21.00		33	2,516	110 120 00000
9	1137	1125	ACCT7235001	1	18.00 21.00		33	2,516	110 120 00000
	1137	1220	BADM7020001	1 1	9.00 10.30		25	1,537	110 60 00000
9	1137	1220	BADM7020001	1 1	9.00 10.30		25	1,537	110 60 00000
	1137	1220	BADM7100001	1 1	9.00 10.30	1	40	1,537	110 60 00000
89	1137	1220	BADM7100001	1 1	9.00 10.30		40	1,537	110 60 00000
	1137	1220	BADM7030002	1	9.00 10.30		32	1,537	110 60 00000
9	1137	1220	BADM7030002	1	9.00 10.30		32	1,537	110 60 00000
	1137	1220	BADM7020005	1 1	10.30 12.00		34	1,537	110 60 00000
9	1137	1220	BADM7020005	1 1	10.30 12.00		34	1,537	110 60 00000
8	1137	1220	BADM7100002	1 1	10.30 12.00	1	44	1,537	110 60 00000
89	1137	1220	BADM7100002	1 1	10.30 12.00		44	1,537	110 60 00000
	1137	1220	BADM7030005	1	10.30 12.00		36	1,537	110 60 00000
9	1137	1220	BADM7030005	1	10.30 12.00		36	1,537	110 60 00000
	1137	1220	BADM7010001	1	13.00 14.30		56	1,537	110 60 00000
89	1137	1220	BADM7010001	1	13.00 14.30		56	1,537	110 60 00000
	1137	1220	ECON2030015	1	13.30 14.30		39	1,537	110 60 00000
9	1137	1220	ECON2030015	1	13.30 14.30		39	1,537	110 60 00000
	1137	1220	BADM7160001	1	18.00 21.00		31	1,537	110 60 00000
9	1137	1220	BADM7160001	1	18.00 21.00		31	1,537	110 60 00000
	1137	1225	FIN 4828001	1 1	9.00 10.30		16	1,042	110 40 00000
9	1137	1225	FIN 4828001	1 1	9.00 10.30		16	1,042	110 40 00000
	1137	1225	ECON2030014	1	11.30 12.30		40	1,042	110 40 00000
89	1137	1225	ECON2030014	1	11.30 12.30		40	1,042	110 40 00000
	1137	1225	ECON2030012	1	13.30 14.30		40	1,042	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 70

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
89	1137	1225	ECON2030012	1	13.30 14.30		40	110 40	00000
	1137	1225	ACCT7222001	1 1	13.30 15.00		8	110 40	00000
9	1137	1225	ACCT7222001	1 1	13.30 15.00		8	110 40	00000
	1137	1225	ENTR4010002	1	18.00 21.00		8	110 40	00000
9	1137	1225	ENTR4010002	1	18.00 21.00		8	110 40	00000
	1137	1305	MKT 3421001	1 1	10.30 12.00		39	110 40	00000
89	1137	1305	MKT 3421001	1 1	10.30 12.00		39	110 40	00000
	1137	1305	ECON2030010	1	11.30 12.30		39	110 40	00000
89	1137	1305	ECON2030010	1	11.30 12.30		39	110 40	00000
	1137	1305	ACCT7210001	1 1	12.00 13.30		15	110 40	00000
9	1137	1305	ACCT7210001	1 1	12.00 13.30		15	110 40	00000
	1137	1305	ECON2030008	1	13.30 14.30		40	110 40	00000
89	1137	1305	ECON2030008	1	13.30 14.30		40	110 40	00000
	1137	1305	MKT 3501001	1 1	13.30 15.00		35	110 40	00000
89	1137	1305	MKT 3501001	1 1	13.30 15.00		35	110 40	00000
	1137	1305	MKT 3501002	1 1	15.00 16.30		35	110 40	00000
89	1137	1305	MKT 3501002	1 1	15.00 16.30		35	110 40	00000
	1137	1305	BADM7270002	1	18.00 21.00		11	110 40	00000
9	1137	1305	BADM7270002	1	18.00 21.00		11	110 40	00000
	1137	1321	BADM7050002	1	9.00 10.30		43	110 60	00000
9	1137	1321	BADM7050002	1	9.00 10.30		43	110 60	00000
	1137	1321	BADM7050003	1	10.30 12.00		36	110 60	00000
9	1137	1321	BADM7050003	1	10.30 12.00		36	110 60	00000
	1137	1321	ECON2030013	1	11.30 12.30		40	110 60	00000
9	1137	1321	ECON2030013	1	11.30 12.30		40	110 60	00000
	1137	1321	MGT 3830006	1 1	12.00 13.30		41	110 60	00000
9	1137	1321	MGT 3830006	1 1	12.00 13.30		41	110 60	00000
	1137	1321	MGT 3830007	1 1	15.00 16.30		40	110 60	00000
9	1137	1321	MGT 3830007	1 1	15.00 16.30		40	110 60	00000
	1137	1321	MGT 3830008	1 1	16.30 18.00		41	110 60	00000
9	1137	1321	MGT 3830008	1 1	16.30 18.00		41	110 60	00000
	1137	1325	FIN 3717001	1 1	10.30 12.00		25	110 40	00000
9	1137	1325	FIN 3717001	1 1	10.30 12.00		25	110 40	00000
	1137	1325	ECON2030006	1	11.30 12.30		40	110 40	00000
89	1137	1325	ECON2030006	1	11.30 12.30		40	110 40	00000
	1137	1325	ISDS4125001	1 1	12.00 13.30		31	110 40	00000
89	1137	1325	ISDS4125001	1 1	12.00 13.30		31	110 40	00000
	1137	1409	FIN 3632001	1 1	9.00 10.30		20	110 40	00000
9	1137	1409	FIN 3632001	1 1	9.00 10.30		20	110 40	00000
	1137	1409	MKT 7450001	1	13.30 16.30		4	110 40	00000
9	1137	1409	MKT 7450001	1	13.30 16.30		4	110 40	00000
	1137	1409	PADM7610001	1	18.00 21.00		5	110 40	00000
9	1137	1409	PADM7610001	1	18.00 21.00		5	110 40	00000
	1137	1425	MKT 3411001	1 1	10.30 12.00		39	110 40	00000
89	1137	1425	MKT 3411001	1 1	10.30 12.00		39	110 40	00000
	1137	1425	ECON2030002	1	11.30 12.30		38	110 40	00000
89	1137	1425	ECON2030002	1	11.30 12.30		38	110 40	00000
	1137	1425	MKT 3411002	1 1	12.00 13.30		40	110 40	00000
89	1137	1425	MKT 3411002	1 1	12.00 13.30		40	110 40	00000
	1137	1425	ECON2030004	1	13.30 14.30		40	110 40	00000
89	1137	1425	ECON2030004	1	13.30 14.30		40	110 40	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 71

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1137	1425	ECON7255001	1 1	15.00 16.30		6	110 40	00000
9	1137	1425	ECON7255001	1 1	15.00 16.30		6	110 40	00000
	1137	1425	PADM7910001	1	18.00 21.00		21	110 40	00000
9	1137	1425	PADM7910001	1	18.00 21.00		21	110 40	00000
	1137	1425	PADM5009002	1	18.00 21.00		17	110 40	00000
9	1137	1425	PADM5009002	1	18.00 21.00		17	110 40	00000
	1138	1615	MKT 4451001	1 1	7.30 9.00		23	110 62	00000
9	1138	1615	MKT 4451001	1 1	7.30 9.00		23	110 62	00000
	1138	1615	MKT 4451002	1 1	9.00 10.30		29	110 62	00000
9	1138	1615	MKT 4451002	1 1	9.00 10.30		29	110 62	00000
	1138	1615	ISDS4113001	1 1 1	9.30 10.30		52	110 62	00000
89	1138	1615	ISDS4113001	1 1 1	9.30 10.30		52	110 62	00000
	1138	1615	ENTR4701001	1 1 1	10.30 11.30		6	110 62	00000
9	1138	1615	ENTR4701001	1 1 1	10.30 11.30		6	110 62	00000
	1138	1615	ACCT4421002	1 1	10.30 12.00		18	110 62	00000
9	1138	1615	ACCT4421002	1 1	10.30 12.00		18	110 62	00000
	1138	1615	ISDS1102004	1 1	12.00 13.30		60	110 62	00000
89	1138	1615	ISDS1102004	1 1	12.00 13.30		60	110 62	00000
	1138	1615	MKT 3411005	1 1 1	12.30 13.30		29	110 62	00000
9	1138	1615	MKT 3411005	1 1 1	12.30 13.30		29	110 62	00000
	1138	1615	ECON4720002	1 1	13.30 15.00		30	110 62	00000
9	1138	1615	ECON4720002	1 1	13.30 15.00		30	110 62	00000
	1138	1615	MGT 3830002	1 1	15.00 16.30		40	110 62	00000
9	1138	1615	MGT 3830002	1 1	15.00 16.30		40	110 62	00000
	1138	1615	MKT 4451004	1 1	15.00 16.30		9	110 62	00000
9	1138	1615	MKT 4451004	1 1	15.00 16.30		9	110 62	00000
	1138	1615	ENTR4114001	1	16.30 19.30		29	110 62	00000
9	1138	1615	ENTR4114001	1	16.30 19.30		29	110 62	00000
	1138	1615	ISDS3200001	1	16.30 19.30		16	110 62	00000
9	1138	1615	ISDS3200001	1	16.30 19.30		16	110 62	00000
	1138	1620	ECON2010005	1 1 1	8.30 9.30		75	110 120	00000
9	1138	1620	ECON2010005	1 1 1	8.30 9.30		75	110 120	00000
	1138	1620	ACCT4421001	1 1	9.00 10.30		39	110 120	00000
9	1138	1620	ACCT4421001	1 1	9.00 10.30		39	110 120	00000
	1138	1620	MGT 3830001	1 1 1	9.30 10.30		39	110 120	00000
9	1138	1620	MGT 3830001	1 1 1	9.30 10.30		39	110 120	00000
	1138	1620	ECON2010004	1 1 1	10.30 11.30		75	110 120	00000
9	1138	1620	ECON2010004	1 1 1	10.30 11.30		75	110 120	00000
	1138	1620	ACCT3021001	1 1	10.30 12.00		61	110 120	00000
9	1138	1620	ACCT3021001	1 1	10.30 12.00		61	110 120	00000
	1138	1620	ACCT3122001	1 1	12.00 13.30		45	110 120	00000
9	1138	1620	ACCT3122001	1 1	12.00 13.30		45	110 120	00000
	1138	1620	WGS 2500010	1 1	12.00 13.30		31	110 120	00000
9	1138	1620	WGS 2500010	1 1	12.00 13.30		31	110 120	00000
	1138	1620	ECON2035003	1 1 1	13.30 14.30		59	110 120	00000
9	1138	1620	ECON2035003	1 1 1	13.30 14.30		59	110 120	00000
	1138	1620	MKT 4451003	1 1	13.30 15.00		30	110 120	00000
9	1138	1620	MKT 4451003	1 1	13.30 15.00		30	110 120	00000
	1138	1620	ACCT3021002	1 1	15.00 16.30		54	110 120	00000
9	1138	1620	ACCT3021002	1 1	15.00 16.30		54	110 120	00000
	1138	1620	ISDS3115004	1	15.00 18.00		52	110 120	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 72

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1138	1620	ISDS3115004	1	15.00 18.00		52	2,132	110 120 00000
	1138	1620	ACCT4022001	1 1	16.30 18.00		32	2,132	110 120 00000
9	1138	1620	ACCT4022001	1 1	16.30 18.00		32	2,132	110 120 00000
	1138	1620	ISDS7990001	1	18.00 21.00		35	2,132	110 120 00000
9	1138	1620	ISDS7990001	1	18.00 21.00		35	2,132	110 120 00000
	1138	1700	MKT 4478001	1 1 1	8.30 9.30		5	1,256	110 60 00000
9	1138	1700	MKT 4478001	1 1 1	8.30 9.30		5	1,256	110 60 00000
	1138	1700	MGT 3830005	1 1	9.00 10.30		40	1,256	110 60 00000
9	1138	1700	MGT 3830005	1 1	9.00 10.30		40	1,256	110 60 00000
	1138	1700	MKT 4478002	1 1 1	9.30 10.30		13	1,256	110 60 00000
9	1138	1700	MKT 4478002	1 1 1	9.30 10.30		13	1,256	110 60 00000
	1138	1700	ECON7702001	1 1	10.30 12.00		3	1,256	110 60 00000
9	1138	1700	ECON7702001	1 1	10.30 12.00		3	1,256	110 60 00000
	1138	1700	EVEG4120001	1 1	10.30 12.00		25	1,256	110 60 00000
9	1138	1700	EVEG4120001	1 1	10.30 12.00		25	1,256	110 60 00000
	1138	1700	ENTR2999001	1 1	12.00 13.30		13	1,256	110 60 00000
9	1138	1700	ENTR2999001	1 1	12.00 13.30		13	1,256	110 60 00000
	1138	1700	ECON2030011	1	13.30 14.30		40	1,256	110 60 00000
9	1138	1700	ECON2030011	1	13.30 14.30		40	1,256	110 60 00000
	1138	1700	ECON7632001	1 1	13.30 15.00		11	1,256	110 60 00000
9	1138	1700	ECON7632001	1 1	13.30 15.00		11	1,256	110 60 00000
	1138	1700	MGT 3211001	1 1	15.00 16.30		49	1,256	110 60 00000
89	1138	1700	MGT 3211001	1 1	15.00 16.30		49	1,256	110 60 00000
	1138	1700	ACCT3121002	1 1	15.00 16.30		23	1,256	110 60 00000
9	1138	1700	ACCT3121002	1 1	15.00 16.30		23	1,256	110 60 00000
	1138	1700	MGT 3830003	1 1	16.30 18.00		40	1,256	110 60 00000
9	1138	1700	MGT 3830003	1 1	16.30 18.00		40	1,256	110 60 00000
	1138	1700	ISDS4112001	1 1	16.30 18.00		40	1,256	110 60 00000
9	1138	1700	ISDS4112001	1 1	16.30 18.00		40	1,256	110 60 00000
	1138	1720	ECON7591001	1 1	10.30 12.00		6	950	110 40 00000
9	1138	1720	ECON7591001	1 1	10.30 12.00		6	950	110 40 00000
	1138	1720	CE 7135001	1 1	12.00 13.30		6	950	110 40 00000
9	1138	1720	CE 7135001	1 1	12.00 13.30		6	950	110 40 00000
	1138	1720	FIN 4830003	1 1	13.30 15.00		22	950	110 40 00000
9	1138	1720	FIN 4830003	1 1	13.30 15.00		22	950	110 40 00000
	1138	1720	ISDS4180001	1 1	15.00 16.30		27	950	110 40 00000
9	1138	1720	ISDS4180001	1 1	15.00 16.30		27	950	110 40 00000
	1138	1720	ISDS3070003	1	18.00 19.30		11	950	110 40 00000
9	1138	1720	ISDS3070003	1	18.00 19.30		11	950	110 40 00000
	1138	1720	ENTR4040001	1	18.00 21.00		15	950	110 40 00000
9	1138	1720	ENTR4040001	1	18.00 21.00		15	950	110 40 00000
	1138	1735	MGT 3513001	1 1	9.00 10.30		50	1,262	110 60 00000
89	1138	1735	MGT 3513001	1 1	9.00 10.30		50	1,262	110 60 00000
	1138	1735	FIN 3060001	1 1 1	9.30 10.30		28	1,262	110 60 00000
9	1138	1735	FIN 3060001	1 1 1	9.30 10.30		28	1,262	110 60 00000
	1138	1735	MGT 3513002	1 1	10.30 12.00		50	1,262	110 60 00000
89	1138	1735	MGT 3513002	1 1	10.30 12.00		50	1,262	110 60 00000
	1138	1735	ME 4611001	1	10.30 13.30		12	1,262	110 60 00000
9	1138	1735	ME 4611001	1	10.30 13.30		12	1,262	110 60 00000
	1138	1735	ECON2030009	1	11.30 12.30		40	1,262	110 60 00000
9	1138	1735	ECON2030009	1	11.30 12.30		40	1,262	110 60 00000



BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 73

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	1138	1735	MKT 3413003	1 1 1	13.30 14.30		30	1,262	110 60 00000
9	1138	1735	MKT 3413003	1 1 1	13.30 14.30		30	1,262	110 60 00000
	1138	1735	ACCT4344001	1	13.30 16.30		11	1,262	110 60 00000
9	1138	1735	ACCT4344001	1	13.30 16.30		11	1,262	110 60 00000
	1138	1735	ISDS3070004	1	16.30 19.30		8	1,262	110 60 00000
9	1138	1735	ISDS3070004	1	16.30 19.30		8	1,262	110 60 00000
	1138	1745	MKT 7488001	1	13.30 16.30		8	956	110 40 00000
9	1138	1745	MKT 7488001	1	13.30 16.30		8	956	110 40 00000
	1138	1745	ENTR4035001	1	18.00 21.00		3	956	110 40 00000
9	1138	1745	ENTR4035001	1	18.00 21.00		3	956	110 40 00000
	1138	1800	ACCT3001001	1 1	9.00 10.30		30	1,244	110 60 00000
9	1138	1800	ACCT3001001	1 1	9.00 10.30		30	1,244	110 60 00000
	1138	1800	ACCT3001002	1 1	10.30 12.00		27	1,244	110 60 00000
9	1138	1800	ACCT3001002	1 1	10.30 12.00		27	1,244	110 60 00000
	1138	1800	ECON2030007	1	13.30 14.30		40	1,244	110 60 00000
9	1138	1800	ECON2030007	1	13.30 14.30		40	1,244	110 60 00000
	1138	1800	IE 4461001	1	13.30 16.30		32	1,244	110 60 00000
9	1138	1800	IE 4461001	1	13.30 16.30		32	1,244	110 60 00000
	1138	1800	IE 4461002	1	13.30 16.30		30	1,244	110 60 00000
9	1138	1800	IE 4461002	1	13.30 16.30		30	1,244	110 60 00000
	1138	1800	MKT 3413004	1 1 1	14.30 15.30		21	1,244	110 60 00000
9	1138	1800	MKT 3413004	1 1 1	14.30 15.30		21	1,244	110 60 00000
	1138	1835	CE 7641001	1 1	8.30 10.00		5	1,252	110 60 00000
9	1138	1835	CE 7641001	1 1	8.30 10.00		5	1,252	110 60 00000
	1138	1835	MKT 3413001	1 1	9.00 10.30		43	1,252	110 60 00000
9	1138	1835	MKT 3413001	1 1	9.00 10.30		43	1,252	110 60 00000
	1138	1835	MKT 3413002	1 1	10.30 12.00		41	1,252	110 60 00000
9	1138	1835	MKT 3413002	1 1	10.30 12.00		41	1,252	110 60 00000
	1138	1835	ISDS4070001	1 1	11.30 14.30		35	1,252	110 60 00000
9	1138	1835	ISDS4070001	1 1	11.30 14.30		35	1,252	110 60 00000
8	1138	1835	ISDS7510002	1 1	11.30 14.30	1	34	1,252	110 60 00000
89	1138	1835	ISDS7510002	1 1	11.30 14.30		34	1,252	110 60 00000
	1138	1835	ACCT3222003	1 1	12.00 13.30		20	1,252	110 60 00000
9	1138	1835	ACCT3222003	1 1	12.00 13.30		20	1,252	110 60 00000
	1138	1835	FIN 4910001	1 1	13.30 15.00		16	1,252	110 60 00000
9	1138	1835	FIN 4910001	1 1	13.30 15.00		16	1,252	110 60 00000
	1138	1835	FIN 3910001	1 1	15.00 16.30		22	1,252	110 60 00000
9	1138	1835	FIN 3910001	1 1	15.00 16.30		22	1,252	110 60 00000
	1138	1845	MKT 3411003	1 1	9.00 10.30		29	1,290	110 60 00000
9	1138	1845	MKT 3411003	1 1	9.00 10.30		29	1,290	110 60 00000
	1138	1845	MKT 3411004	1 1	10.30 12.00		29	1,290	110 60 00000
9	1138	1845	MKT 3411004	1 1	10.30 12.00		29	1,290	110 60 00000
	1138	1845	ECON2030005	1	11.30 12.30		39	1,290	110 60 00000
9	1138	1845	ECON2030005	1	11.30 12.30		39	1,290	110 60 00000
	1138	1845	ECON2030003	1	13.30 14.30		39	1,290	110 60 00000
9	1138	1845	ECON2030003	1	13.30 14.30		39	1,290	110 60 00000
	1138	1845	ECON2030016	1	13.30 14.30		40	1,290	110 60 00000
9	1138	1845	ECON2030016	1	13.30 14.30		40	1,290	110 60 00000
	1138	1900	FIN 3845001	1 1	13.30 15.00		14	1,679	140 50 00000
9	1138	1900	FIN 3845001	1 1	13.30 15.00		14	1,679	140 50 00000
	1138	1920	ECON2030001	1	11.30 12.30		39	1,318	110 60 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2020  
 RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 74

L.S.U. - BATON ROUGE  
 BRANCH  
 PARISH  
 RELATION

E.B.R.  
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
9	1138	1920	ECON2030001	1	11.30 12.30		39	1,318	110 60 00000
	1138	1920	ISDS4120001	1 1 1	12.30 13.30		52	1,318	110 60 00000
89	1138	1920	ISDS4120001	1 1 1	12.30 13.30		52	1,318	110 60 00000
	1138	1920	ISDS4111001	1 1 1	13.30 14.30		22	1,318	110 60 00000
9	1138	1920	ISDS4111001	1 1 1	13.30 14.30		22	1,318	110 60 00000
	1138	1920	PADM7910002	1	14.00 17.00		18	1,318	110 60 00000
9	1138	1920	PADM7910002	1	14.00 17.00		18	1,318	110 60 00000
	1138	1920	ISDS4117001	1 1	14.30 16.00		14	1,318	110 60 00000
9	1138	1920	ISDS4117001	1 1	14.30 16.00		14	1,318	110 60 00000
	1138	1920	ISDS7075001	1 1	18.00 21.00		37	1,318	110 60 00000
9	1138	1920	ISDS7075001	1 1	18.00 21.00		37	1,318	110 60 00000
8	1138	1920	ISDS7103001	1 1	18.00 21.00	1	36	1,318	110 60 00000
89	1138	1920	ISDS7103001	1 1	18.00 21.00		36	1,318	110 60 00000
	1245	1015	KIN 1144001	1 1 1	12.30 13.30		10	1,087	110 72 00000
9	1245	1015	KIN 1144001	1 1 1	12.30 13.30		10	1,087	110 72 00000
	1245	1035	HSE 1000003	1	13.30 14.30		31	1,092	110 73 00000
9	1245	1035	HSE 1000003	1	13.30 14.30		31	1,092	110 73 00000
	1245	1035	HSE 1000008	1	13.30 14.30		20	1,092	110 73 00000
9	1245	1035	HSE 1000008	1	13.30 14.30		20	1,092	110 73 00000
	1245	1035	HSE 1000004	1	13.30 14.30		35	1,092	110 73 00000
9	1245	1035	HSE 1000004	1	13.30 14.30		35	1,092	110 73 00000
	1245	1035	HSE 1000006	1	14.30 15.30		24	1,092	110 73 00000
9	1245	1035	HSE 1000006	1	14.30 15.30		24	1,092	110 73 00000
	1245	1035	HSE 1000007	1	14.30 15.30		15	1,092	110 73 00000
9	1245	1035	HSE 1000007	1	14.30 15.30		15	1,092	110 73 00000
	1245	1035	HSE 1000005	1	14.30 15.30		16	1,092	110 73 00000
9	1245	1035	HSE 1000005	1	14.30 15.30		16	1,092	110 73 00000
	1299	1034	MATH1550018	11111	8.30 9.30		41	1,352	110 90 00000
9	1299	1034	MATH1550018	11111	8.30 9.30		41	1,352	110 90 00000
	1299	1034	MATH1550022	11111	10.30 11.30		44	1,352	110 90 00000
9	1299	1034	MATH1550022	11111	10.30 11.30		44	1,352	110 90 00000
	1299	1034	MATH1550035	11111	14.30 15.30		17	1,352	110 90 00000
9	1299	1034	MATH1550035	11111	14.30 15.30		17	1,352	110 90 00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	4
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	302
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	1,885

----- T O T A L S -----

TOTAL ERRORS		
TOTAL WARNINGS		2,191
TOTAL NUMBER OF RECORDS READ		3,756
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		1,871
NUMBER OF JOINT-CLASS RECORDS		143
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 1

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			475
TOTAL NUMBER OF STATIONS (CAPACITY)			26,911
WEEKLY STUDENT CONTACT HOURS	90,733	3,696	94,430
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42,750	23,750	66,500
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,149	279	7,428
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,421,990	1,345,550	3,767,540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	591,825	22,094	613,919
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	181,467	7,393	188,860
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	16.7	1.2	11.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.5	.5	5.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.7	33.5	30.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			434
TOTAL NUMBER OF STATIONS (CAPACITY)			25,233
WEEKLY STUDENT CONTACT HOURS	87,146	3,132	90,279
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	39,060	21,700	60,760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6,795	255	7,050
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2,270,970	1,261,650	3,532,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	576,371	20,666	597,037
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	174,293	6,265	180,558
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	17.4	1.2	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.7	.5	5.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.2	30.3	30.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 2

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			41
TOTAL NUMBER OF STATIONS (CAPACITY)			1,678
WEEKLY STUDENT CONTACT HOURS	3,587	564	4,151
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,690	2,050	5,740
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	354	24	378
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	151,020	83,900	234,920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,454	1,428	16,882
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	7,174	1,128	8,302
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	9.6	1.2	6.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	4.8	1.3	3.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	46.4	79.0	49.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			388
TOTAL NUMBER OF STATIONS (CAPACITY)			10,089
WEEKLY STUDENT CONTACT HOURS	27,045	764	27,809
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34,920	19,400	54,320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,249	136	3,385
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	908,010	504,450	1,412,460
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	114,346	7,110	121,456
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	54,091	1,528	55,619
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	9.3	.7	6.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.0	.3	3.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.3	21.5	45.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2020 21:34:38  
 PAGE NUM 3

L.S.U. - BATON ROUGE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			315
TOTAL NUMBER OF STATIONS (CAPACITY)			8,790
WEEKLY STUDENT CONTACT HOURS	27,045	764	27,809
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28,350	15,750	44,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,249	136	3,385
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	791,100	439,500	1,230,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	114,346	7,110	121,456
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	54,091	1,528	55,619
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	11.5	.9	7.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.8	.3	4.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.3	21.5	45.8

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY