

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 1

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	CLASSIFICATION ROOM FUNC. TYPE
	LAMA	FRZ1	89	15		11 635		LAMA	FRZ2	89	15		11 635
	LAMA	H101	25	15		00 020		LAMA	KITT	31	15		00 030
	LAMA	MEQ1	235	15		00 030		LAMA	MEQ2	49	15		00 030
	LAMA	MT01	39	15		63 315		LAMA	MT02	149	15		00 030
	LAMA	SW01	233	15		00 020		LAMA	SW02	233	15		00 020
	LAMA	SW03	37	15		00 020		LAMA	SW12	76	15		00 020
	LAMA	SW22	76	15		00 020		LAMA	S101	37	15		47 315
	LAMA	WT01	39	15		63 315		LAMA	WT02	154	15		00 030
	LAMA	OBS1	61	15		63 315		LAMA	OC10E	1234	15		00 020
	LAMA	OC10W	1236	15		00 020		LAMA	OJA1	80	15		00 030
	LAMA	OJA2	172	15		00 030		LAMA	OJA3	31	15		00 030
	LAMA	0101	264	15		55 310		LAMA	0101A	136	15		56 310
	LAMA	0101B	102	15		53 315		LAMA	0102	314	15		51 314
	LAMA	0102A	154	15		51 310		LAMA	0103	210	15		48 350
	LAMA	0104	192	15		48 310		LAMA	0104A	192	15		74 710
	LAMA	0105	167	15		48 310		LAMA	0105A	66	15		47 730
	LAMA	0106	636	15		11 731		LAMA	0107	635	20		11 110
	LAMA	0108	632	10		11 115		LAMA	0109	639	30		11 210
	LAMA	0110	453	15		11 215		LAMA	0111	636	50		11 215
	LAMA	0112	642	30		11 210		LAMA	0113	639	20		11 215
	LAMA	0114	639	20		11 210		LAMA	0115	639	20		11 215
	LAMA	0116	2419	15		11 650		LAMA	0120	458	15		11 630
	LAMA	0120A	139	15		11 635		LAMA	0120B	81	15		11 635
	LAMA	0120C	133	15		11 635	9	LAMA	0201	1167	20		11 110
	LAMA	0202	1457	50		11 110		LAMA	0202A	68	15		47 730
	LAMA	0203	841	15		11 630		LAMA	0203A	336	15		00 030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 2

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	LAMA	0210A	30	15		00 030		LAMA	0301	767	16		11 110
								TOTAL	ASSIGNABLE & UNASSIGNABLE SQFT:				20,288
								TOTAL	NET ASSIGN SQ. FT. IN ROOM FILE				15,871
								TOTAL	NUMBER CLASSROOMS				4
								TOTAL	NUMBER COMPUTER CLASSROOMS				
								TOTAL	NUMBER LABS	210			3
								TOTAL	NUMBER SPECIAL LABS	220			
	LEFA	JAN2	17	15		00 010		LEFA	MEC1	1674		15	00 030
	LEFA	MEC2	99	15		00 030		LEFA	S117	714		15	11 731
	LEFA	S122	555	15		11 731		LEFA	S123	773		15	11 731
	LEFA	S124	236	15		11 731		LEFA	S125	1252		15	11 731
	LEFA	OMT1	55	1		11 315		LEFA	OMT2	161		3	00 030
	LEFA	OMT3	371	9		00 030		LEFA	OMT4	141		3	00 030
	LEFA	OSW1	396	15		00 020		LEFA	OSW2	360		15	00 020
	LEFA	OSW3	85	15		00 020		LEFA	OWT1	65		1	11 315
	LEFA	OWT2	156	4		00 030		LEFA	OWT3	104		1	00 030
	LEFA	OWT4	220	4		00 030		LEFA	OWT5	223		4	00 030
	LEFA	0101	761	15		63 315		LEFA	0102	778		15	11 350
	LEFA	0103	1095	15		11 210		LEFA	0104	1151	40		11 110
	LEFA	0105	1155	40		11 110		LEFA	0106	1162	25		14 110
	LEFA	0107	760	20		14 110		LEFA	0108	764	13		11 240
	LEFA	0109	449	15		11 315		LEFA	0111	790	30		11 110
	LEFA	0112	632	24		11 110		LEFA	0114	2306	21		11 210
	LEFA	0115	962	25		11 110	9	LEFA	0116	1156	20		11 110
	LEFA	0117	1267	15		00 010		LEFA	0118	142		15	91 655
	LEFA	0119	236	15		64 710		LEFA	0120	93		15	00 030
	LEFA	0121	1232	15		91 650		LEFA	0122	645	28		11 110
	LEFA	0123	634	22		11 110		LEFA	0124	592	24		11 110
	LEFA	0125	2819	20		11 210	9	LEFA	0202	2422		15	41 430

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 3

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE	
	LEFA	0203	825	40		11	110		LEFA	0204	812	18		11	140	
	LEFA	0205	812	21		11	140		LEFA	0206	752	23		11	140	
	LEFA	0207	286		15	48	310		LEFA	0208	152		15	73	730	
	LEFA	101A	176		15	48	310		LEFA	101B	124		15	48	310	
	LEFA	101C	176		15	48	310		LEFA	101D	100		15	48	310	
	LEFA	101E	85		15	48	310		LEFA	101F	85		15	48	310	
	LEFA	101G	172		15	11	315		LEFA	102A	163		15	48	310	
	LEFA	102B	150		15	11	315		LEFA	102C	55		15	00	030	
	LEFA	107A	101		15	14	310		LEFA	108A	101		15	14	310	
	LEFA	110A	810	26		11	110		LEFA	110B	1439	18		11	210	
	LEFA	110C	98		15	48	310		LEFA	110D	92	15		11	115	
	LEFA	110E	95	15		11	115		LEFA	111A	95	15		11	115	
	LEFA	112A	98		15	48	310		LEFA	112B	91	15		11	115	
	LEFA	114A	106		15	48	310		LEFA	114B	258	15		11	215	
	LEFA	114C	114	15		11	215		LEFA	115A	41	15		11	115	
	LEFA	116A	120		15	48	310		LEFA	116B	326	15		11	115	
	LEFA	116C	1018		15	11	210		LEFA	117A	538		15	00	010	
	LEFA	117B	128		15	73	310		LEFA	117C	267		15	00	010	
	LEFA	122A	104		15	48	310		LEFA	122B	230	8		11	220	
	LEFA	122C	2526	28		11	210		LEFA	123A	145		15	48	310	
9	LEFA	123B	100	22		11	210		LEFA	123C	5788	22		11	210	
	LEFA	124A	113		15	48	310		LEFA	124B	117		15	48	310	
	LEFA	124C	3374	32		11	210		LEFA	124D	216	20		11	210	
	LEFA	125A	98		15	48	310		LEFA	125B	480	20		11	110	
	LEFA	125C	208	15		11	210		LEFA	201A	667	24		11	110	
	LEFA	201B	667	30		11	110		LEFA	201C	667	32		11	110	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 4

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER		
				CLASS	OTHER	FUNC.	ROOM					CLASS	OTHER	FUNC.	ROOM			
				LAB.		TYPE						LAB.						
	LEFA	201D	96		15	48	310		LEFA	202A	191		15		41	310		
9	LEFA	202B	606		8	41	410		LEFA	202C	92		15		41	731		
	LEFA	203A	352		15	48	310		LEFA	204A	344		15		48	310		
	LEFA	205A	344		15	48	310		LEFA	206A	324		15		48	310		
	LEFA	207A	78		15	48	315		LEFA	A0100	10849		15		00	020		
	LEFA	A0200	2229		15	00	020											
																TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:	73,526	
																TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	54,221	
																TOTAL NUMBER CLASSROOMS	17	
																TOTAL NUMBER COMPUTER CLASSROOMS	3	
																TOTAL NUMBER LABS 210	11	
																TOTAL NUMBER SPECIAL LABS 220	1	
	LEFB	0100	2761		15	73	730											
																TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:	2,761	
																TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	2,761	
																TOTAL NUMBER CLASSROOMS		
																TOTAL NUMBER COMPUTER CLASSROOMS		
																TOTAL NUMBER LABS 210		
																TOTAL NUMBER SPECIAL LABS 220		
	LEFC	0PB1	735		15	11	730											
																TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:	735	
																TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	735	
																TOTAL NUMBER CLASSROOMS		
																TOTAL NUMBER COMPUTER CLASSROOMS		
																TOTAL NUMBER LABS 210		
																TOTAL NUMBER SPECIAL LABS 220		
	LEFD	PB2A	735		15	11	730		LEFD	PB2B	735		15		11	730		
																TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:	1,470	
																TOTAL NET ASSIGN SQ. FT. IN ROOM FILE	1,470	
																TOTAL NUMBER CLASSROOMS		
																TOTAL NUMBER COMPUTER CLASSROOMS		
																TOTAL NUMBER LABS 210		
																TOTAL NUMBER SPECIAL LABS 220		
	SCH1	A102	104		15	00	030		SCH1	A154	84		15		00	030		
	SCH1	A155	91		15	63	310		SCH1	A206	56		15		00	010		
	SCH1	A252	88		15	00	030		SCH1	MWT1	56		1		11	315		
	SCH1	MWT2	56		1	11	315		SCH1	OMT1	224		4		00	030		
	SCH1	OMT2	224		4	00	030		SCH1	OMT3	56		1		11	315		

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 5

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE	
	SCH1	OMT4	56		1	11	315		SCH1	OMT5	224		4	00	030	
	SCH1	OMT6	224		4	00	030		SCH1	OMT7	56		1	11	315	
	SCH1	OMT8	56		1	11	315		SCH1	OMT9	56		1	11	315	
	SCH1	OSW1	352		15	00	020		SCH1	OSW2	352		15	00	020	
	SCH1	OSW3	352		15	00	020		SCH1	OWT1	224		4	00	030	
	SCH1	OWT2	224		4	00	030		SCH1	OWT3	56		1	11	315	
	SCH1	OWT4	56		1	11	315		SCH1	OWT5	224		4	00	030	
	SCH1	OWT6	224		4	00	030		SCH1	OWT7	56		1	11	315	
	SCH1	OWT8	56		1	11	315		SCH1	OWT9	56		1	11	315	
	SCH1	0100	505		15	51	315		SCH1	0101	696	28		11	140	
	SCH1	0102	696	25		11	140		SCH1	0103	348		15	00	030	
	SCH1	0104	900		32	12	210		SCH1	0106	667		15	44	240	
	SCH1	0107	162		15	54	310		SCH1	0108	162		15	54	310	
	SCH1	0109	192		15	73	730		SCH1	0110	129		15	00	010	
	SCH1	0111	667	35		12	110		SCH1	0112	696	32		11	110	
	SCH1	0113	132		15	64	310		SCH1	0114	216		15	64	310	
	SCH1	0115	378		15	63	315		SCH1	0116	1496		36	11	210	
	SCH1	0117	110		15	48	310		SCH1	0118	110		15	48	310	
	SCH1	0119	198		15	31	310		SCH1	0120	1023	32		11	140	
	SCH1	0121	1023	35		11	140		SCH1	0122	1044	48		11	110	
	SCH1	0123	667	36		11	110		SCH1	0124	348		15	00	030	
	SCH1	0125	620		22	14	410		SCH1	0126	667		15	14	410	
9	SCH1	0127	885		15	14	410		SCH1	0128	4321		15	41	420	
	SCH1	0129	900		15	12	210		SCH1	0130	130		15	91	665	
	SCH1	0131	696	25		11	140		SCH1	0132	696		15	91	660	
	SCH1	0133	731		15	91	630		SCH1	0134	2548		15	91	650	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 6

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	OTHER
	SCH1	0200	240	15		63 315		SCH1	0201	780	40		11 110	
	SCH1	0202	667	32		11 110		SCH1	0203	1073	33		11 140	
	SCH1	0204	180	15		63 750		SCH1	0205	30	15		48 731	
	SCH1	0206	285	15		63 315		SCH1	0207	696	15		12 110	
	SCH1	0208	132	15		73 730		SCH1	0209	363	15		46 315	
	SCH1	0210	130	15		45 310		SCH1	0212	130	15		45 310	
	SCH1	0213	1350	54		11 210		SCH1	0214	1023	24		11 210	
	SCH1	0215	144	15		48 310		SCH1	0216	132	15		48 310	
	SCH1	0217	1350	48		11 210		SCH1	0218	899	15		11 210	
	SCH1	0219	874	44		11 110		SCH1	0220	874	44		11 110	
	SCH1	0221	775	36		11 110		SCH1	0222	696	24		11 110	
	SCH1	0223	868	46		11 110		SCH1	0224	693	25		11 110	
	SCH1	0225	660	32		11 110		SCH1	0226	598	15		31 350	
	SCH1	0227	1116	38		11 140		SCH1	0228	744	36		11 110	
	SCH1	0229	990	36		11 140		SCH1	0230	667	32		11 110	
	SCH1	0231	1073	33		11 140		SCH1	0232	667	30		11 110	
	SCH1	0233	168	15		73 730		SCH1	0234	150	15		52 310	
	SCH1	0300	88	15		00 020		SCH1	0301	1323	15		00 030	
	SCH1	0302	264	15		00 030		SCH1	0303	1073	15		00 030	
	SCH1	100A	99	15		55 310		SCH1	100B	132	15		55 310	
	SCH1	100C	99	15		56 310		SCH1	100D	108	15		55 310	
	SCH1	100E	99	15		56 310		SCH1	100F	84	15		55 310	
	SCH1	100G	99	15		56 310		SCH1	100H	120	15		56 315	
	SCH1	100I	99	15		12 310		SCH1	100J	132	15		55 315	
	SCH1	100K	99	15		12 310		SCH1	100L	704	15		12 314	
	SCH1	105A	140	15		62 313		SCH1	105B	156	15		62 315	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 7

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	OTHER
	SCH1	105C	121	15		62 310		SCH1	105D	176	15		62 310	
	SCH1	105E	176	15		62 310		SCH1	105F	110	15		62 310	
	SCH1	105G	312	15		62 350		SCH1	105H	168	15		62 731	
	SCH1	105I	132	15		62 315		SCH1	105J	143	15		62 310	
	SCH1	105K	132	15		62 310		SCH1	105L	396	15		62 750	
	SCH1	105M	120	15		62 315		SCH1	109A	156	15		00 030	
	SCH1	114A	150	15		64 315		SCH1	114B	150	15		64 710	
	SCH1	114C	150	15		64 731		SCH1	116A	405	15		11 215	
	SCH1	116B	72	15		11 215		SCH1	127A	132	15		14 310	
	SCH1	127B	132	15		14 310		SCH1	127C	132	15		14 310	
	SCH1	128A	126	15		41 410		SCH1	128B	124	15		41 410	
	SCH1	128C	127	15		41 410		SCH1	128D	631	15		41 410	
	SCH1	128E	160	15		41 310		SCH1	128F	160	15		41 310	
	SCH1	128G	160	15		41 310		SCH1	128H	298	15		41 440	
	SCH1	128I	209	15		41 731		SCH1	200A	60	15		63 731	
	SCH1	200B	176	15		63 315		SCH1	200C	120	15		63 310	
	SCH1	200D	204	15		63 310		SCH1	200E	204	15		61 310	
	SCH1	200F	120	15		65 310		SCH1	200G	108	15		65 310	
	SCH1	200H	120	15		63 310		SCH1	200I	144	15		63 310	
	SCH1	200J	108	15		63 310		SCH1	200K	276	15		61 310	
	SCH1	200L	192	15		63 350		SCH1	200M	54	15		63 315	
	SCH1	200N	36	15		63 355		SCH1	205A	120	15		48 310	
	SCH1	205B	120	15		48 310		SCH1	205C	120	15		48 310	
	SCH1	205D	120	15		48 310		SCH1	205E	120	15		48 310	
	SCH1	205F	108	15		48 310		SCH1	205G	168	15		48 310	
	SCH1	205H	108	15		48 310		SCH1	205I	108	15		48 310	

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 8

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION	
					FUNC.	ROOM TYPE						FUNC.	ROOM TYPE
	SCH1	205J	120	15	48	310		SCH1	205K	108	15	48	310
	SCH1	205L	108	15	48	310		SCH1	205M	108	15	48	310
	SCH1	205N	120	15	48	310		SCH1	205O	120	15	48	310
	SCH1	205P	108	15	48	310		SCH1	205Q	108	15	48	310
	SCH1	205R	108	15	48	310		SCH1	205S	108	15	48	310
	SCH1	205T	108	15	48	310		SCH1	205U	204	15	48	310
	SCH1	205V	168	15	48	315		SCH1	205W	108	15	48	310
	SCH1	205X	108	15	48	310		SCH1	205Y	144	15	48	310
	SCH1	205Z	252	15	48	350		SCH1	208A	120	15	64	710
	SCH1	209A	170	15	46	310		SCH1	209B	170	15	46	310
	SCH1	213A	130	15	11	215		SCH1	214A	99	15	11	731
	SCH1	217A	169	15	11	215		SCH1	218A	99	15	11	731
	SCH1	233A	140	15	64	710		SCH1	A0100	18826	15	00	020
	SCH1	A0200	13630	15	00	020							
TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:											99,072		
TOTAL NET ASSIGN SQ. FT. IN ROOM FILE											59,707		
TOTAL NUMBER CLASSROOMS											17		
TOTAL NUMBER COMPUTER CLASSROOMS											9		
TOTAL NUMBER LABS 210											7		
TOTAL NUMBER SPECIAL LABS 220													
	SCH2	DAT1	82	15	64	710		SCH2	DAT2	92	15	64	710
	SCH2	ELC1	108	15	00	030		SCH2	ELC2	102	15	00	030
	SCH2	LOUN	198	15	91	650		SCH2	MEC1	456	15	00	030
	SCH2	MEC2	59	15	00	030		SCH2	MEC3	163	15	00	030
	SCH2	STO1	87	15	12	731		SCH2	STO2	41	15	00	010
	SCH2	STO3	62	15	12	731		SCH2	STO4	51	15	00	010
	SCH2	OMT1	250	4	00	030		SCH2	OMT2	176	1	00	030
	SCH2	OMT3	253	4	00	030		SCH2	OSW1	356	15	00	020
	SCH2	OSW2	447	15	00	020		SCH2	OWT1	281	4	00	030

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 9

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	----	---CLASSIFICATION ROOM FUNC. TYPE
	SCH2	0WT2	176	1		00 030		SCH2	0WT3	288	4		00 030
	SCH2	0101	721	24		12 110		SCH2	0102	721	24		12 140
	SCH2	0103	721	24		12 140		SCH2	0104	139	15		46 310
	SCH2	0105	136	15		48 310		SCH2	0106	136	15		12 310
	SCH2	0107	784	24		12 110		SCH2	0108	3430	40		12 210
	SCH2	0201	721	24		12 140		SCH2	0202	721	50		12 110
	SCH2	0203	721	24		12 140		SCH2	0204	668	24		12 140
	SCH2	0205	687	24		12 110		SCH2	0206	851	40		12 110
	SCH2	100A	178	15		63 310		SCH2	100B	332	15		63 350
	SCH2	100C	232	15		63 315		SCH2	100D	190	15		22 310
	SCH2	100D1	64	15		22 315		SCH2	104A	60	15		46 315
	SCH2	108A	168	15		00 030		SCH2	108B	290	15		12 215
	SCH2	200A	180	15		63 310		SCH2	200B	246	15		63 310
	SCH2	200B1	123	15		63 310		SCH2	200C	121	15		63 310
	SCH2	200D	137	15		48 310		SCH2	200E	168	15		48 310
	SCH2	200F	144	15		48 310		SCH2	200G	177	15		63 315
	SCH2	A0100	2657	15		00 020		SCH2	A0200	1478	15		00 020
								TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:					21,830
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					14,320
								TOTAL NUMBER CLASSROOMS					5
								TOTAL NUMBER COMPUTER CLASSROOMS					5
								TOTAL NUMBER LABS 210					1
								TOTAL NUMBER SPECIAL LABS 220					
	SCH3	0100	1599	15		72 731		TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:					1,599
								TOTAL NET ASSIGN SQ. FT. IN ROOM FILE					1,599
								TOTAL NUMBER CLASSROOMS					
								TOTAL NUMBER COMPUTER CLASSROOMS					
								TOTAL NUMBER LABS 210					
								TOTAL NUMBER SPECIAL LABS 220					
	THI1	0101	1326	15		91 650		THI1	0102	150	15		63 730
	THI1	0103	230	15		63 315		THI1	0104	880	15		31 310

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 10

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY--		---CLASSIFICATION		OTHER	
				CLASS	OTHER LAB.	FUNC.	ROOM TYPE					CLASS	OTHER LAB.	FUNC.	ROOM TYPE		
	THI1	0105	110		15	48	310		THI1	0106	228		15	46	310		
	THI1	0107	190		15	54	310		THI1	0108	171		15	53	310		
	THI1	0109	998		15	51	315		THI1	0110	230		15	46	310		
	THI1	0112	690		21	82	082		THI1	0113	273		15	63	350		
	THI1	0114	770	24		12	240		THI1	0115	308		15	82	082		
	THI1	0116	702		22	82	082		THI1	0117	462	20		12	110		
	THI1	0118	462	12		12	215		THI1	0119	243		15	12	731		
	THI1	0120	308		15	12	310		THI1	0121	102		15	64	710		
9	THI1	0122	972	12		12	110		THI1	0123	242		15	00	010		
	THI1	0126	700	20		14	110		THI1	0127	243		6	00	030		
	THI1	0128	96		2	00	030		THI1	0129	90		4	00	030		
	THI1	0130	480	16		12	110		THI1	0131	480	16		12	140		
	THI1	0132	130	15		12	110		THI1	0133	105		15	00	030		
	THI1	0134	3128		18	12	210		THI1	0135	2990		24	12	210		
	THI1	0136	3025		16	12	210		THI1	0137	56		15	00	030		
	THI1	0139	420	16		12	110		THI1	0140	102		15	00	030		
	THI1	0141	330		15	64	315		THI1	0143	176		15	63	730		
	THI1	0145	192		15	63	730		THI1	0146	774		15	12	215		
	THI1	0147	240		15	12	310		THI1	0390	390	16		12	110		
	THI1	112A	100		15	12	310		THI1	116A	100	15		12	115		
	THI1	A0100	2630		15	00	020		TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:							27,024	
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE							23,460	
									TOTAL NUMBER CLASSROOMS							7	
									TOTAL NUMBER COMPUTER CLASSROOMS							1	
									TOTAL NUMBER LABS 210							3	
									TOTAL NUMBER SPECIAL LABS 220								
	THI2	0100	652		20	81	081		THI2	0101	128		15	48	310		
	THI2	0200	726		20	12	240		THI2	0300	652		20	12	240		

BOR-ROOM INVENTORY EDIT BY BUILDING
 FALL DATA 2020
 RUN DATE 11/09/2020 20:58:39
 PAGE NUMBER 11

L.E. FLETCHER TECHNICAL COMM. COLL.
 BRANCH
 PARISH
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE	ERRORS/ WARNINGS -----	BLDG NO	ROOM NO	NET SQ FT ASSGN	--CAPACITY-- CLASS OTHER LAB.	---CLASSIFICATION ROOM FUNC. TYPE
	THI2	0301	112	15	48 115		THI2	0400	1218	20	12 210
									TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		3,488
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		3,488
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		1
									TOTAL NUMBER SPECIAL LABS 220		
	THI3	0100	2100	15	72 730				TOTAL ASSIGNABLE & UNASSIGNABLE SQFT:		2,100
									TOTAL NET ASSIGN SQ. FT. IN ROOM FILE		2,100
									TOTAL NUMBER CLASSROOMS		
									TOTAL NUMBER COMPUTER CLASSROOMS		
									TOTAL NUMBER LABS 210		
									TOTAL NUMBER SPECIAL LABS 220		

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

- 1 = ERROR - BLD NUMBER OF THE ROOM FILE DOES NOT MATCH THE BLD NUMBER OF THE BLD FILE. - - - - -
 THE BUILDING NUMBERS SHOULD BE EXACTLY THE SAME ON THE BUILDING FILE AND THE ROOM FILE.
- 2 = ERROR - DUPLICATE RECORD IN THE ROOM FILE. - - - - -
- 3 = ERROR - NET ASSIGNABLE SQUARE FEET IS BLANK OR IS NOT NUMERIC. - - - - -
- 4 = ERROR - CAPACITY IS NOT ENTERED FOR ROOM TYPE 110, 210, 220, 230, 250, 410, 430, 610, 910, 920. - - - - -
- 5 = ERROR - BUILDING DOES NOT CONTAIN ANY ROOMS. - - - - -
 IF THE BUILDING IS A WAREHOUSE, BARN, ETC. WITH NO ROOMS, CODE ONE ROOM WITH THE GROSS AND NET EQUAL.
- 6 = ERROR - FUNCTION USE OF ROOMS IS 00 AND ROOM TYPE NOT 010, 020, 030, 051, 052, OR 053. - - - - -
- 7 = ERROR - ROOM TYPE IS NOT A VALID ROOM USE CODE OR PCS FUNCTION USE CODE IS NOT A VALID CODE - - - - -
- 8 = ERROR - ROOM TYPE IS WRONG (000). - - - - -

TOTAL ERRORS - - - - -

- 9 = WARNING -- RATIO OF NET ASSIGN SQ. FT. TO CAPACITY IS NOT 5 TO 50 SQ. FT. FOR ROOM TYPES 110 410 430
 OR IS NOT 10 TO 400 SQ. FT. FOR ROOM TYPES 210 220 230 250
 OR IS NOT 5 TO 25 SQ. FT. FOR ROOM TYPE 610. - - - - -

7

TOTAL NUMBER OF ROOM RECORDS - - - - -	463
TOTAL CLASSROOM CAPACITY	2,053
TOTAL LAB CAPACITY - - - - -	987
TOTAL OTHER CAPACITY	4,667
TOTAL NON ASSIGN AREA - ROOMS (FUNCT 00) - - - - -	74,161
TOTAL UNASSIGNED AREA - ROOMS (FUNCT 81, 82, 83)	2,352
TOTAL FACIL IN USE - ROOMS (FUNCT 10 THROUGH 70) - - - - -	177,380
TOTAL ASSIGNABLE AREA - ROOMS (FUNCT 10 THROUGH 83)	179,732
TOTAL NUMBER OF NON-ASSIGN ROOMS (FUNCT 00) - - - - -	89
TOTAL NUMBER OF INSTRUCTIONAL, RESEARCH, ACADEMIC SUPPORT, AND STUDENT SERVICE ROOMS (FUNCTS 10, 20, 40 AND 50)	289
TOTAL NUMBER OF PUBLIC SERVICE, INSTITUTIONAL SUPPORT AND INDEPENDENT OPERATIONS ROOMS (FUNCTS 30, 60 AND 70) - - - - -	73
TOTAL NUMBER OF UNASSIGNED ROOMS (FUNCT 81, 82, 83)	4
TOTAL NUMBER OF ASSIGNABLE ROOMS (FUNCT 10 TO 83) - - - - -	374
TOTAL NUMBER OF CLASSROOMS (110)	50
TOTAL NUMBER OF COMPUTER CLASSROOMS (140) - - - - -	18
TOTAL NUMBER OF LABS (210)	26
TOTAL NUMBER OF SPECIAL LABS (220) - - - - -	1