

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009  
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0101	KYBD1110002	11111	8.00 8.55		5	1,012	210 36	00000
	000A	0101	KYBD1000001	1 1 1	8.00 8.55	1	15	1,012	210 36	00000
	000A	0101	CPTR1300002	11111	9.00 9.55		1	1,012	210 36	00000
	000A	0101	CPTR1600003	1 1 1	9.00 9.55	1	5	1,012	210 36	00000
	000A	0101	KYBD1000005	1 1 1	9.00 9.55	1	1	1,012	210 36	00000
	000A	0101	CPTR1600002	1 1	9.20 10.35		3	1,012	210 36	00000
	000A	0101	ISYS1450001	11111	10.00 10.55	1	4	1,012	210 36	00000
	000A	0101	KYBD1210001	11111	10.00 10.55	1	7	1,012	210 36	00000
	000A	0101	CPTR1300001	11111	11.00 11.55		13	1,012	210 36	00000
	000A	0101	ISYS1450002	11111	11.00 11.55	1	2	1,012	210 36	00000
	000A	0101	MACH1350001	1 1 1	11.00 11.55	1	3	1,012	210 36	00000
	000A	0101	CPTR1300003	11111	13.00 13.55		1	1,012	210 36	00000
	000A	0101	CPTR1600001	1 1 1	13.00 13.55	1	3	1,012	210 36	00000
	000A	0101	KYBD1000004	1 1	13.00 14.15		11	1,012	210 36	00000
	000A	0101	OSYS1250001	1 1 1	14.00 14.55		3	1,012	210 36	00000
	000A	0101	INCT2010001	11	16.00 19.00		4	1,012	210 36	00000
	000A	0101	INCT2110001	11	16.00 19.00	1	8	1,012	210 36	00000
	000A	0101	INCT1100001	11	19.00 20.30		7	1,012	210 36	00000
	000A	0104	ISYS1650001	11111	8.00 8.55		1	767	210 25	00000
	000A	0104	MAST1210001	11111	8.00 8.55	1	5	767	210 25	00000
	000A	0104	ENGL1030001	1 1 1	9.00 9.55		17	767	210 25	00000
	000A	0104	ISYS1550001	11111	10.00 10.55		4	767	210 25	00000
	000A	0104	KYBD1110003	11111	10.00 10.55	1	2	767	210 25	00000
	000A	0104	MAST2110001	11111	11.00 11.55		5	767	210 25	00000
	000A	0104	MACH1350001	1 1 1	11.00 11.55	1	3	767	210 25	00000
	000A	0104	CPTR1010B91	11111	13.00 13.55		5	767	210 25	00000
	000A	0104	KYBD1110001	11111	13.00 13.55	1	3	767	210 25	00000
	000A	0104	MACH1350002	1 1 1	13.00 13.55	1	3	767	210 25	00000
	000A	0104	OSYS2530001	1 1 1	14.00 14.55		4	767	210 25	00000
	000A	0105	CPTR1000B95	1 1 1	8.00 8.55		12	920	210 30	00000
	000A	0105	ORNT1000B95	1 1 1	8.00 8.55	1	13	920	210 30	00000
	000A	0105	CPTR1000B93	1 1	8.00 9.15		9	920	210 30	00000
	000A	0105	ORNT1000B93	1 1	8.00 9.15	1	14	920	210 30	00000
	000A	0105	CPTR1000B91	1 1 1	9.00 9.55		7	920	210 30	00000
	000A	0105	CPTR1000B96	1 1 1	9.00 9.55	1	1	920	210 30	00000
	000A	0105	ORNT1000B91	1 1 1	9.00 9.55	1	7	920	210 30	00000
	000A	0105	ORNT1000B96	1 1 1	9.00 9.55	1	1	920	210 30	00000
	000A	0105	DVEN0090B94	1 1	9.20 10.35		1	920	210 30	00000
	000A	0105	DVEN0091B94	1 1	9.20 10.35	1	2	920	210 30	00000
	000A	0105	DVMA0090B94	1 1	9.20 10.35	1	7	920	210 30	00000
	000A	0105	DVRE0091B94	1 1	9.20 10.35	1	2	920	210 30	00000
	000A	0105	DVMA0090B91	11111	10.00 10.55	1	11	920	210 30	00000
	000A	0105	DVEN0091B91	1 1 1	10.00 10.55	1	2	920	210 30	00000
	000A	0105	DVMA0090B97	1 1 1	10.00 10.55	1	1	920	210 30	00000
	000A	0105	DVMA0091B91	1 1 1	10.00 10.55	1	1	920	210 30	00000
	000A	0105	DVRE0090B91	1 1 1	10.00 10.55	1	2	920	210 30	00000
	000A	0105	DVRE0091B91	1 1 1	10.00 10.55	1	1	920	210 30	00000
	000A	0105	DVEN0091B95	1 1	10.45 12.00		2	920	210 30	00000
	000A	0105	DVMA0090B95	1 1	10.45 12.00	1	6	920	210 30	00000
	000A	0105	DVMA0092B95	1 1	10.45 12.00	1	1	920	210 30	00000
	000A	0105	DVRE0091B95	1 1	10.45 12.00	1	2	920	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009  
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0105	JOBS2450002	1 1	10.45 12.00	1	4	920	210 30	00000	
	000A	0105	DVEN0090B92	1 1 1	11.00 11.55		3	920	210 30	00000	
	000A	0105	DVEN0091B92	1 1 1	11.00 11.55	1	2	920	210 30	00000	
	000A	0105	DVMA0090B92	1 1 1	11.00 11.55	1	6	920	210 30	00000	
	000A	0105	DVRE0091B92	1 1 1	11.00 11.55	1	4	920	210 30	00000	
	000A	0105	DVRE0092B92	1 1 1	11.00 11.55	1	3	920	210 30	00000	
	000A	0105	DVEN0090B93	1 1 1	13.00 13.55		1	920	210 30	00000	
	000A	0105	DVEN0091B93	1 1 1	13.00 13.55	1	2	920	210 30	00000	
	000A	0105	DVMA0090B93	1 1 1	13.00 13.55	1	4	920	210 30	00000	
	000A	0105	DVRE0090B93	1 1 1	13.00 13.55	1	4	920	210 30	00000	
	000A	0105	CPTR1000B94	1 1	13.00 14.15		8	920	210 30	00000	
	000A	0105	DVMA0090B96	1 1	13.00 14.15	1	1	920	210 30	00000	
	000A	0105	DVRE0092B96	1 1	13.00 14.15	1	2	920	210 30	00000	
	000A	0105	ORNT1000B94	1 1	13.00 14.15	1	9	920	210 30	00000	
	000A	0105	JOBS2450001	1 1 1	14.00 14.55		5	920	210 30	00000	
	000A	0105	ORNT1000B92	1 1 1	14.00 14.55	1	18	920	210 30	00000	
	000A	0105	WKEY0070001	11111	15.00 16.00		7	920	210 30	00000	
	000A	0108	MEDL1300001	1 1	8.00 9.15		10	150	110 16	00000	
	000A	0108	HCOR1120001	1 1 1	9.00 9.55		10	150	110 16	00000	
	000A	0108	AHMA1000B95	1 1	9.20 10.35		2	150	110 16	00000	
	000A	0108	AHRE1000B95	1 1	9.20 10.35	1	1	150	110 16	00000	
	000A	0108	AHSC1000B95	1 1	9.20 10.35	1	10	150	110 16	00000	
	000A	0108	AHMA1000B91	1 1 1	10.00 10.55		1	150	110 16	00000	
	000A	0108	AHRE1000B91	1 1 1	10.00 10.55	1	1	150	110 16	00000	
	000A	0108	AHSC1000B91	1 1 1	10.00 10.55	1	9	150	110 16	00000	
	000A	0108	AHSC1000B98	1 1 1	10.00 10.55	1	1	150	110 16	00000	
	000A	0108	AHRE1000B96	1 1 1	10.45 12.00	1	1	150	110 16	00000	
	000A	0108	AHSC1000B96	1 1	10.45 12.00		5	150	110 16	00000	
	000A	0108	AHEN1000B92	1 1 1	11.00 11.55		2	150	110 16	00000	
	000A	0108	AHSC1000B92	1 1 1	11.00 11.55	1	1	150	110 16	00000	
	000A	0108	AHEN1000B93	1 1 1	12.00 12.55		1	150	110 16	00000	
	000A	0108	AHMA1000B93	1 1 1	12.00 12.55	1	1	150	110 16	00000	
	000A	0108	AHSC1000B93	1 1 1	12.00 12.55	1	1	150	110 16	00000	
	000A	0108	AHSC1000B94	1 1 1	13.00 13.55		7	150	110 16	00000	
	000A	0109	ELEC1140002	11111	8.00 11.00		2	2,000	720 30	00000	
	000A	0109	WELD1120002	11111	8.00 11.00	1	1	2,000	720 30	00000	
	000A	0109	WELD1210002	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD1310002	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD1410001	11111	8.00 11.00	1	6	2,000	720 30	00000	
	000A	0109	WELD1410002	11111	8.00 11.00	1	1	2,000	720 30	00000	
	000A	0109	WELD1411002	11111	8.00 11.00	1	1	2,000	720 30	00000	
	000A	0109	WELD1412002	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD1420002	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD2222002	11111	8.00 11.00	1	1	2,000	720 30	00000	
	000A	0109	WELD1110002	11111	8.00 11.45	1	1	2,000	720 30	00000	
4	000A	0109	ELEC1140001	11111	8.00 14.45	1	12	2,000	720 30	00000	
4	000A	0109	WELD1110001	11111	8.00 14.45	1	7	2,000	720 30	00000	
4	8	000A	0109	WELD1120001	11111	8.00 14.45	1	6	2,000	720 30	00000
4	8	000A	0109	WELD1130001	11111	8.00 14.45	1	6	2,000	720 30	00000
4	8	000A	0109	WELD1210001	11111	8.00 14.45	1	7	2,000	720 30	00000
4	8	000A	0109	WELD1310001	11111	8.00 14.45	1	14	2,000	720 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2009  
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0109	WELD1411001	11111	8.00 14.45	1	10	2,000	720 30 00000
4	8	000A 0109	WELD1412001	11111	8.00 14.45	1	12	2,000	720 30 00000
4	8	000A 0109	WELD1420001	11111	8.00 14.45	1	7	2,000	720 30 00000
4	8	000A 0109	WELD1510001	11111	8.00 14.45	1	4	2,000	720 30 00000
4	8	000A 0109	WELD1511001	11111	8.00 14.45	1	4	2,000	720 30 00000
4	8	000A 0109	WELD1512001	11111	8.00 14.45	1	5	2,000	720 30 00000
4	8	000A 0109	WELD2110001	11111	8.00 14.45	1	1	2,000	720 30 00000
4	8	000A 0109	WELD2111001	11111	8.00 14.45	1	1	2,000	720 30 00000
4	8	000A 0109	WELD2210001	11111	8.00 14.45	1	1	2,000	720 30 00000
4	8	000A 0109	WELD2220001	11111	8.00 14.45	1	4	2,000	720 30 00000
4	8	000A 0109	WELD2221001	11111	8.00 14.45	1	2	2,000	720 30 00000
4	8	000A 0109	WELD2222001	11111	8.00 14.45	1	3	2,000	720 30 00000
4	8	000A 0109	WELD2230001	11111	8.00 14.45	1	2	2,000	720 30 00000
4	8	000A 0109	WELD2310001	11111	8.00 14.45	1	1	2,000	720 30 00000
4	8	000A 0109	WELD2993001	11111	8.00 14.45	1	2	2,000	720 30 00000
	8	000A 0109	WELD2310003	11111	11.00 14.45	1	1	2,000	720 30 00000
	8	000A 0109	ELEC1140003	11111	11.45 14.45	1	5	2,000	720 30 00000
	8	000A 0109	WELD1110003	11111	11.45 14.45	1	6	2,000	720 30 00000
	8	000A 0109	WELD1120003	11111	11.45 14.45	1	1	2,000	720 30 00000
	8	000A 0109	WELD1130003	11111	11.45 14.45	1	2	2,000	720 30 00000
	8	000A 0109	WELD1210003	11111	11.45 14.45	1	6	2,000	720 30 00000
	8	000A 0109	WELD1310003	11111	11.45 14.45	1	5	2,000	720 30 00000
	8	000A 0109	WELD1410003	11111	11.45 14.45	1	3	2,000	720 30 00000
	8	000A 0109	WELD1411003	11111	11.45 14.45	1	4	2,000	720 30 00000
	8	000A 0109	WELD1412003	11111	11.45 14.45	1	6	2,000	720 30 00000
	8	000A 0109	WELD1420003	11111	11.45 14.45	1	2	2,000	720 30 00000
	8	000A 0109	WELD1510003	11111	11.45 14.45	1	1	2,000	720 30 00000
	8	000A 0109	WELD1511003	11111	11.45 14.45	1	1	2,000	720 30 00000
		000A 0109	WELD2993002	1 1	18.00 21.00		2	2,000	720 30 00000
4		000A 0111	HCOR1212001	11111	6.00 14.45		10	1,557	210 20 00000
4	8	000A 0111	EMTP2993001	11111	8.00 15.00	1	37	1,557	210 20 00000
		000A 0111	HEMS1170001	1 1	16.00 20.00		15	1,557	210 20 00000
		000A 0111	HEMS1172001	1 1	16.00 20.00	1	15	1,557	210 20 00000
		000A 0112	ACCT1300001	11111	8.00 8.55		5	893	210 20 00000
		000A 0112	ACCT1250001	1 1 1	9.00 9.55		4	893	210 20 00000
		000A 0112	ACCT1100001	11111	10.00 10.55		21	893	210 20 00000
		000A 0112	ACCT1500001	11111	11.00 11.55		3	893	210 20 00000
		000A 0112	CPTR2650001	11111	11.00 11.55	1	1	893	210 20 00000
		000A 0112	ACCT1200001	11111	13.00 13.55		7	893	210 20 00000
		000A 0112	INCT2902001	11111	13.00 13.55	1	1	893	210 20 00000
		000A 0112	INCT1200001	11111	14.00 14.55		9	893	210 20 00000
4		000D 0111	HNUR1211002	11111	8.00 14.00		10	1,557	210 20 00000
4		000D 0309	HNUR2123001	11111	8.00 14.15		21	1,373	210 25 00000
	8	000D 0309	HNUR2713001	11111	11.45 14.45	1	21	1,373	210 25 00000
	8	000D 0309	HNUR2723001	11111	11.45 14.45	1	21	1,373	210 25 00000
		000D 0408	AUTO1400001	1111	11.45 14.45		21	3,438	720 17 00000
	8	000D 0408	AUTO1410001	1111	11.45 14.45	1	21	3,438	720 17 00000
	8	000D 0408	AUTO1420001	1111	11.45 14.45	1	21	3,438	720 17 00000
	8	000D 0408	AUTO1430001	1111	11.45 14.45	1	21	3,438	720 17 00000
	8	000D 0408	AUTO1440001	1111	11.45 14.45	1	21	3,438	720 17 00000
		000D 0420	HNUR1300001	11111	8.00 11.00		34	1,005	110 45 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009  
 RUN DATE 11/24/2009 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000D 0420	HNUR1361002	11111	8.00 11.00	1	34	1,005	110 45	00000
	000D 0420	HNUR1211001	11111	11.45 14.45		34	1,005	110 45	00000
	000D 0420	HNUR1270001	11111	11.45 14.45	1	34	1,005	110 45	00000
8	000D 0420	HNUR1320001	11111	11.45 14.45	1	34	1,005	110 45	00000
	000D 0420	CDYC1220001	1	15.00 18.00		9	1,005	110 45	00000
	000D 0420	CDYC1241001	1	15.00 18.00	1	5	1,005	110 45	00000
	000D 0420	CDYC1120001	1	18.00 21.00		7	1,005	110 45	00000
	000D 0420	CDYC1110001	1	18.00 21.00		6	1,005	110 45	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 25

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 40  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 65

TOTAL NUMBER OF RECORDS READ 161  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 161  
NUMBER OF JOINT-CLASS RECORDS 110  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

## SPACE UTILIZ - SUMMARY PAGE

## L. T. C. -NORTHEAST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			85
WEEKLY STUDENT CONTACT HOURS	2239	39	2278
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	164	12	176
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7650	4250	11900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5756	540	6296
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4478	78	4556
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.7	8.0	41.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.5	1.8	38.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	77.8	14.4	72.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			85
WEEKLY STUDENT CONTACT HOURS	2239	39	2278
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	164	12	176
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7650	4250	11900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5756	540	6296
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4478	78	4556
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.7	8.0	41.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	58.5	1.8	38.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	77.8	14.4	72.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			215
WEEKLY STUDENT CONTACT HOURS	4024	21	4045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614	6	620
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19350	10750	30100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15700	216	15916
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8048	42	8090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	68.2	1.2	44.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.6	.4	26.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.3	19.4	50.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			215
WEEKLY STUDENT CONTACT HOURS	4024	21	4045
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	614	6	620
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19350	10750	30100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15700	216	15916
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	8048	42	8090
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	68.2	1.2	44.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	41.6	.4	26.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.3	19.4	50.8

## SPACE UTILIZ - SUMMARY PAGE

## L. T. C. -NORTHEAST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			13
TOTAL NUMBER OF STATIONS (CAPACITY)			300
WEEKLY STUDENT CONTACT HOURS	6263	60	6323
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1170	650	1820
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	778	18	796
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27000	15000	42000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21456	756	22212
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	12526	120	12646
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.5	2.8	43.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	46.4	.8	30.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	58.4	15.9	56.9

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY