

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
9	000A 0101	HNUR2123001	11	8.00 11.00		11	771	110 60	00000	
	000A 0101	HNUR2123001	11	8.00 11.00		11	771	110 60	00000	
	000A 0101	HNUR2123002	11	8.00 11.00	1	15	771	110 60	00000	
	000A 0101	MAST2222001	1 1	8.00 12.00	1	11	771	110 60	00000	
	000A 0101	HNUR2723001	11	12.00 13.25		11	771	110 60	00000	
	000A 0101	HNUR2723002	11	12.00 13.25	1	15	771	110 60	00000	
	000A 0101	HNUR2523001	11	13.35 15.00		10	771	110 60	00000	
	000A 0101	HNUR2523002	11	13.35 15.00	1	16	771	110 60	00000	
	000A 0101	MAST2222001	1 1	14.00 17.00	1	11	771	110 60	00000	
	000A 0102	ORNT1000012	1 1	9.00 11.00		31	845	110 60	00000	
	000A 0102	MATH1015001	1 1	11.00 12.15		6	845	110 60	00000	
	000A 0102	HNUR1211002	1 1	12.00 13.25		34	845	110 60	00000	
	000A 0102	HNUR1211002	1	12.00 15.00		34	845	110 60	00000	
	000A 0102	HNUR1320002	1 1	13.35 15.00		34	845	110 60	00000	
	000A 0103	CPTR1000011	1 1 1	8.00 9.00		6	464	210 40	00000	
	000A 0103	HNUR2995001	1 1	15.00 16.30		21	464	210 40	00000	
	000A 0105	HNUR1121001	11111	8.00 9.25		31	850	110 60	00000	
	000A 0105	ORNT1000011	11111	8.00 9.25	1	15	850	110 60	00000	
	000A 0105	HNUR1361001	1 1 1	9.35 11.00		50	850	110 60	00000	
	000A 0105	HNUR1270001	1 1	9.35 11.00		53	850	110 60	00000	
	000A 0105	HNUR1300001	11111	12.00 13.25		49	850	110 60	00000	
	000A 0105	HNUR1320001	1 1	13.35 15.00		35	850	110 60	00000	
	000A 0109T	HNUR2133001	11	8.00 11.00		11	923	110 50	00000	
	000A 0109T	HNUR2133002	11	8.00 11.00	1	12	923	110 50	00000	
	000A 0109T	HNUR2133003	11	8.00 11.00	1	11	923	110 50	00000	
	000A 0109T	HNUR2713001	11	12.00 13.15		11	923	110 50	00000	
	000A 0109T	HNUR2713002	11	12.00 13.15	1	11	923	110 50	00000	
	000A 0109T	HNUR2713003	11	12.00 13.25	1	11	923	110 50	00000	
	000A 0109T	HNUR2813001	11	13.35 15.00		11	923	110 50	00000	
	000A 0109T	HNUR2813002	11	13.35 15.00	1	12	923	110 50	00000	
	000A 0109T	HNUR2813003	11	13.35 15.00	1	11	923	110 50	00000	
4	000A 0110A	CPTR1000005	11111	8.00 15.00		9	1,122	210 26	00000	
4	000A 0110A	IMMT1110001	11111	8.00 15.00	1	13	1,122	210 26	00000	
4	000A 0110A	IMMT1320001	11111	8.00 15.00	1	8	1,122	210 26	00000	
4	000A 0110A	IMMT1321001	11111	8.00 15.00	1	9	1,122	210 26	00000	
4	8	000A 0110A	IMMT1330001	11111	8.00 15.00	1	11	1,122	210 26	00000
4	8	000A 0110A	IMMT1331001	11111	8.00 15.00	1	11	1,122	210 26	00000
4	8	000A 0110A	IMMT1410001	11111	8.00 15.00	1	14	1,122	210 26	00000
4	8	000A 0110A	IMMT1411001	11111	8.00 15.00	1	14	1,122	210 26	00000
4	8	000A 0110A	IMMT1421001	11111	8.00 15.00	1	13	1,122	210 26	00000
4	8	000A 0110A	IMMT1430001	11111	8.00 15.00	1	14	1,122	210 26	00000
4	8	000A 0110A	IMMT1441001	11111	8.00 15.00	1	8	1,122	210 26	00000
4	8	000A 0110A	IMMT2991001	11111	8.00 15.00	1	2	1,122	210 26	00000
4	8	000A 0110A	IMMT2993001	11111	8.00 15.00	1	1	1,122	210 26	00000
4	8	000A 0110A	JOBS2450005	11111	8.00 15.00	1	13	1,122	210 26	00000
4	8	000A 0110A	ORNT1000005	11111	8.00 15.00	1	13	1,122	210 26	00000
4	000A 0112A	AUTO1100001	11111	8.00 15.00		5	2,035	210 30	00000	
4	000A 0112A	AUTO1110001	11111	8.00 15.00	1	3	2,035	210 30	00000	
4	000A 0112A	AUTO1120001	11111	8.00 15.00	1	3	2,035	210 30	00000	
4	000A 0112A	AUTO1130001	11111	8.00 15.00	1	3	2,035	210 30	00000	
4	000A 0112A	AUTO1200001	11111	8.00 15.00	1	1	2,035	210 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	000A	0112A	AUTO1300001	111111	8.00 15.00	1	3	2,035	210 30	00000
4	000A	0112A	AUTO1310001	111111	8.00 15.00	1	2	2,035	210 30	00000
4	000A	0112A	AUTO1320001	111111	8.00 15.00	1	1	2,035	210 30	00000
4	000A	0112A	AUTO1330001	111111	8.00 15.00	1	1	2,035	210 30	00000
4	000A	0112A	AUTO1340001	111111	8.00 15.00	1	1	2,035	210 30	00000
4	000A	0112A	AUTO1400001	111111	8.00 15.00	1	4	2,035	210 30	00000
4	000A	0112A	AUTO1410001	111111	8.00 15.00	1	4	2,035	210 30	00000
4	000A	0112A	AUTO1420001	111111	8.00 15.00	1	3	2,035	210 30	00000
4	000A	0112A	AUTO1430001	111111	8.00 15.00	1	3	2,035	210 30	00000
4	000A	0112A	AUTO1440001	111111	8.00 15.00	1	3	2,035	210 30	00000
4	8	000A	0112A	AUTO1500001	111111	8.00 15.00	13	2,035	210 30	00000
4	8	000A	0112A	AUTO1510001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	AUTO1520001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	AUTO1530001	111111	8.00 15.00	3	2,035	210 30	00000
4	8	000A	0112A	AUTO1540001	111111	8.00 15.00	5	2,035	210 30	00000
4	8	000A	0112A	AUTO1600001	111111	8.00 15.00	30	2,035	210 30	00000
4	8	000A	0112A	AUTO1610001	111111	8.00 15.00	30	2,035	210 30	00000
4	8	000A	0112A	AUTO1620001	111111	8.00 15.00	30	2,035	210 30	00000
4	8	000A	0112A	AUTO1630001	111111	8.00 15.00	17	2,035	210 30	00000
4	8	000A	0112A	AUTO1640001	111111	8.00 15.00	19	2,035	210 30	00000
4	8	000A	0112A	AUTO1650001	111111	8.00 15.00	14	2,035	210 30	00000
4	8	000A	0112A	AUTO1660001	111111	8.00 15.00	13	2,035	210 30	00000
4	8	000A	0112A	AUTO1800001	111111	8.00 15.00	3	2,035	210 30	00000
4	8	000A	0112A	AUTO1810001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	AUTO1830001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	AUTO1840001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	AUTO1850001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	OPET11111001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	OPET1121001	111111	8.00 15.00	3	2,035	210 30	00000
4	8	000A	0112A	OPET1131001	111111	8.00 15.00	4	2,035	210 30	00000
4	8	000A	0112A	OPET1141001	111111	8.00 15.00	3	2,035	210 30	00000
4	8	000A	0112A	OPET1161001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET1231001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET1251001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET1261001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET1321001	111111	8.00 15.00	2	2,035	210 30	00000
4	8	000A	0112A	OPET1331001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET1341001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	OPET2121001	111111	8.00 15.00	1	2,035	210 30	00000
4	8	000A	0112A	ORNT1000008	111111	8.00 15.00	33	2,035	210 30	00000
4	000A	0114A	CPTR1000004	111111	8.00 15.00	1	3	2,179	210 19	00000
4	000A	0114A	JOBS2450004	111111	8.00 15.00	1	2	2,179	210 19	00000
4	000A	0114A	WELD1110001	111111	8.00 15.00	1	5	2,179	210 19	00000
4	000A	0114A	WELD1120001	111111	8.00 15.00	1	1	2,179	210 19	00000
4	000A	0114A	WELD1130001	111111	8.00 15.00	1	2	2,179	210 19	00000
4	000A	0114A	WELD1140001	111111	8.00 15.00	1	2	2,179	210 19	00000
4	000A	0114A	WELD1210001	111111	8.00 15.00	1	7	2,179	210 19	00000
4	000A	0114A	WELD1310001	111111	8.00 15.00	1	6	2,179	210 19	00000
4	8	000A	0114A	WELD1410001	111111	8.00 15.00	5	2,179	210 19	00000
4	8	000A	0114A	WELD1411001	111111	8.00 15.00	4	2,179	210 19	00000
4	8	000A	0114A	WELD1412001	111111	8.00 15.00	4	2,179	210 19	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0114A	WELD1420001	11111	8.00 15.00	1	5	2,179	210 19 00000
4	8	000A 0114A	WELD1510001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	000A 0114A	WELD1511001	11111	8.00 15.00	1	5	2,179	210 19 00000
4	8	000A 0114A	WELD1512001	11111	8.00 15.00	1	5	2,179	210 19 00000
4	8	000A 0114A	WELD1610001	11111	8.00 15.00	1	2	2,179	210 19 00000
4	8	000A 0114A	WELD2110001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	000A 0114A	WELD2111001	11111	8.00 15.00	1	4	2,179	210 19 00000
4	8	000A 0114A	WELD2210001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	000A 0114A	WELD2230001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	000A 0114A	WELD2310001	11111	8.00 15.00	1	4	2,179	210 19 00000
4	8	000A 0114A	WELD2311001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	000A 0114A	WELD2993001	11111	8.00 15.00	1	2	2,179	210 19 00000
4	8	000A 0114A	WELD2995001	11111	8.00 15.00	1	2	2,179	210 19 00000
4	8	000A 0115A	IMMT1111001	11111	8.00 15.00	1	4	1,916	210 15 00000
4	8	000A 0115A	IMMT1112002	11111	8.00 15.00	1	8	1,916	210 15 00000
4	8	000A 0115A	IMMT1121115	11111	8.00 15.00	1	9	1,916	210 15 00000
4	8	000A 0115A	IMMT1210001	11111	8.00 15.00	1	11	1,916	210 15 00000
4	8	000A 0115A	IMMT1220001	11111	8.00 15.00	1	11	1,916	210 15 00000
4	8	000A 0115A	IMMT1221001	11111	8.00 15.00	1	11	1,916	210 15 00000
4	8	000A 0115A	IMMT1230001	11111	8.00 15.00	1	10	1,916	210 15 00000
4	8	000A 0115A	IMMT1231001	11111	8.00 15.00	1	11	1,916	210 15 00000
4	8	000A 0115A	IMMT1241001	11111	8.00 15.00	1	11	1,916	210 15 00000
4	8	000A 0115A	IMMT1311001	11111	8.00 15.00	1	13	1,916	210 15 00000
4	8	000B 0203	ENGL1030999	11111	8.00 15.00	1	1	1,037	110 21 00000
4	8	000B 0203	DVEN0091001	1 1 1	9.00 10.20	1	15	1,037	110 21 00000
4	8	000B 0203	MAST1220001	1 1	13.35 15.30		20	1,037	110 21 00000
4	8	000B 0205	OSYS1100001	1 1 1	8.00 8.50		35	875	110 34 00000
4	8	000B 0205	MEDL1300001	1 1 1	9.00 9.50		36	875	110 34 00000
4	8	000B 0205	CPTR1000001	1 1	9.25 10.40		29	875	110 34 00000
4	8	000B 0205	ENGL1030001	1 1 1	10.00 10.50		33	875	110 34 00000
4	8	000B 0205	MAST2110001	1 1 1	12.00 14.50		7	875	110 34 00000
4	8	000B 0205	MAST1230001	1 1	12.15 13.30		10	875	110 34 00000
4	8	000B 0206A	DVMA0090001	1 1	8.00 8.50		17	1,037	110 20 00000
4	8	000B 0206A	DVMA0090001	1 1	8.00 9.15		17	1,037	110 20 00000
4	8	000B 0206A	AHMA1000001	1 1 1	10.00 11.20		3	1,037	110 20 00000
4	8	000B 0206A	DVED2991001	1 1	12.30 14.30		2	1,037	110 20 00000
4	8	000B 0206A	DVED2993001	1 1	12.30 14.30	1	10	1,037	110 20 00000
4	8	000B 0206A	DVMA0090003	1 1 1	13.00 14.20		18	1,037	110 20 00000
4	8	000B 0207	ORNT1000002	1 1 1	8.00 8.50		27	896	110 25 00000
4	8	000B 0207	ACCT1100001	1 1 1	10.00 10.50		18	896	110 25 00000
4	8	000B 0207	ACCT1300001	1 1 1	11.00 11.50		2	896	110 25 00000
4	8	000B 0207	ACCT1400001	1 1 1	11.00 11.50	1	1	896	110 25 00000
4	8	000B 0207	OSYS1250001	1 1 1	12.00 12.50		21	896	110 25 00000
4	8	000B 0207	ACCT1300001	1 1	12.15 13.30		2	896	110 25 00000
4	8	000B 0207	ACCT1400001	1 1	12.15 13.30	1	1	896	110 25 00000
4	8	000B 0207	MAST1210001	1	14.00 14.50		28	896	110 25 00000
4	8	000B 0207	MAST1210001	1 1	14.00 15.40		28	896	110 25 00000
4	8	000B 0209	ISYS1550001	1 1	8.00 10.05		1	607	110 18 00000
4	8	000B 0209	ISYS1450001	1 1 1	9.00 9.50		5	607	110 18 00000
4	8	000B 0209	ISYS1450001	1 1	9.25 10.40		5	607	110 18 00000
4	8	000B 0209	ACCT2996001	1 1 1	10.00 10.50	1	4	607	110 18 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009
 RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000B	0209	CPTR2996001	1 1 1	10.00 10.50	1	10	607	110 18	00000
	000B	0209	ISYS1650001	1 1	10.15 12.00		1	607	110 18	00000
	000B	0209	MAST1130001	1 1 1	11.00 11.50		17	607	110 18	00000
	000B	0209	MACH1350001	1 1 1	13.00 15.00		8	607	110 18	00000
	000B	0210A	AHRE1000001	1 1 1	8.00 9.20		2	1,771	110 40	00000
	000B	0210A	DVRE0090001	1 1 1	8.00 9.20	1	1	1,771	110 40	00000
	000B	0210A	DVRE0091001	1 1 1	8.00 9.20	1	16	1,771	110 40	00000
	000B	0210A	DVRE0092001	1 1 1	8.00 9.20	1	2	1,771	110 40	00000
	000B	0210A	WKEY0070001	1 1	9.00 10.30	1	1	1,771	110 40	00000
	000B	0210A	AHRE1000002	1 1 1	9.30 10.50	1	2	1,771	110 40	00000
	000B	0210A	DVRE0090002	1 1 1	9.30 10.50	1	3	1,771	110 40	00000
	000B	0210A	DVRE0091002	1 1 1	9.30 10.50	1	16	1,771	110 40	00000
	000B	0210A	DVRE0092002	1 1 1	9.30 10.50	1	4	1,771	110 40	00000
	000B	0210A	WKEY0070002	1 1	12.00 13.30		3	1,771	110 40	00000
	000B	0210A	WKEY0070003	1 1	13.30 15.00		1	1,771	110 40	00000
	000B	0210A	WKEY0070005	11	16.00 17.30		1	1,771	110 40	00000
	000B	0211A	KYBD1210001	1 1 1	8.00 8.50		7	1,200	110 26	00000
	000B	0211A	KYBD1210001	1 1	8.00 9.15		7	1,200	110 26	00000
	000B	0211A	KYBD1000001	1 1	9.25 10.40		20	1,200	110 26	00000
	000B	0211A	KYBD1110001	1 1 1	12.00 12.50		10	1,200	110 26	00000
	000B	0211A	KYBD1000002	1 1	12.15 13.30		10	1,200	110 26	00000
	000B	0211A	KYBD1110001	1 1	12.15 13.30	1	10	1,200	110 26	00000
	000B	0211A	ORNT1000001	1 1 1	13.00 13.50		27	1,200	110 26	00000
	000B	0211A	CPTR1000002	1 1 1	14.00 14.50		26	1,200	110 26	00000
	000B	0213	OSYS2530001	1 1 1	9.00 9.50		2	1,001	110 10	00000
	000B	0213	HCOR1160001	1 1 1	10.00 10.50		7	1,001	110 10	00000
	000B	0213	CPTR1310001	1 1 1	12.00 12.50		4	1,001	110 10	00000
	000B	0213	CPTR1310001	1 1	12.15 13.30		4	1,001	110 10	00000
	000B	0213	CPTR2640001	1 1 1	13.00 13.50		3	1,001	110 10	00000
	000B	0213	CPTR2640001	1 1	13.40 14.55		3	1,001	110 10	00000
	000B	0213	CPTR1400001	1 1 1	14.00 14.50		1	1,001	110 10	00000
4	000B	0214A	MTTC2110001	11111	8.00 15.00		12	2,962	210 28	00000
4	000B	0214A	MTTC2120001	11111	8.00 15.00	1	12	2,962	210 28	00000
4	000B	0214A	MTTC2210001	11111	8.00 15.00	1	10	2,962	210 28	00000
4	000B	0214A	MTTC2220001	11111	8.00 15.00	1	3	2,962	210 28	00000
4	8	000B	0214A	MTTC2230001	11111	1	8	2,962	210 28	00000
4	8	000B	0214A	MTTC2310001	11111	1	3	2,962	210 28	00000
4	8	000B	0214A	MTTC2320001	11111	1	1	2,962	210 28	00000
4	8	000B	0214A	MTTC2331001	11111	1	1	2,962	210 28	00000
4	8	000B	0214A	MTTC2410001	11111	1	4	2,962	210 28	00000
4	8	000B	0214A	MTTC2420001	11111	1	7	2,962	210 28	00000
4	8	000B	0214A	MTTC2431001	11111	1	6	2,962	210 28	00000
4	8	000B	0214A	MTTC2510001	11111	1	3	2,962	210 28	00000
4	8	000B	0214A	MTTC2710001	11111	1	4	2,962	210 28	00000
4	8	000B	0214A	MTTC2991001	11111	1	2	2,962	210 28	00000
4	8	000B	0214A	MTTC2993001	11111	1	1	2,962	210 28	00000
4	8	000B	0214A	MTTC2995001	11111	1	4	2,962	210 28	00000
4	8	000B	0214A	MTTC2996001	11111	1	7	2,962	210 28	00000
	000B	0217	MAST1110001	1 1 1	8.00 8.50		33	3,045	110 60	00000
	000B	0217	MAST1120001	1 1 1	8.00 8.50	1	38	3,045	110 60	00000
	000B	0217	MAST1110001	1 1	8.00 9.15		33	3,045	110 60	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -NORTHWEST
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000B	0217	MAST1120001	1 1	8.00 9.15	1	38	110 60	00000
	000B	0217	HCOR1120001	1 1	10.50 12.05		53	110 60	00000
	000B	0217	MEDL1300002	1 1	13.40 14.55		39	110 60	00000
4	000C	0301A	CADD1210001	111111	8.00 15.00		3	110 15	00000
4	000C	0301A	CPTR1000009	111111	8.00 15.00	1	4	110 15	00000
4	000C	0301A	DRFT1110001	111111	8.00 15.00	1	10	110 15	00000
4	8	000C	0301A	DRFT1120001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT1130001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT1140001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT1150001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT1160001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2330001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2431001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2451001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2531001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2551001	111111	8.00 15.00	1	110 15	00000
4	8	000C	0301A	DRFT2631001	111111	8.00 15.00	1	110 15	00000
4		000C	0303A	CPTR1000014	111111	8.00 15.00	15	110 17	00000
4	8	000C	0303A	INST1110001	111111	8.00 15.00	16	110 17	00000
4	8	000C	0303A	INST2740001	111111	8.00 15.00	17	110 17	00000
4		000C	0304A	INST1330001	111111	8.00 15.00	12	110 17	00000
4		000C	0304A	INST1410001	111111	8.00 15.00	12	110 17	00000
4	8	000C	0304A	INST1420001	111111	8.00 15.00	12	110 17	00000
4	8	000C	0304A	INST2991001	111111	8.00 15.00	8	110 17	00000
4		000C	0305A	INST2620001	111111	8.00 15.00	16	110 17	00000
4	8	000C	0305A	INST2630001	111111	8.00 15.00	16	110 17	00000
4	8	000C	0305A	INST2993002	111111	8.00 15.00	16	110 17	00000
4		000C	0306A	INST1430001	111111	8.00 15.00	12	110 17	00000
4		000C	0306A	INST2610001	111111	8.00 15.00	12	110 17	00000
4	8	000C	0306A	INST2730001	111111	8.00 15.00	12	110 17	00000
4		000C	0307A	ETRN1120001	111111	8.00 15.00	15	110 17	00000
4	8	000C	0307A	ETRN1130001	111111	8.00 15.00	15	110 17	00000
4	8	000C	0307A	ETRN1210001	111111	8.00 15.00	15	110 17	00000
4	8	000C	0307A	ETRN1220001	111111	8.00 15.00	15	110 17	00000
4	8	000C	0307A	ETRN1420001	111111	8.00 15.00	14	110 17	00000
4	8	000C	0307A	ETRN1420002	111111	8.00 15.00	15	110 17	00000
4	8	000C	0307A	ORNT1000014	111111	8.00 15.00	15	110 17	00000
4		000C	0308	INST2820001	111111	8.00 15.00	14	110 12	00000
4	8	000C	0308	INST2830001	111111	8.00 15.00	14	110 12	00000
4	8	000C	0308	INST2840001	111111	8.00 15.00	14	110 12	00000
	000C	0309T	MATH1015002	1 1	11.00 12.15		23	110 24	00000
	000C	0309T	PHSC1015001	1 1	13.00 14.15		20	110 24	00000
	000C	0309T	SPCH1015001	1 1	15.00 16.15		25	110 24	00000
4	000T	0105	HCVO1110001	111111	7.00 15.00		20	110 30	00000
4		000T	0105	HCVO1111001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1120001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1121001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1130001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1131001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1200001	111111	7.00 15.00	1	110 30	00000
4	8	000T	0105	HCVO1210001	111111	7.00 15.00	1	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2009

RUN DATE 01/13/2010 PROGRAM I-D:Z235B266.

PAGE NUM 6

L.T.C.-NORTHWEST

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000T 0105	HCVO1220001	11111	7.00 15.00	1	30	469	110 30 00000
4	8	000T 0105	HCVO1230001	11111	7.00 15.00	1	30	469	110 30 00000
4	8	000T 0105	HCVO2993002	11111	7.00 15.00	1	5	469	110 30 00000
4		000T 0108	CTDP1110001	11111	7.00 15.00		30	463	110 30 00000
4	8	000T 0108	CTDP1120001	11111	7.00 15.00	1	30	463	110 30 00000
4	8	000T 0108	CTDP1211001	11111	7.00 15.00	1	30	463	110 30 00000
4	8	000T 0108	HCVO1140001	11111	7.00 15.00	1	30	463	110 30 00000
4	8	000T 0108	HCVO1212001	11111	7.00 15.00	1	30	463	110 30 00000
4	8	000T 0108	HCVO2993001	11111	7.00 15.00	1	7	463	110 30 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	166
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	117
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	1
TOTAL ERRORS (INCLUDING WARNINGS)	284
TOTAL NUMBER OF RECORDS READ	264
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	263
NUMBER OF JOINT-CLASS RECORDS	179
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	1

SPACE UTILIZ - SUMMARY PAGE

L. T. C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			764
WEEKLY STUDENT CONTACT HOURS	36780		36780
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1976		1976
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	68760	38200	106960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49219		49219
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	73561		73561
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.3	.0	52.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	107.0	.0	68.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	149.5	.0	149.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			764
WEEKLY STUDENT CONTACT HOURS	36780		36780
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1976		1976
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	68760	38200	106960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	49219		49219
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	73561		73561
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	81.3	.0	52.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	107.0	.0	68.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	149.5	.0	149.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	25141		25141
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	712		712
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21600	12000	33600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17000		17000
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	50282		50282
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	71.9	.0	46.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	232.8	.0	149.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	295.8	.0	295.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			216
WEEKLY STUDENT CONTACT HOURS	25141		25141
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	712		712
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19440	10800	30240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17000		17000
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	50282		50282
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.1	.0	50.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	258.7	.0	166.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	295.8	.0	295.8

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*TOTAL TEACHING FACL.			
TOTAL NUMBER OF ROOMS			38
TOTAL NUMBER OF STATIONS (CAPACITY)			1004
WEEKLY STUDENT CONTACT HOURS	61921		61921
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3420	1900	5320
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2688		2688
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90360	50200	140560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	66219		66219
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	123843		123843
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.6	.0	50.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	137.1	.0	88.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	187.0	.0	187.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY