

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	00C1 0001	CLRP2140001	111111	8.00 14.45		10	1,279	210 10	00000
	00C1 0001	CLRP2140901	1111	17.00 22.00		3	1,279	210 10	00000
4	000A 0100	BARB1341001	111111	8.00 14.45		14	1,678	210 42	00000
4	000A 0100	BARB1441001	111111	8.00 14.45	1	24	1,678	210 42	00000
4	000A 0100	BARB2991001	111111	8.00 14.45	1	9	1,678	210 42	00000
4	000A 0100	BARB2991002	111111	8.00 14.45	1	1	1,678	210 42	00000
4	000A 0100	BARB2996001	111111	8.00 14.45	1	8	1,678	210 42	00000
	000A 0100	BARB1231901	1111	16.30 21.30		1	1,678	210 42	00000
	000A 0100	BARB1341901	1111	16.30 21.30	1	1	1,678	210 42	00000
	000A 0100	BARB1441901	1111	16.30 21.30	1	6	1,678	210 42	00000
4	000A 0104	BARB1310001	111111	8.00 14.45		18	495	110 32	00000
4	000A 0104	BARB1330001	111111	8.00 14.45	1	9	495	110 32	00000
	000A 0104	BARB1110901	1111	16.30 21.30		8	495	110 32	00000
	000A 0104	BARB1120901	1111	16.30 21.30	1	8	495	110 32	00000
	000A 0104	BARB1140901	1111	16.30 21.30	1	3	495	110 32	00000
	000A 0104	BARB1150901	1111	16.30 21.30	1	7	495	110 32	00000
	000A 0104	BARB1330901	1111	16.30 21.30	1	1	495	110 32	00000
	000A 0104	BARB1350901	1111	16.30 21.30	1	4	495	110 32	00000
	000A 0104	BARB1410901	1111	16.30 21.30	1	1	495	110 32	00000
	000A 0104	BARB1420901	1111	16.30 21.30	1	5	495	110 32	00000
	000A 0104	BARB1430901	1111	16.30 21.30	1	1	495	110 32	00000
	000A 0104	BARB2111901	1111	16.30 21.30	1	1	495	110 32	00000
	000A 0104	BARB2120901	1111	16.30 21.30	1	5	495	110 32	00000
	000A 0104	BARB2630901	1111	16.30 21.30	1	1	495	110 32	00000
4	000A 0105	BARB1211001	111111	8.00 14.45		19	526	210 14	00000
4	8 000A 0105	BARB1321001	111111	8.00 14.45	1	14	526	210 14	00000
4	8 000A 0105	BARB2111001	111111	8.00 14.45	1	12	526	210 14	00000
4	8 000A 0105	BARB2120001	111111	8.00 14.45	1	8	526	210 14	00000
4	8 000A 0105	BARB2993001	111111	8.00 14.45	1	1	526	210 14	00000
4	8 000A 0105	BARB2995001	111111	8.00 14.45	1	1	526	210 14	00000
	000A 0105	BARB1131901	1111	16.30 21.30		6	526	210 14	00000
	000A 0105	BARB1160901	1111	16.30 21.30	1	10	526	210 14	00000
	000A 0105	BARB1211901	1111	16.30 21.30	1	2	526	210 14	00000
	000A 0200	JOBS2450001	111111	9.45 11.00		15	776	140 22	00000
	000A 0200	JOBS2450002	111111	9.45 11.00	1	6	776	140 22	00000
	000A 0200	JOBS2450003	111111	9.45 11.00	1	5	776	140 22	00000
4	000A 0200	ISYS1650001	1111	11.45 12.00		15	776	140 22	00000
	000A 0200	ISYS1450001	1111	13.15 14.30		19	776	140 22	00000
	000A 0200	JOBS2450004	111111	14.45 16.00		16	776	140 22	00000
	000A 0201	ACCT1200001	1111	8.00 9.15		5	769	140 22	00000
4	000A 0201	OSYS2997001	111111	8.00 14.30	1	2	769	140 22	00000
4	000A 0201	OSYS2999001	111111	8.00 14.30	1	3	769	140 22	00000
	000A 0201	ACCT1100001	1111	9.00 10.45	1	17	769	140 22	00000
	000A 0202	KYBD1000701	111111	8.00 10.30		13	776	140 22	00000
8	000A 0205	CPTR1000001	111111	8.00 9.15		29	499	210 15	00000
8	000A 0205	CPTR1000003	111111	8.00 9.15	1	32	499	210 15	00000
8	000A 0205	CPTR1000002	111111	13.30 14.45		28	499	210 15	00000
8	000A 0205	CPTR1000004	111111	13.30 14.45	1	31	499	210 15	00000
8	000A 0205	CPTR1000005	111111	14.45 16.00		28	499	210 15	00000
8	000A 0205	CPTR1000901	1	17.00 20.00		40	499	210 15	00000
8	000A 0207	CSRV1000001	1111	9.30 10.45		22	451	210 14	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000A	0207	CPTR1000901	1	17.00 20.00		40	210 14	00000	
8	000A	0208	CPTR1000001	11111	8.00 9.15		29	210 15	00000	
8	000A	0208	CPTR1000003	11111	8.00 9.15	1	32	210 15	00000	
8	000A	0208	KYBD1000002	11111	11.45 13.00		25	210 15	00000	
8	000A	0208	KYBD1110001	11111	11.45 13.00	1	27	210 15	00000	
8	000A	0208	ISYS1550001	1111	11.45 13.00	1	15	210 15	00000	
8	000A	0208	CPTR1000002	11111	13.30 14.45		28	210 15	00000	
8	000A	0208	CPTR1000004	11111	13.30 14.45	1	31	210 15	00000	
8	000A	0208	CPTR1000005	11111	14.45 16.00		28	210 15	00000	
8	000A	0208	CPTR1000901	1	17.00 20.00		40	210 15	00000	
8	000A	0208	JOBS2450901	1	17.00 20.00		29	210 15	00000	
	000A	0209	ENTT1210001	11111	8.00 12.00		1	220 22	00000	
	000A	0209	ENTT1310001	11111	8.00 12.00	1	1	220 22	00000	
4	000A	0209	CADD1210001	11111	8.00 14.45	1	6	220 22	00000	
4	000A	0209	CADD1210002	11111	8.00 14.45	1	1	220 22	00000	
4	000A	0209	CADD2300001	11111	8.00 14.45	1	3	220 22	00000	
4	000A	0209	CADD2310001	11111	8.00 14.45	1	3	220 22	00000	
4	000A	0209	DRFT1110001	11111	8.00 14.45	1	7	220 22	00000	
4	000A	0209	DRFT1120001	11111	8.00 14.45	1	6	220 22	00000	
4	000A	0209	DRFT1140001	11111	8.00 14.45	1	5	220 22	00000	
4	8	000A	0209	DRFT1150001	11111	8.00 14.45	1	5	220 22	00000
4	8	000A	0209	DRFT1160001	11111	8.00 14.45	1	7	220 22	00000
4	8	000A	0209	DRFT1161001	11111	8.00 14.45	1	2	220 22	00000
4	8	000A	0209	DRFT1210001	11111	8.00 14.45	1	2	220 22	00000
4	8	000A	0209	DRFT1210002	11111	8.00 14.45	1	1	220 22	00000
4	8	000A	0209	DRFT1220001	11111	8.00 14.45	1	3	220 22	00000
4	8	000A	0209	DRFT1230001	11111	8.00 14.45	1	4	220 22	00000
4	8	000A	0209	DRFT2310001	11111	8.00 14.45	1	1	220 22	00000
4	8	000A	0209	DRFT2631001	11111	8.00 14.45	1	2	220 22	00000
	000A	0211	WKEY0070004	11111	8.00 11.00		2	110 33	00000	
	000A	0211	WKEY0070003	11111	13.00 14.00		5	110 33	00000	
	000A	0213	BARB2995601	1	17.00 20.30		17	110 37	00000	
	000B	0101	ETRN1120001	11111	8.00 11.00		4	110 22	00000	
	000B	0101	ETRN1130001	11111	8.00 11.45	1	2	110 22	00000	
	000B	0101	ETRN1210001	11111	8.00 11.45	1	1	110 22	00000	
	000B	0101	MATH1110001	1 1	8.00 12.00	1	3	110 22	00000	
4	000B	0101	DAVT2610001	11111	8.00 14.45	1	4	110 22	00000	
4	000B	0101	DAVT2620001	11111	8.00 14.45	1	2	110 22	00000	
4	000B	0101	ETRN1220001	11111	8.00 14.45	1	1	110 22	00000	
4	000B	0101	ETRN1230001	11111	8.00 14.45	1	2	110 22	00000	
4	000B	0101	ETRN1240001	11111	8.00 14.45	1	1	110 22	00000	
4	000B	0101	INCT2130901	1 1	16.00 22.00		4	110 22	00000	
4	000B	0101	INCT2130902	1 1	16.00 22.00	1	1	110 22	00000	
4	000B	0101	INCT2140901	1 1	16.00 22.00	1	4	110 22	00000	
	000B	0101A	DAVT2997001	11111	8.00 11.00		1	210 22	00000	
4	000B	0101A	DAVT2510001	11111	8.00 14.45	1	2	210 22	00000	
4	000B	0101A	DAVT2520001	11111	8.00 14.45	1	3	210 22	00000	
4	000B	0101A	DAVT2530001	11111	8.00 14.45	1	3	210 22	00000	
4	000B	0101A	DAVT2610001	11111	8.00 14.45	1	4	210 22	00000	
4	000B	0101A	DAVT2620001	11111	8.00 14.45	1	2	210 22	00000	
4	000B	0101A	DAVT2720001	11111	8.00 14.45	1	1	210 22	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000B 0101A	DAVT2810001	111111	8.00 14.45	1	1	2,346	210 22	00000
4	000B 0101A	ETRN1220001	111111	8.00 14.45	1	1	2,346	210 22	00000
	000B 0101A	DAVT2991001	111111	11.45 14.45	1	3	2,346	210 22	00000
	000B 0101A	DAVT2993001	111111	11.45 14.45	1	3	2,346	210 22	00000
	000B 0101A	DAVT2995001	111111	11.45 14.45	1	1	2,346	210 22	00000
	000B 0102	INCT1100001	1 1	8.00 11.00		13	568	110 22	00000
	000B 0102	KYBD1000999	1	8.00 12.00		4	568	110 22	00000
	000B 0102	INCT1110001	1 1	11.45 14.45		14	568	110 22	00000
	000B 0102	CPTR1010001	1 1	11.45 14.45		14	568	110 22	00000
	000B 0102	INCT1210001	1 1	11.45 14.45	1	12	568	110 22	00000
4	000B 0102	INCT2110901	1 1	16.00 22.00		8	568	110 22	00000
4	000B 0102	INCT2120901	1 1	16.00 22.00	1	11	568	110 22	00000
	000B 0102A	INCT1300001	1 1	8.00 11.00		8	1,194	140 34	00000
	000B 0102A	INCT1300002	1 1	8.00 11.00	1	1	1,194	140 34	00000
	000B 0102A	INCT1210001	1 1	11.45 14.45		12	1,194	140 34	00000
4	000B 0102A	INCT2110901	1 1	16.00 22.00		8	1,194	140 34	00000
4	000B 0102A	INCT2120901	1 1	16.00 22.00	1	11	1,194	140 34	00000
4	000B 0102B	INCT1120002	1	8.00 14.04		1	625	220 4	00000
4	000B 0102B	INCT2902001	1 1	8.00 14.45		4	625	220 4	00000
4	8 000B 0102B	INCT1120001	1	8.00 14.45		11	625	220 4	00000
	000B 0102E	INCT1200001	1 1	8.00 11.00		14	383	140 15	00000
	000B 0102E	KYBD1000001	1	8.00 11.00		5	383	140 15	00000
	000B 0102E	INCT2820001	1 1	11.45 14.45		14	383	140 15	00000
	000B 0102E	INCT2820002	1 1	11.45 14.45	1	1	383	140 15	00000
	000B 0103	AHSC1000001	1 1	10.00 12.00		29	570	110 20	00000
	000B 0103	SPCH1010C91	1 1	15.00 16.15		23	570	110 20	00000
	000B 0103E	INCT2030001	1 1	8.00 11.00		6	297	140 16	00000
	000B 0103E	INCT2010002	1 1	11.45 14.45		1	297	140 16	00000
	000B 0103E	INCT2010001	1 1	11.45 16.15	1	6	297	140 16	00000
4	000B 0104	BARB1110001	111111	8.00 14.30		24	557	110 18	00000
4	8 000B 0104	BARB1120001	111111	8.00 14.30	1	22	557	110 18	00000
4	8 000B 0104	BARB1131001	111111	8.00 14.30	1	21	557	110 18	00000
4	8 000B 0104	BARB1160001	111111	8.00 14.30	1	23	557	110 18	00000
4	000B 0104A	BARB1140001	111111	8.00 13.10		31	2,347	220 45	00000
4	000B 0104A	BARB1150001	111111	8.00 13.10	1	31	2,347	220 45	00000
4	8 000B 0104A	BARB1410001	111111	8.00 13.10	1	27	2,347	220 45	00000
4	8 000B 0104A	BARB1420001	111111	8.00 13.10	1	26	2,347	220 45	00000
4	8 000B 0104A	BARB2630001	111111	8.00 13.10	1	28	2,347	220 45	00000
4	8 000B 0104A	BARB1220001	111111	8.00 14.30	1	21	2,347	220 45	00000
	8 000C 0101	HACR1150001	1 1 1	8.00 9.30		23	553	110 13	00000
	8 000C 0101	HACR1160001	1 1 1	9.30 11.00		23	553	110 13	00000
	000C 0101	HACR1420001	1 1	9.30 11.00		2	553	110 13	00000
	000C 0101	HACR2560001	1 1	13.30 15.00		10	553	110 13	00000
	000C 0101	HACR1150901	1 1 1	17.30 18.30		15	553	110 13	00000
	000C 0101	HACR1410901	1 1	17.30 18.30	1	1	553	110 13	00000
	000C 0101	HACR2540901	1 1	17.30 18.30		7	553	110 13	00000
	000C 0101	HACR1160901	1 1 1	18.30 19.30		15	553	110 13	00000
	000C 0101	HACR2550901	1 1	18.30 19.30		7	553	110 13	00000
	000C 0101	HACR2560901	1 1	19.30 20.30		7	553	110 13	00000
	000C 0101A	HACR1170001	1 1 1	12.00 15.00		23	1,633	220 20	00000
	000C 0101A	HACR1170901	1 1	19.30 20.30		15	1,633	220 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000C	0102	HACR1210001	1 1 1	8.00 9.30		1	570	110 13 00000	
	000C	0102	HACR1410001	1 1	8.00 9.30		4	570	110 13 00000	
	000C	0102	HACR2530001	1 1	8.00 9.30	1	9	570	110 13 00000	
	000C	0102	HACR1220001	1 1 1	9.30 11.00		1	570	110 13 00000	
	000C	0102	HACR2540001	1 1	9.30 11.00		9	570	110 13 00000	
	000C	0102	HACR1230001	1 1 1	12.00 13.30		1	570	110 13 00000	
	000C	0102	HACR2550001	1 1	12.00 13.30		10	570	110 13 00000	
	000C	0102	HACR1240001	1 1	13.30 15.00		1	570	110 13 00000	
	000C	0102A	HACR2810001	1 1	8.00 9.30		2	1,931	220 35 00000	
	000C	0102A	HACR2820001	1 1	9.30 11.00		1	1,931	220 35 00000	
	000C	0102A	HACR2510001	1 1	12.00 13.30		1	1,931	220 35 00000	
	000C	0102A	HACR2830001	1 1	12.00 15.00	1	1	1,931	220 35 00000	
	000C	0102A	HACR2520001	1 1	13.30 15.00	1	1	1,931	220 35 00000	
	000C	0102A	HACR1420901	1 1	18.30 19.30		1	1,931	220 35 00000	
	000C	0103	CLRP1110700	11111	8.00 10.30		9	910	110 25 00000	
	000C	0103	CLRP1121700	11111	8.00 10.30	1	9	910	110 25 00000	
	000C	0103	CLRP1131700	11111	8.00 10.30	1	1	910	110 25 00000	
	000C	0103	CLRP2130700	11111	8.00 10.30	1	2	910	110 25 00000	
	000C	0103	CLRP1110710	11111	11.30 14.45		7	910	110 25 00000	
	000C	0103	CLRP1121710	11111	11.30 14.45	1	7	910	110 25 00000	
	000C	0103	CLRP1131710	11111	11.30 14.45	1	4	910	110 25 00000	
4	000C	0103A	CLRP2130710	11111	11.30 14.45	1	2	910	110 25 00000	
4	000C	0103A	CLRP1150001	11111	8.00 14.45		4	2,332	210 40 00000	
4	000C	0103A	CLRP1210001	11111	8.00 14.45	1	3	2,332	210 40 00000	
	000C	0103A	CLRP1150901	1111	17.00 22.00		3	2,332	210 40 00000	
	000C	0103A	CLRP1210901	1111	17.00 22.00	1	2	2,332	210 40 00000	
4	000C	0104	CLRP1110001	11111	8.00 14.45		14	560	110 22 00000	
4	000C	0104	CLRP1121001	11111	8.00 14.45	1	14	560	110 22 00000	
4	8	000C	0104	CLRP1131001	11111	8.00 14.45	1	15	560	110 22 00000
4	8	000C	0104	CLRP1140001	11111	8.00 14.45	1	6	560	110 22 00000
4	8	000C	0104	CLRP2121001	11111	8.00 14.45	1	6	560	110 22 00000
	000C	0104	CLRP1110901	1111	17.00 22.00		8	560	110 22 00000	
	000C	0104	CLRP1121901	1111	17.00 22.00	1	8	560	110 22 00000	
	000C	0104	CLRP1131901	1111	17.00 22.00	1	8	560	110 22 00000	
	000C	0104	CLRP1140901	1111	17.00 22.00	1	3	560	110 22 00000	
	000C	0104	CLRP2121901	1111	17.00 22.00	1	5	560	110 22 00000	
4	000C	0104A	CLRP1220001	11111	8.00 14.45		9	2,340	210 40 00000	
4	000C	0104A	CLRP1230001	11111	8.00 14.45	1	7	2,340	210 40 00000	
4	000C	0104A	CLRP1311001	11111	8.00 14.45	1	5	2,340	210 40 00000	
4	000C	0104A	CLRP2111001	11111	8.00 14.45	1	3	2,340	210 40 00000	
4	000C	0104A	CLRP2130001	11111	8.00 14.45	1	10	2,340	210 40 00000	
	000C	0104A	CLRP1220901	1111	17.00 22.00		9	2,340	210 40 00000	
	000C	0104A	CLRP1230901	1111	17.00 22.00	1	7	2,340	210 40 00000	
	000C	0104A	CLRP1311901	1111	17.00 22.00	1	3	2,340	210 40 00000	
	000C	0104A	CLRP2111901	1111	17.00 22.00	1	4	2,340	210 40 00000	
	000C	0104A	CLRP2130901	1111	17.00 22.00	1	7	2,340	210 40 00000	
	000D	0100	CPTR1000700	11111	8.00 10.30		1	950	110 19 00000	
	000D	0100	INCT1100700	11111	8.00 10.30	1	1	950	110 19 00000	
	000D	0100	INCT1110700	11111	8.00 10.30	1	1	950	110 19 00000	
	000D	0100	INCT1120700	11111	8.00 10.30	1	1	950	110 19 00000	
	000D	0101	JOBS2450700	11111	8.00 10.30		17	906	110 30 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000D	0101	KYBD1000700	111111	8.00 10.30	1	1	906	110 30	00000	
4	000D	0102	WELD1110001	111111	8.00 14.45		18	1,040	110 43	00000	
4	000D	0102	WELD1120001	111111	8.00 14.45	1	21	1,040	110 43	00000	
4	000D	0102	WELD1120002	111111	8.00 14.45	1	1	1,040	110 43	00000	
4	000D	0102	WELD1130001	111111	8.00 14.45	1	19	1,040	110 43	00000	
4	000D	0102	WELD1130002	111111	8.00 14.45	1	1	1,040	110 43	00000	
4	8	000D	0102	WELD1140001	111111	8.00 14.45	1	18	1,040	110 43	00000
4	8	000D	0102	WELD1140002	111111	8.00 14.45	1	1	1,040	110 43	00000
4	8	000D	0102	WELD1210001	111111	8.00 14.45	1	17	1,040	110 43	00000
4	8	000D	0102	WELD1210002	111111	8.00 14.45	1	1	1,040	110 43	00000
4	8	000D	0102	WELD1310001	111111	8.00 14.45	1	13	1,040	110 43	00000
4	8	000D	0102	WELD1410001	111111	8.00 14.45	1	5	1,040	110 43	00000
4	8	000D	0102	WELD1411001	111111	8.00 14.45	1	7	1,040	110 43	00000
4	8	000D	0102	WELD1412001	111111	8.00 14.45	1	6	1,040	110 43	00000
4	8	000D	0102	WELD1420001	111111	8.00 14.45	1	2	1,040	110 43	00000
4	8	000D	0102	WELD1510001	111111	8.00 14.45	1	2	1,040	110 43	00000
4	8	000D	0102	WELD1511001	111111	8.00 14.45	1	3	1,040	110 43	00000
4	8	000D	0102	WELD1512001	111111	8.00 14.45	1	3	1,040	110 43	00000
4	8	000D	0102	WELD2110001	111111	8.00 14.45	1	9	1,040	110 43	00000
4	8	000D	0102	WELD2111001	111111	8.00 14.45	1	6	1,040	110 43	00000
4	8	000D	0102	WELD2112001	111111	8.00 14.45	1	2	1,040	110 43	00000
4	8	000D	0102	WELD2113001	111111	8.00 14.45	1	1	1,040	110 43	00000
4	8	000D	0102	WELD2114001	111111	8.00 14.45	1	1	1,040	110 43	00000
4	8	000D	0102	WELD2210001	111111	8.00 14.45	1	10	1,040	110 43	00000
4	8	000D	0102	WELD2221001	111111	8.00 14.45	1	1	1,040	110 43	00000
4	8	000D	0102	WELD2230001	111111	8.00 14.45	1	12	1,040	110 43	00000
4	8	000D	0102	WELD2310001	111111	8.00 14.45	1	11	1,040	110 43	00000
4	8	000D	0102	WELD2311001	111111	8.00 14.45	1	9	1,040	110 43	00000
	000D	0102	WELD1120901	1111	17.00 22.00		11	1,040	110 43	00000	
	000D	0102	WELD1130901	1111	17.00 22.00	1	11	1,040	110 43	00000	
	000D	0102	WELD1140901	1111	17.00 22.00	1	4	1,040	110 43	00000	
	000D	0102	WELD1210901	1111	17.00 22.00	1	5	1,040	110 43	00000	
	000D	0102	WELD1310901	1111	17.00 22.00	1	10	1,040	110 43	00000	
	000D	0102	WELD1410901	1111	17.00 22.00	1	2	1,040	110 43	00000	
	000D	0102	WELD1411901	1111	17.00 22.00	1	2	1,040	110 43	00000	
	000D	0102	WELD1412901	1111	17.00 22.00	1	9	1,040	110 43	00000	
	000D	0102	WELD1420901	1111	17.00 22.00	1	3	1,040	110 43	00000	
	000D	0102	WELD1510901	1111	17.00 22.00	1	3	1,040	110 43	00000	
	000D	0102	WELD1511901	1111	17.00 22.00	1	2	1,040	110 43	00000	
	000D	0102	WELD1512901	1111	17.00 22.00	1	2	1,040	110 43	00000	
	8	000D	0102	WELD2110901	1111	17.00 22.00	1	3	1,040	110 43	00000
	8	000D	0102	WELD2111901	1111	17.00 22.00	1	2	1,040	110 43	00000
	8	000D	0102	WELD2112901	1111	17.00 22.00	1	1	1,040	110 43	00000
	8	000D	0102	WELD2113901	1111	17.00 22.00	1	1	1,040	110 43	00000
	8	000D	0102	WELD2114901	1111	17.00 22.00	1	1	1,040	110 43	00000
	8	000D	0102	WELD2210901	1111	17.00 22.00	1	5	1,040	110 43	00000
	8	000D	0102	WELD2230901	1111	17.00 22.00	1	4	1,040	110 43	00000
	8	000D	0102	WELD2310901	1111	17.00 22.00	1	5	1,040	110 43	00000
	8	000D	0102	WELD2311901	1111	17.00 22.00	1	3	1,040	110 43	00000
4	000D	0103	ZPEC9005001	111111	8.00 15.00		4	910	110 25	00000	
4	000D	0103	ZPEC9004001	111111	8.00 17.00	1	14	910	110 25	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 0108	DPET1120001	111111	8.00 14.45		8	4,845	210 45	00000
4	000D 0108	DPET1130001	111111	8.00 14.45	1	8	4,845	210 45	00000
4	000D 0108	DPET1140001	111111	8.00 14.45	1	13	4,845	210 45	00000
4	000D 0108	DPET1150001	111111	8.00 14.45	1	3	4,845	210 45	00000
4	000D 0108	DPET1210001	111111	8.00 14.45	1	14	4,845	210 45	00000
4	000D 0108	DPET1220001	111111	8.00 14.45	1	6	4,845	210 45	00000
4	000D 0108	DPET1231001	111111	8.00 14.45	1	2	4,845	210 45	00000
4	000D 0108	DPET1240001	111111	8.00 14.45	1	3	4,845	210 45	00000
4	000D 0108	DPET1310001	111111	8.00 14.45	1	7	4,845	210 45	00000
4	8 000D 0108	DPET1320001	111111	8.00 14.45	1	6	4,845	210 45	00000
4	8 000D 0108	DPET1330001	111111	8.00 14.45	1	6	4,845	210 45	00000
4	8 000D 0108	DPET2110001	111111	8.00 14.45	1	6	4,845	210 45	00000
4	8 000D 0108	DPET2130001	111111	8.00 14.45	1	4	4,845	210 45	00000
4	8 000D 0108	DPET2140001	111111	8.00 14.45	1	2	4,845	210 45	00000
4	8 000D 0108	DPET2210001	111111	8.00 14.45	1	2	4,845	210 45	00000
4	8 000D 0108	DPET2220001	111111	8.00 14.45	1	3	4,845	210 45	00000
4	8 000D 0108	DPET2240001	111111	8.00 14.45	1	4	4,845	210 45	00000
4	8 000D 0108	DPET1141001	1 111	8.00 14.45	1	4	4,845	210 45	00000
	000D 0112	WELD1130700	111111	8.00 10.30		1	3,872	210 30	00000
	000D 0112	WELD1420700	111111	8.00 10.30	1	1	3,872	210 30	00000
	000D 0112	WELD2110700	111111	8.00 10.30	1	1	3,872	210 30	00000
	000D 0112	WELD2111700	111111	8.00 10.30	1	1	3,872	210 30	00000
	000D 0112	WELD1130710	111111	11.30 14.45		3	3,872	210 30	00000
	000D 0112	WELD1420710	111111	11.30 14.45	1	3	3,872	210 30	00000
	000D 0112	WELD2110710	111111	11.30 14.45	1	3	3,872	210 30	00000
	000D 0112	WELD2111710	111111	11.30 14.45	1	3	3,872	210 30	00000
	8 000E 0112	WELD1110901	1111	17.00 22.00		12	124	310 2	00000
	000E 0114	HMDT1170700	111111	8.00 10.30		18	729	110 49	00000
	000E 0114	HNUR1211700	111111	8.00 10.30	1	18	729	110 49	00000
	000E 0114	HMDT1170710	111111	11.30 14.45		18	729	110 49	00000
	000E 0114	HNUR1211710	111111	11.30 14.45	1	18	729	110 49	00000
	000E 0115	HNUR1411001	111111	7.30 11.30		30	692	110 49	00000
4	000E 0115	HNUR2113001	111111	7.30 15.30	1	30	692	110 49	00000
4	8 000E 0115	HNUR2523001	111111	7.30 15.30	1	36	692	110 49	00000
	000E 0115	HNUR1361901	1 1	16.30 18.30		23	692	110 49	00000
	000E 0115	HNUR1320902	1	17.00 20.00	1	19	692	110 49	00000
	8 000E 0115	AHSC1000901	111111	17.00 21.00	1	35	692	110 49	00000
	000E 0116	HNUR2611001	11	7.30 9.25		34	3,156	210 46	00000
	000E 0116	HNUR1411001	111111	7.30 11.30	1	30	3,156	210 46	00000
	8 000E 0116	HNUR1211001	1 1 1	7.30 11.30	1	43	3,156	210 46	00000
4	8 000E 0116	HPhL1011003	111	7.30 14.30	1	10	3,156	210 46	00000
4	8 000E 0116	HPhL1022003	111111	7.30 15.30	1	10	3,156	210 46	00000
	8 000E 0116	HNUR1361001	1 1	12.15 14.30	1	50	3,156	210 46	00000
	8 000E 0116	HNUR1460001	111	13.30 14.30	1	41	3,156	210 46	00000
	000E 0116	HNUR1361901	1 1	16.30 18.30		23	3,156	210 46	00000
4	000E 0118	HPhL1011003	111	7.30 14.30		10	621	315 3500	00000
4	000E 0118	HNUR2993001	11	7.30 14.30	1	3	621	315 3500	00000
4	000E 0118	HPhL1022003	111111	7.30 15.30	1	10	621	315 3500	00000
4	000E 0118	HEKG1011003	1111	8.00 15.00	1	11	621	315 3500	00000
	000E 0118	HCOR1160003	111	12.15 14.30	1	6	621	315 3500	00000
4	000E 0118	HNUR2611901	1	14.30 20.15		9	621	315 3500	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000E	0118		HNUR2611902	1	16.30 20.15	1	621	315 3500	00000
	000E	0123		HNUR2813001	11111	7.30 11.30	45	855	110 48	00000
4	8	000E		HNUR2133001	11111	7.30 15.30	1	855	110 48	00000
4	8	000E		HNUR2713001	11111	7.30 15.30	1	855	110 48	00000
4	8	000E		HNUR2723001	11111	7.30 15.30	1	855	110 48	00000
4		000E		MAST1210003	1 1	8.00 14.30	31	494	110 34	00000
	000E	0126		HCOR1160003	111	12.15 14.30	1	494	110 34	00000
	8	000E		HNUR1361001	1 1	12.15 14.30	1	494	110 34	00000
	000E	0126		HNUR1361901	1 1	16.30 18.30	23	494	110 34	00000
4		000E		HNUR1211003	11	7.30 14.30	22	1,732	210 35	00000
4		000E		HCOR1212003	11111	7.30 15.00	1	1,732	210 35	00000
4	8	000E		MAST1210003	1 1	8.00 14.30	1	1,732	210 35	00000
	000E	0127		HMDT1170003	1 1 1	10.00 11.00	35	1,732	210 35	00000
	000E	0127		HCOR1120003	1 1 1	12.15 14.30	33	1,732	210 35	00000
	000E	0130		OPET1111001	1 1 1	8.00 9.50	9	3,190	210 23	00000
	000E	0130		OPET1221001	1 1 1	8.00 9.50	1	3,190	210 23	00000
	000E	0130		OPET2121001	1 1 1	8.00 9.50	1	3,190	210 23	00000
	000E	0130		OPET1141001	1 1	8.00 9.50	10	3,190	210 23	00000
	000E	0130		OPET1251001	1 1	8.00 9.50	1	3,190	210 23	00000
	000E	0130		OPET1111700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1131700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1141700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1231700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1241700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1251700	11111	8.00 10.30	1	3,190	210 23	00000
	000E	0130		OPET1261700	11111	8.00 10.30	1	3,190	210 23	00000
	8	000E		OPET1121700	1 111	8.00 10.30	1	3,190	210 23	00000
8		000E		OPET1261001	1 1	10.00 10.50	1	3,190	210 23	00000
	000E	0130		OPET1121001	1 1 1	10.00 12.40	9	3,190	210 23	00000
	000E	0130		OPET1231001	1 1 1	10.00 12.40	1	3,190	210 23	00000
	000E	0130		OPET2161001	1 1 1	10.00 12.40	1	3,190	210 23	00000
	000E	0130		OPET1151001	1 1	10.00 12.40	2	3,190	210 23	00000
	000E	0130		OPET1131001	1 1 1	12.50 14.00	8	3,190	210 23	00000
	000E	0130		OPET2151001	1 1 1	12.50 14.00	1	3,190	210 23	00000
	000E	0130		OPET2993001	1 1 1	12.50 14.00	1	3,190	210 23	00000
	000E	0130		OPET1311001	1 1	12.50 14.00	1	3,190	210 23	00000
	000E	0130		OPET2995001	1 1	12.50 14.00	1	3,190	210 23	00000
	000E	0130		OPET1241001	1 1	12.50 14.00	2	3,190	210 23	00000
	000E	0130		OPET2991001	1	14.00 15.00	4	3,190	210 23	00000
	000E	0130		OPET1111901	1	17.00 21.00	1	3,190	210 23	00000
	000E	0130		OPET1121901	1	17.00 21.00	1	3,190	210 23	00000
	000E	0130		OPET1141901	1	17.00 21.00	1	3,190	210 23	00000
	000E	0145		ORNT1000901	1 1	17.00 20.00	50	714	610 65	00000
	000E	0147		HNUR2611001	11	7.30 9.25	34	739	110 49	00000
4		000E		HNUR2113002	11111	7.30 15.30	1	739	110 49	00000
4	8	000E		HNUR2123001	11111	7.30 15.30	1	739	110 49	00000
	8	000E		HNUR1460001	111	13.30 14.30	1	739	110 49	00000
	000E	0147		HNUR1361902	1 1	16.30 18.30	19	739	110 49	00000
	000E	0147		HNUR1270901	1	17.00 20.00	1	739	110 49	00000
	000E	0148		HNUR1270001	1 1	7.30 9.25	35	581	110 35	00000
	000E	0148		HNUR1211001	1 1 1	7.30 11.30	43	581	110 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000E	0148	HNUR1320001	1 1	9.35 11.30		30	581	110 35	00000	
	000E	0148	HNUR1300001	1 1 1	12.15 14.30		44	581	110 35	00000	
	000E	0148	HNUR1361001	1 1	12.15 14.30		50	581	110 35	00000	
	000E	0148	HNUR1300901	1 1	17.00 20.00		29	581	110 35	00000	
	000E	0148	HNUR1320901	1 1	17.00 20.00		29	581	110 35	00000	
	000E	0150	DVMA0090001	1	8.00 10.50		30	4,563	110 150	00000	
	000E	0150	DVMA0090003	1	8.00 10.50	1	1	4,563	110 150	00000	
	000E	0150	AHMA1000001	1	8.00 10.50		11	4,563	110 150	00000	
	000E	0150	DVEN0090001	1	8.00 10.50		19	4,563	110 150	00000	
	000E	0150	DVEN0090003	1	8.00 10.50	1	1	4,563	110 150	00000	
	000E	0150	DVRE0090001	1	8.00 10.50		23	4,563	110 150	00000	
	000E	0150	DVRE0090003	1	8.00 10.50	1	1	4,563	110 150	00000	
	000E	0150	DVMA0091001	1	12.00 14.50		14	4,563	110 150	00000	
	000E	0150	AHEN1000001	1	12.00 14.50		5	4,563	110 150	00000	
	000E	0150	DVEN0091001	1	12.00 14.50		4	4,563	110 150	00000	
	000E	0150	DVRE0090001	1	12.00 14.50		5	4,563	110 150	00000	
	000E	0150	DVMA0090002	1	15.00 17.50		30	4,563	110 150	00000	
	000E	0150	DVMA0090004	1	15.00 17.50	1	1	4,563	110 150	00000	
	000E	0150	AHMA1000002	1	15.00 17.50		7	4,563	110 150	00000	
	000E	0150	AHRE1000002	1	15.00 17.50	1	19	4,563	110 150	00000	
	000E	0150	AHEN1000002	1	15.00 17.50		8	4,563	110 150	00000	
	000E	0150	DVEN0090002	1	15.00 17.50	1	14	4,563	110 150	00000	
4	8	000E	0150	DVRE0090002	1	17.00 17.50	13	4,563	110 150	00000	
	000E	0156A	CARP1150001	111111	8.00 14.30		2	202	215	00000	
	000E	0157	CULN1160001	111111	8.00 11.00		12	2,033	630 72	00000	
	000E	0157	CULN1220001	111111	8.00 11.00	1	12	2,033	630 72	00000	
	000E	0157	CULN1130001	111111	12.00 15.00		27	2,033	630 72	00000	
	000E	0157A	CULN1130700	111111	8.00 10.30		1	363	635 9	00000	
	000E	0157A	CULN1140700	111111	8.00 10.30	1	1	363	635 9	00000	
	000E	0157A	CULN1321700	111111	8.00 10.30	1	1	363	635 9	00000	
4		000E	0157A	ORNT1000001	11	9.00 16.00	1	363	635 9	00000	
	000E	0157B	CULN1120700	111111	8.00 10.20		8	355	630 20	00000	
	000E	0157B	CULN1120001	111111	8.00 11.00	1	1	355	630 20	00000	
	000E	0157B	CULN1120710	111111	10.30 13.45	1	10	355	630 20	00000	
	000E	0158	CULN1160001	111111	8.00 11.00		12	1,711	210 34	00000	
	000E	0158	CULN1321001	111111	8.00 11.00	1	5	1,711	210 34	00000	
4		000E	0158	CULN1210001	111111	8.00 14.00	1	13	1,711	210 34	00000
4		000E	0158	CULN1310001	111111	8.00 14.00	1	6	1,711	210 34	00000
4		000E	0158	CULN2440001	111111	8.00 14.00	1	6	1,711	210 34	00000
4		000E	0158	CULN2991001	111111	8.00 14.00	1	1	1,711	210 34	00000
4		000E	0158	CULN2993001	111111	8.00 14.00	1	2	1,711	210 34	00000
4		000E	0158	CULN2995001	111111	8.00 14.00	1	3	1,711	210 34	00000
	8	000E	0158	CULN1230001	111111	11.00 13.00	1	5	1,711	210 34	00000
	8	000E	0158	CULN1140001	111111	12.00 15.00	1	28	1,711	210 34	00000
	8	000E	0158	CULN2991002	111111	13.00 15.00	1	1	1,711	210 34	00000
	000E	0165	GRPH1100001	111111	8.00 12.00		6	1,647	210 33	00000	
	000E	0165	ENTT2991001	1111	8.00 12.00	1	2	1,647	210 33	00000	
	000E	0165	GRPH1320001	1111	8.00 12.00	1	5	1,647	210 33	00000	
	000E	0165	GRPH1400001	1111	8.00 12.00	1	5	1,647	210 33	00000	
	000E	0165	GRPH1500001	1111	8.00 12.00	1	6	1,647	210 33	00000	
	000E	0165	ENTT2996001	1111	8.00 13.00	1	1	1,647	210 33	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	000E 0165	GRPH2996001	1111	8.00 13.00	1	2	1,647	210 33	00000	
	000E 0165	GRPH1250001	1111	8.00 14.00	1	16	1,647	210 33	00000	
	000E 0165	ENTT2995001	1111	12.00 15.00	1	2	1,647	210 33	00000	
	000E 0165	GRPH1230001	1111	12.00 15.00	1	5	1,647	210 33	00000	
8	000E 0165	GRPH2995001	1111	12.00 15.00	1	2	1,647	210 33	00000	
	000E 0167	CULN1110700	11111	8.00 10.30		8	1,556	110 30	00000	
	000E 0167	CULN1110001	11111	8.00 11.00	1	27	1,556	110 30	00000	
8	000E 0167	CULN1160001	11111	8.00 11.00	1	12	1,556	110 30	00000	
8	000E 0167	CULN1321001	11111	8.00 11.00	1	5	1,556	110 30	00000	
4	8	000E 0167	CULN1210001	11111	8.00 14.00	1	13	1,556	110 30	00000
4	8	000E 0167	CULN1310001	11111	8.00 14.00	1	6	1,556	110 30	00000
4	8	000E 0167	CULN2440001	11111	8.00 14.00	1	6	1,556	110 30	00000
	8	000E 0167	CULN1110730	11111	8.15 10.45	1	8	1,556	110 30	00000
	8	000E 0167	CULN1120730	11111	8.15 10.45	1	8	1,556	110 30	00000
	8	000E 0167	CULN1130730	11111	8.15 10.45	1	8	1,556	110 30	00000
	000E 0167	CULN1230001	11111	11.00 13.00		5	1,556	110 30	00000	
	000E 0167	CULN1110710	11111	11.30 13.45	1	10	1,556	110 30	00000	
	000E 0167	CULN1110731	11111	11.45 14.15	1	9	1,556	110 30	00000	
	000E 0167	CULN1120731	11111	11.45 14.15	1	9	1,556	110 30	00000	
	000E 0167	CULN1130731	11111	11.45 14.15	1	9	1,556	110 30	00000	
8	000E 0167	CULN1140001	11111	12.00 15.00	1	28	1,556	110 30	00000	
8	000E 0167	CULN2430001	11111	14.00 15.00	1	8	1,556	110 30	00000	
	000E 0167	CULN2999901	11111	17.00 19.00		1	1,556	110 30	00000	
4	000E 0169	GRPH1430001	1111	8.00 14.00		15	3,052	220 20	00000	
	000E 0169	GRPH1100710	11111	11.30 14.45	1	11	3,052	220 20	00000	
	000E 0169	GRPH1240710	11111	11.30 14.45	1	4	3,052	220 20	00000	
8	000E 0169	GRPH2991001	1	12.00 14.00	1	1	3,052	220 20	00000	
8	000E 0169	GRPH1330001	1111	12.00 15.00	1	11	3,052	220 20	00000	
	000E 0169C	GRPH1100700	11111	8.00 10.30		13	330	215 14	00000	
8	000E 0169C	GRPH1230700	11111	8.00 10.30	1	13	330	215 14	00000	
8	000E 0169C	GRPH1240700	11111	8.00 10.30	1	2	330	215 14	00000	
8	000E 0169C	GRPH1320700	11111	8.00 10.30	1	2	330	215 14	00000	
8	000E 0169C	GRPH1100001	11111	8.00 12.00	1	6	330	215 14	00000	
8	000E 0169C	GRPH1320001	1111	8.00 12.00	1	5	330	215 14	00000	
8	000E 0169C	GRPH1400001	1111	8.00 12.00	1	5	330	215 14	00000	
8	000E 0169C	GRPH1500001	1111	8.00 12.00	1	6	330	215 14	00000	
8	000E 0169C	ENTT2996001	1111	8.00 13.00	1	1	330	215 14	00000	
8	000E 0169C	GRPH2996001	1111	8.00 13.00	1	2	330	215 14	00000	
4	8	000E 0169C	GRPH1250001	1111	8.00 14.00	1	16	330	215 14	00000
	8	000E 0169C	GRPH1230710	11111	11.30 14.45	1	11	330	215 14	00000
	8	000E 0169C	GRPH1240710	11111	11.30 14.45	1	4	330	215 14	00000
	8	000E 0169C	GRPH1320710	11111	11.30 14.45	1	4	330	215 14	00000
	8	000E 0169C	ENTT2995001	1111	12.00 15.00	1	2	330	215 14	00000
	8	000E 0169C	GRPH1230001	1111	12.00 15.00	1	5	330	215 14	00000
	8	000E 0169C	GRPH2995001	1111	12.00 15.00	1	2	330	215 14	00000
	000E 0170	GRPH1100700	11111	8.00 10.30		13	1,163	210 37	00000	
	000E 0170	GRPH1230700	11111	8.00 10.30	1	13	1,163	210 37	00000	
	000E 0170	GRPH1240700	11111	8.00 10.30	1	2	1,163	210 37	00000	
	000E 0170	GRPH1320700	11111	8.00 10.30	1	2	1,163	210 37	00000	
	000E 0170	GRPH1230710	11111	11.30 14.45		11	1,163	210 37	00000	
	000E 0170	GRPH1240710	11111	11.30 14.45	1	4	1,163	210 37	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000E	0170	GRPH1320710	11111	11.30 14.45	1	4	210 37	00000
	000F	0108	AUTO1400700	11111	8.00 10.30		20	110 31	00000
	000F	0108	AUTO1420700	11111	8.00 10.30	1	2	110 31	00000
	000F	0108	AUTO1430700	11111	8.00 10.30	1	1	110 31	00000
	000F	0108	AUTO1440700	11111	8.00 10.30	1	20	110 31	00000
8	000F	0108	AUTO1500700	11111	8.00 10.30	1	20	110 31	00000
8	000F	0108	AUTO1530700	11111	8.00 10.30	1	2	110 31	00000
8	000F	0108	AUTO1540700	11111	8.00 10.30	1	1	110 31	00000
8	000F	0108	AUTO1620700	11111	8.00 10.30	1	2	110 31	00000
8	000F	0108	AUTO1630700	11111	8.00 10.30	1	2	110 31	00000
8	000F	0108	AUTO1640700	11111	8.00 10.30	1	1	110 31	00000
8	000F	0108	AUTO1650700	11111	8.00 10.30	1	1	110 31	00000
8	000F	0108	AUTO1660700	11111	8.00 10.30	1	1	110 31	00000
8	000F	0108	AUTO1810700	11111	8.00 10.30	1	2	110 31	00000
8	000F	0108	AUTO1820700	11111	8.00 10.30	1	1	110 31	00000
8	000F	0108	WELD1110700	11111	8.00 10.30	1	13	110 31	00000
8	000F	0108	WELD1210700	11111	8.00 10.30	1	13	110 31	00000
8	000F	0108	WELD1410700	11111	8.00 10.30	1	13	110 31	00000
8	000F	0108	WELD1411700	11111	8.00 10.30	1	13	110 31	00000
8	000F	0108	WELD1412700	11111	8.00 10.30	1	13	110 31	00000
4	8	000F	AUTO1600700	11111	8.00 14.45	1	20	110 31	00000
8	8	000F	AUTO1400710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	AUTO1410710	11111	11.30 14.45	1	3	110 31	00000
8	8	000F	AUTO1420710	11111	11.30 14.45	1	2	110 31	00000
8	8	000F	AUTO1440710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	AUTO1500710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	AUTO1510710	11111	11.30 14.45	1	3	110 31	00000
8	8	000F	AUTO1520710	11111	11.30 14.45	1	3	110 31	00000
8	8	000F	AUTO1530710	11111	11.30 14.45	1	2	110 31	00000
8	8	000F	AUTO1600710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	AUTO1610710	11111	11.30 14.45	1	3	110 31	00000
8	8	000F	AUTO1620710	11111	11.30 14.45	1	2	110 31	00000
8	8	000F	AUTO1630710	11111	11.30 14.45	1	2	110 31	00000
8	8	000F	AUTO1800710	11111	11.30 14.45	1	3	110 31	00000
8	8	000F	AUTO1810710	11111	11.30 14.45	1	2	110 31	00000
8	8	000F	WELD1110710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	WELD1210710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	WELD1310710	11111	11.30 14.45	1	1	110 31	00000
8	8	000F	WELD1410710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	WELD1411710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	WELD1412710	11111	11.30 14.45	1	10	110 31	00000
8	8	000F	WELD1510710	11111	11.30 14.45	1	1	110 31	00000
8	8	000F	WELD1511710	11111	11.30 14.45	1	1	110 31	00000
4	8	000F	AUTO1300001	11111	8.00 14.45		29	110 20	00000
4	8	000F	AUTO1310001	11111	8.00 14.45	1	29	110 20	00000
4	8	000F	AUTO1320001	11111	8.00 14.45	1	29	110 20	00000
4	8	000F	AUTO1330001	11111	8.00 14.45	1	29	110 20	00000
4	8	000F	AUTO1340001	11111	8.00 14.45	1	28	110 20	00000
4	8	000F	AUTO1600001	11111	8.00 14.45	1	36	110 20	00000
4	8	000F	AUTO1610001	11111	8.00 14.45	1	36	110 20	00000
4	8	000F	AUTO1620001	11111	8.00 14.45	1	36	110 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000F 0109	AUTO1630001	111111	8.00 14.45	1	36	583 110 20	00000
4	8	000F 0109	AUTO1640001	111111	8.00 14.45	1	29	583 110 20	00000
4	8	000F 0109	AUTO1650001	111111	8.00 14.45	1	29	583 110 20	00000
4	8	000F 0109	AUTO1660001	111111	8.00 14.45	1	29	583 110 20	00000
4		000F 0110	AUTO1300001	111111	8.00 14.45		29	731 110 20	00000
4	8	000F 0110	AUTO1310001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0110	AUTO1320001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0110	AUTO1330001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0110	AUTO1340001	111111	8.00 14.45	1	28	731 110 20	00000
4	8	000F 0110	AUTO1600001	111111	8.00 14.45	1	36	731 110 20	00000
4	8	000F 0110	AUTO1610001	111111	8.00 14.45	1	36	731 110 20	00000
4	8	000F 0110	AUTO1620001	111111	8.00 14.45	1	36	731 110 20	00000
4	8	000F 0110	AUTO1630001	111111	8.00 14.45	1	36	731 110 20	00000
4	8	000F 0110	AUTO1640001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0110	AUTO1650001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0110	AUTO1660001	111111	8.00 14.45	1	29	731 110 20	00000
4	8	000F 0112	ORNT1000006	11	8.00 15.00		62	731 110 30	00000
	8	000F 0112	ORNT1000002	111111	14.45 16.15	1	30	731 110 30	00000
	8	000F 0112	ORNT1000003	111111	14.45 16.15	1	27	731 110 30	00000
	8	000F 0112	ORNT1000004	111111	14.45 16.15	1	24	731 110 30	00000
	8	000F 0112	ORNT1000005	111111	14.45 16.15	1	34	731 110 30	00000
4		000F 0115	ELEC1120001	111111	8.00 14.45		22	782 110 30	00000
4		000F 0115	ELEC1120002	111111	8.00 14.45	1	1	782 110 30	00000
4		000F 0115	ELEC1210001	111111	8.00 14.45	1	4	782 110 30	00000
4		000F 0115	ELEC1220001	111111	8.00 14.45	1	6	782 110 30	00000
4		000F 0115	ELEC1230001	111111	8.00 14.45	1	1	782 110 30	00000
4		000F 0115	ELEC1311001	111111	8.00 14.45	1	2	782 110 30	00000
4		000F 0115	ELEC1330001	111111	8.00 14.45	1	6	782 110 30	00000
4	8	000F 0115	ELEC1430001	111111	8.00 14.45	1	12	782 110 30	00000
4	8	000F 0115	ELEC1440001	111111	8.00 14.45	1	7	782 110 30	00000
4	8	000F 0115	ELEC2460001	111111	8.00 14.45	1	20	782 110 30	00000
4	8	000F 0115	ELEC2460002	111111	8.00 14.45	1	1	782 110 30	00000
4	8	000F 0115	ELEC2991001	111111	8.00 14.45	1	2	782 110 30	00000
4	8	000F 0115	ELEC2995001	111111	8.00 14.45	1	4	782 110 30	00000
		000F 0115	ELEC1210901	111111	16.30 21.30		1	782 110 30	00000
		000F 0115	ELEC1120901	111	16.30 21.30	1	15	782 110 30	00000
		000F 0115	ELEC1220901	111	16.30 21.30	1	3	782 110 30	00000
		000F 0115	ELEC1230901	111	16.30 21.30	1	1	782 110 30	00000
		000F 0115	ELEC1311901	111	16.30 21.30	1	1	782 110 30	00000
		000F 0115	ELEC1430901	111	16.30 21.30	1	12	782 110 30	00000
		000F 0115	ELEC1440901	111	16.30 21.30	1	8	782 110 30	00000
	8	000F 0115	ELEC2460901	111	16.30 21.30	1	14	782 110 30	00000
		000F 0118	AUTO1400700	111111	8.00 10.30		20	12,500 210 100	00000
		000F 0118	AUTO1420700	111111	8.00 10.30	1	2	12,500 210 100	00000
		000F 0118	AUTO1430700	111111	8.00 10.30	1	1	12,500 210 100	00000
		000F 0118	AUTO1440700	111111	8.00 10.30	1	20	12,500 210 100	00000
		000F 0118	AUTO1500700	111111	8.00 10.30	1	20	12,500 210 100	00000
		000F 0118	AUTO1530700	111111	8.00 10.30	1	2	12,500 210 100	00000
		000F 0118	AUTO1540700	111111	8.00 10.30	1	1	12,500 210 100	00000
		000F 0118	AUTO1620700	111111	8.00 10.30	1	2	12,500 210 100	00000
		000F 0118	AUTO1630700	111111	8.00 10.30	1	2	12,500 210 100	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000F	0118	AUTO1640700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	AUTO1650700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	AUTO1660700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	AUTO1810700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	AUTO1820700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	WELD1110700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	WELD1210700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	WELD1410700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	WELD1411700	11111	8.00 10.30	1	12,500	210 100	00000	
	000F	0118	WELD1412700	11111	8.00 10.30	1	12,500	210 100	00000	
4	8	000F	0118	AUTO1300001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1310001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1320001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1330001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1340001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1600001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1600700	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1610001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1620001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1630001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1640001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1650001	11111	8.00 14.45	1	12,500	210 100	00000
4	8	000F	0118	AUTO1660001	11111	8.00 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1400710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1410710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1420710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1440710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1500710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1510710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1520710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1530710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1600710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1610710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1620710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1630710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1800710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	AUTO1810710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1110710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1210710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1310710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1410710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1411710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1412710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1510710	11111	11.30 14.45	1	12,500	210 100	00000
	8	000F	0118	WELD1511710	11111	11.30 14.45	1	12,500	210 100	00000
4		000F	0119	ELEC1220001	11111	8.00 14.45	1	11,640	210 150	00000
4		000F	0119	ELEC1311001	11111	8.00 14.45	1	11,640	210 150	00000
4		000F	0119	ELEC1330001	11111	8.00 14.45	1	11,640	210 150	00000
4		000F	0119	ELEC1410001	11111	8.00 14.45	1	11,640	210 150	00000
4		000F	0119	ELEC1440001	11111	8.00 14.45	1	11,640	210 150	00000
4		000F	0119	ELEC2991001	11111	8.00 14.45	1	11,640	210 150	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 03/11/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 13

L.T.C.-SHREVEPORT BOSSIER
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000F 0119	ELEC2995001	111111	8.00 14.45	1	4	11,640	210 150	00000
	000F 0119	ELEC1220901	111	16.30 21.30		3	11,640	210 150	00000
	000F 0119	ELEC1311901	111	16.30 21.30	1	1	11,640	210 150	00000
	000F 0119	ELEC1330901	111	16.30 21.30	1	6	11,640	210 150	00000
	000F 0119	ELEC1420901	111	16.30 21.30	1	7	11,640	210 150	00000
	000F 0119	ELEC1440901	111	16.30 21.30	1	8	11,640	210 150	00000
4	8 000F 0119A	ELEC1120001	111111	8.00 14.45		22	150	240 5	00000
4	8 000F 0119A	ELEC1120002	111111	8.00 14.45	1	1	150	240 5	00000
4	8 000F 0119A	ELEC1210001	111111	8.00 14.45	1	4	150	240 5	00000
4	8 000F 0119A	ELEC1230001	111111	8.00 14.45	1	1	150	240 5	00000
4	8 000F 0119A	ELEC1420001	111111	8.00 14.45	1	7	150	240 5	00000
	000F 0119A	ELEC1210901	111111	16.30 21.30		1	150	240 5	00000
	8 000F 0119A	ELEC1120901	111	16.30 21.30	1	15	150	240 5	00000
	8 000F 0119A	ELEC1230901	111	16.30 21.30	1	1	150	240 5	00000
	8 000F 0119A	ELEC1330901	111	16.30 21.30	1	6	150	240 5	00000
	8 000F 0119A	ELEC1420901	111	16.30 21.30	1	7	150	240 5	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 221

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 251
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 472

TOTAL NUMBER OF RECORDS READ 628
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 628
NUMBER OF JOINT-CLASS RECORDS 464
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			39
TOTAL NUMBER OF STATIONS (CAPACITY)			1219
WEEKLY STUDENT CONTACT HOURS	72219	3858	76078
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3510	1950	5460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2771	253	3024
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	109710	60950	170660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	96067	8151	104218
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	144439	7717	152156
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.9	13.0	55.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	131.7	12.7	89.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	150.4	94.7	146.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			39
TOTAL NUMBER OF STATIONS (CAPACITY)			1219
WEEKLY STUDENT CONTACT HOURS	72219	3858	76078
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3510	1950	5460
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2771	253	3024
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	109710	60950	170660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	96067	8151	104218
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	144439	7717	152156
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.9	13.0	55.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	131.7	12.7	89.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	150.4	94.7	146.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			30
TOTAL NUMBER OF STATIONS (CAPACITY)			1000
WEEKLY STUDENT CONTACT HOURS	48574	1251	49825
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2700	1500	4200
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2712	256	2968
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90000	50000	140000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	110628	7926	118554
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	97149	2502	99651
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.4	17.1	70.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	107.9	5.0	71.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	87.8	31.6	84.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			854
WEEKLY STUDENT CONTACT HOURS	40765	1219	41984
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2160	1200	3360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2330	248	2578
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	76860	42700	119560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	100418	7706	108124
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	81531	2438	83969
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	107.9	20.7	76.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	106.1	5.7	70.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	81.2	31.6	77.7

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			146
WEEKLY STUDENT CONTACT HOURS	7809	32	7841
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	382	8	390
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13140	7300	20440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10210	220	10430
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	15618	64	15682
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	70.7	2.7	46.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	118.9	.9	76.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	153.0	29.1	150.4

DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
------------------------	--------------------------	--------------------------

*TOTAL TEACHING FACL.

TOTAL NUMBER OF ROOMS			69
TOTAL NUMBER OF STATIONS (CAPACITY)			2219
WEEKLY STUDENT CONTACT HOURS	120794	5109	125903
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6210	3450	9660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	5483	509	5992
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	199710	110950	310660
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	206695	16077	222772
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	241588	10219	251807
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	88.3	14.8	62.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	121.0	9.2	81.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	116.9	63.6	113.0

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY