

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| | 000A | 0101 | ACCT1200001 | 11111 | 8.00 8.50 | | 3 | 679 | 110 25 00000 |
| | 000A | 0101 | ACCT1300001 | 11111 | 8.00 8.50 | 1 | 1 | 679 | 110 25 00000 |
| | 000A | 0101 | ACCT1100001 | 1 1 1 | 10.00 11.30 | | 25 | 679 | 110 25 00000 |
| | 000A | 0101 | OSYS1250001 | 1 1 | 10.00 11.30 | | 4 | 679 | 110 25 00000 |
| | 000A | 0104 | MAST1210001 | 1 1 1 | 9.00 10.10 | | 25 | 610 | 110 25 00000 |
| | 000A | 0104 | MAST1230001 | 1 1 1 | 11.00 11.50 | | 32 | 610 | 110 25 00000 |
| | 000A | 0104 | MEDL1300002 | 1 1 1 | 13.00 13.50 | | 34 | 610 | 110 25 00000 |
| | 000A | 0104 | CSRV1000002 | 1 1 1 | 14.00 14.50 | | 16 | 610 | 110 25 00000 |
| | 000A | 0104 | SOCL2110001 | 1 | 17.00 20.00 | | 13 | 610 | 110 25 00000 |
| | 000A | 0104 | CRMJ1230001 | 1 | 17.00 20.00 | | 10 | 610 | 110 25 00000 |
| | 000A | 0104 | CRMJ1220001 | 1 | 17.00 21.00 | | 15 | 610 | 110 25 00000 |
| | 000A | 0106 | KYBD1000002 | 1 1 | 7.55 10.00 | | 22 | 982 | 210 21 00000 |
| | 000A | 0106 | KYBD1110002 | 1 1 | 7.55 10.00 | 1 | 3 | 982 | 210 21 00000 |
| | 000A | 0106 | ISYS1650002 | 11111 | 8.00 8.50 | 1 | 1 | 982 | 210 21 00000 |
| | 000A | 0106 | KYBD1000004 | 1 1 1 | 9.00 9.50 | | 11 | 982 | 210 21 00000 |
| 8 | 000A | 0106 | KYBD1000001 | 1 1 1 | 10.00 10.50 | | 33 | 982 | 210 21 00000 |
| | 000A | 0106 | KYBD1110001 | 11111 | 13.00 13.50 | | 8 | 982 | 210 21 00000 |
| | 000A | 0106 | ENGL1050001 | 1 1 1 | 14.00 14.50 | | 4 | 982 | 210 21 00000 |
| | 000A | 0107 | MAST2110002 | 11111 | 8.00 8.50 | | 2 | 884 | 210 24 00000 |
| | 000A | 0107 | MACH1350001 | 1 1 1 | 8.00 8.50 | 1 | 9 | 884 | 210 24 00000 |
| | 000A | 0107 | KYBD1210001 | 11111 | 13.00 13.50 | | 14 | 884 | 210 24 00000 |
| | 000A | 0107 | ACCT1500001 | 1 1 | 13.00 15.00 | 1 | 1 | 884 | 210 24 00000 |
| | 000A | 0107 | ACCT2996001 | 1 1 | 13.00 15.00 | 1 | 2 | 884 | 210 24 00000 |
| | 000A | 0107 | MAST2110001 | 11111 | 14.00 14.50 | 1 | 15 | 884 | 210 24 00000 |
| 4 | 000A | 0108 | HCOR1212001 | 1 1 1 | 7.30 15.30 | | 12 | 724 | 110 40 00000 |
| | 000A | 0108 | HCOR1160001 | 1 1 | 8.00 9.20 | | 26 | 724 | 110 40 00000 |
| | 000A | 0108 | HMDT1170001 | 1 1 | 8.00 9.20 | 1 | 12 | 724 | 110 40 00000 |
| 4 | 000A | 0108 | HEKG1011001 | 1 1 1 | 8.00 14.00 | | 26 | 724 | 110 40 00000 |
| 4 | 000A | 0108 | HNUR1211001 | 1 1 1 | 8.00 14.00 | 1 | 22 | 724 | 110 40 00000 |
| | 000A | 0108 | HCOR1120001 | 1 1 | 9.30 10.50 | | 29 | 724 | 110 40 00000 |
| 8 | 000A | 0202 | CPTR1000001 | 1 1 1 | 8.00 8.50 | | 37 | 583 | 210 14 00000 |
| 8 | 000A | 0202 | CPTR1000002 | 1 1 | 8.00 9.30 | | 38 | 583 | 210 14 00000 |
| | 000A | 0202 | CSRV1000001 | 1 1 1 | 9.00 9.50 | | 9 | 583 | 210 14 00000 |
| | 000A | 0202 | CPTR1310001 | 1 1 | 10.00 11.50 | | 4 | 583 | 210 14 00000 |
| | 000A | 0202 | CPTR2650001 | 1 1 | 10.00 11.50 | 1 | 2 | 583 | 210 14 00000 |
| | 000A | 0202 | INCT2545001 | 1 1 1 | 13.00 14.50 | | 13 | 583 | 210 14 00000 |
| | 000A | 0202 | CPTR1300001 | 1 1 | 13.00 14.50 | | 14 | 583 | 210 14 00000 |
| | 000A | 0202 | CPTR2640001 | 1 1 | 13.00 14.50 | 1 | 2 | 583 | 210 14 00000 |
| | 000A | 0202 | CPTR1000005 | 1 | 18.00 21.00 | | 1 | 583 | 210 14 00000 |
| | 000A | 0204 | CPTR1010001 | 1 1 1 | 10.00 11.50 | | 14 | 598 | 210 14 00000 |
| | 000A | 0208 | INCT1210001 | 1 1 1 | 8.00 9.50 | | 12 | 608 | 210 14 00000 |
| 8 | 000A | 0208 | CPTR1000003 | 1 1 | 9.00 10.30 | | 25 | 608 | 210 14 00000 |
| | 000A | 0208 | INCT2100001 | 1 1 1 | 9.00 10.50 | | 1 | 608 | 210 14 00000 |
| | 000A | 0208 | INCT1391001 | 11111 | 12.00 14.50 | | 2 | 608 | 210 14 00000 |
| | 000A | 0208 | INCT1451001 | 11111 | 12.00 14.50 | 1 | 1 | 608 | 210 14 00000 |
| 8 | 000A | 0208 | CPTR1000004 | 1 1 | 13.00 14.30 | 1 | 22 | 608 | 210 14 00000 |
| | 000A | 0208 | INCT2995001 | 1 1 1 | 13.00 14.50 | | 3 | 608 | 210 14 00000 |
| 8 | 000A | 0301 | HNUR1460001 | 11111 | 8.00 11.00 | | 10 | 1,100 | 310 5 00000 |
| 8 | 000A | 0301 | HNUR1460002 | 11111 | 8.00 11.00 | 1 | 11 | 1,100 | 310 5 00000 |
| 8 | 000A | 0301 | HNUR2713001 | 11111 | 8.00 11.00 | 1 | 10 | 1,100 | 310 5 00000 |
| 8 | 000A | 0301 | HNUR2713002 | 11111 | 8.00 11.00 | 1 | 12 | 1,100 | 310 5 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETING DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. | |
|--------|-----------------|------------------|----------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|-------|
| 4 | 8 | 000A 0301 | ZIVT1000001 | 11111 | 8.00 15.00 | 1 | 6 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HNUR2123001 | 11111 | 12.00 15.00 | 1 | 10 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HNUR2123002 | 11111 | 12.00 15.00 | 1 | 12 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HNUR2523001 | 11111 | 12.00 15.00 | 1 | 10 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HNUR2523002 | 11111 | 12.00 15.00 | 1 | 12 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HEMS1110002 | 11 | 17.00 21.00 | | 21 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HEMS1120002 | 11 | 17.00 21.00 | 1 | 21 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HEMS1140002 | 11 | 17.00 21.00 | 1 | 21 | 1,100 | 310 5 | 00000 |
| | 8 | 000A 0301 | HEMS1160002 | 11 | 17.00 21.00 | 1 | 21 | 1,100 | 310 5 | 00000 |
| | | 000A 0401 | HNUR1300001 | 1 1 1 | 8.00 11.00 | | 60 | 1,230 | 110 55 | 00000 |
| 4 | | 000A 0401 | HNUR1211002 | 1 1 | 8.00 15.00 | | 52 | 1,230 | 110 55 | 00000 |
| 4 | 8 | 000A 0401 | HNUR1411001 | 1 1 | 8.00 15.00 | 1 | 58 | 1,230 | 110 55 | 00000 |
| | | 000A 0401 | HNUR1270001 | 1 1 1 | 12.00 13.30 | | 58 | 1,230 | 110 55 | 00000 |
| | | 000A 0401 | HNUR1320001 | 1 1 1 | 13.30 15.00 | | 58 | 1,230 | 110 55 | 00000 |
| | 8 | 000A 0401 | HNUR1361001 | 1 1 1 | 13.30 15.00 | 1 | 61 | 1,230 | 110 55 | 00000 |
| 4 | | 000A 0406 | CADD1210001 | 11111 | 8.00 14.30 | | 5 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | CADD2300001 | 11111 | 8.00 14.30 | 1 | 5 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | CADD2310001 | 11111 | 8.00 14.30 | 1 | 2 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | DRFT1130001 | 11111 | 8.00 14.30 | 1 | 1 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | DRFT1130002 | 11111 | 8.00 14.30 | 1 | 8 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | DRFT1140001 | 11111 | 8.00 14.30 | 1 | 8 | 1,168 | 210 25 | 00000 |
| 4 | | 000A 0406 | DRFT1150001 | 11111 | 8.00 14.30 | 1 | 8 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT1210001 | 11111 | 8.00 14.30 | 1 | 8 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT1220001 | 11111 | 8.00 14.30 | 1 | 8 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT1230001 | 11111 | 8.00 14.30 | 1 | 2 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2310001 | 11111 | 8.00 14.30 | 1 | 2 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2320001 | 11111 | 8.00 14.30 | 1 | 2 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2330001 | 11111 | 8.00 14.30 | 1 | 3 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2461001 | 11111 | 8.00 14.30 | 1 | 3 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2561001 | 11111 | 8.00 14.30 | 1 | 4 | 1,168 | 210 25 | 00000 |
| 4 | 8 | 000A 0406 | DRFT2661001 | 11111 | 8.00 14.30 | 1 | 4 | 1,168 | 210 25 | 00000 |
| | 8 | 000A 0406 | DRFT1110001 | 1 1 | 12.00 14.00 | 1 | 1 | 1,168 | 210 25 | 00000 |
| | 8 | 000A 0406 | DRFT1110002 | 1 1 | 12.00 14.00 | 1 | 1 | 1,168 | 210 25 | 00000 |
| | | 000A 0406 | DRFT1161002 | 1 1 | 14.00 16.00 | | 1 | 1,168 | 210 25 | 00000 |
| | | 000A 0501 | INCT2110001 | 1 1 | 8.00 10.50 | | 10 | 951 | 210 36 | 00000 |
| | 8 | 000A 0504 | ORNT1000001 | 1 | 8.00 8.50 | | 108 | 773 | 210 25 | 00000 |
| | | 000A 0504 | INCT2840001 | 1 1 | 8.00 10.50 | | 7 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ORNT1000004 | | 11.00 11.50 | 1 | 13 | 773 | 210 25 | 00000 |
| | | 000A 0504 | INCT1100001 | 1 1 | 12.00 14.50 | | 10 | 773 | 210 25 | 00000 |
| | | 000A 0504 | WKEY0061001 | 1 1 1 | 13.00 13.50 | | 1 | 773 | 210 25 | 00000 |
| | | 000A 0504 | WKEY0060001 | 1 1 1 | 14.00 14.50 | | 3 | 773 | 210 25 | 00000 |
| | 8 | 000A 0504 | ORNT1000002 | 1 | 15.00 15.50 | | 67 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ORNT1000003 | 1 | 15.00 15.50 | | 36 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC1220001 | 1 1 | 16.30 20.30 | | 2 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC1330001 | 1 1 | 16.30 20.30 | 1 | 4 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC1410001 | 1 1 | 16.30 20.30 | 1 | 12 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC2520001 | 1 1 | 16.30 20.30 | 1 | 5 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC2720001 | 1 1 | 16.30 20.30 | 1 | 4 | 773 | 210 25 | 00000 |
| | | 000A 0504 | ELEC2991001 | 1 1 | 16.30 20.30 | 1 | 7 | 773 | 210 25 | 00000 |
| | 8 | 000A 0504 | ELEC2993001 | 1 1 | 16.30 20.30 | 1 | 7 | 773 | 210 25 | 00000 |
| | 8 | 000A 0504 | ELEC2996001 | 1 1 | 16.30 20.30 | 1 | 7 | 773 | 210 25 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| | 000A | 0505 | HNUR2133001 | 111111 | 8.00 11.00 | | 10 | 1,033 | 110 25 00000 |
| | 000A | 0505 | HNUR2133002 | 111111 | 8.00 11.00 | 1 | 10 | 1,033 | 110 25 00000 |
| | 000A | 0505 | HNUR2133003 | 111111 | 8.00 11.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2133004 | 111111 | 8.00 11.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 4 8 | 000A | 0505 | HNUR2993001 | 111111 | 8.00 15.00 | 1 | 40 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2723004 | 111111 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2813004 | 111111 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2723001 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2723002 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2723003 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2813001 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2813002 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| 8 | 000A | 0505 | HNUR2813003 | 1 11 | 12.00 15.00 | 1 | 10 | 1,033 | 110 25 00000 |
| | 000A | 0602 | AHRE1000001 | 1 1 1 | 8.00 9.20 | | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0090001 | 1 1 1 | 8.00 9.20 | 1 | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0091001 | 1 1 1 | 8.00 9.20 | 1 | 3 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0091001 | 1 1 1 | 8.00 9.20 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0092001 | 1 1 1 | 8.00 9.20 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | AHRE1000005 | 1 1 | 8.00 10.00 | | 4 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0090005 | 1 1 | 8.00 10.00 | 1 | 3 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0091005 | 1 1 | 8.00 10.00 | 1 | 4 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0092005 | 1 1 | 8.00 10.00 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0091005 | 1 1 | 8.00 10.00 | 1 | 3 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0092005 | 1 1 | 8.00 10.00 | 1 | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | AHEN1000002 | 1 1 1 | 9.30 10.50 | | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | AHRE1000002 | 1 1 1 | 9.30 10.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0090002 | 1 1 1 | 9.30 10.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0091002 | 1 1 1 | 9.30 10.50 | 1 | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0092002 | 1 1 1 | 9.30 10.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0090002 | 1 1 1 | 9.30 10.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0091002 | 1 1 1 | 9.30 10.50 | 1 | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | AHRE1000003 | 1 1 1 | 12.00 13.20 | | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0090003 | 1 1 1 | 12.00 13.20 | 1 | 6 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0091003 | 1 1 1 | 12.00 13.20 | 1 | 7 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0092003 | 1 1 1 | 12.00 13.20 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0091003 | 1 1 1 | 12.00 13.20 | 1 | 9 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0092003 | 1 1 1 | 12.00 13.20 | 1 | 2 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0090004 | 1 1 1 | 13.30 14.50 | | 6 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0091004 | 1 1 1 | 13.30 14.50 | 1 | 6 | 858 | 210 27 00000 |
| | 000A | 0602 | DVEN0092004 | 1 1 1 | 13.30 14.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0090004 | 1 1 1 | 13.30 14.50 | 1 | 1 | 858 | 210 27 00000 |
| | 000A | 0602 | DVRE0091004 | 1 1 1 | 13.30 14.50 | 1 | 3 | 858 | 210 27 00000 |
| | 000A | 0604 | AHSC1000001 | 1 1 1 | 8.00 9.20 | | 16 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0090003 | 1 1 | 8.00 10.00 | | 7 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0091003 | 1 1 | 8.00 10.00 | 1 | 2 | 682 | 210 27 00000 |
| | 000A | 0604 | AHMA1000001 | 1 1 1 | 9.30 10.50 | | 6 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0090001 | 1 1 1 | 9.30 10.50 | 1 | 25 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0091001 | 1 1 1 | 9.30 10.50 | 1 | 1 | 682 | 210 27 00000 |
| | 000A | 0604 | MATH1050001 | 1 1 | 10.00 11.15 | | 6 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0090002 | 1 1 1 | 12.00 13.20 | | 13 | 682 | 210 27 00000 |
| | 000A | 0604 | DVMA0091002 | 1 1 1 | 12.00 13.20 | 1 | 2 | 682 | 210 27 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|------------|---------------------|----------------------|----------|
| | 000A | 0604 | AHSC1000002 | 1 1 | 13.00 15.00 | | 19 | 210 27 | 00000 |
| | 000A | 0604 | DVMA0092001 | 1 1 1 | 13.30 14.50 | | 2 | 210 27 | 00000 |
| | 000A | 0604 | AHMA1000004 | 1 | 15.30 19.30 | | 3 | 210 27 | 00000 |
| | 000A | 0604 | AHSC1000003 | 1 | 15.30 19.30 | 1 | 10 | 210 27 | 00000 |
| | 000A | 0604 | DVMA0090004 | 1 | 15.30 19.30 | 1 | 11 | 210 27 | 00000 |
| | 000A | 0604 | DVMA0091004 | 1 | 15.30 19.30 | 1 | 5 | 210 27 | 00000 |
| | 000A | 0604 | DVMA0092002 | 1 | 15.30 19.30 | 1 | 1 | 210 27 | 00000 |
| | 000A | 0608 | MEDL1300001 | 1 1 1 | 8.00 8.50 | | 30 | 110 25 | 00000 |
| | 000A | 0608 | ENGL1030001 | 1 1 1 | 9.00 9.50 | | 31 | 110 25 | 00000 |
| | 000A | 0608 | JOBS2450001 | 1 1 | 11.00 11.50 | | 24 | 110 25 | 00000 |
| | 000A | 0608 | JOBS2450002 | 1 1 | 11.00 11.50 | | 15 | 110 25 | 00000 |
| | 000A | 0608 | ENGL1030002 | 1 1 1 | 14.00 14.50 | | 3 | 110 25 | 00000 |
| | 000A | 0608 | JOBS2450003 | 1 1 | 14.00 14.50 | | 7 | 110 25 | 00000 |
| | 000A | 0610 | CDYC1110001 | 1 1 | 8.00 9.15 | | 21 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1341001 | 1 1 1 | 8.00 11.00 | | 11 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1310001 | 1 1 | 9.30 10.30 | | 24 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1320001 | 1 1 | 10.45 12.00 | | 25 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1130001 | 1 1 | 14.00 15.15 | | 17 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1230001 | 1 | 16.00 19.00 | | 10 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1120001 | 1 | 16.00 19.00 | | 9 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1420001 | 1 | 16.00 20.00 | | 10 | 110 30 | 00000 |
| | 000A | 0610 | CDYC1320002 | 1 | 17.30 20.30 | 1 | 7 | 110 30 | 00000 |
| 4 | 000D | 1800 | WELD1110001 | 11111 | 8.00 15.00 | | 18 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1120001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1130001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1140001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1210001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1412001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD1420001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2110001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2111001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2310001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2311001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2993001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| 4 | 8 | 000D | 1800 | WELD2995001 | 11111 | 8.00 15.00 | 1 | 2,780 210 15 | 00000 |
| | 000D | 1800 | WELD1110003 | 1 1 | 17.00 21.00 | | 5 | 2,780 210 15 | 00000 |
| | 000D | 1800 | WELD1140003 | 1 1 | 17.00 21.00 | 1 | 1 | 2,780 210 15 | 00000 |
| | 000D | 1800 | WELD1210003 | 1 1 | 17.00 21.00 | 1 | 7 | 2,780 210 15 | 00000 |
| | 000D | 1800 | WELD1412003 | 1 1 | 17.00 21.00 | 1 | 1 | 2,780 210 15 | 00000 |
| 4 | 000E | 1600 | WELD1310001 | 11111 | 8.00 15.00 | | 22 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD1410001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD1411001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD1510001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD1511001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD2210001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD2222001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| 4 | 8 | 000E | 1600 | WELD2230001 | 11111 | 8.00 15.00 | 1 | 2,306 210 20 | 00000 |
| | 000E | 1600 | WELD1310003 | 1 1 | 17.00 21.00 | | 1 | 2,306 210 20 | 00000 |
| | 000E | 1600 | WELD1410003 | 1 1 | 17.00 21.00 | 1 | 2 | 2,306 210 20 | 00000 |
| | 000E | 1600 | WELD1411003 | 1 1 | 17.00 21.00 | 1 | 3 | 2,306 210 20 | 00000 |
| | 000E | 1600 | WELD2240001 | 1 1 | 17.00 21.00 | 1 | 1 | 2,306 210 20 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-------------|---------------------|----------------------|----------|
| | 000F | 1900 | CARP1110150 | 1 1 1 | 8.00 11.00 | | 14 | 210 15 | 00000 |
| 8 | 000F | 1900 | CARP1120150 | 1 1 1 | 8.00 11.00 | 1 | 14 | 210 15 | 00000 |
| | 000F | 1900 | CARP1130150 | 11111 | 13.00 15.00 | | 14 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR1410001 | 11111 | 8.00 14.00 | | 1 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR2510001 | 11111 | 8.00 14.00 | 1 | 4 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR2520001 | 11111 | 8.00 14.00 | 1 | 4 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR2530001 | 11111 | 8.00 14.00 | 1 | 3 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR2820001 | 11111 | 8.00 14.00 | 1 | 3 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR2830001 | 11111 | 8.00 14.00 | 1 | 3 | 210 15 | 00000 |
| 4 | 000M | 0901 | HACR1420001 | 1111 | 8.00 14.00 | 1 | 2 | 210 15 | 00000 |
| | 000M | 0901 | HACR2991001 | 1 1 | 18.00 21.00 | | 1 | 210 15 | 00000 |
| 4 | 000M | 0906 | HACR1210001 | 11111 | 8.00 14.00 | | 22 | 110 15 | 00000 |
| 4 | 8 | 000M | HACR1220001 | 11111 | 8.00 14.00 | 1 | 22 | 110 15 | 00000 |
| 4 | 8 | 000M | HACR1230001 | 11111 | 8.00 14.00 | 1 | 22 | 110 15 | 00000 |
| 4 | 8 | 000M | HACR1240001 | 11111 | 8.00 14.00 | 1 | 22 | 110 15 | 00000 |
| 4 | | 000M | 1001 | MTTC2220001 | 1 1 1 | | 1 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2230001 | 1 1 1 | 1 | 8 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2310001 | 1 1 1 | 1 | 4 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2320001 | 1 1 1 | 1 | 1 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2410001 | 1 1 1 | 1 | 2 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2420001 | 1 1 1 | 1 | 4 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2431001 | 1 1 1 | 1 | 4 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2510001 | 1 1 1 | 1 | 1 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2710001 | 1 1 1 | 1 | 2 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2991001 | 11111 | 1 | 2 | 210 20 | 00000 |
| | 000M | 1001 | MTTC2230002 | 1 1 | 12.00 15.00 | 1 | 1 | 210 20 | 00000 |
| 4 | | 000M | 1001 | MTTC2120002 | 11 | 13.30 20.30 | 1 | 210 20 | 00000 |
| 4 | | 000M | 1006 | MTTC2110001 | 1 1 1 | 1 | 6 | 110 15 | 00000 |
| 4 | | 000M | 1006 | MTTC2110003 | 1 1 1 | 1 | 1 | 110 15 | 00000 |
| 4 | | 000M | 1006 | MTTC2120001 | 1 1 1 | 1 | 6 | 110 15 | 00000 |
| 4 | | 000M | 1107 | CARP1110001 | 11111 | 1 | 9 | 110 15 | 00000 |
| 4 | | 000M | 1107 | CARP1110002 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | | 000M | 1107 | CARP1120001 | 11111 | 1 | 9 | 110 15 | 00000 |
| 4 | | 000M | 1107 | CARP1120002 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP1130001 | 11111 | 1 | 8 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP1130002 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP1140001 | 11111 | 1 | 7 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2110001 | 11111 | 1 | 2 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2120001 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2131001 | 11111 | 1 | 5 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2210001 | 11111 | 1 | 2 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2230001 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2310001 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2620001 | 11111 | 1 | 4 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2991001 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2993001 | 11111 | 1 | 2 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2995001 | 11111 | 1 | 3 | 110 15 | 00000 |
| 4 | 8 | 000M | 1107 | CARP2997001 | 11111 | 1 | 1 | 110 15 | 00000 |
| 4 | | 000M | 1201 | DPET1240001 | 11111 | | 2 | 210 15 | 00000 |
| 4 | | 000M | 1201 | DPET1120001 | 11111 | 1 | 20 | 210 15 | 00000 |
| 4 | 8 | 000M | 1201 | DPET1130001 | 11111 | 1 | 26 | 210 15 | 00000 |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2009
 RUN DATE 11/23/2009 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-SULLIVAN
 BRANCH
 PARISH
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|--------------|
| 4 | 8 | 000M 1201 | DPET1140001 | 111111 | 8.00 15.00 | 1 | 24 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET1141001 | 111111 | 8.00 15.00 | 1 | 12 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET2140001 | 111111 | 8.00 15.00 | 1 | 16 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET2210001 | 111111 | 8.00 15.00 | 1 | 20 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET2220001 | 111111 | 8.00 15.00 | 1 | 14 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET2231001 | 111111 | 8.00 15.00 | 1 | 4 | 2,457 | 210 15 00000 |
| 4 | 8 | 000M 1201 | DPET2240001 | 111111 | 8.00 15.00 | 1 | 12 | 2,457 | 210 15 00000 |
| 4 | | 000M 1301 | AUTO1200001 | 111111 | 8.00 15.00 | | 3 | 2,828 | 210 15 00000 |
| 4 | | 000M 1301 | AUTO1210001 | 111111 | 8.00 15.00 | 1 | 3 | 2,828 | 210 15 00000 |
| 4 | | 000M 1301 | AUTO1220001 | 111111 | 8.00 15.00 | 1 | 3 | 2,828 | 210 15 00000 |
| 4 | | 000M 1301 | AUTO1230001 | 111111 | 8.00 15.00 | 1 | 2 | 2,828 | 210 15 00000 |
| 4 | | 000M 1301 | AUTO1240001 | 111111 | 8.00 15.00 | 1 | 2 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1400001 | 111111 | 8.00 15.00 | 1 | 12 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1410001 | 111111 | 8.00 15.00 | 1 | 12 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1420001 | 111111 | 8.00 15.00 | 1 | 12 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1430001 | 111111 | 8.00 15.00 | 1 | 12 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1440001 | 111111 | 8.00 15.00 | 1 | 12 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1500001 | 111111 | 8.00 15.00 | 1 | 11 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1510001 | 111111 | 8.00 15.00 | 1 | 11 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1520001 | 111111 | 8.00 15.00 | 1 | 11 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1530001 | 111111 | 8.00 15.00 | 1 | 11 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1540001 | 111111 | 8.00 15.00 | 1 | 11 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1600001 | 111111 | 8.00 15.00 | 1 | 9 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1610001 | 111111 | 8.00 15.00 | 1 | 7 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1620001 | 111111 | 8.00 15.00 | 1 | 7 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1630001 | 111111 | 8.00 15.00 | 1 | 7 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1640001 | 111111 | 8.00 15.00 | 1 | 7 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1650001 | 111111 | 8.00 15.00 | 1 | 6 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1660001 | 111111 | 8.00 15.00 | 1 | 6 | 2,828 | 210 15 00000 |
| 4 | 8 | 000M 1301 | AUTO1800001 | 111111 | 8.00 15.00 | 1 | 3 | 2,828 | 210 15 00000 |

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 120

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 108
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 228

TOTAL NUMBER OF RECORDS READ 285
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 285
NUMBER OF JOINT-CLASS RECORDS 190
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SULLIVAN

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 14 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 320 |
| WEEKLY STUDENT CONTACT HOURS | 13267 | 150 | 13417 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1260 | 700 | 1960 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1093 | 26 | 1119 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 28800 | 16000 | 44800 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 29285 | 680 | 29965 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 26535 | 300 | 26835 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 86.7 | 3.7 | 57.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 92.1 | 1.9 | 59.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 90.6 | 44.1 | 89.6 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASSROOM | | | |
| TOTAL NUMBER OF ROOMS | | | 14 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 320 |
| WEEKLY STUDENT CONTACT HOURS | 13267 | 150 | 13417 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1260 | 700 | 1960 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1093 | 26 | 1119 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 28800 | 16000 | 44800 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 29285 | 680 | 29965 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 26535 | 300 | 26835 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 86.7 | 3.7 | 57.1 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 92.1 | 1.9 | 59.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 90.6 | 44.1 | 89.6 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES | | | |
| TOTAL NUMBER OF ROOMS | | | 20 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 387 |
| WEEKLY STUDENT CONTACT HOURS | 24290 | 177 | 24467 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1800 | 1000 | 2800 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1540 | 82 | 1622 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 34830 | 19350 | 54180 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 29486 | 1384 | 30870 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 48581 | 354 | 48935 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 85.6 | 8.2 | 57.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 139.5 | 1.8 | 90.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 164.8 | 25.6 | 158.5 |

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY | | | |
| TOTAL NUMBER OF ROOMS | | | 20 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 387 |
| WEEKLY STUDENT CONTACT HOURS | 24290 | 177 | 24467 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 1800 | 1000 | 2800 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 1540 | 82 | 1622 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 34830 | 19350 | 54180 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 29486 | 1384 | 30870 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 48581 | 354 | 48935 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 85.6 | 8.2 | 57.9 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 139.5 | 1.8 | 90.3 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 164.8 | 25.6 | 158.5 |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SULLIVAN

| | DAY USE (0600-1700) | NIGHT USE (1700-2300) | T O T A L (0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *TOTAL TEACHING FACL. | | | |
| TOTAL NUMBER OF ROOMS | | | 34 |
| TOTAL NUMBER OF STATIONS (CAPACITY) | | | 707 |
| WEEKLY STUDENT CONTACT HOURS | 37558 | 327 | 37885 |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 3060 | 1700 | 4760 |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 2633 | 108 | 2741 |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS | 63630 | 35350 | 98980 |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 58771 | 2064 | 60835 |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS | 75116 | 654 | 75770 |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE | 86.0 | 6.4 | 57.6 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE | 118.1 | 1.9 | 76.6 |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS | 127.8 | 31.7 | 124.6 |

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY