

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 03/24/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.S.U. - SHREVEPORT
 BRANCH
 PARISH
 RELATION

CADDO
 MAIN CAMPUS

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0013	0110		ASTR105L001	1	18.00 21.00	10	869	210 9 00000
	0013	0116		HIST0145004	1 1 1	10.00 10.50	42	812	110 48 00000
	0013	0116		ASTR0106001	1 1	11.00 12.15	37	812	110 48 00000
	0013	0116		BCHM410L001	1	14.00 18.00	11	812	110 48 00000
	0013	0119		ENSC0330001	1	17.00 20.00	6	659	350 5 00000
8	0013	0119		GEOLO330001	1	17.00 20.00	6	659	350 5 00000
	0013	0120		BIOS0224001	1 1	9.30 10.45	45	666	110 44 00000
8	0013	0123		CSC 0101001	1 1	8.00 9.15	11	280	210 1 00000
8	0013	0123		CSC 0111001	1 1	9.30 10.45	33	280	210 1 00000
8	0013	0123		CSC 0111003	1 1	9.30 10.45	4	280	210 1 00000
8	0013	0123		BIOS0222001	1 1 1	10.00 10.50	41	280	210 1 00000
8	0013	0123		BIOS0440001	1 1	11.00 12.15	25	280	210 1 00000
8	0013	0123		BIOS0640001	1 1	11.00 12.15	1	280	210 1 00000
8	0013	0123		BIOS0360001	1 1 1	12.00 12.50	13	280	210 1 00000
8	0013	0123		BIOS0210001	1	14.00 17.00	42	280	210 1 00000
8	0013	0123		BIOS0735001	1	16.30 17.30	3	280	210 1 00000
8	0013	0123		GEOLO105001	1	17.00 20.00	47	280	210 1 00000
8	0013	0123		CSC 0111002	1	17.30 20.30	19	280	210 1 00000
8	0013	0123		BCHM0722001	1	17.30 20.30	3	280	210 1 00000
8	0013	0201		BIOS110L001	1	14.00 17.00	46	1,323	210 18 00000
	0013	0201		BIOS110L002	1	14.00 17.00	26	1,323	210 18 00000
	0013	0201		BIOS110L004	1	14.00 17.00	23	1,323	210 18 00000
	0013	0201		BIOS110L003	1	17.30 20.30	22	1,323	210 18 00000
	0013	0204		BIOS360L001	1 1	14.00 17.00	14	1,323	210 32 00000
	0013	0204		BIOS372L001	1 1	14.00 17.00	9	1,323	210 32 00000
	0013	0206		BIOS330L001	1	14.00 17.00	16	1,211	210 32 00000
	0013	0206		BIOS330L002	1	14.00 17.00	2	1,211	210 32 00000
	0013	0206		BIOS330L003	1	14.00 17.00	5	1,211	210 32 00000
	0013	0208		BIOS0491001	1	14.00 15.00	8	1,318	210 32 00000
	0013	0208		BIOS0293001	1	14.00 17.00	1	1,318	210 32 00000
	0013	0208		BIOS0799003	1	14.00 17.00	1	1,318	210 32 00000
	0013	0208		BIOS0785001	1	18.00 21.00	2	1,318	210 32 00000
	0013	0228		BIOS0372001	1 1	9.00 9.50	13	632	110 42 00000
	0013	0228		BIOS0380001	1 1	9.30 10.45	50	632	110 42 00000
	0013	0228		BIOS0280001	1 1 1	10.00 10.50	56	632	110 42 00000
	0013	0228		BIOS0320001	1 1	11.00 12.15	53	632	110 42 00000
	0013	0228		BIOS0282001	1 1 1	12.00 12.50	52	632	110 42 00000
	0013	0228		BIOS0495001	1	13.00 13.50	35	632	110 42 00000
	0013	0228		BIOS0490001	1	13.00 13.50	21	632	110 42 00000
8	0013	0229		BIOS0110001	1 1 1	9.00 9.50	72	635	110 42 00000
	0013	0229		BIOS0363001	1 1	9.30 10.45	32	635	110 42 00000
	0013	0229		BIOS0375001	1 1 1	10.00 10.50	45	635	110 42 00000
	0013	0229		BIOS0330001	1 1 1	12.00 12.50	36	635	110 42 00000
	0013	0229		BIOS0460001	1	17.30 20.30	8	635	110 42 00000
	0013	0229		BIOS0660001	1	17.30 20.30	4	635	110 42 00000
	0013	0229		ED 0319002	1	17.30 20.30	9	635	110 42 00000
	0013	0230		BIOS320L001	1	14.00 17.00	29	1,326	210 32 00000
	0013	0230		BIOS280L001	1	14.00 17.00	13	1,326	210 32 00000
	0013	0230		BIOS280L002	1	14.00 17.00	15	1,326	210 32 00000
	0013	0231		BIOS101L001	1	14.00 17.00	3	1,274	210 32 00000
	0013	0231		BIOS120L001	1	14.00 17.00	21	1,274	210 32 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0013	0231	BIOS101L002	1	14.00 17.00		4	210 32	00000
	0013	0231	BIOS120L002	1	14.00 17.00	1	21	210 32	00000
	0013	0231	BIOS101L003	1	14.00 17.00		1	210 32	00000
	0013	0231	BIOS120L003	1	14.00 17.00	1	14	210 32	00000
	0013	0232	BIOS282L001	1	14.00 17.00		27	210 32	00000
	0013	0232	BIOS282L002	1	14.00 17.00		16	210 32	00000
	0013	0232	BIOS440L001	1 1	14.00 17.00		25	210 32	00000
	0013	0234	BIOS222L001	1	14.00 17.00		31	210 32	00000
	0013	0234	BIOS363L001	1	14.00 17.00		33	210 32	00000
	0013	0234	BIOS224L001	1	14.00 17.00		32	210 32	00000
	0013	0331	CHEM0470001	1 1 1	9.00 9.50		8	110 35	00000
	0013	0331	CHEM265L001	1	9.30 12.30		15	110 35	00000
	0013	0331	CHEM0303001	1 1	12.00 13.50		8	110 35	00000
	0013	0331	CHEM0366001	1 1	14.00 17.00		10	110 35	00000
	0013	0331	CHEM265L003	1	14.00 17.00		24	110 35	00000
	0013	0331	CHEM303L001	1	14.00 18.00		8	110 35	00000
	0013	0335	BIOS0107001	1 1 1	8.00 8.50		62	110 103	00000
	0013	0335	ENSC0101001	1 1 1	8.00 8.50	1	8	110 103	00000
	0013	0335	CHEM0124001	1 1	8.00 9.15		79	110 103	00000
	0013	0335	CHEM0265001	1 1 1	9.00 9.50		80	110 103	00000
	0013	0335	CHEM0106001	1 1 1	10.00 10.50		20	110 103	00000
	0013	0335	BCHM0410001	1 1	11.00 12.15		44	110 103	00000
	0013	0335	CHEM0121001	1 1 1	12.00 12.50		87	110 103	00000
	0013	0335	CHEM0266001	1 1 1	13.00 13.50		14	110 103	00000
	0013	0335	CHEM265L002	1	14.00 17.00		24	110 103	00000
	0013	0335	CHEM121L002	1	14.00 17.00		43	110 103	00000
	0013	0335	ASTR0105001	1	18.00 21.00		66	110 103	00000
	0013	0338	CHEM0255001	1 1	9.30 10.45		14	110 58	00000
	0013	0338	BCHM0210001	1	12.00 12.50		24	110 58	00000
	0013	0338	CHEM121L001	1	14.00 17.00		37	110 58	00000
	0013	0338	CHEM255L001	1	14.00 17.00		12	110 58	00000
	0013	0338	CHEM124L001	1	14.00 17.00		29	110 58	00000
	0013	0338	CHEM124L002	1	14.00 17.00		29	110 58	00000
	0013	0338	CHEM0301001	1	17.00 17.50		6	110 58	00000
	0013	0338	CHEM0121002	1 1	18.00 19.15		41	110 58	00000
	0013	L0004	BIOS0120001	1 1 1	8.00 8.50		76	610 308	00000
	0013	L0004	CHEM0121003	1 1 1	8.00 8.50	1	6	610 308	00000
	0013	L0004	BIOS0110002	1 1 1	10.00 10.50		100	610 308	00000
	0013	L0004	BIOS0101001	1 1	11.00 12.15		170	610 308	00000
	0013	L0004	FS 0104003	1 1	12.00 13.15		63	610 308	00000
	0013	L0004	FS 0104001	1 1	12.30 13.45		92	610 308	00000
	0014	0211	CSC 0115002	1 1 1	10.00 10.50		42	110 42	00000
	0014	0211	CSC 0120001	1 1	11.00 12.15		18	110 42	00000
	0014	0211	CSC 0115003	1 1 1	12.00 12.50		35	110 42	00000
	0014	0211	CSC 0315001	1 1	16.30 17.45		22	110 42	00000
	0014	0211	CSC 0690001	1	18.00 21.00		6	110 42	00000
	0014	0212	ED 0202002	1 1	9.30 10.45		30	110 32	00000
89	0014	0212	ED 0202002	1 1	9.30 10.45		30	110 32	00000
	0014	0212	CSC 0480001	1 1	11.00 12.15		6	110 32	00000
	0014	0212	CSC 0680001	1 1	11.00 12.15	1	2	110 32	00000
	0014	0212	CSC 0430001	1 1	16.30 17.45		1	110 32	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 03/24/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.S.U. - SHREVEPORT
 BRANCH
 PARISH
 RELATION

CADDO
 MAIN CAMPUS

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0014	0212	CSC 0630001	1 1	16.30 17.45	1	5	923	110 32 00000
	0014	0212	CSC 0460001	1	18.00 21.00		8	923	110 32 00000
	0014	0212	CSC 0660001	1	18.00 21.00	1	3	923	110 32 00000
	0014	0220	CSC 0135001	1 1	9.30 10.45		24	1,153	110 32 00000
	0014	0220	CSC 0345001	1 1 1	10.00 10.50		22	1,153	110 32 00000
	0014	0220	CSC 0145001	1 1	11.00 12.15		13	1,153	110 32 00000
	0014	0220	CSC 0405001	1 1 1	12.00 12.50		9	1,153	110 32 00000
	0014	0220	CSC 0605001	1 1 1	12.00 12.50	1	2	1,153	110 32 00000
	0014	0220	CSC 0382001	1 1	12.30 13.45		19	1,153	110 32 00000
	0014	0220	CSC 0242001	1 1	14.00 15.15		31	1,153	110 32 00000
	0014	0220	CST 0701001	1 1	16.30 17.45		4	1,153	110 32 00000
	0014	0220	CSC 0135002	1 1	16.30 17.45		23	1,153	110 32 00000
	0014	0220	CST 0790001	1	18.00 21.00		4	1,153	110 32 00000
	0015	0107	FA 0200001	1 1	11.00 12.50		13	153	225 30 00000
	0015	0107	FA 0283001	1 1	14.00 15.50		13	153	225 30 00000
	0015	0107	FA 0383001	1 1	14.00 15.50	1	4	153	225 30 00000
	0017	0104	BLAW0280001	1 1 1	9.00 9.50		31	1,015	110 78 00000
	0017	0104	ISDS0350001	1 1	9.30 10.45		51	1,015	110 78 00000
	0017	0104	BLAW0280002	1 1 1	10.00 10.50		26	1,015	110 78 00000
	0017	0104	ISDS0265003	1 1	12.00 13.15		32	1,015	110 78 00000
	0017	0104	ECON0202003	1 1	12.30 13.45		55	1,015	110 78 00000
	0017	0104	ECON0201001	1	18.00 21.00		32	1,015	110 78 00000
	0017	0104	BLAW0280004	1	18.00 21.00		49	1,015	110 78 00000
	0017	0104	ISDS0350002	1	18.00 21.00		50	1,015	110 78 00000
	0017	0105	FS 0101001	1 1 1	8.00 8.50		30	1,190	110 91 00000
	0017	0105	ECON0201003	1 1	8.00 9.15		44	1,190	110 91 00000
	0017	0105	ISDS0265002	1 1	11.00 12.15		36	1,190	110 91 00000
	0017	0105	ECON0201002	1 1	12.00 13.15		39	1,190	110 91 00000
	0017	0105	ECON0201004	1 1	12.30 13.45		60	1,190	110 91 00000
	0017	0105	FS 0101002	1 1	14.00 15.15		20	1,190	110 91 00000
	0017	0105	ISDS0265001	1	18.00 21.00		16	1,190	110 91 00000
	0017	0105	ECON0202001	1	18.00 21.00		24	1,190	110 91 00000
	0017	0112	ED 0318001	1 1	8.30 10.30		11	1,276	210 22 00000
	0017	0112	ED 0316001	1 1	9.00 10.30		15	1,276	210 22 00000
	0017	0112	ED 0317001	1 1	12.00 14.30		29	1,276	210 22 00000
	0017	0112	ED 0741001	1	16.30 19.30		8	1,276	210 22 00000
	0017	0112	ED 0318002	1	17.00 20.00		17	1,276	210 22 00000
8	0017	0113	FS 0102002	1 1	14.00 15.15		54	482	110 20 00000
8	0017	0113	FS 0102001	1 1	14.00 15.15		50	482	110 20 00000
	0017	0113	ED 0411001	1	16.00 17.00		23	482	110 20 00000
	0017	0113	ED 0421001	1	16.00 17.00	1	7	482	110 20 00000
	0017	0113	ED 0422001	1	16.00 17.00		12	482	110 20 00000
	0017	0113	ED 0422002	1	16.00 17.00	1	8	482	110 20 00000
	0017	0113	ED 0422003	1	16.00 17.00	1	2	482	110 20 00000
	0017	0203	ISDS0150002	1 1 1	9.00 9.50		27	1,307	210 23 00000
	0017	0203	ISDS0150004	1 1	11.00 12.15		33	1,307	210 23 00000
	0017	0203	ISDS0150003	1 1	12.00 13.15		31	1,307	210 23 00000
	0017	0203	ISDS0150005	1	18.00 21.00		25	1,307	210 23 00000
	0017	0206	FIN 0400001	1 1 1	9.00 9.50		16	1,086	110 31 00000
	0017	0206	FIN 0301002	1 1 1	10.00 10.50		39	1,086	110 31 00000
	0017	0206	ACCT0310001	1 1	11.00 12.15		33	1,086	110 31 00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0017	0206	ACCT0309002	1	18.00 21.00		32	1,086	110 31 00000
	0017	0206	ACCT0410001	1	18.00 21.00		16	1,086	110 31 00000
	0017	0206	ACCT0330001	1	18.00 21.00		31	1,086	110 31 00000
	0017	0209	ACCT0420001	1 1	8.00 9.15		9	1,106	210 46 00000
	0017	0209	BLAW0332001	1 1	9.30 10.45		38	1,106	210 46 00000
	0017	0209	BLAW0333001	1	18.00 21.00		39	1,106	210 46 00000
	0017	0209	ECON0705001	1	18.00 21.00		34	1,106	210 46 00000
9	0017	0209	ECON0705001	1	18.00 21.00		34	1,106	210 46 00000
	0017	0210	HIST0145005	1 1	12.00 13.15		49	798	110 57 00000
	0017	0210	ED 0424001	1	16.30 17.20		33	798	110 57 00000
	0017	0210	ED 0424002	1	17.00 17.50		32	798	110 57 00000
	0017	0211	ED 0308001	1 1	9.30 10.45		25	956	110 68 00000
9	0017	0211	ED 0308001	1 1	9.30 10.45		25	956	110 68 00000
	0017	0211	ED 0309001	1 1	9.30 11.00		5	956	110 68 00000
9	0017	0211	ED 0309001	1 1	9.30 11.00		5	956	110 68 00000
	0017	0211	ED 0416001	1 1	12.45 14.30		11	956	110 68 00000
	0017	0211	ED 0416002	1 1	12.45 14.30	1	11	956	110 68 00000
	0017	0211	ED 0412001	1	13.00 15.50		25	956	110 68 00000
	0017	0211	ED 0315001	1	16.30 19.30		21	956	110 68 00000
	0017	0211	ED 0419001	1	17.00 20.00		12	956	110 68 00000
	0017	0212	ED 0417001	1	14.30 17.30		13	612	110 38 00000
	0017	0212	ED 0777001	1	16.00 19.00		1	612	110 38 00000
	0017	0216	ACCT0320001	1 1	8.00 9.15		42	1,777	210 60 00000
	0017	0216	ECON0202002	1 1 1	9.00 9.50		50	1,777	210 60 00000
	0017	0216	ACCT0206002	1 1	9.30 10.45		24	1,777	210 60 00000
	0017	0216	ACCT0205001	1 1 1	10.00 10.50		42	1,777	210 60 00000
	0017	0216	ACCT0309001	1 1	12.00 13.15		49	1,777	210 60 00000
	0017	0216	BLAW0280003	1 1	12.30 13.45		48	1,777	210 60 00000
	0017	0216	ACCT0205002	1 1	14.00 15.15		28	1,777	210 60 00000
	0017	0216	ACCT0205004	1	18.00 21.00		18	1,777	210 60 00000
	0017	0216	ECON0460001	1	18.00 21.00		27	1,777	210 60 00000
9	0017	0216	ECON0460001	1	18.00 21.00		27	1,777	210 60 00000
	0017	0216	ACCT0285001	1	18.00 21.00		39	1,777	210 60 00000
	0017	0217	ACCT0311001	1	18.00 21.00		25	819	110 58 00000
	0017	0218	ED 0202003	1	17.30 20.30		16	495	220 12 00000
89	0017	0218	ED 0202003	1	17.30 20.30		16	495	220 12 00000
	0017	0219	HCAD0730001	1	18.00 21.00		16	809	110 57 00000
	0017	0219	HCAD0701001	1	18.00 21.00		15	809	110 57 00000
	0017	0222	ACCT0205003	1 1	9.30 10.45		34	1,778	210 60 00000
	0017	0222	ISDS0383001	1 1 1	10.00 10.50		60	1,778	210 60 00000
	0017	0222	ACCT0206001	1 1	12.00 13.15		20	1,778	210 60 00000
	0017	0222	BADM0794001	1	13.00 17.15		31	1,778	210 60 00000
	0017	0222	BLAW0340001	1	18.00 21.00		30	1,778	210 60 00000
	0017	0222	ACCT0206003	1	18.00 21.00		14	1,778	210 60 00000
	0017	0228	FIN 0331001	1 1 1	8.00 8.50		16	676	110 45 00000
	0017	0228	FIN 0320001	1 1	8.00 9.15		21	676	110 45 00000
	0017	0228	FIN 0231001	1 1 1	9.00 9.50		22	676	110 45 00000
	0017	0228	ED 0201002	1 1	9.30 10.45		24	676	110 45 00000
9	0017	0228	ED 0201002	1 1	9.30 10.45		24	676	110 45 00000
	0017	0228	ACCT0440001	1	18.00 21.00		19	676	110 45 00000
	0017	0228	HCAD0790001	1	18.00 21.00		12	676	110 45 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 03/24/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.S.U. - SHREVEPORT
 BRANCH
 PARISH
 RELATION

CADDO
 MAIN CAMPUS

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0017 0229	ED 0201001	1 1 1	9.00 9.50		24	576	210 36	00000
9	0017 0229	ED 0201001	1 1 1	9.00 9.50		24	576	210 36	00000
	0017 0229	ED 0311001	1 1 1	13.00 14.15		18	576	210 36	00000
9	0017 0229	ED 0311001	1 1 1	13.00 14.15		18	576	210 36	00000
	0017 0229	ED 0435001	1	16.30 19.30		8	576	210 36	00000
	0017 0229	ED 0437001	1	16.30 19.30	1	9	576	210 36	00000
	0017 0229	EDL 0711001	1	17.00 20.00		6	576	210 36	00000
	0017 0229	EDL 0715001	1	17.00 20.00		1	576	210 36	00000
	0017 0229	ED 0386001	1	17.00 20.00		8	576	210 36	00000
	0017 0341	FIN 0450001	1 1	9.30 10.45		6	762	110 50	00000
	0017 0341	FIN 0650001	1 1	9.30 10.45	1	1	762	110 50	00000
	0017 0341	HCAD0770001	1	18.00 21.00		15	762	110 50	00000
	0017 0387	ED 0250001	1 1	12.30 13.45		25	588	110 36	00000
9	0017 0387	ED 0250001	1 1	12.30 13.45		25	588	110 36	00000
	0017 0387	ED 0250002	1	17.00 20.00		26	588	110 36	00000
9	0017 0387	ED 0250002	1	17.00 20.00		26	588	110 36	00000
	0017 0387	ED 0304001	1	17.00 20.00		10	588	110 36	00000
9	0017 0387	ED 0304001	1	17.00 20.00		10	588	110 36	00000
	0017 0389	ECON0302001	1 1	9.30 10.45		29	800	110 57	00000
9	0017 0389	ECON0302001	1 1	9.30 10.45		29	800	110 57	00000
	0017 0389	FIN 0440001	1 1 1	10.00 10.50		18	800	110 57	00000
	0017 0389	FIN 0301003	1 1	11.00 12.15		25	800	110 57	00000
	0017 0389	FIN 0701001	1	18.00 21.00		23	800	110 57	00000
	0017 0389	FIN 0301001	1	18.00 21.00		33	800	110 57	00000
	0017 0390	EDL 0700001	1	17.00 20.00		12	580	110 36	00000
	0017 0390	ED 0704001	1	17.00 20.00		12	580	110 36	00000
	0018 0101	HIST0145001	1 1 1	8.00 8.50		79	1,223	110 94	00000
	0018 0101	HIST0470001	1 1 1	10.00 10.50		15	1,223	110 94	00000
	0018 0101	EDL 0710001	1 1	11.00 12.15		10	1,223	110 94	00000
	0018 0101	HIST0105002	1 1	11.00 12.15	1	81	1,223	110 94	00000
	0018 0101	HIST0105004	1 1	11.00 12.15	1	3	1,223	110 94	00000
	0018 0101	HIST0146001	1 1 1	12.00 12.50		63	1,223	110 94	00000
	0018 0101	HIST0105003	1 1	12.30 13.45		59	1,223	110 94	00000
	0018 0101	HIST0320001	1 1	13.00 14.15		39	1,223	110 94	00000
	0018 0101	HIST0455001	1	18.00 20.50		35	1,223	110 94	00000
	0018 0101	HIST0655001	1	18.00 20.50	1	5	1,223	110 94	00000
	0018 0101	HIST0440001	1	18.00 20.50		40	1,223	110 94	00000
	0018 0101	HIST0640001	1	18.00 20.50	1	3	1,223	110 94	00000
	0018 0103	FA 0140002	1 1	11.00 12.15		75	1,047	110 80	00000
	0018 0103	FA 0140001	1 1	12.00 13.15		75	1,047	110 80	00000
	0018 0103	FA 0240001	1 1	12.30 13.45		34	1,047	110 80	00000
	0018 0103	FA 0440001	1 1	13.30 14.45		26	1,047	110 80	00000
	0018 0108	HIST0105001	1 1 1	9.00 9.50		84	1,080	110 83	00000
	0018 0108	HIST0145002	1 1 1	13.00 13.50		93	1,080	110 83	00000
8	0018 0108	HIST0145003	1 1 1	13.00 13.50	1	129	1,080	110 83	00000
	0018 0110	CJ 0475001	1 1	9.30 10.45		24	1,065	110 81	00000
	0018 0110	CJ 0675001	1 1	9.30 10.45	1	1	1,065	110 81	00000
	0018 0110	GS 0491005	1 1	9.30 10.45	1	9	1,065	110 81	00000
	0018 0110	CJ 0330001	1 1	12.30 13.45		17	1,065	110 81	00000
	0018 0110	CJ 0430001	1 1	13.30 14.45		27	1,065	110 81	00000
	0018 0110	CJ 0630001	1 1	13.30 14.45	1	1	1,065	110 81	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0018	0110	CJ 0404001	1	17.30 20.20		40	110 81	00000
	0018	0110	CJ 0604001	1	17.30 20.20	1	2	110 81	00000
8	0018	0111	COMM0261001	1 1	11.00 12.15		26	210 5	00000
	0018	0132	FA 0315001	1 1	9.00 10.50		14	210 43	00000
	0018	0132	FA 0318001	1 1	9.00 10.50		15	210 43	00000
	0018	0132	FA 0317001	1 1	12.00 13.50		14	210 43	00000
	0018	0132	FA 0316001	1 1	13.00 14.50		16	210 43	00000
	0018	0132	FA 0210001	1 1	15.00 16.50		15	210 43	00000
8	0018	0150	FA 0255001	1 1	11.00 12.50		16	515 2	00000
	0018	0201	ENGL0205001	1 1 1	9.00 9.50		35	110 78	00000
	0018	0201	ENGL0205003	1 1	11.00 12.15		33	110 78	00000
	0018	0201	ENGL0205002	1 1	12.00 13.15		22	110 78	00000
	0018	0201	ENGL0226003	1 1	13.25 14.40		22	110 78	00000
	0018	0201	FS 0103002	1 1	14.00 15.15		31	110 78	00000
	0018	0201	ENGL0115003	1	18.00 21.00		46	110 78	00000
	0018	0204	ENGL0325001	1 1	9.30 10.45		24	110 58	00000
	0018	0204	ENGL0226002	1 1	11.00 12.15		20	110 58	00000
	0018	0204	ENGL0005001	1 1	12.00 13.15		19	110 58	00000
	0018	0204	ENGL0325002	1 1	12.30 13.45		24	110 58	00000
	0018	0205	ENGL0105005	1 1	12.00 13.15		13	110 39	00000
	0018	0207	ENGL0115002	1 1	9.30 10.45		28	110 39	00000
	0018	0207	ENGL0105003	1 1 1	10.00 10.50		40	110 39	00000
	0018	0207	ENGL0105009	1 1	11.00 12.15		28	110 39	00000
	0018	0207	ENGL0105015	1 1	11.00 12.15	1	1	110 39	00000
	0018	0207	ENGL0115001	1 1	12.00 13.15		44	110 39	00000
	0018	0207	ENGL0115005	1 1	12.30 13.45		29	110 39	00000
	0018	0207	ENGL0105012	1	18.00 21.00		20	110 39	00000
	0018	0207	ENGL0105023	1	18.00 21.00	1	1	110 39	00000
	0018	0223	ENGL0105007	1 1	9.30 10.45		28	110 44	00000
	0018	0223	ENGL0105018	1 1	9.30 10.45	1	2	110 44	00000
	0018	0223	ENGL0210001	1 1	11.00 12.15		30	110 44	00000
	0018	0223	ENGL0301001	1 1	12.00 13.15		35	110 44	00000
	0018	0223	ENGL0210002	1 1	13.25 14.40		29	110 44	00000
	0018	0236	FREN0101001	1 1 1	8.00 8.50		29	110 38	00000
	0018	0236	FREN0101002	1 1 1	9.00 9.50		37	110 38	00000
	0018	0236	FL 0101001	1 1	9.30 10.45		22	110 38	00000
	0018	0236	FREN0201001	1 1 1	10.00 10.50		14	110 38	00000
	0018	0236	FREN0102001	1 1 1	12.00 12.50		16	110 38	00000
	0018	0236	FREN0490001	1 1	13.00 14.15		5	110 38	00000
	0018	0236	FREN0690001	1 1	13.00 14.15	1	2	110 38	00000
	0018	0240	INDS0101001	1 1	18.00 19.15		10	110 40	00000
	0018	0240	INDS0101002	1 1	18.00 19.15	1	4	110 40	00000
	0018	0246	ENGL0105001	1 1 1	9.00 9.50		29	110 48	00000
	0018	0246	ENGL0105017	1 1 1	9.00 9.50	1	1	110 48	00000
	0018	0246	ENGL0226001	1 1	9.30 10.45		18	110 48	00000
	0018	0246	ENGL0215001	1 1 1	10.00 10.50		34	110 48	00000
	0018	0246	ENGL0215002	1 1	11.00 12.15		30	110 48	00000
	0018	0246	ENGL0215003	1 1	12.00 13.15		31	110 48	00000
	0018	0261	ENGL0485001	1 1 1	9.00 9.50		19	110 39	00000
	0018	0261	ENGL0685001	1 1 1	9.00 9.50	1	6	110 39	00000
	0018	0261	ENGL0475001	1 1	9.30 10.45		12	110 39	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 03/24/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.S.U. - SHREVEPORT
 BRANCH
 PARISH
 RELATION

CADDO
 MAIN CAMPUS

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0018	0261	ENGL0675001	1 1	9.30 10.45	1	588	110 39	00000
	0018	0263	ENGL0200001	1 1	9.30 10.45	23	1,178	220 30	00000
	0018	0263	ENGL0489001	1 1 1	10.00 10.50	4	1,178	220 30	00000
	0018	0263	ENGL0406001	1 1	11.00 12.15	15	1,178	220 30	00000
	0018	0263	ENGL0606001	1 1	11.00 12.15	1	1,178	220 30	00000
	0018	0263	FILM0115001	1 1	14.00 15.15	13	1,178	220 30	00000
	0018	0263	FILM0290001	1	18.00 20.45	9	1,178	220 30	00000
	0018	0263	ENGL0409001	1	18.00 21.00	16	1,178	220 30	00000
	0018	0263	ENGL0609001	1	18.00 21.00	1	1,178	220 30	00000
	0018	0263	ENGL0435001	1	18.00 21.00	12	1,178	220 30	00000
8	0018	0265	ENGL0105006	1 1	9.30 10.45	29	567	350 15	00000
8	0018	0265	ENGL0105013	1 1	9.30 10.45	1	567	350 15	00000
8	0018	0265	ENGL0105002	1 1 1	10.00 10.50	89	567	350 15	00000
8	0018	0265	ENGL0105020	1 1 1	10.00 10.50	1	567	350 15	00000
8	0018	0265	ENGL0105008	1 1	11.00 12.15	28	567	350 15	00000
8	0018	0265	ENGL0105019	1 1	11.00 12.15	1	567	350 15	00000
8	0018	0265	ENGL0105010	1 1	12.30 13.45	30	567	350 15	00000
8	0018	0265	ENGL0105004	1 1 1	13.00 13.50	31	567	350 15	00000
8	0018	0265	ENGL0105022	1 1 1	13.00 13.50	1	567	350 15	00000
	0018	0301	CJ 0107001	1 1	9.30 10.45	49	1,190	110 79	00000
	0018	0301	CJ 0320001	1 1	11.00 12.15	22	1,190	110 79	00000
	0018	0301	GS 0491004	1 1	13.30 14.45	10	1,190	110 79	00000
	0018	0301	CJ 0331001	1 1	14.00 15.15	27	1,190	110 79	00000
	0018	0301	CJ 0455001	1	17.30 20.20	20	1,190	110 79	00000
	0018	0301	CJ 0320002	1	18.00 20.50	20	1,190	110 79	00000
	0018	0305	COMM0331001	1 1	11.00 12.15	12	588	110 39	00000
	0018	0305	COMM0165001	1 1	15.00 17.00	7	588	110 39	00000
	0018	0305	COMM0365001	1 1	15.00 17.00	1	588	110 39	00000
	0018	0307	COMM0135002	1	17.30 19.50	28	588	110 39	00000
	0018	0310	COMM0135006	1 1 1	12.00 12.50	29	733	110 50	00000
	0018	0310	COMM0363001	1 1	12.30 13.45	7	733	110 50	00000
	0018	0310	COMM0260001	1 1	13.00 14.15	22	733	110 50	00000
	0018	0310	COMM0400001	1 1	16.00 17.15	13	733	110 50	00000
	0018	0310	COMM0600001	1 1	16.00 17.15	1	733	110 50	00000
	0018	0310	GS 0491001	1 1	16.00 17.15	1	733	110 50	00000
	0018	0326	COMM0135003	1 1 1	9.00 9.50	27	570	110 38	00000
	0018	0326	FS 0103001	1 1 1	10.00 10.50	33	570	110 38	00000
	0018	0326	COMM0135008	1 1	11.00 12.15	21	570	110 38	00000
	0018	0326	COMM0135009	1 1	11.00 12.15	1	570	110 38	00000
	0018	0326	COMM0135004	1 1 1	12.00 12.50	28	570	110 38	00000
	0018	0326	COMM0135005	1 1	12.30 13.45	28	570	110 38	00000
	0018	0338	COMM0405001	1 1	11.00 12.15	10	578	210 20	00000
	0018	0338	GS 0491003	1	18.00 20.45	9	578	210 20	00000
	0018	0401	FA 0180001	1 1	9.00 10.50	20	1,141	210 20	00000
	0018	0401	FA 0150001	1 1	9.30 11.20	19	1,141	210 20	00000
	0018	0401	FA 0100003	1 1	13.00 14.50	19	1,141	210 20	00000
	0018	0401	FA 0221001	1	16.00 19.40	20	1,141	210 20	00000
	0018	0410	FA 0100001	1 1	9.00 10.50	18	733	210 20	00000
	0018	0410	FA 0100002	1 1	12.00 13.50	20	733	210 20	00000
8	0018	0461	GEOG0450001	1 1	8.00 9.15	25	588	350 15	00000
8	0018	0461	HIST0450001	1 1	9.30 10.45	24	588	350 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010
 RUN DATE 03/24/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.S.U. - SHREVEPORT
 BRANCH
 PARISH
 RELATION

CADDO
 MAIN CAMPUS

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	0018 0461	HIST0299001	1	12.00 14.50		28	588	350 15	00000
	0018 0463	HIST0107001	1 1	9.30 10.45		61	1,178	110 78	00000
	0018 0463	HIST0432001	1 1	11.00 12.15		20	1,178	110 78	00000
	0018 0463	HIST0106001	1 1 1	12.00 12.50		78	1,178	110 78	00000
	0018 0463	HIST0106002	1 1	13.30 14.45		47	1,178	110 78	00000
	0018 0463	GEOG0105001	1	17.30 20.20		59	1,178	110 78	00000
	0018 0463	HIST0402001	1	18.00 20.50		15	1,178	110 78	00000
	0018 0463	HIST0602001	1	18.00 20.50	1	2	1,178	110 78	00000
	0018 0465	CJ 0411001	1	18.00 20.50		20	540	110 36	00000
	0024 0101	HPE 0100001	1 1 1	8.00 8.50		30	14,528	520 97	00000
8	0024 0101A	HPE 0144001	1	8.00 9.50		26	234	520 2	00000
8	0024 0101A	HPE 0128001	1 1 1	13.00 13.50		19	234	520 2	00000
8	0024 0101A	HPE 0130001	1 1	14.00 15.15		15	234	520 2	00000
8	0024 0118	HPE 0103001	1 1	11.00 12.15		19	1,868	520 12	00000
8	0024 0118	HPE 0141001	1 1	12.30 13.45		20	1,868	520 12	00000
	0024 0224	ED 0320001	1	16.00 19.00		16	646	110 40	00000
	0024 0229	HPE 0143001	1 1	9.30 10.45		31	768	110 51	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	39
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	13
TOTAL ERRORS (INCLUDING WARNINGS)	52
TOTAL NUMBER OF RECORDS READ	374
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	361
NUMBER OF JOINT-CLASS RECORDS	51
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.S.U. - SHREVEPORT

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			83
TOTAL NUMBER OF STATIONS (CAPACITY)			3751
WEEKLY STUDENT CONTACT HOURS	14880	3021	17901
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7470	4150	11620
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1062	291	1353
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	337590	187550	525140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	60218	17069	77287
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29760	6042	35802
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.2	7.0	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.8	3.2	6.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	35.4	46.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			83
TOTAL NUMBER OF STATIONS (CAPACITY)			3751
WEEKLY STUDENT CONTACT HOURS	14880	3021	17901
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7470	4150	11620
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1062	291	1353
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	337590	187550	525140
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	60218	17069	77287
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	29760	6042	35802
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	14.2	7.0	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	8.8	3.2	6.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	49.4	35.4	46.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			73
TOTAL NUMBER OF STATIONS (CAPACITY)			1673
WEEKLY STUDENT CONTACT HOURS	5119	1284	6403
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6570	3650	10220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	500	144	644
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	150570	83650	234220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15514	4554	20068
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10239	2568	12807
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.6	3.9	6.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.8	3.1	5.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	66.0	56.4	63.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			43
TOTAL NUMBER OF STATIONS (CAPACITY)			1205
WEEKLY STUDENT CONTACT HOURS	4948	1110	6058
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3870	2150	6020
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	470	114	584
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	108450	60250	168700
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14614	3762	18376
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	9897	2220	12117
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	12.1	5.3	9.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.1	3.7	7.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	67.7	59.0	65.9

SPACE UTILIZ - SUMMARY PAGE

L.S.U. - SHREVEPORT

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			30
TOTAL NUMBER OF STATIONS (CAPACITY)			468
WEEKLY STUDENT CONTACT HOURS	171	174	345
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2700	1500	4200
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30	30	60
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	42120	23400	65520
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	900	792	1692
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	342	348	690
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.1	2.0	1.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.8	1.5	1.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	38.0	43.9	40.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
--	------------------------	--------------------------	--------------------------

*SPECIAL USE FACILITIES

TOTAL NUMBER OF ROOMS			26
TOTAL NUMBER OF STATIONS (CAPACITY)			309
WEEKLY STUDENT CONTACT HOURS	309		309
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2340	1300	3640
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30		30
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	27810	15450	43260
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	750		750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	618		618
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.3	.0	.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.2	.0	1.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	82.4	.0	82.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
ATHLETIC AND P.E.			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			262
WEEKLY STUDENT CONTACT HOURS	309		309
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	30		30
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	23580	13100	36680
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	750		750
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	618		618
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	2.4	.0	1.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.6	.0	1.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	82.4	.0	82.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY