

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 01/31/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0104	MACH1350	1	1 1 1	8.00 8.50	6	1,081	210 20	00000
	A000	0104	MAST1210	1	1 1	8.00 9.50	20	1,081	210 20	00000
	A000	0104	ENGL1050	1	1 1 1	9.00 9.50	4	1,081	210 20	00000
	A000	0104	CPTR1000	1	1 1 1	10.00 10.50	24	1,081	210 20	00000
	A000	0104	ORNT1000	1	1	10.45 12.00	24	1,081	210 20	00000
	A000	0104	KYBD1000	1	1 1 1	11.00 11.50	26	1,081	210 20	00000
8	A000	0104	MAST2110	1	1 1 1	11.00 11.50	7	1,081	210 20	00000
	A000	0104	CPTR1310	2	1	13.00 13.50	1	1,081	210 20	00000
	A000	0104	KYBD1110	1	1 1	14.00 14.50	11	1,081	210 20	00000
	A000	0104	KYBD1210	1	1	14.00 14.50	8	1,081	210 20	00000
	A000	0105	CPTR1310	1	1	8.00 8.50	5	1,364	210 25	00000
	A000	0106	ENGL1030	1	1 1 1	8.00 8.50	20	1,241	210 24	00000
	A000	0106	ENGL1040	1	1 1 1	8.00 8.50	6	1,241	210 24	00000
	A000	0106	OSYS2530	1	1 1	8.00 9.15	15	1,241	210 24	00000
	A000	0106	MATH1050	1	1 1 1	9.00 9.50	16	1,241	210 24	00000
	A000	0106	ISYS1400	1	1 1	10.00 10.50	6	1,241	210 24	00000
	A000	0106	ACCT1200	1	1 1	11.00 11.50	8	1,241	210 24	00000
	A000	0106	ZHBE0001	1	11111	11.00 12.00	5	1,241	210 24	00000
	A000	0106	ACCT1100	1	1 1 1	13.00 13.50	21	1,241	210 24	00000
	A000	0106	ACCT1400	1	1 1	14.00 14.50	9	1,241	210 24	00000
	A000	0107	HNUR1211	1	1 1	8.00 10.50	15	1,084	210 30	00000
	A000	0107	ORNT1000	5	1	8.00 10.50	24	1,084	210 30	00000
8	A000	0107	HNUR1320	1	1	8.00 11.00	26	1,084	210 30	00000
	A000	0107	HCOR1120	1	1 1	10.00 10.50	32	1,084	210 30	00000
	A000	0107	HNUR1211	3	1 1	12.00 14.50	14	1,084	210 30	00000
	A000	0107	HEKG1011	1	1 1	12.00 16.00	12	1,084	210 30	00000
	A000	0108	HNUR1211	2	1 1	8.00 11.00	18	1,379	210 30	00000
	A000	0108	HCOR2996	1	1	8.00 11.00	18	1,379	210 30	00000
	A000	0108	HMDT1170	1	1	12.00 13.00	8	1,379	210 30	00000
	A000	0108	ORNT1000	6	1	12.00 13.00	23	1,379	210 30	00000
	A000	0108	MAST1230	1	1	12.00 15.00	22	1,379	210 30	00000
	A000	0109	HCOR2991	1	1	8.00 11.00	20	1,628	610 40	00000
	A000	0111	HNUR2130	1	11	8.00 11.00	24	2,172	210 40	00000
	A000	0111	HNUR2611	1	11	12.00 13.00	25	2,172	210 40	00000
	A000	0111	HNUR2640	1	11	13.00 15.00	24	2,172	210 40	00000
	A000	0111	HNUR2650	1	11	13.00 15.00	24	2,172	210 40	00000
	A000	0111	HMDT1170	2	1	15.00 16.00	29	2,172	210 40	00000
4	A000	0115	CADD1210	1	11111	8.00 15.00	4	2,292	210 15	00000
4	A000	0115	CADD2310	1	11111	8.00 15.00	1	2,292	210 15	00000
4	A000	0115	DRFT1110	1	11111	8.00 15.00	5	2,292	210 15	00000
4	A000	0115	DRFT1120	1	11111	8.00 15.00	6	2,292	210 15	00000
4	A000	0115	DRFT1130	1	11111	8.00 15.00	3	2,292	210 15	00000
4	8	A000	0115	DRFT1140	1	11111	6	2,292	210 15	00000
4	8	A000	0115	DRFT1150	1	11111	2	2,292	210 15	00000
4	8	A000	0115	DRFT1161	1	11111	6	2,292	210 15	00000
4	8	A000	0115	DRFT1210	1	11111	5	2,292	210 15	00000
4	8	A000	0115	DRFT1220	1	11111	5	2,292	210 15	00000
4	8	A000	0115	DRFT1230	1	11111	8	2,292	210 15	00000
4	8	A000	0115	DRFT2310	1	11111	4	2,292	210 15	00000
4	8	A000	0115	DRFT2330	1	11111	4	2,292	210 15	00000
4	8	A000	0115	DRFT2411	1	11111	1	2,292	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 01/31/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0115	DRFT2461 1	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	DRFT2561 1	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	DRFT2611 1	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	DRFT2661 1	11111	8.00 15.00	1	1	2,292	210 15 00000
4	8	A000 0115	JOBS2450 8	11111	8.00 15.00	1	3	2,292	210 15 00000
4	8	A000 0115	ORNT1000 8	11111	8.00 15.00	1	5	2,292	210 15 00000
4	8	A000 0115	DRFT2320 1	111 1	8.00 15.00	1	3	2,292	210 15 00000
4		A000 0117	AHEN1000 1	11111	8.00 15.00		7	1,980	210 30 00000
4		A000 0117	AHMA1000 1	11111	8.00 15.00	1	4	1,980	210 30 00000
4		A000 0117	AHRE1000 1	11111	8.00 15.00	1	6	1,980	210 30 00000
4		A000 0117	AHSC1000 1	11111	8.00 15.00	1	27	1,980	210 30 00000
4	8	A000 0117	DVEN0090 1	11111	8.00 15.00	1	3	1,980	210 30 00000
4	8	A000 0117	DVMA0090 1	11111	8.00 15.00	1	9	1,980	210 30 00000
4	8	A000 0117	DVRE0090 1	11111	8.00 15.00	1	4	1,980	210 30 00000
4	8	A000 0117	MATH1010 1	11111	8.00 15.00	1	1	1,980	210 30 00000
4	8	A000 0117	WKEY0060 1	11111	8.00 15.00	1	2	1,980	210 30 00000
	8	A000 0117	JOBS2450 1	1 1	9.00 9.50	1	11	1,980	210 30 00000
		A000 0117	OSYS2996 1	1 1	11.00 11.50		1	1,980	210 30 00000
		A000 0117	MAST2140 1	111	12.00 15.00		34	1,980	210 30 00000
		A000 0117	CPTR1000 2	1	13.00 15.00		40	1,980	210 30 00000
		A000 0117	ORNT1000 10	1	14.00 15.00		1	1,980	210 30 00000
4		B000 0201	MTTC2110 1	11111	8.00 15.00		8	4,898	210 20 00000
4		B000 0201	MTTC2120 1	11111	8.00 15.00	1	9	4,898	210 20 00000
4		B000 0201	MTTC2210 1	11111	8.00 15.00	1	3	4,898	210 20 00000
4		B000 0201	MTTC2220 1	11111	8.00 15.00	1	1	4,898	210 20 00000
4		B000 0201	MTTC2310 1	11111	8.00 15.00	1	2	4,898	210 20 00000
4		B000 0201	MTTC2320 1	11111	8.00 15.00	1	3	4,898	210 20 00000
4		B000 0201	MTTC2331 1	11111	8.00 15.00	1	3	4,898	210 20 00000
4		B000 0201	MTTC2420 1	11111	8.00 15.00	1	1	4,898	210 20 00000
4	8	B000 0201	MTTC2431 1	11111	8.00 15.00	1	1	4,898	210 20 00000
4	8	B000 0201	MTTC2710 1	11111	8.00 15.00	1	2	4,898	210 20 00000
4	8	B000 0201	ORNT1000 3	11111	8.00 15.00	1	9	4,898	210 20 00000
4		B000 0202	DPET1120 1	11111	8.00 15.00		4	3,972	210 20 00000
4		B000 0202	DPET1130 1	11111	8.00 15.00	1	4	3,972	210 20 00000
4		B000 0202	DPET1140 1	11111	8.00 15.00	1	5	3,972	210 20 00000
4		B000 0202	DPET1141 1	11111	8.00 15.00	1	4	3,972	210 20 00000
4		B000 0202	DPET1210 1	11111	8.00 15.00	1	1	3,972	210 20 00000
4		B000 0202	DPET1220 1	11111	8.00 15.00	1	1	3,972	210 20 00000
4		B000 0202	DPET1231 1	11111	8.00 15.00	1	1	3,972	210 20 00000
4		B000 0202	DPET1240 1	11111	8.00 15.00	1	6	3,972	210 20 00000
4		B000 0202	DPET1320 1	11111	8.00 15.00	1	3	3,972	210 20 00000
4	8	B000 0202	DPET1330 1	11111	8.00 15.00	1	4	3,972	210 20 00000
4	8	B000 0202	DPET2110 1	11111	8.00 15.00	1	4	3,972	210 20 00000
4	8	B000 0202	DPET2130 1	11111	8.00 15.00	1	6	3,972	210 20 00000
4	8	B000 0202	DPET2140 1	11111	8.00 15.00	1	3	3,972	210 20 00000
4	8	B000 0202	DPET2210 1	11111	8.00 15.00	1	3	3,972	210 20 00000
4	8	B000 0202	DPET2220 1	11111	8.00 15.00	1	1	3,972	210 20 00000
4	8	B000 0202	DPET2240 1	11 11	8.00 15.00	1	4	3,972	210 20 00000
		B000 0202	ORNT1000 2	11111	15.00 16.00		5	3,972	210 20 00000
4		B000 0203	AUTO1400 1	11111	8.00 15.00		11	5,004	210 20 00000
4		B000 0203	AUTO1410 1	11111	8.00 15.00	1	11	5,004	210 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 01/31/2011 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-ACADIAN
 BRANCH
 PARISH
 RELATION
 ACADIAN
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	B000 0203	AUTO1420 1	111111	8.00 15.00	1	11	5,004	210 20 00000
4	8	B000 0203	AUTO1430 1	111111	8.00 15.00	1	11	5,004	210 20 00000
4	8	B000 0203	AUTO1440 1	111111	8.00 15.00	1	11	5,004	210 20 00000
4	8	B000 0203	AUTO1500 1	111111	8.00 15.00	1	11	5,004	210 20 00000
4	8	B000 0203	AUTO1510 1	111111	8.00 15.00	1	8	5,004	210 20 00000
4	8	B000 0203	AUTO1520 1	111111	8.00 15.00	1	8	5,004	210 20 00000
4	8	B000 0203	AUTO1530 1	111111	8.00 15.00	1	8	5,004	210 20 00000
4	8	B000 0203	AUTO1540 1	111111	8.00 15.00	1	8	5,004	210 20 00000
4	8	B000 0203	AUTO1650 1	111111	8.00 15.00	1	3	5,004	210 20 00000
4	8	B000 0203	AUTO1660 1	111111	8.00 15.00	1	3	5,004	210 20 00000
4	8	B000 0203	ORNT1000 9	111111	8.00 15.00	1	9	5,004	210 20 00000
4		B000 0205	CTDP1110 1	111111	7.00 15.00		6	466	110 20 00000
4		B000 0205	CTDP1120 1	111111	7.00 15.00	1	6	466	110 20 00000
4		B000 0207	CTDP1131 1	111111	7.00 15.00		6	4,739	210 15 00000
4		B000 0208	WELD1110 1	111111	8.00 15.00		9	6,156	210 24 00000
4		B000 0208	WELD1130 1	111111	8.00 15.00	1	3	6,156	210 24 00000
4		B000 0208	WELD1140 1	111111	8.00 15.00	1	9	6,156	210 24 00000
4		B000 0208	WELD1210 1	111111	8.00 15.00	1	9	6,156	210 24 00000
4	8	B000 0208	WELD1310 1	111111	8.00 15.00	1	12	6,156	210 24 00000
4	8	B000 0208	WELD1410 1	111111	8.00 15.00	1	9	6,156	210 24 00000
4	8	B000 0208	WELD1411 1	111111	8.00 15.00	1	1	6,156	210 24 00000
4	8	B000 0208	WELD1412 1	111111	8.00 15.00	1	2	6,156	210 24 00000
4	8	B000 0208	WELD1420 1	111111	8.00 15.00	1	4	6,156	210 24 00000
4	8	B000 0208	WELD1510 1	111111	8.00 15.00	1	4	6,156	210 24 00000
4	8	B000 0208	WELD1511 1	111111	8.00 15.00	1	4	6,156	210 24 00000
4	8	B000 0208	WELD1512 1	111111	8.00 15.00	1	3	6,156	210 24 00000
4	8	B000 0208	WELD2110 1	111111	8.00 15.00	1	1	6,156	210 24 00000
4	8	B000 0208	WELD2230 1	111111	8.00 15.00	1	2	6,156	210 24 00000
4	8	B000 0208	WELD2310 1	111111	8.00 15.00	1	4	6,156	210 24 00000
4	8	B000 0208	WELD2311 1	111111	8.00 15.00	1	2	6,156	210 24 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 89

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 57
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 146

TOTAL NUMBER OF RECORDS READ 132
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 132
NUMBER OF JOINT-CLASS RECORDS 88
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-ACADIAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			70
WEEKLY STUDENT CONTACT HOURS	480		480
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	160		160
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6300	3500	9800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3200		3200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	960		960
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.3	.0	38.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.2	.0	9.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.0	.0	30.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			70
WEEKLY STUDENT CONTACT HOURS	480		480
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	160		160
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6300	3500	9800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3200		3200
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	960		960
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	59.3	.0	38.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.2	.0	9.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	30.0	.0	30.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	17318		17318
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6335		6335
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	131858		131858
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	34636		34636
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	439.9	.0	282.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	103.2	.0	66.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.3	.0	26.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			16
TOTAL NUMBER OF STATIONS (CAPACITY)			373
WEEKLY STUDENT CONTACT HOURS	17318		17318
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1440	800	2240
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	6335		6335
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	33570	18650	52220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	131858		131858
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	34636		34636
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	439.9	.0	282.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	103.2	.0	66.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.3	.0	26.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY