

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0100	INCT1800001	11111	8.00 9.00		10	1,368	240 20 00000	
	000A	0100	INCT1100001	1 1 1	9.00 12.00		12	1,368	240 20 00000	
	000A	0100	INCT1110001	1 1 1	9.00 12.00	1	9	1,368	240 20 00000	
	000A	0100	INCT1120001	1 1 1	13.30 15.00		12	1,368	240 20 00000	
	000A	0101	DRFT1110011	11111	8.00 11.00		2	975	110 35 00000	
	000A	0101	DRFT1120013	11111	8.00 11.00	1	2	975	110 35 00000	
4	000A	0101	DRFT1110001	11111	8.00 15.00	1	2	975	110 35 00000	
4	000A	0101	DRFT1120001	11111	8.00 15.00	1	1	975	110 35 00000	
4	000A	0101	DRFT1230003	11111	8.00 15.00	1	1	975	110 35 00000	
	000A	0101	DRFT1110004	11111	9.00 11.00	1	2	975	110 35 00000	
	000A	0101	DRFT1110012	11111	12.00 15.00		1	975	110 35 00000	
	000A	0101	DRFT1110B93	111	16.00 21.00		1	975	110 35 00000	
	000A	0101	DRFT1120B95	111	16.00 21.00	1	1	975	110 35 00000	
	000A	0103	CADD1210003	11111	8.00 11.00		1	1,346	240 20 00000	
	000A	0103	CADD1210007	11111	8.00 11.00	1	2	1,346	240 20 00000	
	000A	0103	CADD2300004	11111	8.00 11.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1140006	11111	8.00 11.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1230006	11111	8.00 11.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT2310002	11111	8.00 11.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1130003	11111	8.00 12.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1150002	11111	8.00 12.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1161007	11111	8.00 12.00	1	1	1,346	240 20 00000	
	000A	0103	DRFT1210004	11111	8.00 12.30	1	1	1,346	240 20 00000	
4	000A	0103	CADD1210001	11111	8.00 15.00	1	3	1,346	240 20 00000	
4	000A	0103	CADD2300001	11111	8.00 15.00	1	1	1,346	240 20 00000	
4	000A	0103	CADD2310001	11111	8.00 15.00	1	4	1,346	240 20 00000	
4	000A	0103	DRFT1130001	11111	8.00 15.00	1	1	1,346	240 20 00000	
4	000A	0103	DRFT1140001	11111	8.00 15.00	1	3	1,346	240 20 00000	
4	000A	0103	DRFT1150001	11111	8.00 15.00	1	1	1,346	240 20 00000	
4	000A	0103	DRFT1150006	11111	8.00 15.00	1	3	1,346	240 20 00000	
4	000A	0103	DRFT1161001	11111	8.00 15.00	1	3	1,346	240 20 00000	
4	8	000A	0103	DRFT1161002	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1210002	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1210003	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1220002	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1220003	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1220004	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1230001	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT1230002	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2310001	11111	8.00 15.00	1	4	1,346	240 20 00000
4	8	000A	0103	DRFT2310003	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2320001	11111	8.00 15.00	1	4	1,346	240 20 00000
4	8	000A	0103	DRFT2320002	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2320003	11111	8.00 15.00	1	4	1,346	240 20 00000
4	8	000A	0103	DRFT2320004	11111	8.00 15.00	1	4	1,346	240 20 00000
4	8	000A	0103	DRFT2330001	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2330004	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2431001	11111	8.00 15.00	1	2	1,346	240 20 00000
4	8	000A	0103	DRFT2441001	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2461B91	11111	8.00 15.00	1	1	1,346	240 20 00000
4	8	000A	0103	DRFT2461001	11111	8.00 15.00	1	1	1,346	240 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000A 0103	DRFT2531001	11111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2561001	11111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2993002	11111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2995001	11111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2995002	11111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	CADD2300001	1111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2310B91	111	8.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT2441004	11111	8.00 16.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1161003	1 1 1	8.00 16.00	1	1,346	240 20	00000	
	8	000A 0103	DRFT1161006	11111	9.00 11.00	1	1,346	240 20	00000	
	8	000A 0103	DRFT1210005	11111	9.00 11.00	1	1,346	240 20	00000	
	8	000A 0103	DRFT1220005	11111	9.00 11.00	1	1,346	240 20	00000	
	8	000A 0103	DRFT1230005	11111	9.00 11.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1130004	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1140004	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1140005	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1150004	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1150005	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1161005	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1210001	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1220001	11111	9.00 15.00	1	1,346	240 20	00000	
4	8	000A 0103	CADD1210005	11111	9.00 16.00	1	1,346	240 20	00000	
4	8	000A 0103	DRFT1161004	11111	9.00 16.00	1	1,346	240 20	00000	
	000A 0103	CADD2300B92	11111	16.00 21.00	1	3	1,346	240 20	00000	
	000A 0103	CADD2310B91	11111	16.00 21.00	1	4	1,346	240 20	00000	
	000A 0103	DRFT2330B91	11111	16.00 21.00	1	3	1,346	240 20	00000	
	000A 0103	DRFT2441003	11111	16.00 21.00	1	2	1,346	240 20	00000	
	000A 0103	DRFT1160001	1	16.00 21.00	1	9	1,346	240 20	00000	
	000A 0103	CADD1210B91	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	CADD2300002	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	DRFT1130B91	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	DRFT1130B92	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	DRFT1161B92	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	DRFT2330B92	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	JOBS2450B91	111	16.00 21.00	1	1	1,346	240 20	00000	
	000A 0103	DRFT1150B92	1 1	16.00 21.00	1	1	1,346	240 20	00000	
4		000A 0103	DRFT2993001	1 1	16.00 21.50	1	1,346	240 20	00000	
	8	000A 0104	CPTR1010B91	11111	8.00 9.00		13	1,325	240 2	00000
	8	000A 0104	INCT1210001	1 1	9.00 11.30		9	1,325	240 2	00000
	8	000A 0104	CPTR1010B92	11111	13.00 14.00		19	1,325	240 2	00000
	8	000A 0104	INCT2110001	1 1	17.00 20.00		17	1,325	240 2	00000
	8	000A 0104	INCT2130001	1 1	17.00 20.00	1	2	1,325	240 2	00000
4		000A 0107	HCOR1212003	11111	7.00 15.00		9	649	110 25	00000
4		000A 0107	HCOR1212002	1111	7.00 15.00	1	10	649	110 25	00000
4		000A 0107	HNUR1211002	11111	8.00 15.00	1	18	649	110 25	00000
4		000A 0107	HNUR1212001	1111	15.00 22.00		18	649	110 25	00000
	8	000A 0107	HNUR1270001	1111	17.00 20.30	1	22	649	110 25	00000
		000A 0108	HNUR2611001	11111	9.30 11.00		21	557	110 25	00000
		000A 0108	HNUR2713001	111	12.00 15.00		28	557	110 25	00000
		000A 0108	HNUR1211001	1111	19.00 22.00		16	557	110 25	00000
		000A 0109	HNUR2723001	111	8.00 9.30		22	920	110 50	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000A 0109	HNUR2123001	11111	9.30 15.00		24	920	110 50	00000
	000A 0224	HNUR2813001	11	8.00 9.30		29	1,681	110 50	00000
	000A 0224	HNUR2133001	11111	9.30 14.00		30	1,681	110 50	00000
8	000A 0224	HNUR1300001	1111	12.00 15.00	1	56	1,681	110 50	00000
	000A 0224	HNUR1320001	1111	15.00 17.00		19	1,681	110 50	00000
	000A 0224	HNUR1361001	1111	15.00 17.00	1	21	1,681	110 50	00000
	000A 0224	HNUR1411001	1111	19.00 22.00		22	1,681	110 50	00000
	000A 0225	AHMA1000001	11111	8.00 9.00		4	875	240 29	00000
	000A 0225	AHRE1000001	11111	8.00 9.00	1	5	875	240 29	00000
	000A 0225	DVEN0091001	11111	8.00 9.00	1	2	875	240 29	00000
	000A 0225	DVMA0090001	11111	8.00 9.00	1	6	875	240 29	00000
	000A 0225	DVMA0091001	11111	8.00 9.00	1	3	875	240 29	00000
	000A 0225	DVMA0092001	11111	8.00 9.00	1	1	875	240 29	00000
	000A 0225	DVRE0090001	11111	8.00 9.00	1	1	875	240 29	00000
	000A 0225	DVRE0091001	11111	8.00 9.00	1	2	875	240 29	00000
	000A 0225	DVRE0092001	11111	8.00 9.00	1	2	875	240 29	00000
	000A 0225	DVEN0091002	11111	9.00 10.00		1	875	240 29	00000
	000A 0225	DVEN0092002	11111	9.00 10.00	1	1	875	240 29	00000
	000A 0225	DVMA0090002	11111	9.00 10.00	1	5	875	240 29	00000
	000A 0225	DVMA0091002	11111	9.00 10.00	1	3	875	240 29	00000
	000A 0225	DVMA0092002	11111	9.00 10.00	1	1	875	240 29	00000
	000A 0225	DVRE0090002	11111	9.00 10.00	1	2	875	240 29	00000
	000A 0225	DVRE0091002	11111	9.00 10.00	1	2	875	240 29	00000
	000A 0225	DVRE0092002	11111	9.00 10.00	1	3	875	240 29	00000
	000A 0225	AHEN1000002	11111	10.00 11.00		1	875	240 29	00000
	000A 0225	AHMA1000002	11111	10.00 11.00	1	3	875	240 29	00000
	000A 0225	AHRE1000002	11111	10.00 11.00	1	1	875	240 29	00000
	000A 0225	DVEN0091003	11111	11.00 12.00		1	875	240 29	00000
	000A 0225	DVEN0092003	11111	11.00 12.00	1	2	875	240 29	00000
	000A 0225	DVMA0090003	11111	11.00 12.00	1	9	875	240 29	00000
	000A 0225	DVMA0091003	11111	11.00 12.00	1	3	875	240 29	00000
	000A 0225	DVMA0092003	11111	11.00 12.00	1	2	875	240 29	00000
	000A 0225	DVRE0091003	11111	11.00 12.00	1	2	875	240 29	00000
	000A 0225	DVEN0090004	11111	12.00 13.00		2	875	240 29	00000
	000A 0225	DVEN0091004	11111	12.00 13.00	1	3	875	240 29	00000
	000A 0225	DVMA0090004	11111	12.00 13.00	1	3	875	240 29	00000
	000A 0225	DVMA0092004	11111	12.00 13.00	1	1	875	240 29	00000
	000A 0225	DVRE0091004	11111	12.00 13.00	1	1	875	240 29	00000
	000A 0225	DVRE0092004	11111	12.00 13.00	1	2	875	240 29	00000
	000A 0225	DVEN0091005	11111	13.00 14.00		1	875	240 29	00000
	000A 0225	DVMA0090005	11111	13.00 14.00	1	1	875	240 29	00000
	000A 0225	DVMA0091005	11111	13.00 14.00	1	1	875	240 29	00000
	000A 0225	DVEN0090006	11111	14.00 15.00		1	875	240 29	00000
	000A 0225	DVEN0091006	11111	14.00 15.00	1	1	875	240 29	00000
	000A 0225	DVMA0090006	11111	14.00 15.00	1	3	875	240 29	00000
	000A 0225	DVMA0092006	11111	14.00 15.00	1	1	875	240 29	00000
	000A 0225	DVEN0090007	11111	15.00 16.00		3	875	240 29	00000
	000A 0225	DVEN0091007	11111	15.00 16.00	1	1	875	240 29	00000
	000A 0225	DVEN0092007	11111	15.00 16.00	1	1	875	240 29	00000
	000A 0225	DVMA0090007	11111	15.00 16.00	1	17	875	240 29	00000
	000A 0225	DVMA0091007	11111	15.00 16.00	1	5	875	240 29	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0225	DVMA0092007	11111	15.00 16.00	1	1	875	240 29	00000
	000A	0225	DVRE0090007	11111	15.00 16.00	1	1	875	240 29	00000
	000A	0225	DVRE0091007	11111	15.00 16.00	1	4	875	240 29	00000
	000A	0225	CPTR2995001	11111	15.00 18.00	1	2	875	240 29	00000
	000A	0237	ELEC2991005	1 1	18.00 21.00		8	691	110 20	00000
	000A	0237	ELEC2993005	1 1	18.00 21.00	1	8	691	110 20	00000
	000A	0241	BTEL1000043	11111	8.00 9.00		8	656	110 30	00000
	000A	0241	BUSM1050001	1 1 1	9.00 10.00		28	656	110 30	00000
	000A	0241	ACCT1100001	1111	10.00 12.00		15	656	110 30	00000
	000A	0241	ACCT1200001	1111	10.00 12.00	1	21	656	110 30	00000
	000A	0241	CSRV1000035	11111	13.00 14.00		2	656	110 30	00000
	000A	0241	ELEC2991002	1 1	18.00 21.00		11	656	110 30	00000
	000A	0241	ELEC2993002	1 1	18.00 21.00	1	13	656	110 30	00000
	000A	0244	BUSM1050035	11111	8.00 9.00		6	701	110 24	00000
	000A	0244	OSYS1100001	1 1	9.00 11.00		15	701	110 24	00000
	000A	0244	OSYS1250001	1 1	10.00 11.00	1	11	701	110 24	00000
	000A	0244	ELEC2991003	1 1	18.00 21.00		11	701	110 24	00000
	000A	0244	ELEC2993003	1 1	18.00 21.00	1	11	701	110 24	00000
	000A	0245	CSRV1000043	11111	8.00 9.00		14	685	110 30	00000
	000A	0245	CSRV1000C91	1 1 1	9.00 10.00		25	685	110 30	00000
	000A	0245	BUSE1030001	11111	10.00 11.00		17	685	110 30	00000
	000A	0245	BOTH1240C91	1	18.00 20.00		26	685	110 30	00000
	000A	0245	MAST1230001	1	18.00 20.00	1	2	685	110 30	00000
	000A	0246	KYBD1000001	11111	8.00 9.00		5	822	240 20	00000
	000A	0246	KYBD1000039	11111	8.00 9.00	1	4	822	240 20	00000
	000A	0246	KYBD1010001	11111	8.00 9.00	1	14	822	240 20	00000
	000A	0246	KYBD1111001	11111	8.00 9.00	1	13	822	240 20	00000
	000A	0246	KYBD1210001	11111	8.00 9.00	1	2	822	240 20	00000
4	000A	0246	INCT1999001	11111	8.00 10.00	1	1	822	240 20	00000
4	000A	0246	KYBD1000999	11111	8.00 15.00	1	1	822	240 20	00000
	000A	0246	KYBD1010999	11111	8.00 15.00	1	1	822	240 20	00000
8	000A	0246	KYBD1000035	11111	9.00 10.00	1	5	822	240 20	00000
	000A	0246	BUSE1045001	11111	10.00 11.00		1	822	240 20	00000
	000A	0246	KYBD1010035	11111	10.00 11.00	1	1	822	240 20	00000
	000A	0246	KYBD1000043	11111	11.00 12.00		3	822	240 20	00000
	000A	0246	BOTH1300001	1 1 1	12.00 13.00		19	822	240 20	00000
	000A	0246	BOTH1120001	1 1	12.00 13.00		24	822	240 20	00000
	000A	0246	JOBS2450001	1 1	13.00 14.00		11	822	240 20	00000
	000A	0247	BOTL1300001	111	8.00 9.00		4	812	240 25	00000
	000A	0247	MACH1350001	111	8.00 9.00	1	14	812	240 25	00000
4	000A	0247	CPTR2650999	11111	8.00 15.00	1	1	812	240 25	00000
4	000A	0247	CSRV1000999	11111	8.00 15.00	1	2	812	240 25	00000
4	000A	0247	ENGL1030999	11111	8.00 15.00	1	1	812	240 25	00000
	000A	0247	MAST1210001	1111	9.00 10.00	1	1	812	240 25	00000
	000A	0247	BOTH1210001	111	9.00 10.00	1	4	812	240 25	00000
	000A	0247	ISYS1440039	11111	10.00 11.00		13	812	240 25	00000
	000A	0247	MAST2110001	11111	10.00 11.00	1	2	812	240 25	00000
	000A	0247	BOTH2110001	111	10.00 11.00	1	2	812	240 25	00000
	000A	0247	KYBD1111003	111 1	12.00 13.00		1	812	240 25	00000
	000A	0247	KYBD1010002	11111	13.00 14.00		14	812	240 25	00000
	000A	0247	KYBD1210002	11111	13.00 14.00	1	1	812	240 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0247	INCT2902001	11111	14.00 16.00		1	240 25	00000
	000A	0247	BOTH1230001	1	18.00 20.00		17	240 25	00000
	000A	0248	ACCT1500001	1111	8.00 9.00		10	240 20	00000
8	000A	0248	ORNT1000B91	11111	9.00 10.30		94	240 20	00000
8	000A	0248	ORNT1000B92	11111	9.00 10.30	1	64	240 20	00000
8	000A	0248	ORNT1000B94	11111	9.00 10.30	1	4	240 20	00000
8	000A	0248	ORNT1000B95	11111	9.00 10.30	1	3	240 20	00000
	000A	0248	ORNT1000B93	11111	10.30 12.00		1	240 20	00000
	000A	0248	CPTR1000019	11111	11.00 12.00	1	1	240 20	00000
	000A	0248	CPTR1310001	1111	11.00 12.00	1	3	240 20	00000
	000A	0248	CPTR1320001	1111	11.00 12.00	1	5	240 20	00000
	000A	0248	CPTR1600010	1111	11.00 12.00	1	1	240 20	00000
	000A	0248	ISYS1440001	1111	11.00 12.00	1	5	240 20	00000
	000A	0248	ISYS1650001	1111	11.00 12.00	1	2	240 20	00000
8	000A	0248	CPTR1000001	1 1 1	11.00 12.00	1	18	240 20	00000
	000A	0248	CPTR1310011	11111	12.00 13.00		1	240 20	00000
	000A	0248	CPTR1310002	1111	12.00 13.00	1	12	240 20	00000
	000A	0248	CPTR1320002	1111	12.00 13.00	1	1	240 20	00000
	000A	0248	ISYS1440002	1111	12.00 13.00	1	5	240 20	00000
	000A	0248	ISYS1650002	1111	12.00 13.00	1	3	240 20	00000
	000A	0248	CPTR1000002	1 1 1	12.00 13.00	1	5	240 20	00000
	000A	0248	CPTR2650005	11111	13.00 14.00		1	240 20	00000
	000A	0248	CPTR1310003	1111	13.00 14.00	1	3	240 20	00000
	000A	0248	CPTR1320003	1111	13.00 14.00	1	3	240 20	00000
	000A	0248	CPTR2650003	1111	13.00 14.00	1	1	240 20	00000
	000A	0248	ISYS1440003	1111	13.00 14.00	1	2	240 20	00000
	000A	0248	ISYS1650003	1111	13.00 14.00	1	5	240 20	00000
	000A	0248	CPTR1000003	1 1 1	13.00 14.00	1	2	240 20	00000
	000A	0248	CPTR1600003	1 1 1	13.00 14.00	1	1	240 20	00000
	000A	0248	CPTR1320013	11111	14.00 15.00		1	240 20	00000
	000A	0248	CPTR2650004	1111	14.00 15.00	1	1	240 20	00000
	000A	0248	ISYS1440004	1111	14.00 15.00	1	2	240 20	00000
	000A	0248	CPTR1000004	1 1 1	14.00 15.00	1	1	240 20	00000
	000A	0248	CPTR1000014	1111	15.00 16.00		2	240 20	00000
	000A	0248	CPTR1320005	1111	15.00 16.00	1	2	240 20	00000
	000A	0248	CPTR2650005	1111	15.00 16.00	1	1	240 20	00000
	000A	0248	ISYS1650004	1111	15.00 16.00	1	3	240 20	00000
	000A	0248	CPTR1000005	1 1 1	15.00 16.00	1	16	240 20	00000
	000A	0248	ISYS1440015	11111	16.00 17.00		1	240 20	00000
	000A	0248	CPTR1310006	1111	16.00 17.00	1	1	240 20	00000
	000A	0248	CPTR1320006	1111	16.00 17.00	1	1	240 20	00000
	000A	0248	ISYS1650006	1111	16.00 17.00	1	1	240 20	00000
	000A	0248	CPTR1000006	1 1 1	16.00 17.00	1	16	240 20	00000
	000A	0248	CPTR1600006	1 1 1	16.00 17.00	1	2	240 20	00000
	000A	0248	CPTR1000007	1 1 1	17.00 18.00		2	240 20	00000
	000A	0248	CPTR1000008	1 1 1	18.00 19.00		11	240 20	00000
	000A	0248	CPTR1000009	1 1 1	19.00 20.00		20	240 20	00000
	000A	0250	DVEN0090999	11111	8.00 9.00		20	110 30	00000
	000A	0250	DVEN0091999	11111	9.00 10.00		20	110 30	00000
	000A	0250	DVEN0092999	11111	10.00 11.00		20	110 30	00000
	000A	0250	DVMA0090999	11111	12.00 13.00		20	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0250	DVMA0091999	11111	13.00 14.00		20	521	110 30 00000	
	000A	0250	DVMA0092999	11111	14.00 15.00		20	521	110 30 00000	
	000A	0250	ELEC2991001	1 1	18.00 21.00		19	521	110 30 00000	
	000A	0250	ELEC2993001	1 1	18.00 21.00	1	19	521	110 30 00000	
	000A	0254	DVRE0090998	11111	8.00 9.00		12	448	110 20 00000	
	000A	0254	DVRE0090998	11111	9.00 10.00		12	448	110 20 00000	
	000A	0254	DVRE0091998	11111	10.00 11.00		12	448	110 20 00000	
	000A	0254	DVRE0091999	11111	12.00 13.00		12	448	110 20 00000	
	000A	0254	DVRE0092999	11111	13.00 14.00		12	448	110 20 00000	
	000A	0254	DVRE0092999	11111	14.00 15.00		12	448	110 20 00000	
	000A	0254	ELEC2991004	1 1	18.00 21.00		10	448	110 20 00000	
	000A	0254	ELEC2993004	1 1	18.00 21.00	1	10	448	110 20 00000	
	000B	0100	AUTO1500001	11111	8.00 11.00		7	800	220 30 00000	
	000B	0100	AUTO1510001	11111	8.00 11.00	1	7	800	220 30 00000	
	000B	0100	AUTO1520001	11111	8.00 11.00	1	7	800	220 30 00000	
	000B	0100	AUTO1530001	11111	8.00 11.00	1	7	800	220 30 00000	
4	8	000B	0100	AUTO1800001	11111	8.00 15.00	1	24	800	220 30 00000
4	8	000B	0100	AUTO1810001	11111	8.00 15.00	1	24	800	220 30 00000
4	8	000B	0100	AUTO1820001	11111	8.00 15.00	1	22	800	220 30 00000
4	8	000B	0100	AUTO1830001	11111	8.00 15.00	1	22	800	220 30 00000
4	8	000B	0100	AUTO1840001	11111	8.00 15.00	1	24	800	220 30 00000
4	8	000B	0100	AUTO1850001	11111	8.00 15.00	1	24	800	220 30 00000
	8	000B	0100	AUTO1500002	11111	12.00 15.00	1	8	800	220 30 00000
	8	000B	0100	AUTO1510002	11111	12.00 15.00	1	8	800	220 30 00000
	8	000B	0100	AUTO1520002	11111	12.00 15.00	1	8	800	220 30 00000
	8	000B	0100	AUTO1530002	11111	12.00 15.00	1	6	800	220 30 00000
4		000B	0106	CTDP11110001	11111	8.00 15.00		5	7,947	220 15 00000
4		000B	0106	CTDP11110002	11111	8.00 15.00	1	4	7,947	220 15 00000
4		000B	0106	CTDP1120001	11111	8.00 15.00	1	5	7,947	220 15 00000
4		000B	0106	CTDP1120002	11111	8.00 15.00	1	4	7,947	220 15 00000
4		000B	0106	CTDP1131001	11111	8.00 15.00	1	5	7,947	220 15 00000
4	8	000B	0106	CTDP1131002	11111	8.00 15.00	1	4	7,947	220 15 00000
4	8	000B	0106	CTDP1140001	11111	8.00 15.00	1	5	7,947	220 15 00000
4	8	000B	0106	CTDP1140002	11111	8.00 15.00	1	4	7,947	220 15 00000
4	8	000B	0106	CTDP1211001	11111	8.00 15.00	1	5	7,947	220 15 00000
4	8	000B	0106	CTDP1211002	11111	8.00 15.00	1	4	7,947	220 15 00000
		000C	0102	BARB1231002	11111	8.00 11.00		1	494	220 10 00000
		000C	0102	BARB1321005	11111	8.00 11.00	1	1	494	220 10 00000
4	8	000C	0102	BARB1131001	11111	8.00 15.00	1	23	494	220 10 00000
4	8	000C	0102	BARB1140002	11111	8.00 15.00	1	1	494	220 10 00000
4	8	000C	0102	BARB1160002	11111	8.00 15.00	1	2	494	220 10 00000
4	8	000C	0102	BARB1330002	11111	8.00 15.00	1	1	494	220 10 00000
4	8	000C	0102	BARB1441002	11111	8.00 15.00	1	1	494	220 10 00000
	8	000C	0102	BARB1231001	11111	12.00 15.00	1	4	494	220 10 00000
	8	000C	0102	BARB1321004	11111	12.00 15.00	1	4	494	220 10 00000
		000C	0104	BARB2630004	11111	8.00 11.00		1	497	220 12 00000
4	8	000C	0104	BARB1150001	11111	8.00 15.00	1	23	497	220 12 00000
4	8	000C	0104	BARB1150002	11111	8.00 15.00	1	2	497	220 12 00000
4	8	000C	0104	BARB1160001	11111	8.00 15.00	1	23	497	220 12 00000
4	8	000C	0104	BARB1211001	11111	8.00 15.00	1	13	497	220 12 00000
4	8	000C	0104	BARB1310002	11111	8.00 15.00	1	8	497	220 12 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 7

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	000C 0104	BARB1321001	11111	8.00 15.00	1	3	497	220 12	00000
4	8	000C 0104	BARB1321003	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1330001	11111	8.00 15.00	1	19	497	220 12	00000
4	8	000C 0104	BARB1341001	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1410003	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB1441001	11111	8.00 15.00	1	10	497	220 12	00000
4	8	000C 0104	BARB2131001	11111	8.00 15.00	1	11	497	220 12	00000
4	8	000C 0104	BARB2991001	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB2995001	11111	8.00 15.00	1	1	497	220 12	00000
4	8	000C 0104	BARB2996001	11111	8.00 15.00	1	1	497	220 12	00000
	8	000C 0104	BARB1110005	11111	12.00 14.00	1	3	497	220 12	00000
		000C 0107	BARB2111003	11111	8.00 11.00		1	567	210 30	00000
		000C 0107	BARB2120002	11111	8.00 11.00	1	2	567	210 30	00000
		000C 0107	BARB2630002	11111	8.00 11.00	1	10	567	210 30	00000
4		000C 0107	BARB1110001	11111	8.00 15.00	1	22	567	210 30	00000
4		000C 0107	BARB1110002	11111	8.00 15.00	1	5	567	210 30	00000
4		000C 0107	BARB1110003	11111	8.00 15.00	1	1	567	210 30	00000
4		000C 0107	BARB1110004	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1120001	11111	8.00 15.00	1	22	567	210 30	00000
4	8	000C 0107	BARB1120002	11111	8.00 15.00	1	3	567	210 30	00000
4	8	000C 0107	BARB1140001	11111	8.00 15.00	1	23	567	210 30	00000
4	8	000C 0107	BARB1310001	11111	8.00 15.00	1	4	567	210 30	00000
4	8	000C 0107	BARB1350001	11111	8.00 15.00	1	22	567	210 30	00000
4	8	000C 0107	BARB1410001	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB1420001	11111	8.00 15.00	1	16	567	210 30	00000
4	8	000C 0107	BARB1420002	11111	8.00 15.00	1	3	567	210 30	00000
4	8	000C 0107	BARB1420003	11111	8.00 15.00	1	2	567	210 30	00000
4	8	000C 0107	BARB1430001	11111	8.00 15.00	1	21	567	210 30	00000
4	8	000C 0107	BARB1430002	11111	8.00 15.00	1	2	567	210 30	00000
4	8	000C 0107	BARB1441004	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB2111001	11111	8.00 15.00	1	1	567	210 30	00000
4	8	000C 0107	BARB2120001	11111	8.00 15.00	1	10	567	210 30	00000
4	8	000C 0107	BARB2630001	11111	8.00 15.00	1	10	567	210 30	00000
	8	000C 0107	BARB1220002	11111	12.00 14.00	1	3	567	210 30	00000
	8	000C 0107	BARB1430003	11111	12.00 14.00	1	3	567	210 30	00000
	8	000C 0107	BARB2111002	11111	12.00 15.00	1	4	567	210 30	00000
	8	000C 0107	BARB2630003	11111	12.00 15.00	1	40	567	210 30	00000
		000C 0107	JOBS2450003	1 1	15.00 16.00		12	567	210 30	00000
		000C 0118A	WELD2991001	11	17.00 21.00		5	1,122	220 30	00000
		000C 0118A	WELD2991002	11	17.00 21.00	1	8	1,122	220 30	00000
		000C 0118A	WELD2991003	11	17.00 21.00	1	9	1,122	220 30	00000
		000C 0118A	WELD2991004	11	17.00 21.00	1	4	1,122	220 30	00000
		000C 0118A	WELD2991005	11	17.00 21.00	1	2	1,122	220 30	00000
		000C 0118A	WELD2993001	11	17.00 21.00	1	5	1,122	220 30	00000
		000C 0118A	WELD2993002	11	17.00 21.00	1	8	1,122	220 30	00000
	8	000C 0118A	WELD2993003	11	17.00 21.00	1	9	1,122	220 30	00000
	8	000C 0118A	WELD2993004	11	17.00 21.00	1	4	1,122	220 30	00000
	8	000C 0118A	WELD2993005	11	17.00 21.00	1	2	1,122	220 30	00000
		000C 0118B	HEMS1110001	1 1	17.00 22.00		28	2,588	220 30	00000
	8	000C 0118B	HEMS1120001	1 1	17.00 22.00	1	28	2,588	220 30	00000
	8	000C 0118B	HEMS1140001	1 1	17.00 22.00	1	28	2,588	220 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000C	0118B	HEMS1160001	1 1	17.00 22.00	1	28	2,588	220 30 00000	
8	000C	0118B	HEMS1170001	1 1	17.00 22.00	1	28	2,588	220 30 00000	
8	000C	0118B	HEMS1172001	1 1	17.00 22.00	1	28	2,588	220 30 00000	
4	000D	0101	ELEC2600001	111111	8.00 15.00	1	2	603	240 25 00000	
4	000D	0101	ETRN2110001	111111	8.00 15.00	1	3	603	240 25 00000	
4	000D	0101	IDEL2620001	111111	8.00 15.00	1	2	603	240 25 00000	
4	000D	0101	IMMT1111001	111111	8.00 15.00	1	5	603	240 25 00000	
4	000D	0101	IMMT1112001	111111	8.00 15.00	1	6	603	240 25 00000	
4	000D	0101	INST1110001	111111	8.00 15.00	1	5	603	240 25 00000	
4	000D	0101	INST1330001	111111	8.00 15.00	1	4	603	240 25 00000	
4	000D	0101	INST1410001	111111	8.00 15.00	1	2	603	240 25 00000	
4	000D	0101	INST1420001	111111	8.00 15.00	1	2	603	240 25 00000	
4	000D	0101	INST1430001	111111	8.00 15.00	1	2	603	240 25 00000	
4	000D	0101	INST2610001	111111	8.00 15.00	1	3	603	240 25 00000	
4	000D	0101	INST2620001	111111	8.00 15.00	1	2	603	240 25 00000	
4	8	000D	0101	INST2630001	111111	8.00 15.00	1	4	603	240 25 00000
4	8	000D	0101	INST2730001	111111	8.00 15.00	1	2	603	240 25 00000
4	8	000D	0101	INST2740001	111111	8.00 15.00	1	4	603	240 25 00000
4	8	000D	0101	INST2820001	111111	8.00 15.00	1	3	603	240 25 00000
4	8	000D	0101	INST2830001	111111	8.00 15.00	1	1	603	240 25 00000
4	8	000D	0101	INST2840001	111111	8.00 15.00	1	3	603	240 25 00000
4	8	000D	0101	INST2991001	111111	8.00 15.00	1	1	603	240 25 00000
4	8	000D	0101	INST2993001	111111	8.00 15.00	1	1	603	240 25 00000
4	8	000D	0101	INST2995001	111111	8.00 15.00	1	2	603	240 25 00000
	000D	0101	ETRN2110002	1111	16.00 21.00	1	2	603	240 25 00000	
	000D	0101	IDEL2620002	1111	16.00 21.00	1	1	603	240 25 00000	
	000D	0101	INST1110002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST1330002	1111	16.00 21.00	1	2	603	240 25 00000	
	000D	0101	INST1410002	1111	16.00 21.00	1	2	603	240 25 00000	
	000D	0101	INST1420002	1111	16.00 21.00	1	4	603	240 25 00000	
	000D	0101	INST1430002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST2620002	1111	16.00 21.00	1	2	603	240 25 00000	
	000D	0101	INST2630002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST2730002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST2740002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST2820002	1111	16.00 21.00	1	2	603	240 25 00000	
	000D	0101	INST2830002	1111	16.00 21.00	1	3	603	240 25 00000	
	000D	0101	INST2840002	1111	16.00 21.00	1	1	603	240 25 00000	
	000D	0101	INST2991002	1111	16.00 21.00	1	1	603	240 25 00000	
	000D	0101	INST2993002	1111	16.00 21.00	1	1	603	240 25 00000	
	000D	0101	INST2995002	1111	16.00 21.00	1	1	603	240 25 00000	
4	000D	0103	CPTR2830001	111111	8.00 15.00	1	6	1,593	210 30 00000	
4	000D	0103	ELEC2700001	111111	8.00 15.00	1	2	1,593	210 30 00000	
4	000D	0103	ELTR2800001	111111	8.00 15.00	1	3	1,593	210 30 00000	
4	000D	0103	ELTR2840001	111111	8.00 15.00	1	4	1,593	210 30 00000	
4	000D	0103	ETRN1120001	111111	8.00 15.00	1	11	1,593	210 30 00000	
4	000D	0103	ETRN1130001	111111	8.00 15.00	1	11	1,593	210 30 00000	
4	000D	0103	ETRN1210001	111111	8.00 15.00	1	7	1,593	210 30 00000	
4	8	000D	0103	ETRN1220001	111111	8.00 15.00	1	4	1,593	210 30 00000
4	8	000D	0103	ETRN1230001	111111	8.00 15.00	1	1	1,593	210 30 00000
4	8	000D	0103	ETRN1240001	111111	8.00 15.00	1	1	1,593	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000D 0103	ETRN1420001	11111	8.00 15.00	1	4	1,593	210 30 00000
4	8	000D 0103	ETRN2120001	11111	8.00 15.00	1	3	1,593	210 30 00000
4	8	000D 0103	ETRN2130001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	IDEL2720001	11111	8.00 15.00	1	6	1,593	210 30 00000
4	8	000D 0103	IDEL2991001	11111	8.00 15.00	1	1	1,593	210 30 00000
4	8	000D 0103	IMMT1410001	11111	8.00 15.00	1	3	1,593	210 30 00000
4	8	000D 0103	IMMT1411001	11111	8.00 15.00	1	2	1,593	210 30 00000
4	8	000D 0103	MATH1110001	11111	8.00 15.00	1	6	1,593	210 30 00000
		000D 0103	CPTR2830002	11111	16.00 21.00	1	2	1,593	210 30 00000
		000D 0103	ETLR2800002	11111	16.00 21.00	1	3	1,593	210 30 00000
		000D 0103	ETLR2840002	11111	16.00 21.00	1	2	1,593	210 30 00000
		000D 0103	ETRN1120002	11111	16.00 21.00	1	6	1,593	210 30 00000
		000D 0103	ETRN1130002	11111	16.00 21.00	1	6	1,593	210 30 00000
		000D 0103	ETRN1210002	11111	16.00 21.00	1	4	1,593	210 30 00000
		000D 0103	ETRN1220002	11111	16.00 21.00	1	5	1,593	210 30 00000
		000D 0103	ETRN1230002	11111	16.00 21.00	1	1	1,593	210 30 00000
		000D 0103	ETRN1240002	11111	16.00 21.00	1	1	1,593	210 30 00000
		000D 0103	ETRN1420002	11111	16.00 21.00	1	2	1,593	210 30 00000
		000D 0103	ETRN2120002	11111	16.00 21.00	1	3	1,593	210 30 00000
		000D 0103	ETRN2130002	11111	16.00 21.00	1	3	1,593	210 30 00000
		000D 0103	IDEL2720002	11111	16.00 21.00	1	1	1,593	210 30 00000
		000D 0103	IDEL2993002	11111	16.00 21.00	1	1	1,593	210 30 00000
		000D 0103	MATH1110002	11111	16.00 21.00	1	1	1,593	210 30 00000
		000D 0104	WELD1110041	11111	7.00 8.00	1	3	511	110 24 00000
		000D 0104	WELD1140041	11111	7.00 8.00	1	3	511	110 24 00000
4		000D 0104	WELD1120001	11111	8.00 15.00	1	1	511	110 24 00000
4		000D 0104	WELD1130001	11111	8.00 15.00	1	10	511	110 24 00000
4		000D 0104	WELD1130002	11111	8.00 15.00	1	1	511	110 24 00000
		000D 0104	WELD1110001	11111	12.00 15.00	1	8	511	110 24 00000
		000D 0104	WELD1140001	11111	12.00 15.00	1	9	511	110 24 00000
		000D 0104	WELD1110003	11111	16.00 19.00	1	7	511	110 24 00000
		000D 0104	WELD1140003	11111	16.00 19.00	1	7	511	110 24 00000
		000D 0104	WELD1130003	11111	16.00 20.00	1	3	511	110 24 00000
		000D 0104	WELD2991003	11	17.00 21.00	1	9	511	110 24 00000
		000D 0104	WELD2993003	11	17.00 21.00	1	9	511	110 24 00000
4		000D 0105	WELD1310001	11111	8.00 15.00	1	13	3,964	220 28 00000
4		000D 0105	WELD1411001	11111	8.00 15.00	1	13	3,964	220 28 00000
4		000D 0105	WELD1412001	11111	8.00 15.00	1	13	3,964	220 28 00000
4	8	000D 0105	WELD1420001	11111	8.00 15.00	1	16	3,964	220 28 00000
4	8	000D 0105	WELD1510001	11111	8.00 15.00	1	14	3,964	220 28 00000
4	8	000D 0105	WELD1511001	11111	8.00 15.00	1	10	3,964	220 28 00000
4	8	000D 0105	WELD1512001	11111	8.00 15.00	1	9	3,964	220 28 00000
4	8	000D 0105	WELD2110001	11111	8.00 15.00	1	2	3,964	220 28 00000
4	8	000D 0105	WELD2111001	11111	8.00 15.00	1	7	3,964	220 28 00000
4	8	000D 0105	WELD2210001	11111	8.00 15.00	1	6	3,964	220 28 00000
4	8	000D 0105	WELD2220001	11111	8.00 15.00	1	6	3,964	220 28 00000
4	8	000D 0105	WELD2221001	11111	8.00 15.00	1	6	3,964	220 28 00000
4	8	000D 0105	WELD2222001	11111	8.00 15.00	1	6	3,964	220 28 00000
4	8	000D 0105	WELD2230001	11111	8.00 15.00	1	7	3,964	220 28 00000
4	8	000D 0105	WELD2310001	11111	8.00 15.00	1	2	3,964	220 28 00000
4	8	000D 0105	WELD2311001	11111	8.00 15.00	1	2	3,964	220 28 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	000D 0105	WELD1210001	11111	12.00 15.00	1	7	3,964	220 28	00000
8	000D 0105	WELD1410001	11111	12.00 15.00	1	10	3,964	220 28	00000
	000D 0105	WELD1410003	1111	16.00 19.00		7	3,964	220 28	00000
	000D 0105	WELD1210003	111	16.00 19.00	1	7	3,964	220 28	00000
	000D 0105	WELD1310003	1111	16.00 20.00	1	4	3,964	220 28	00000
	000D 0105	WELD1411003	1111	16.00 20.00	1	3	3,964	220 28	00000
	000D 0105	WELD1412003	1111	16.00 20.00	1	2	3,964	220 28	00000
	000D 0105	WELD1420003	1111	16.00 20.00	1	6	3,964	220 28	00000
	000D 0105	WELD1510003	1111	16.00 20.00	1	6	3,964	220 28	00000
	000D 0105	WELD1511003	1111	16.00 20.00	1	3	3,964	220 28	00000
	000D 0105	WELD1512003	1111	16.00 20.00	1	4	3,964	220 28	00000
8	000D 0105	WELD2110003	1111	16.00 20.00	1	2	3,964	220 28	00000
8	000D 0105	WELD2111003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2210003	1111	16.00 20.00	1	2	3,964	220 28	00000
8	000D 0105	WELD2222003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2230003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2310003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2311003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2885003	1111	16.00 20.00	1	1	3,964	220 28	00000
8	000D 0105	WELD2893003	1111	16.00 20.00	1	1	3,964	220 28	00000
4	000D 0108	IMMT1421001	11111	8.00 15.00		1	2,695	210 30	00000
4	000D 0108	IMMT1430001	11111	8.00 15.00	1	5	2,695	210 30	00000
4	000D 0108	IMMT1441001	11111	8.00 15.00	1	6	2,695	210 30	00000
4	000D 0109	IMMT1110001	11111	8.00 15.00		5	2,438	210 30	00000
4	000D 0109	IMMT1120001	11111	8.00 15.00	1	6	2,438	210 30	00000
4	000D 0109	IMMT1121001	11111	8.00 15.00	1	7	2,438	210 30	00000
4	000D 0109	IMMT1131001	11111	8.00 15.00	1	10	2,438	210 30	00000
4	000D 0109	IMMT1210001	11111	8.00 15.00	1	4	2,438	210 30	00000
4	000D 0109	IMMT1230001	11111	8.00 15.00	1	1	2,438	210 30	00000
4	000D 0109	IMMT1231001	11111	8.00 15.00	1	1	2,438	210 30	00000
4	000D 0109	IMMT1241001	11111	8.00 15.00	1	1	2,438	210 30	00000
4	000D 0109	IMMT1311001	11111	8.00 15.00	1	3	2,438	210 30	00000
4	000D 0109	IMMT1320001	11111	8.00 15.00	1	5	2,438	210 30	00000
4	8 000D 0109	IMMT1321001	11111	8.00 15.00	1	5	2,438	210 30	00000
4	8 000D 0109	IMMT1330001	11111	8.00 15.00	1	4	2,438	210 30	00000
4	8 000D 0109	IMMT1331001	11111	8.00 15.00	1	4	2,438	210 30	00000
4	8 000D 0109	IMMT1500001	11111	8.00 15.00	1	1	2,438	210 30	00000
4	8 000D 0109	IMMT1501001	11111	8.00 15.00	1	1	2,438	210 30	00000
4	8 000D 0109	IMMT2991001	11111	8.00 15.00	1	20	2,438	210 30	00000
4	8 000D 0109	IMMT2993001	11111	8.00 15.00	1	19	2,438	210 30	00000
4	8 000D 0109	IMMT2995001	11111	8.00 15.00	1	2	2,438	210 30	00000
4	8 000D 0109	IMMT2996001	11111	8.00 15.00	1	17	2,438	210 30	00000
4	000D 0111	HACR1150B91	11111	8.00 15.00		10	2,340	220 30	00000
4	000D 0111	HACR1160B91	11111	8.00 15.00	1	9	2,340	220 30	00000
4	000D 0111	HACR1170B91	11111	8.00 15.00	1	8	2,340	220 30	00000
4	000D 0111	HACR1210B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	000D 0111	HACR1210B92	11111	8.00 15.00	1	3	2,340	220 30	00000
4	000D 0111	HACR1210B93	11111	8.00 15.00	1	2	2,340	220 30	00000
4	000D 0111	HACR1220B91	11111	8.00 15.00	1	3	2,340	220 30	00000
4	000D 0111	HACR1220B92	11111	8.00 15.00	1	2	2,340	220 30	00000
4	000D 0111	HACR1230B91	11111	8.00 15.00	1	3	2,340	220 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C.-DELTA OUACHITA
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 0111	HACR1230B92	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR1240B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR1240B92	11111	8.00 15.00	1	3	2,340	220 30	00000
4	8 000D 0111	HACR1410B92	11111	8.00 15.00	1	3	2,340	220 30	00000
4	8 000D 0111	HACR1420B92	11111	8.00 15.00	1	3	2,340	220 30	00000
4	8 000D 0111	HACR2510B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR2510B92	11111	8.00 15.00	1	4	2,340	220 30	00000
4	8 000D 0111	HACR2520B91	11111	8.00 15.00	1	4	2,340	220 30	00000
4	8 000D 0111	HACR2520B92	11111	8.00 15.00	1	1	2,340	220 30	00000
4	8 000D 0111	HACR2530B91	11111	8.00 15.00	1	8	2,340	220 30	00000
4	8 000D 0111	HACR2530B92	11111	8.00 15.00	1	1	2,340	220 30	00000
4	8 000D 0111	HACR2540B91	11111	8.00 15.00	1	8	2,340	220 30	00000
4	8 000D 0111	HACR2550B91	11111	8.00 15.00	1	7	2,340	220 30	00000
4	8 000D 0111	HACR2560B91	11111	8.00 15.00	1	6	2,340	220 30	00000
4	8 000D 0111	HACR2991B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR2993B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR2995B91	11111	8.00 15.00	1	8	2,340	220 30	00000
4	8 000D 0111	HACR2996B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR2997B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	HACR2999B91	11111	8.00 15.00	1	2	2,340	220 30	00000
4	8 000D 0111	JOBS2450002	11111	8.00 15.00	1	7	2,340	220 30	00000
	8 000D 0111	HACR1170B92	11111	12.00 15.00	1	2	2,340	220 30	00000
	8 000D 0111	HACR1170B94	11111	12.00 15.00	1	2	2,340	220 30	00000
4	000D 0112	ELEC1120001	11111	8.00 15.00	1	9	2,390	210 30	00000
4	000D 0112	ELEC1210001	11111	8.00 15.00	1	14	2,390	210 30	00000
4	000D 0112	ELEC1220001	11111	8.00 15.00	1	13	2,390	210 30	00000
4	000D 0112	ELEC1311001	11111	8.00 15.00	1	8	2,390	210 30	00000
4	8 000D 0112	ELEC1330001	11111	8.00 15.00	1	7	2,390	210 30	00000
4	8 000D 0112	ELEC1410001	11111	8.00 15.00	1	5	2,390	210 30	00000
4	8 000D 0112	ELEC1420001	11111	8.00 15.00	1	8	2,390	210 30	00000
4	8 000D 0112	ELEC1440001	11111	8.00 15.00	1	10	2,390	210 30	00000
4	8 000D 0112	ELEC2460001	11111	8.00 15.00	1	8	2,390	210 30	00000
4	8 000D 0112	ELEC2520001	11111	8.00 15.00	1	6	2,390	210 30	00000
4	8 000D 0112	ELEC2520002	11111	8.00 15.00	1	1	2,390	210 30	00000
4	8 000D 0112	ELEC2540001	11111	8.00 15.00	1	9	2,390	210 30	00000
4	8 000D 0112	ELEC2540002	11111	8.00 15.00	1	1	2,390	210 30	00000
4	8 000D 0112	ELEC2720001	11111	8.00 15.00	1	9	2,390	210 30	00000
4	8 000D 0112	SOLR1000001	11111	8.00 15.00	1	3	2,390	210 30	00000
4	8 000D 0112	SOLR1010001	11111	8.00 15.00	1	3	2,390	210 30	00000
4	8 000D 0112	SOLR1020001	11111	8.00 15.00	1	2	2,390	210 30	00000
4	8 000D 0112	SOLR1030001	11111	8.00 15.00	1	1	2,390	210 30	00000
	8 000D 0112	ELEC1210003	11111	12.00 15.00	1	8	2,390	210 30	00000
	8 000D 0112	ELEC1220004	11111	12.00 15.00	1	2	2,390	210 30	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	244
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	217
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	461
TOTAL NUMBER OF RECORDS READ	553
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	553
NUMBER OF JOINT-CLASS RECORDS	450
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			533
WEEKLY STUDENT CONTACT HOURS	6670	1684	8354
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	917	204	1121
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	47970	26650	74620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28184	5716	33900
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13340	3368	16708
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.9	20.4	40.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.8	12.6	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.3	58.9	49.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			533
WEEKLY STUDENT CONTACT HOURS	6670	1684	8354
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	917	204	1121
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	47970	26650	74620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	28184	5716	33900
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13340	3368	16708
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	50.9	20.4	40.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.8	12.6	22.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	47.3	58.9	49.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			29
TOTAL NUMBER OF STATIONS (CAPACITY)			614
WEEKLY STUDENT CONTACT HOURS	33699	2128	35827
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2610	1450	4060
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1582	72	1654
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	55260	30700	85960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36352	2160	38512
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	67398	4256	71654
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	60.6	5.0	40.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	122.0	13.9	83.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	185.4	197.0	186.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			160
WEEKLY STUDENT CONTACT HOURS	15472		15472
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	580		580
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14400	8000	22400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	17400		17400
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	30944		30944
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	107.4	.0	69.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	214.9	.0	138.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	177.8	.0	177.8

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-DELTA OUACHITA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			23
TOTAL NUMBER OF STATIONS (CAPACITY)			454
WEEKLY STUDENT CONTACT HOURS	18227	2128	20355
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2070	1150	3220
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1002	72	1074
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	40860	22700	63560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18952	2160	21112
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36454	4256	40710
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	48.4	6.3	33.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	89.2	18.7	64.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	192.3	197.0	192.8

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY