

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	1001	ACCT1100001	11111	8.00 8.50		16	770	210 15 00000	
	A000	1001	ACCT1200001	1 1 1	9.00 9.50		5	770	210 15 00000	
	A000	1001	ACCT1200001	1 1	9.25 10.40		5	770	210 15 00000	
	A000	1001	ACCT1500001	1 1	9.25 10.40	1	2	770	210 15 00000	
	A000	1001	CPTR1320001	11111	10.00 10.50	1	5	770	210 15 00000	
8	A000	1001	ORNT1000005	1 1 1	10.00 10.50	1	24	770	210 15 00000	
8	A000	1001	OSYS1250001	1 1 1	10.00 10.50	1	3	770	210 15 00000	
	A000	1001	ACCT1300001	1 1	10.50 12.05		1	770	210 15 00000	
	A000	1001	CPTR1320001	1 1	10.50 12.05	1	5	770	210 15 00000	
	A000	1001	ACCT1500001	11111	11.00 11.50	1	2	770	210 15 00000	
	A000	1001	ISYS1440001	11111	11.00 11.50	1	3	770	210 15 00000	
	A000	1001	ISYS1450001	11111	11.00 11.50	1	1	770	210 15 00000	
	A000	1001	ACCT1300001	11111	13.00 13.50		1	770	210 15 00000	
	A000	1001	ISYS1550001	11111	13.00 13.50	1	1	770	210 15 00000	
	A000	1001	ORNT1000006	1 1 1	13.00 13.50	1	3	770	210 15 00000	
	A000	1001	ISYS1440001	1 1	13.40 14.55		3	770	210 15 00000	
	A000	1001	ISYS1450001	1 1	13.40 14.55	1	1	770	210 15 00000	
	A000	1001	ISYS1550001	1 1	13.40 14.55	1	1	770	210 15 00000	
	A000	1001	BUSM1050001	1 1 1	14.00 14.50		13	770	210 15 00000	
4	A000	1112	HNUR2713001	11111	8.00 14.30		6	2,625	210 30 00000	
4	A000	1112	HNUR2713002	11111	8.00 14.30	1	6	2,625	210 30 00000	
4	A000	1112	HNUR2713003	11111	8.00 14.30	1	6	2,625	210 30 00000	
4	A000	1112	HNUR2723001	11111	8.00 14.30	1	6	2,625	210 30 00000	
4	A000	1112	HNUR2723002	11111	8.00 14.30	1	6	2,625	210 30 00000	
4	A000	1112	HNUR2723003	11111	8.00 14.30	1	6	2,625	210 30 00000	
4	A000	1112	HNUR2133001	11111	8.00 15.00	1	6	2,625	210 30 00000	
4	8	A000	1112	HNUR2133002	11111	8.00 15.00	1	6	2,625	210 30 00000
4	8	A000	1112	HNUR2133003	11111	8.00 15.00	1	6	2,625	210 30 00000
4	8	A000	1112	HNUR2813001	11111	8.00 15.00	1	6	2,625	210 30 00000
4	8	A000	1112	HNUR2813002	11111	8.00 15.00	1	6	2,625	210 30 00000
	A000	2010	HCOR1212001	11111	6.30 10.30		13	675	210 12 00000	
	8	A000	2010	BOTH1120003	11111	8.00 9.00	1	26	675	210 12 00000
	8	A000	2010	HCOR1110001	11111	8.00 9.15	1	3	675	210 12 00000
	8	A000	2010	HNUR1211001	11111	8.00 11.00	1	13	675	210 12 00000
4	8	A000	2010	HEKG1011001	11111	8.00 13.30	1	19	675	210 12 00000
4	8	A000	2010	HCOR1120001	11111	8.00 14.30	1	17	675	210 12 00000
4	8	A000	2010	HNUR2813003	11111	8.00 15.00	1	6	675	210 12 00000
	8	A000	2010	HPHL1011001	11111	9.30 11.15	1	15	675	210 12 00000
	8	A000	2010	HCOR1120002	11111	9.30 11.30	1	8	675	210 12 00000
	8	A000	2010	HPHL1022001	11111	9.30 14.00	1	15	675	210 12 00000
	8	A000	2010	HCOR1212002	11111	10.30 14.30	1	10	675	210 12 00000
	8	A000	2010	HNUR1211002	11111	11.30 14.30	1	10	675	210 12 00000
	8	A000	2010	HPHL1011001	11111	12.00 14.00	1	15	675	210 12 00000
	8	A000	2010	HCOR1120002	11111	12.00 15.00	1	8	675	210 12 00000
	8	A000	2010	HMDT1170001	11111	13.30 14.45	1	20	675	210 12 00000
	8	A000	2010	HCOR1160002	11111	14.00 15.00	1	8	675	210 12 00000
	8	A000	2010	HMDT1170002	11111	14.00 15.00	1	15	675	210 12 00000
	A000	3001	BOTH1210001	11111	8.00 8.50		18	770	210 15 00000	
	8	A000	3001	BOTH1210002	11111	8.00 8.50	1	7	770	210 15 00000
	8	A000	3001	JOBS2450003	11111	8.00 8.50	1	6	770	210 15 00000
	8	A000	3001	BOTH1210002	1 1	8.00 9.15	1	7	770	210 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	A000 3001	JOBS2450003	1 1	8.00 9.15	1	6	770	210 15	00000
	A000 3001	OSYS1100001	1 1 1	9.00 9.50		20	770	210 15	00000
	A000 3001	BOTH2110001	1 1	9.25 10.40		4	770	210 15	00000
4	A000 3001	MAST2110001	1 1	9.25 22.40	1	2	770	210 15	00000
	A000 3001	BOTH1240001	1 1 1	10.00 10.50		5	770	210 15	00000
	A000 3001	MAST1230001	1 1 1	10.00 10.50	1	1	770	210 15	00000
	A000 3001	AHEN1000001	1 1	10.50 12.05		2	770	210 15	00000
	A000 3001	AHRE1000001	1 1	10.50 12.05	1	7	770	210 15	00000
	A000 3001	BOTH1210003	1 1	10.50 12.05	1	1	770	210 15	00000
	A000 3001	DVEN0090001	1 1	10.50 12.05	1	2	770	210 15	00000
	A000 3001	DVEN0092001	1 1	10.50 12.05	1	1	770	210 15	00000
	A000 3001	DVEN0091001	1	10.50 12.05	1	7	770	210 15	00000
	A000 3001	DVRE0090001	1	10.50 12.05	1	3	770	210 15	00000
8	A000 3001	DVRE0091001	1	10.50 12.05	1	8	770	210 15	00000
	A000 3001	BUSE1030001	1 1 1	11.00 11.50		20	770	210 15	00000
	A000 3001	BOTH2110001	11111	13.00 13.50		4	770	210 15	00000
	A000 3001	DVEN0092001	11111	13.00 13.50	1	1	770	210 15	00000
	A000 3001	MAST2110001	11111	13.00 13.50	1	2	770	210 15	00000
	A000 3001	AHEN1000001	111 1	13.00 13.50	1	2	770	210 15	00000
	A000 3001	AHRE1000001	111 1	13.00 13.50	1	7	770	210 15	00000
	A000 3001	DVEN0090001	111 1	13.00 13.50	1	2	770	210 15	00000
8	A000 3001	DVEN0091001	111 1	13.00 13.50	1	7	770	210 15	00000
8	A000 3001	DVRE0090001	111 1	13.00 13.50	1	3	770	210 15	00000
8	A000 3001	DVRE0091001	111 1	13.00 13.50	1	8	770	210 15	00000
8	A000 3001	DVRE0092001	111 1	13.00 13.50	1	2	770	210 15	00000
8	A000 3001	DVEN0091003	111	13.00 13.50	1	4	770	210 15	00000
8	A000 3001	DVRE0091003	111	13.00 13.50	1	1	770	210 15	00000
8	A000 3001	DVRE0092003	111	13.00 13.50	1	1	770	210 15	00000
8	A000 3001	DVEN0091003	1 1	13.40 14.55	1	4	770	210 15	00000
8	A000 3001	DVRE0091003	1 1	13.40 14.55	1	1	770	210 15	00000
8	A000 3001	BOTH1210003	11111	14.00 14.50	1	1	770	210 15	00000
8	A000 3001	DVEN0090002	11111	14.30 16.00	1	3	770	210 15	00000
8	A000 3001	DVEN0091002	11111	14.30 16.00	1	5	770	210 15	00000
8	A000 3001	DVRE0090002	11111	14.30 16.00	1	2	770	210 15	00000
8	A000 3001	DVRE0091002	11111	14.30 16.00	1	7	770	210 15	00000
8	A000 3001	DVRE0092002	11111	14.30 16.00	1	3	770	210 15	00000
	A000 5001	CDYC1241001	11111	8.00 10.00		1	330	210 10	00000
	A000 5001	CDYC1341001	11111	8.00 10.00	1	1	330	210 10	00000
	A000 5001	CDYC2211001	11111	8.00 12.00	1	3	330	210 10	00000
	A000 5001	CDYC1110001	1 1 1	8.30 9.20	1	10	330	210 10	00000
	A000 5001	CDYC1140001	1 1	8.30 9.45		14	330	210 10	00000
	A000 5001	CDYC1410001	1 1	8.30 9.45	1	1	330	210 10	00000
	A000 5001	CDYC1120001	1 1 1	9.00 9.50		13	330	210 10	00000
	A000 5001	CDYC1332001	1 1	9.25 10.40		3	330	210 10	00000
	A000 5001	CDYC1120002	1 1 1	9.30 10.30		2	330	210 10	00000
	A000 5001	CDYC1130001	1 1 1	10.00 10.50	1	3	330	210 10	00000
	A000 5001	CDYC1210001	1 1 1	12.00 12.50		9	330	210 10	00000
	A000 5001	CDYC1330001	1 1	12.15 13.30		4	330	210 10	00000
	A000 5001	CDYC1333001	1 1	12.15 13.30	1	3	330	210 10	00000
	A000 5001	CDYC1230001	1 1 1	13.00 13.50		13	330	210 10	00000
	A000 5001	CDYC1320001	1 1	13.40 14.55		4	330	210 10	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. - EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTF	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	5001	CDYC1220001	1 1 1	14.00 14.50		5	330	210 10 00000	
	A000	5001	ZPDV0909001	1 1	17.00 20.00		3	330	210 10 00000	
8	A000	5001	ZPDV0924001	1 1	17.00 20.00	1	14	330	210 10 00000	
8	B000	1002	CPTR1000001	1 1 1	8.00 9.00		36	1,056	210 20 00000	
	B000	1002	DVMA0090001	1111	9.00 10.00		5	1,056	210 20 00000	
	B000	1002	AHSC1000001	1111	10.00 11.00		18	1,056	210 20 00000	
	B000	1002	ORNT1000003	11111	11.00 12.00		4	1,056	210 20 00000	
	B000	1002	AHMA1000001	1111	11.00 12.00	1	5	1,056	210 20 00000	
8	B000	1002	ORNT1000001	1 1 1	11.00 12.00	1	22	1,056	210 20 00000	
8	B000	1002	ORNT1000002	1 1 1	11.00 12.00	1	10	1,056	210 20 00000	
	B000	1002	ORNT1000004	11111	12.00 13.00		11	1,056	210 20 00000	
	B000	1002	AHSC1000003	1111	12.00 13.00	1	6	1,056	210 20 00000	
	B000	1002	CPTR1000002	1 1	12.00 13.30	1	11	1,056	210 20 00000	
8	B000	1002	AHSC1000002	11111	13.00 14.00	1	3	1,056	210 20 00000	
8	B000	1002	DVMA0090002	11111	14.00 15.00		32	1,056	210 20 00000	
	B000	1002	DVMA0091001	1111	15.00 16.00		6	1,056	210 20 00000	
	B000	1002	CPTR1000003	1 1 1	15.00 16.00	1	2	1,056	210 20 00000	
	B000	1002	JOBS2450001	1 1 1	15.00 16.00	1	8	1,056	210 20 00000	
4	B000	1003	WELD1110003	11111	8.00 15.00		16	1,950	720 20 00000	
4	B000	1003	WELD1110006	11111	8.00 15.00	1	1	1,950	720 20 00000	
4	B000	1003	WELD1140003	11111	8.00 15.00	1	8	1,950	720 20 00000	
4	8	B000	1003	WELD1210003	11111	8.00 15.00	1	16	1,950	720 20 00000
4	8	B000	1003	WELD1210006	11111	8.00 15.00	1	1	1,950	720 20 00000
4	8	B000	1003	WELD1310003	11111	8.00 15.00	1	8	1,950	720 20 00000
4	8	B000	1003	WELD1410003	11111	8.00 15.00	1	16	1,950	720 20 00000
4	8	B000	1003	WELD1410006	11111	8.00 15.00	1	1	1,950	720 20 00000
4	8	B000	1003	WELD1411003	11111	8.00 15.00	1	8	1,950	720 20 00000
	B000	1004	KYBD1210001	11111	8.00 8.50		2	840	210 15 00000	
	B000	1004	KYBD1010002	1 1	8.00 9.15	1	9	840	210 15 00000	
	B000	1004	KYBD1210001	1 1	8.00 9.15	1	2	840	210 15 00000	
8	B000	1004	BOTH1300001	1 1 1	9.00 9.50		24	840	210 15 00000	
	B000	1004	KYBD1010001	1 1	9.25 10.40		20	840	210 15 00000	
8	B000	1004	KYBD1111001	11111	10.00 10.50	1	15	840	210 15 00000	
	B000	1004	KYBD1111001	1 1	10.50 12.05		15	840	210 15 00000	
	B000	1004	MACH1350001	1 1 1	11.00 11.50		4	840	210 15 00000	
8	B000	1004	CPTR1002001	1 1 1	13.00 13.50		25	840	210 15 00000	
	B000	1004	WKEY0060001	1 1 1	14.00 14.50		6	840	210 15 00000	
	B000	1004	WKEY0061001	1 1 1	14.00 14.50	1	1	840	210 15 00000	
	B000	1004	WKEY0070001	1 1 1	14.00 14.50	1	1	840	210 15 00000	
4	B000	1005	WELD1110001	11111	9.00 15.50		4	4,700	720 25 00000	
4	B000	1005	WELD1120001	11111	9.00 15.50	1	10	4,700	720 25 00000	
4	B000	1005	WELD1130001	11111	9.00 15.50	1	6	4,700	720 25 00000	
4	B000	1005	WELD1130002	11111	9.00 15.50	1	1	4,700	720 25 00000	
4	B000	1005	WELD1140001	11111	9.00 15.50	1	5	4,700	720 25 00000	
4	B000	1005	WELD1210001	11111	9.00 15.50	1	5	4,700	720 25 00000	
4	B000	1005	WELD1310001	11111	9.00 15.50	1	7	4,700	720 25 00000	
4	8	B000	1005	WELD1410001	11111	9.00 15.50	1	5	4,700	720 25 00000
4	8	B000	1005	WELD1411001	11111	9.00 15.50	1	10	4,700	720 25 00000
4	8	B000	1005	WELD1412001	11111	9.00 15.50	1	3	4,700	720 25 00000
4	8	B000	1005	WELD1420001	11111	9.00 15.50	1	4	4,700	720 25 00000
4	8	B000	1005	WELD1510001	11111	9.00 15.50	1	3	4,700	720 25 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	B000 1005	WELD1511001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD1512001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2110001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2111001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2111002	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2112001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2113001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2114001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2210001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2210002	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2220001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2221001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2222001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2310001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2311001	11111	9.00 15.50	1	4,700	720 25	00000	
4	8	B000 1005	WELD2330001	11111	9.00 15.50	1	4,700	720 25	00000	
		B000 1005	WELD2993003	111	18.00 21.00		16	4,700	720 25	00000
4		B000 1009	CARP1110004	11111	8.00 16.00		2	2,806	720 30	00000
4		B000 1009	CARP1120004	11111	8.00 16.00	1	2	2,806	720 30	00000
4		B000 1009	CARP1130004	11111	8.00 16.00	1	2	2,806	720 30	00000
4		B000 1009	CARP1140004	11111	8.00 16.00	1	1	2,806	720 30	00000
4		B000 1009	CARP1150004	11111	8.00 16.00	1	1	2,806	720 30	00000
4		B000 1015	CLRP1110003	11111	8.00 15.00		3	5,350	720 20	00000
4		B000 1015	CLRP1121003	11111	8.00 15.00	1	3	5,350	720 20	00000
4		B000 1015	CLRP1131003	11111	8.00 15.00	1	4	5,350	720 20	00000
4		B000 1015	CLRP1140001	11111	8.00 15.00	1	3	5,350	720 20	00000
4		B000 1015	CLRP1150001	11111	8.00 15.00	1	1	5,350	720 20	00000
4		B000 1015	CLRP1150002	11111	8.00 15.00	1	1	5,350	720 20	00000
4		B000 1015	CLRP1210001	11111	8.00 15.00	1	5	5,350	720 20	00000
4		B000 1015	CLRP1210002	11111	8.00 15.00	1	1	5,350	720 20	00000
4		B000 1015	CLRP1220001	11111	8.00 15.00	1	1	5,350	720 20	00000
4		B000 1015	CLRP1220002	11111	8.00 15.00	1	1	5,350	720 20	00000
4		B000 1015	CLRP1230001	11111	8.00 15.00	1	5	5,350	720 20	00000
4	8	B000 1015	CLRP1311001	11111	8.00 15.00	1	6	5,350	720 20	00000
4	8	B000 1015	CLRP1320001	11111	8.00 15.00	1	3	5,350	720 20	00000
4	8	B000 1015	CLRP2111001	11111	8.00 15.00	1	3	5,350	720 20	00000
4	8	B000 1015	CLRP2121001	11111	8.00 15.00	1	2	5,350	720 20	00000
4	8	B000 1015	CLRP2130001	11111	8.00 15.00	1	5	5,350	720 20	00000
4	8	B000 1015	CLRP2140001	11111	8.00 15.00	1	9	5,350	720 20	00000
	8	B000 1015	CLRP1110002	11111	12.00 15.00	1	4	5,350	720 20	00000
	8	B000 1015	CLRP1121002	11111	12.00 15.00	1	4	5,350	720 20	00000
	8	B000 1015	CLRP1131002	11111	12.00 15.00	1	4	5,350	720 20	00000
	8	B000 1015	CLRP2130002	11111	12.00 15.00	1	1	5,350	720 20	00000
4		B000 2011	CARP1110001	11111	8.00 16.00		7	2,604	720 20	00000
4		B000 2011	CARP1120001	11111	8.00 16.00	1	7	2,604	720 20	00000
4		B000 2011	CARP1130001	11111	8.00 16.00	1	7	2,604	720 20	00000
4		B000 2011	CARP1140001	11111	8.00 16.00	1	7	2,604	720 20	00000
4	8	B000 2011	CARP1150001	11111	8.00 16.00	1	7	2,604	720 20	00000
4	8	B000 2011	CARP2110001	11111	8.00 16.00	1	3	2,604	720 20	00000
4	8	B000 2011	CARP2120001	11111	8.00 16.00	1	3	2,604	720 20	00000
4	8	B000 2011	CARP2210001	11111	8.00 16.00	1	11	2,604	720 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -EVANGELINE
 BRANCH
 PARISH
 RELATION

EVANGELINE
 OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4 8	B000 2011	CARP2310001	11111	8.00 16.00	1	8	2,604	720 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	83
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	93
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	
TOTAL ERRORS (INCLUDING WARNINGS)	176
TOTAL NUMBER OF RECORDS READ	205
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	205
NUMBER OF JOINT-CLASS RECORDS	158
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-EVANGELINE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			144
WEEKLY STUDENT CONTACT HOURS	8112	102	8214
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2105	24	2129
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12960	7200	20160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40890	240	41130
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16224	204	16428
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	259.9	5.3	169.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	125.2	2.8	81.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.7	85.0	39.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			9
TOTAL NUMBER OF STATIONS (CAPACITY)			144
WEEKLY STUDENT CONTACT HOURS	8112	102	8214
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	810	450	1260
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2105	24	2129
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	12960	7200	20160
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	40890	240	41130
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	16224	204	16428
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	259.9	5.3	169.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	125.2	2.8	81.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	39.7	85.0	39.9

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY