

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/03/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
4	8	OROD ROD10	HNUR1212002	111	6.00 14.00		13	960	310	1	00000
4	8	OROD ROD10	HNUR1212004	111	6.00 14.00	1	12	960	310	1	00000
		OROD ROD20	HNUR1361002	11111	8.00 10.00		27	1,683	210	20	00000
	8	OROD ROD20	HNUR1460002	11111	8.00 10.00	1	30	1,683	210	20	00000
		OROD ROD20	HNUR1320002	11111	10.00 12.00		25	1,683	210	20	00000
		OROD ROD20	HNUR1270002	11111	12.30 14.30		25	1,683	210	20	00000
	8	OROD ROD20	HNUR1411002	11111	12.30 14.30	1	26	1,683	210	20	00000
	8	OROD ROD20	HNUR2611002	11111	12.30 14.30	1	28	1,683	210	20	00000
		OROD ROD30	CPTR1300002	1 1	8.00 9.50		1	1,776	210	18	00000
		OROD ROD30	BUSM1050002	1 1 1	9.00 9.50	1	1	1,776	210	18	00000
		OROD ROD30	OSYS1250002	1 1 1	9.00 9.50	1	10	1,776	210	18	00000
		OROD ROD30	OSYS2530C92	1 1 1	9.00 9.50	1	8	1,776	210	18	00000
		OROD ROD30	KYBD1010002	1 1	9.00 10.50		5	1,776	210	18	00000
		OROD ROD30	KYBD1111002	1 1	9.00 10.50	1	4	1,776	210	18	00000
		OROD ROD30	KYBD1210002	1 1	9.00 10.50	1	8	1,776	210	18	00000
		OROD ROD30	KYBD1310002	1 1	9.00 10.50	1	1	1,776	210	18	00000
		OROD ROD30	CPTR2640002	1 1 1	9.30 10.50		1	1,776	210	18	00000
		OROD ROD30	JOBS2450002	1 1 1	10.00 10.50	1	1	1,776	210	18	00000
		OROD ROD30	OSYS1100002	1 1 1	10.00 10.50	1	11	1,776	210	18	00000
		OROD ROD30	MACH1350002	1 1	10.45 12.00		1	1,776	210	18	00000
		OROD ROD30	ORNT1000002	11111	11.00 11.30	1	9	1,776	210	18	00000
		OROD ROD30	ISYS1550002	11111	12.00 12.50		1	1,776	210	18	00000
	8	OROD ROD30	CSRV1000C92	1 1 1	12.30 13.20	1	32	1,776	210	18	00000
		OROD ROD30	BUSE1030C92	1 1	12.30 13.45		11	1,776	210	18	00000
		OROD ROD30	KYBD1210004	11111	14.00 14.50		1	1,776	210	18	00000
		OROD ROD40	DVEN0090002	111	11.00 11.50		1	740	210	12	00000
		OROD ROD40	DVEN0091002	111	11.00 11.50	1	1	740	210	12	00000
		OROD ROD40	DVMA0090002	111	11.00 11.50	1	1	740	210	12	00000
		OROD ROD40	DVRE0091002	111	11.00 11.50	1	2	740	210	12	00000
		OROD ROD40	DVRE0092002	111	11.00 11.50	1	1	740	210	12	00000
		OROD ROD40	DVRE0091004	111	12.00 12.50		1	740	210	12	00000
		OROD ROD40	DVMA0090006	111	13.00 13.50		1	740	210	12	00000
		OROD ROD40	DVRE0091006	111	13.00 13.50	1	1	740	210	12	00000
		OROD ROD40	DVEN0091008	111	14.00 14.50		4	740	210	12	00000
		OROD ROD40	DVMA0090008	111	14.00 14.50	1	3	740	210	12	00000
		OROD ROD40	DVRE0091008	111	14.00 14.50	1	2	740	210	12	00000
		OROD ROD40	DVRE0092008	111	14.00 14.50	1	1	740	210	12	00000
4		OROD ROD60	CPTR1000002	11111	7.00 13.30		5	2,150	210	16	00000
4		OROD ROD60	WELD1110002	11111	7.00 13.30	1	13	2,150	210	16	00000
4		OROD ROD60	WELD1120002	11111	7.00 13.30	1	6	2,150	210	16	00000
4	8	OROD ROD60	WELD1130002	11111	7.00 13.30	1	9	2,150	210	16	00000
4	8	OROD ROD60	WELD1140002	11111	7.00 13.30	1	4	2,150	210	16	00000
4	8	OROD ROD60	WELD1210002	11111	7.00 13.30	1	15	2,150	210	16	00000
4	8	OROD ROD60	WELD1310002	11111	7.00 13.30	1	1	2,150	210	16	00000
4	8	OROD ROD60	WELD1410002	11111	7.00 13.30	1	3	2,150	210	16	00000
4	8	OROD ROD60	WELD1411002	11111	7.00 13.30	1	2	2,150	210	16	00000
4	8	OROD ROD60	WELD1412002	11111	7.00 13.30	1	2	2,150	210	16	00000
4	8	OROD ROD60	WELD1420002	11111	7.00 13.30	1	2	2,150	210	16	00000
4	8	OROD ROD60	WELD1510002	11111	7.00 13.30	1	3	2,150	210	16	00000
4	8	OROD ROD60	WELD1511002	11111	7.00 13.30	1	2	2,150	210	16	00000
4	8	OROD ROD60	WELD1512002	11111	7.00 13.30	1	2	2,150	210	16	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/03/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	OROD ROD60	WELD2110002	11111	7.00 13.30	1	3	2,150	210 16 00000
4	8	OROD ROD60	WELD2111002	11111	7.00 13.30	1	3	2,150	210 16 00000
4	8	OROD ROD60	WELD2210002	11111	7.00 13.30	1	2	2,150	210 16 00000
4	8	OROD ROD60	WELD2230002	11111	7.00 13.30	1	2	2,150	210 16 00000
4	8	OROD ROD60	WELD2310002	11111	7.00 13.30	1	5	2,150	210 16 00000
4	8	OROD ROD60	WELD2311002	11111	7.00 13.30	1	3	2,150	210 16 00000
4	8	OROD ROD60	WELD2330002	1 111	7.00 13.30	1	5	2,150	210 16 00000
		000A A0040	DVEN0090003	111	8.00 9.30		1	1,568	110 18 00000
		000A A0040	DVEN0091007	111	8.00 9.30	1	1	1,568	110 18 00000
		000A A0040	DVMA0090007	111	8.00 9.30	1	1	1,568	110 18 00000
		000A A0040	DVRE0090005	111	8.00 9.30	1	1	1,568	110 18 00000
		000A A0040	DVMA0090003	111	9.00 10.30	1	3	1,568	110 18 00000
		000A A0040	DVRE0091005	111	9.00 10.30	1	2	1,568	110 18 00000
		000A A0040	DVRE0090003	111	9.30 11.00	1	1	1,568	110 18 00000
		000A A0040	DVRE0090001	111	10.30 12.00	1	7	1,568	110 18 00000
		000A A0040	DVRE0091001	111	10.30 12.00	1	4	1,568	110 18 00000
		000A A0040	DVRE0092001	111	10.30 12.00	1	3	1,568	110 18 00000
		000A A0040	DVRE0091007	111	11.00 12.30	1	1	1,568	110 18 00000
		000A A0040	DVEN0091005	111	11.30 13.00	1	1	1,568	110 18 00000
	8	000A A0040	DVMA0090005	111	11.30 13.00	1	8	1,568	110 18 00000
	8	000A A0040	WKEY0070001	111	11.30 13.00	1	2	1,568	110 18 00000
	8	000A A0040	DVEN0090001	111	12.30 14.00	1	1	1,568	110 18 00000
	8	000A A0040	DVEN0091001	111	12.30 14.00	1	3	1,568	110 18 00000
	8	000A A0040	DVMA0090001	111	12.30 14.00	1	7	1,568	110 18 00000
		000A A0040	DVEN0091003	111	14.00 15.30		2	1,568	110 18 00000
4		000A A0050	WELD1110001	11111	8.00 14.30		3	1,568	210 18 00000
4		000A A0050	WELD1120001	11111	8.00 14.30	1	4	1,568	210 18 00000
4		000A A0050	WELD1130001	11111	8.00 14.30	1	5	1,568	210 18 00000
4		000A A0050	WELD1210001	11111	8.00 14.30	1	7	1,568	210 18 00000
4		000A A0050	WELD1310001	11111	8.00 14.30	1	3	1,568	210 18 00000
4		000A A0050	WELD1410001	11111	8.00 14.30	1	5	1,568	210 18 00000
4	8	000A A0050	WELD1411001	11111	8.00 14.30	1	6	1,568	210 18 00000
4	8	000A A0050	WELD1412001	11111	8.00 14.30	1	7	1,568	210 18 00000
4	8	000A A0050	WELD1420001	11111	8.00 14.30	1	11	1,568	210 18 00000
4	8	000A A0050	WELD1510001	11111	8.00 14.30	1	9	1,568	210 18 00000
4	8	000A A0050	WELD1511001	11111	8.00 14.30	1	7	1,568	210 18 00000
4	8	000A A0050	WELD1512001	11111	8.00 14.30	1	10	1,568	210 18 00000
4	8	000A A0050	WELD2110001	11111	8.00 14.30	1	4	1,568	210 18 00000
4	8	000A A0050	WELD2111001	11111	8.00 14.30	1	6	1,568	210 18 00000
4	8	000A A0050	WELD2210001	11111	8.00 14.30	1	3	1,568	210 18 00000
4	8	000A A0050	WELD2220001	11111	8.00 14.30	1	4	1,568	210 18 00000
4	8	000A A0050	WELD2221001	11111	8.00 14.30	1	4	1,568	210 18 00000
4	8	000A A0050	WELD2230001	11111	8.00 14.30	1	5	1,568	210 18 00000
4	8	000A A0050	WELD2310001	11111	8.00 14.30	1	5	1,568	210 18 00000
4	8	000A A0050	WELD2311001	11111	8.00 14.30	1	6	1,568	210 18 00000
		000A A0210	MACH1350001	11111	8.00 9.00		4	792	210 16 00000
		000A A0210	CPTR1320001	1111	8.00 9.00	1	7	792	210 16 00000
		000A A0210	CPTR2640001	1111	8.00 9.00	1	3	792	210 16 00000
		000A A0210	KYBD1010001	11111	9.00 9.50		5	792	210 16 00000
		000A A0210	KYBD1111001	1111	9.00 9.50	1	11	792	210 16 00000
		000A A0210	BOTH1210001	11111	10.30 11.30		15	792	210 16 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/03/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C.-HUEY P. LONG
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	A0210	KYBD1010003	111	11.30 12.30		10	792	210 16 00000	
	000A	A0220	ACCT11100C91	1111	8.00 9.00		25	1,188	210 18 00000	
	000A	A0220	ORNT1000003	1	8.00 9.30		24	1,188	210 18 00000	
	000A	A0220	BOTH2110C91	1 1	9.15 10.30		6	1,188	210 18 00000	
	000A	A0220	CPTR1002C91	1 1 1	10.00 10.50		25	1,188	210 18 00000	
	000A	A0220	ACCT1250C91	1 1	10.45 12.00		17	1,188	210 18 00000	
	000A	A0220	ACCT1400C91	1 1 1	11.00 12.15		18	1,188	210 18 00000	
	000A	A0220	CPTR1000001	1 1	12.30 13.45		5	1,188	210 18 00000	
8	000A	A0220	BOTH1120V91	11111	13.30 15.00	1	27	1,188	210 18 00000	
8	000A	A0220	BOTH1300V91	11111	13.30 15.00	1	26	1,188	210 18 00000	
8	000A	A0220	BUSM1050001	1 1	13.45 15.00	1	9	1,188	210 18 00000	
	000A	A0220	SPCH1015C93	1 1	14.30 15.45		8	1,188	210 18 00000	
	000B	B0010	HNUR1211003	11111	8.00 9.30		31	3,672	210 30 00000	
8	000B	B0010	HNUR1411001	1 1	8.00 9.30	1	34	3,672	210 30 00000	
	000B	B0010	HNUR1361001	11111	9.30 11.00		35	3,672	210 30 00000	
	000B	B0010	HNUR1460001	1 1	13.00 14.30		37	3,672	210 30 00000	
	000C	C0010	HCOR1212001	11111	6.00 11.00		21	1,116	210 15 00000	
8	000C	C0010	HNUR1211001	11111	8.00 11.00	1	21	1,116	210 15 00000	
	000C	C0010	HPHL1011001	11111	11.30 14.30		12	1,116	210 15 00000	
8	000C	C0010	HPHL1022001	11111	11.30 14.30	1	12	1,116	210 15 00000	
	000D	D0010	BLDG11110002	11111	8.00 11.00		3	6,096	210 15 00000	
	000D	D0010	BLDG1130002	11111	8.00 11.00	1	3	6,096	210 15 00000	
	000D	D0010	BLDG1140002	11111	8.00 11.00	1	3	6,096	210 15 00000	
	000D	D0010	BLDG1150002	11111	8.00 11.00	1	1	6,096	210 15 00000	
	000D	D0010	BLDG1330002	11111	8.00 11.00	1	1	6,096	210 15 00000	
4	000D	D0010	BLDG1110001	11111	8.00 14.30	1	4	6,096	210 15 00000	
4	000D	D0010	BLDG1120001	11111	8.00 14.30	1	1	6,096	210 15 00000	
4	000D	D0010	BLDG1130001	11111	8.00 14.30	1	5	6,096	210 15 00000	
4	8	000D	D0010	BLDG1140001	11111	8.00 14.30	1	5	6,096	210 15 00000
4	8	000D	D0010	BLDG1150001	11111	8.00 14.30	1	6	6,096	210 15 00000
4	8	000D	D0010	BLDG1220001	11111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	BLDG1221001	11111	8.00 14.30	1	3	6,096	210 15 00000
4	8	000D	D0010	BLDG1310001	11111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	BLDG1320001	11111	8.00 14.30	1	2	6,096	210 15 00000
4	8	000D	D0010	BLDG1330001	11111	8.00 14.30	1	3	6,096	210 15 00000
4	8	000D	D0010	BLDG1410001	11111	8.00 14.30	1	4	6,096	210 15 00000
4	8	000D	D0010	BLDG1420001	11111	8.00 14.30	1	1	6,096	210 15 00000
4	8	000D	D0010	JOBS2450001	11111	8.00 14.30	1	1	6,096	210 15 00000
4	8	000D	D0010	WELD1140001	11111	8.00 14.30	1	9	6,096	210 15 00000
4	8	000D	D0010	ZMVI1000001	1	8.00 17.00	1	7	6,096	210 15 00000
4	8	000D	D0010	ZMVI2000001	1	8.00 17.00	1	7	6,096	210 15 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 59

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 62
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 121

TOTAL NUMBER OF RECORDS READ 143
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 143
NUMBER OF JOINT-CLASS RECORDS 106
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-HUEY P. LONG

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			28
WEEKLY STUDENT CONTACT HOURS	220		220
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27		27
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2520	1400	3920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	486		486
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	441		441
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	15.0	.0	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.5	.0	11.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	90.7	.0	90.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			28
WEEKLY STUDENT CONTACT HOURS	220		220
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27		27
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2520	1400	3920
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	486		486
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	441		441
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	15.0	.0	9.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.5	.0	11.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	90.7	.0	90.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	10645		10645
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	694		694
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11980		11980
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	21290		21290
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.1	.0	35.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	99.8	.0	64.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	177.7	.0	177.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			237
WEEKLY STUDENT CONTACT HOURS	10645		10645
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	694		694
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21330	11850	33180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	11980		11980
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	21290		21290
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.1	.0	35.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	99.8	.0	64.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	177.7	.0	177.7

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY