

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 1

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	A000	0101	HPHM1503001	1111	7.00 8.00		14	760	210 20	00000	
	A000	0101	HPHM1200001	1111	7.00 9.00	1	13	760	210 20	00000	
8	A000	0101	HPHM1503001	1111	7.00 11.00	1	14	760	210 20	00000	
8	A000	0101	HNUR2713001	11111	7.00 12.00	1	12	760	210 20	00000	
8	A000	0101	HNUR2713002	11111	7.00 12.00	1	9	760	210 20	00000	
8	A000	0101	HNUR2713003	11111	7.00 12.00	1	10	760	210 20	00000	
8	A000	0101	HNUR2723001	11111	7.00 12.00	1	10	760	210 20	00000	
8	A000	0101	HNUR2723002	11111	7.00 12.00	1	10	760	210 20	00000	
8	A000	0101	HNUR2723003	11111	7.00 12.00	1	10	760	210 20	00000	
8	A000	0101	HNUR2723006	11111	7.00 12.00	1	1	760	210 20	00000	
4	8	A000	0101	HPHM1503001	1111	7.00 15.00	1	14	760	210 20	00000
4	8	A000	0101	HPHM1513001	1	7.00 15.00	1	14	760	210 20	00000
	8	A000	0101	HPHM2000001	1111	8.00 12.00	1	9	760	210 20	00000
4	8	A000	0101	HPHM2012001	11111	8.00 15.30	1	9	760	210 20	00000
4	8	A000	0101	HPHM2022001	11111	8.00 15.30	1	9	760	210 20	00000
4	8	A000	0101	HPHM1513001	1	9.00 15.00	1	14	760	210 20	00000
	8	A000	0101	HPHM1300001	1111	9.15 11.15	1	13	760	210 20	00000
	A000	0101	HPHM1400001	1111	12.00 15.00		14	760	210 20	00000	
	A000	0101	HPHM1513001	1	12.00 15.00	1	14	760	210 20	00000	
	A000	0102	CDYC1341001	1 1 1	8.00 10.50		2	1,024	210 20	00000	
	A000	0102	CDYC1341003	1 1	8.00 12.05		2	1,024	210 20	00000	
	A000	0102	CDYC1341002	1 1 1	9.00 11.50		1	1,024	210 20	00000	
	A000	0102	CDYC1151001	1 1 1	11.00 13.50	1	1	1,024	210 20	00000	
	A000	0102	CDYC1151003	1 1	11.25 15.30		2	1,024	210 20	00000	
	A000	0102	CDYC1151002	1 1 1	12.40 15.30		1	1,024	210 20	00000	
	A000	0103	HNUR2123001	11111	7.00 12.00		10	544	210 11	00000	
8	A000	0103	HNUR2123002	11111	7.00 12.00	1	10	544	210 11	00000	
8	A000	0103	HNUR2123003	11111	7.00 12.00	1	11	544	210 11	00000	
8	A000	0103	HNUR2123004	11111	7.00 12.00	1	9	544	210 11	00000	
8	A000	0103	HNUR2123005	11111	7.00 12.00	1	1	544	210 11	00000	
8	A000	0103	HNUR2123001	11111	8.00 13.00	1	10	544	210 11	00000	
8	A000	0103	HNUR2123002	11111	8.00 13.00	1	10	544	210 11	00000	
8	A000	0103	HNUR2123003	11111	8.00 13.00	1	11	544	210 11	00000	
8	A000	0103	HNUR2123004	11111	8.00 13.00	1	9	544	210 11	00000	
8	A000	0103	HNUR2123005	11111	8.00 13.00	1	1	544	210 11	00000	
8	A000	0103	HNUR1460001	11111	13.00 15.00		41	544	210 11	00000	
8	A000	0103	HNUR2123001	11111	13.00 15.00	1	10	544	210 11	00000	
8	A000	0103	HNUR2123002	11111	13.00 15.00	1	10	544	210 11	00000	
8	A000	0103	HNUR2123003	11111	13.00 15.00	1	11	544	210 11	00000	
8	A000	0103	HNUR2123004	11111	13.00 15.00	1	9	544	210 11	00000	
8	A000	0103	HNUR2123005	11111	13.00 15.00	1	1	544	210 11	00000	
8	A000	0103	HNUR2611001	11111	13.00 15.00	1	39	544	210 11	00000	
	A000	0105	HNUR1300001	11111	8.00 9.50		86	1,680	110 90	00000	
	A000	0105	HNUR1300002	11111	8.00 9.50	1	2	1,680	110 90	00000	
8	A000	0105	HNUR1411001	11111	8.00 9.50	1	51	1,680	110 90	00000	
4	8	A000	0105	JOBS2450001	11111	8.00 13.50	1	101	1,680	110 90	00000
	8	A000	0105	HNUR1361001	1 111	10.00 12.00	1	67	1,680	110 90	00000
	A000	0105	HNUR1361001	1	10.00 12.00		67	1,680	110 90	00000	
	A000	0105	HNUR1270001	11111	10.10 12.00	1	43	1,680	110 90	00000	
8	A000	0105	HNUR1320001	1 111	10.10 12.00	1	76	1,680	110 90	00000	
	A000	0105	HNUR1211001	11111	13.00 15.00		64	1,680	110 90	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 2

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0105	HNUR1411001	11111	13.00 15.00	1	51	110 90	00000
	A000	0106	CDYC1120001	1 1	8.00 9.15		18	210 20	00000
	A000	0106	CDYC1332001	1 1	9.25 10.40		18	210 20	00000
	A000	0106	CDYC1310001	1 1	10.00 10.50		22	210 20	00000
	A000	0106	CDYC1220001	1 1 1	11.00 11.50		24	210 20	00000
	A000	0106	CDYC1330001	1 1 1	14.00 14.50		21	210 20	00000
	A000	0106	CDYC2991001	1 1	15.00 16.00		3	210 20	00000
	A000	0107	BOTH2110001	1 1 1	8.00 8.50		15	210 20	00000
	A000	0107	KYBD1010001	1 1 1	8.00 8.50	1	8	210 20	00000
	A000	0107	CPTR1002004	1 1	8.00 9.15		18	210 20	00000
	A000	0107	CPTR1002002	1 1 1	9.00 9.50		27	210 20	00000
	A000	0107	CPTR1002006	1 1	9.25 10.40		23	210 20	00000
	A000	0107	KYBD1111001	1 1	10.50 12.30		25	210 20	00000
	A000	0107	MACH1350001	1 1 1	11.00 11.50		20	210 20	00000
	A000	0107	KYBD1010003	1 1 1	13.00 13.50		21	210 20	00000
	A000	0107	BOTL1300001	1 1	13.40 14.55		24	210 20	00000
	A000	0107	CPTR1002003	1 1 1	14.00 14.50		21	210 20	00000
	A000	0107	CPTR1002012	1 1 1	14.00 14.50	1	1	210 20	00000
	A000	0107	KYBD1010006	111	16.00 17.00		10	210 20	00000
	A000	0107	CPTR1002007	1 1	17.00 18.15		21	210 20	00000
8	A000	0108	HNUR2133001	11111	7.00 12.00		10	310 1	00000
8	A000	0108	HNUR2133002	11111	7.00 12.00	1	9	310 1	00000
8	A000	0108	HNUR2133003	11111	7.00 12.00	1	8	310 1	00000
8	A000	0108	HNUR2523001	11111	7.00 12.00	1	10	310 1	00000
8	A000	0108	HNUR2523002	11111	7.00 12.00	1	10	310 1	00000
8	A000	0108	HNUR2523003	11111	7.00 12.00	1	10	310 1	00000
8	A000	0108	HNUR2813001	11111	7.00 12.00	1	8	310 1	00000
8	A000	0108	HNUR2813002	11111	7.00 12.00	1	10	310 1	00000
8	A000	0108	HNUR2813003	11111	7.00 12.00	1	10	310 1	00000
8	A000	0108	HNUR2133001	11111	13.00 15.00		10	310 1	00000
8	A000	0108	HNUR2133002	11111	13.00 15.00	1	9	310 1	00000
8	A000	0108	HNUR2133003	11111	13.00 15.00	1	8	310 1	00000
8	A000	0108	HNUR2523001	11111	13.00 15.00	1	10	310 1	00000
8	A000	0108	HNUR2523002	11111	13.00 15.00	1	10	310 1	00000
8	A000	0108	HNUR2523003	11111	13.00 15.00	1	10	310 1	00000
8	A000	0108	HNUR2813001	11111	13.00 15.00	1	8	310 1	00000
8	A000	0108	HNUR2813002	11111	13.00 15.00	1	10	310 1	00000
8	A000	0108	HNUR2813003	11111	13.00 15.00	1	10	310 1	00000
4	A000	0108A	SURG2312001	1111	6.30 15.00		3	210 15	00000
4	A000	0108A	SURG2312002	1111	6.30 15.00	1	3	210 15	00000
4	A000	0108A	SURG2312003	1111	6.30 15.00	1	3	210 15	00000
	A000	0108A	HNUR2133006	11111	7.00 12.00	1	1	210 15	00000
	A000	0108A	SURG2300001	1	8.00 10.00	1	3	210 15	00000
	A000	0108A	SURG2300002	1	8.00 10.00	1	3	210 15	00000
	A000	0108A	SURG2300003	1	8.00 10.00	1	3	210 15	00000
	A000	0108A	SURG2996001	1	10.30 14.30		5	210 15	00000
4	A000	0110	SURG1302001	11111	6.00 14.00		5	210 20	00000
4	A000	0110	SURG1302002	11111	6.00 14.00	1	4	210 20	00000
4	A000	0110	SURG1302003	11111	6.00 14.00	1	4	210 20	00000
4	A000	0110	SURG1201001	11111	8.00 14.00	1	5	210 20	00000
4	A000	0110	SURG1311001	1 1 1	8.00 14.00	1	5	210 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 3

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000	0110	SURG1311002	1 1 1	8.00 14.00	1	4	210 20	00000
4	8	A000	0110	SURG1311003	1 1 1	8.00 14.00	4	210 20	00000
4		A000	0110	SURG1201001	1 1	8.00 14.00	5	210 20	00000
4		A000	0110	SURG1201002	1 1	8.00 14.00	4	210 20	00000
4		A000	0110	SURG1201003	1 1	8.00 14.00	4	210 20	00000
		A000	0110	SURG2993001	1111	14.50 15.50	4	210 20	00000
		A000	0112	CULN1120001	1 1 1	8.00 10.50	34	630 120	00000
		A000	0112	CULN1120002	1 1 1	8.00 10.50	1	630 120	00000
		A000	0112	CULN1130001	1 1 1	8.00 10.50	36	630 120	00000
		A000	0112	CULN1140001	1 1 1	8.00 10.50	36	630 120	00000
		A000	0112	CULN1160001	1 1 1	8.00 10.50	40	630 120	00000
		A000	0112	CULN1210001	1 1 1	8.00 10.50	14	630 120	00000
		A000	0112	CULN1220001	1 1 1	8.00 10.50	15	630 120	00000
		A000	0112	CULN1230001	1 1 1	8.00 10.50	1	630 120	00000
	8	A000	0112	CULN1230002	1 1 1	8.00 10.50	22	630 120	00000
	8	A000	0112	CULN1310002	1 1 1	8.00 10.50	21	630 120	00000
	8	A000	0112	CULN1321001	1 1 1	8.00 10.50	8	630 120	00000
	8	A000	0112	CULN2440001	1 1 1	8.00 10.50	21	630 120	00000
	8	A000	0112	CULN2430001	1 1 1	8.00 11.50	1	630 120	00000
		A000	0112	CULN1120001	1 1 1	12.00 13.50	34	630 120	00000
		A000	0112	CULN1120002	1 1 1	12.00 13.50	1	630 120	00000
		A000	0112	CULN1130001	1 1 1	12.00 13.50	36	630 120	00000
		A000	0112	CULN1140001	1 1 1	12.00 13.50	36	630 120	00000
		A000	0112	CULN1160001	1 1 1	12.00 13.50	40	630 120	00000
		A000	0112	CULN1210001	1 1 1	12.00 13.50	14	630 120	00000
		A000	0112	CULN1220001	1 1 1	12.00 13.50	15	630 120	00000
		A000	0112	CULN1230001	1 1 1	12.00 13.50	1	630 120	00000
	8	A000	0112	CULN1230002	1 1 1	12.00 13.50	22	630 120	00000
	8	A000	0112	CULN1310002	1 1 1	12.00 13.50	21	630 120	00000
	8	A000	0112	CULN1321001	1 1 1	12.00 13.50	8	630 120	00000
	8	A000	0112	CULN2430001	1 1 1	12.00 13.50	1	630 120	00000
	8	A000	0112	CULN2440001	1 1 1	12.00 13.50	21	630 120	00000
		A000	0112	CULN1210001	1 1 1	12.15 14.55	14	630 120	00000
		A000	0112	CULN1120001	1 1	12.15 14.55	34	630 120	00000
		A000	0112	CULN1120002	1 1	12.15 14.55	1	630 120	00000
		A000	0112	CULN1130001	1 1	12.15 14.55	36	630 120	00000
		A000	0112	CULN1140001	1 1	12.15 14.55	36	630 120	00000
		A000	0112	CULN1160001	1 1	12.15 14.55	40	630 120	00000
		A000	0112	CULN1220001	1 1	12.15 14.55	15	630 120	00000
		A000	0112	CULN1230001	1 1	12.15 14.55	1	630 120	00000
	8	A000	0112	CULN1230002	1 1	12.15 14.55	22	630 120	00000
	8	A000	0112	CULN1310002	1 1	12.15 14.55	21	630 120	00000
	8	A000	0112	CULN1321001	1 1	12.15 14.55	8	630 120	00000
	8	A000	0112	CULN2430001	1 1	12.15 14.55	1	630 120	00000
	8	A000	0112	CULN2440001	1 1	12.15 14.55	21	630 120	00000
		A000	0114	ACCT1250001	1 1 1	8.00 8.50	23	210 30	00000
		A000	0114	ACCT1200001	1	8.00 8.50	11	210 30	00000
		A000	0114	ACCT1200001	1 1	8.00 9.15	11	210 30	00000
		A000	0114	ACCT1300001	1	9.00 9.50	29	210 30	00000
		A000	0114	ACCT1300001	1 1	9.25 10.45	29	210 30	00000
		A000	0114	BUSE1030001	1 1 1	10.00 10.50	23	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 4

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0114	ACCT1100002	1 1	10.50 12.05		25	945	210 30 00000
	A000	0114	ACCT1100002	1	11.00 11.50		25	945	210 30 00000
	A000	0114	BUSE1030002	1 1	11.00 12.15		22	945	210 30 00000
	A000	0114	CSRV1000002	1 1	12.15 13.30		35	945	210 30 00000
	A000	0201	CPTR1002005	1 1	8.00 9.15		22	576	210 20 00000
	A000	0201	KYBD1210001	1	9.00 9.50		17	576	210 20 00000
	A000	0201	KYBD1010004	1 1	9.25 10.40		23	576	210 20 00000
8	A000	0201	KYBD1210001	1 1	9.25 10.40	1	17	576	210 20 00000
	A000	0201	OSYS1100001	1 1 1	10.00 10.50		28	576	210 20 00000
	A000	0201	BOTL1210001	1 1	10.50 12.05		3	576	210 20 00000
	A000	0201	OSYS2530001	1 1	10.50 12.05	1	13	576	210 20 00000
	A000	0201	BUSE1045001	1 1	13.10 14.25		25	576	210 20 00000
	A000	0203	CPTR1002001	1 1 1	8.00 8.50		22	589	210 20 00000
	A000	0203	KYBD1010002	1 1 1	9.00 9.50		21	589	210 20 00000
	A000	0203	OSYS1250001	1 1	9.25 10.40		22	589	210 20 00000
	A000	0203	BOTH1300001	1 1 1	10.00 10.50		27	589	210 20 00000
8	A000	0203	CPTR1320001	1 1 1	11.00 12.20		25	589	210 20 00000
	A000	0203	BOTH1300002	1 1 1	12.00 12.50	1	35	589	210 20 00000
	A000	0203	CPTR1002TH7	1 1	12.00 13.30		1	589	210 20 00000
	A000	0203	BOTH1120001	1 1 1	13.00 13.50		20	589	210 20 00000
	A000	0203	BOTH1210001	1 1	13.40 14.55		15	589	210 20 00000
	A000	0203	OSYS1100002	1 1 1	14.00 14.50		20	589	210 20 00000
	A000	0300	CPTR1002TH2	1 1	12.00 13.30		12	459	110 30 00000
	A000	0300	KYBD1010TH2	1 1	12.00 13.30	1	12	459	110 30 00000
	A000	0300	KYBD1010TH3	1 1 1	15.30 17.00		12	459	110 30 00000
	A000	0300	KYBD1010TH4	1 1 1	15.30 17.00	1	1	459	110 30 00000
	A000	0300	CPTR1002TH3	1 1	15.30 17.00		12	459	110 30 00000
	A000	0300	CPTR1002TH4	1 1	15.30 17.00	1	1	459	110 30 00000
	A000	0301	AHMA1000001	1 1	8.00 8.50		3	1,000	110 20 00000
	A000	0301	AHSC1000001	1 1	8.00 8.50	1	15	1,000	110 20 00000
8	A000	0301	DVMA0090001	1 1	8.00 8.50	1	22	1,000	110 20 00000
8	A000	0301	DVMA0091001	1 1	8.00 8.50	1	1	1,000	110 20 00000
	A000	0301	AHMA1000001	1 1	8.00 9.15		3	1,000	110 20 00000
	A000	0301	AHSC1000001	1 1	8.00 9.15	1	15	1,000	110 20 00000
8	A000	0301	DVMA0090001	1 1	8.00 9.15	1	22	1,000	110 20 00000
8	A000	0301	DVMA0091001	1 1	8.00 9.15	1	1	1,000	110 20 00000
8	A000	0301	WKEY0071007	1	8.00 10.40	1	1	1,000	110 20 00000
	A000	0301	WKEY0070005	1 1	8.00 10.50		4	1,000	110 20 00000
	A000	0301	AHMA1000002	1 1	9.00 9.50		4	1,000	110 20 00000
	A000	0301	AHSC1000002	1 1	9.00 9.50	1	12	1,000	110 20 00000
8	A000	0301	DVMA0090002	1 1	9.00 9.50	1	18	1,000	110 20 00000
8	A000	0301	DVMA0091002	1 1	9.00 9.50	1	5	1,000	110 20 00000
	A000	0301	AHMA1000002	1 1	9.25 10.40		4	1,000	110 20 00000
	A000	0301	AHSC1000002	1 1	9.25 10.40	1	12	1,000	110 20 00000
8	A000	0301	DVMA0090002	1 1	9.25 10.40	1	18	1,000	110 20 00000
8	A000	0301	DVMA0091002	1 1	9.25 10.40	1	5	1,000	110 20 00000
8	A000	0301	WKEY0080002	1 1	9.25 10.40	1	1	1,000	110 20 00000
	A000	0301	AHMA1000003	1 1	10.00 10.50		3	1,000	110 20 00000
	A000	0301	AHSC1000003	1 1	10.00 10.50	1	8	1,000	110 20 00000
8	A000	0301	DVMA0090003	1 1	10.00 10.50	1	20	1,000	110 20 00000
8	A000	0301	DVMA0091003	1 1	10.00 10.50	1	6	1,000	110 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 5

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0301	AHMA1000003	1 1	10.50 12.05		3	1,000	110 20 00000	
	A000	0301	AHSC1000003	1 1	10.50 12.05	1	8	1,000	110 20 00000	
8	A000	0301	DVMA0090003	1 1	10.50 12.05	1	20	1,000	110 20 00000	
8	A000	0301	DVMA0091003	1 1	10.50 12.05	1	6	1,000	110 20 00000	
8	A000	0301	WKEY0070008	1	10.50 13.30	1	2	1,000	110 20 00000	
	A000	0301	WKEY0070006	1	10.50 13.50		2	1,000	110 20 00000	
	A000	0301	AHMA1000004	1 1	12.15 13.30		3	1,000	110 20 00000	
	A000	0301	AHSC1000004	1 1	12.15 13.30	1	6	1,000	110 20 00000	
8	A000	0301	DVMA0090004	1 1	12.15 13.30	1	25	1,000	110 20 00000	
8	A000	0301	DVMA0091004	1 1	12.15 13.30	1	6	1,000	110 20 00000	
	A000	0301	AHMA1000004	1 1	13.00 13.50		3	1,000	110 20 00000	
	A000	0301	AHSC1000004	1 1	13.00 13.50	1	6	1,000	110 20 00000	
8	A000	0301	DVMA0090004	1 1	13.00 13.50	1	25	1,000	110 20 00000	
8	A000	0301	DVMA0091004	1 1	13.00 13.50	1	6	1,000	110 20 00000	
	A000	0301	AHSC1000005	1 1	13.40 14.55		2	1,000	110 20 00000	
	A000	0301	DVMA0090005	1 1	13.40 14.55	1	15	1,000	110 20 00000	
	A000	0301	DVMA0091005	1 1	13.40 14.55	1	2	1,000	110 20 00000	
	A000	0301	AHSC1000005	1 1	14.00 14.50		2	1,000	110 20 00000	
	A000	0301	DVMA0090005	1 1	14.00 14.50	1	15	1,000	110 20 00000	
	A000	0301	DVMA0091005	1 1	14.00 14.50	1	2	1,000	110 20 00000	
8	A000	0402	CSRV1000001	1 1	9.25 10.40		29	704	210 15 00000	
	A000	0402	SPPR2991001	1 1	13.00 13.50		8	704	210 15 00000	
	A000	0404	ACCT1100001	1	8.00 8.50		19	680	210 21 00000	
	A000	0404	ACCT1100001	1 1	8.00 9.15		19	680	210 21 00000	
	A000	0404	BOTH1210002	1 1 1	9.00 9.50		17	680	210 21 00000	
	A000	0404	ISYS1440001	1	10.00 10.50		14	680	210 21 00000	
	A000	0404	ISYS1440001	1 1	10.50 12.05		14	680	210 21 00000	
	A000	0404	BOTH1240001	1 1	12.15 13.30		15	680	210 21 00000	
	A000	0404	BUSM1050001	1 1 1	13.00 13.50		20	680	210 21 00000	
	A000	0404	BOTH1230001	1 1 1	14.00 14.50		16	680	210 21 00000	
	A000	0404	CSRV1000007	11111	16.00 17.50		1	680	210 21 00000	
	A000	0408	CDYC1110001	1	18.00 20.50		35	1,540	210 30 00000	
8	A000	0408	CDYC1210001	1	18.00 20.50		49	1,540	210 30 00000	
4	A000	0409	BARB1110002	11111	8.00 14.50		6	1,485	210 12 00000	
4	A000	0409	BARB1120001	11111	8.00 14.50	1	6	1,485	210 12 00000	
4	A000	0409	BARB1131001	11111	8.00 14.50	1	6	1,485	210 12 00000	
4	8	A000	0409	BARB1140001	11111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000	0409	BARB1150001	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1160001	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1160002	11111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000	0409	BARB1211001	11111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000	0409	BARB1220001	11111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000	0409	BARB1231001	11111	8.00 14.50	1	4	1,485	210 12 00000
4	8	A000	0409	BARB1310001	11111	8.00 14.50	1	10	1,485	210 12 00000
4	8	A000	0409	BARB1321001	11111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000	0409	BARB1330001	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1330002	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1341001	11111	8.00 14.50	1	2	1,485	210 12 00000
4	8	A000	0409	BARB1341002	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1350001	11111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000	0409	BARB1410001	11111	8.00 14.50	1	1	1,485	210 12 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 6

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0409	BARB1410002	111111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000 0409	BARB1420001	111111	8.00 14.50	1	4	1,485	210 12 00000
4	8	A000 0409	BARB1441001	111111	8.00 14.50	1	6	1,485	210 12 00000
4	8	A000 0409	BARB2111001	111111	8.00 14.50	1	5	1,485	210 12 00000
4	8	A000 0409	BARB2111002	111111	8.00 14.50	1	3	1,485	210 12 00000
4	8	A000 0409	BARB2111003	111111	8.00 14.50	1	2	1,485	210 12 00000
4	8	A000 0409	BARB2131001	111111	8.00 14.50	1	5	1,485	210 12 00000
4	8	A000 0409	BARB2630001	111111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000 0409	BARB2991001	111111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000 0409	BARB2993001	111111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000 0409	BARB2995001	111111	8.00 14.50	1	1	1,485	210 12 00000
4	8	A000 0409	BARB2996001	111111	8.00 14.50	1	3	1,485	210 12 00000
		A000 0411	JOBS2450002	1 1	8.00 9.00		1	1,705	110 40 00000
	8	A000 0411	ORNT1000001	111	8.00 12.50	1	71	1,705	110 40 00000
	8	A000 0411	CLTS2450001	1 1	9.00 10.30	1	23	1,705	110 40 00000
	8	A000 0411	ORNT1000002	1 11	12.00 16.50		66	1,705	110 40 00000
		A000 0411	ORNT1000003	1 1	17.30 20.00		32	1,705	110 40 00000
		A000 0413	AHEN1000001	1 1	8.00 8.50		1	1,430	210 30 00000
		A000 0413	AHRE1000001	1 1	8.00 8.50	1	2	1,430	210 30 00000
		A000 0413	DVEN0090001	1 1	8.00 8.50	1	4	1,430	210 30 00000
		A000 0413	DVEN0091001	1 1	8.00 8.50	1	11	1,430	210 30 00000
		A000 0413	DVEN0092001	1 1	8.00 8.50	1	4	1,430	210 30 00000
		A000 0413	DVMA0092001	1 1	8.00 8.50	1	8	1,430	210 30 00000
		A000 0413	DVRE0091001	1 1	8.00 8.50	1	10	1,430	210 30 00000
	8	A000 0413	DVRE0092001	1 1	8.00 8.50	1	11	1,430	210 30 00000
		A000 0413	AHEN1000001	1 1	8.00 9.15		1	1,430	210 30 00000
		A000 0413	AHRE1000001	1 1	8.00 9.15	1	2	1,430	210 30 00000
		A000 0413	DVEN0090001	1 1	8.00 9.15	1	4	1,430	210 30 00000
		A000 0413	DVEN0091001	1 1	8.00 9.15	1	11	1,430	210 30 00000
		A000 0413	DVEN0092001	1 1	8.00 9.15	1	4	1,430	210 30 00000
		A000 0413	DVMA0092001	1 1	8.00 9.15	1	8	1,430	210 30 00000
		A000 0413	DVRE0091001	1 1	8.00 9.15	1	10	1,430	210 30 00000
	8	A000 0413	DVRE0092001	1 1	8.00 9.15	1	11	1,430	210 30 00000
		A000 0413	AHEN1000002	1 1	9.00 9.50		2	1,430	210 30 00000
		A000 0413	AHRE1000002	1 1	9.00 9.50	1	4	1,430	210 30 00000
		A000 0413	DVEN0090002	1 1	9.00 9.50	1	1	1,430	210 30 00000
		A000 0413	DVEN0091002	1 1	9.00 9.50	1	5	1,430	210 30 00000
		A000 0413	DVEN0092002	1 1	9.00 9.50	1	2	1,430	210 30 00000
		A000 0413	DVMA0092002	1 1	9.00 9.50	1	6	1,430	210 30 00000
		A000 0413	DVRE0090002	1 1	9.00 9.50	1	1	1,430	210 30 00000
		A000 0413	DVRE0091002	1 1	9.00 9.50	1	12	1,430	210 30 00000
		A000 0413	DVRE0092002	1 1	9.00 9.50	1	3	1,430	210 30 00000
		A000 0413	AHEN1000002	1 1	9.25 10.40		2	1,430	210 30 00000
		A000 0413	AHRE1000002	1 1	9.25 10.40	1	4	1,430	210 30 00000
		A000 0413	DVEN0090002	1 1	9.25 10.40	1	1	1,430	210 30 00000
		A000 0413	DVEN0091002	1 1	9.25 10.40	1	5	1,430	210 30 00000
		A000 0413	DVEN0092002	1 1	9.25 10.40	1	2	1,430	210 30 00000
		A000 0413	DVMA0092002	1 1	9.25 10.40	1	6	1,430	210 30 00000
		A000 0413	DVRE0090002	1 1	9.25 10.40	1	1	1,430	210 30 00000
		A000 0413	DVRE0091002	1 1	9.25 10.40	1	12	1,430	210 30 00000
		A000 0413	DVRE0092002	1 1	9.25 10.40	1	3	1,430	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010

RUN DATE 11/16/2010

PAGE NUM 7

PROGRAM I-D:Z235B266.

L.T.C.-LAFAYETTE

BRANCH

PARISH

RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0413	AHEN1000003	1 1	10.00 10.50		1	1,430	210 30	00000
	A000	0413	AHRE1000003	1 1	10.00 10.50	1	6	1,430	210 30	00000
	A000	0413	DVEN0090003	1 1	10.00 10.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0091003	1 1	10.00 10.50	1	9	1,430	210 30	00000
	A000	0413	DVEN0092003	1 1	10.00 10.50	1	2	1,430	210 30	00000
	A000	0413	DVMA0092003	1 1	10.00 10.50	1	9	1,430	210 30	00000
	A000	0413	DVRE0090003	1 1	10.00 10.50	1	1	1,430	210 30	00000
	A000	0413	DVRE0091003	1 1	10.00 10.50	1	2	1,430	210 30	00000
	A000	0413	DVRE0092003	1 1	10.00 10.50	1	7	1,430	210 30	00000
	A000	0413	AHEN1000003	1 1	10.50 12.05		1	1,430	210 30	00000
	A000	0413	AHRE1000003	1 1	10.50 12.05	1	6	1,430	210 30	00000
	A000	0413	DVEN0090003	1 1	10.50 12.05	1	1	1,430	210 30	00000
	A000	0413	DVEN0091003	1 1	10.50 12.05	1	9	1,430	210 30	00000
	A000	0413	DVEN0092003	1 1	10.50 12.05	1	2	1,430	210 30	00000
	A000	0413	DVMA0092003	1 1	10.50 12.05	1	9	1,430	210 30	00000
	A000	0413	DVRE0090003	1 1	10.50 12.05	1	1	1,430	210 30	00000
	A000	0413	DVRE0091003	1 1	10.50 12.05	1	2	1,430	210 30	00000
	A000	0413	DVRE0092003	1 1	10.50 12.05	1	7	1,430	210 30	00000
	A000	0413	AHEN1000004	1 1	12.15 13.30		1	1,430	210 30	00000
	A000	0413	AHRE1000004	1 1	12.15 13.30	1	2	1,430	210 30	00000
	A000	0413	DVEN0090004	1 1	12.15 13.30	1	1	1,430	210 30	00000
	A000	0413	DVEN0091004	1 1	12.15 13.30	1	7	1,430	210 30	00000
	A000	0413	DVMA0092004	1 1	12.15 13.30	1	3	1,430	210 30	00000
	A000	0413	DVRE0091004	1 1	12.15 13.30	1	5	1,430	210 30	00000
	A000	0413	DVRE0092004	1 1	12.15 13.30	1	4	1,430	210 30	00000
	A000	0413	AHEN1000004	1 1	13.00 13.50		1	1,430	210 30	00000
	A000	0413	AHRE1000004	1 1	13.00 13.50	1	2	1,430	210 30	00000
	A000	0413	DVEN0090004	1 1	13.00 13.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0091004	1 1	13.00 13.50	1	7	1,430	210 30	00000
	A000	0413	DVMA0092004	1 1	13.00 13.50	1	3	1,430	210 30	00000
	A000	0413	DVRE0090004	1 1	13.00 13.50	1	1	1,430	210 30	00000
	A000	0413	DVRE0091004	1 1	13.00 13.50	1	5	1,430	210 30	00000
	A000	0413	DVRE0092004	1 1	13.00 13.50	1	4	1,430	210 30	00000
	A000	0413	DVEN0090005	1 1	13.40 14.55		2	1,430	210 30	00000
	A000	0413	DVEN0091005	1 1	13.40 14.55	1	1	1,430	210 30	00000
	A000	0413	DVEN0092005	1 1	13.40 14.55	1	1	1,430	210 30	00000
	A000	0413	DVMA0092005	1 1	13.40 14.55	1	3	1,430	210 30	00000
	A000	0413	DVRE0090004	1 1	13.40 14.55	1	1	1,430	210 30	00000
	A000	0413	DVRE0091005	1 1	13.40 14.55	1	4	1,430	210 30	00000
	A000	0413	DVRE0092005	1 1	13.40 14.55	1	1	1,430	210 30	00000
	A000	0413	DVEN0090005	1 1	14.00 14.50		2	1,430	210 30	00000
	A000	0413	DVEN0091005	1 1	14.00 14.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0092005	1 1	14.00 14.50	1	1	1,430	210 30	00000
	A000	0413	DVMA0092005	1 1	14.00 14.50	1	3	1,430	210 30	00000
	A000	0413	DVRE0091005	1 1	14.00 14.50	1	4	1,430	210 30	00000
	A000	0413	DVRE0092005	1 1	14.00 14.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0090008	1 1	14.00 15.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0091008	1 1	14.00 15.50	1	1	1,430	210 30	00000
	A000	0413	DVEN0090006	1 1	15.00 15.50	1	2	1,430	210 30	00000
	A000	0413	DVEN0091006	1 1	15.00 15.50	1	1	1,430	210 30	00000
	A000	0413	DVMA0092006	1 1	15.00 15.50	1	1	1,430	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 8

L.T.C.-LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	A000	0413	DVRE0091006	1 1	15.00 15.50	1	3	1,430	210 30	00000	
	A000	0413	DVRE0092006	1 1	15.00 15.50	1	1	1,430	210 30	00000	
	A000	0413	DVEN0090006	1 1	15.00 16.15		2	1,430	210 30	00000	
	A000	0413	DVEN0091006	1 1	15.00 16.15	1	1	1,430	210 30	00000	
	A000	0413	DVMA0092006	1 1	15.00 16.15	1	1	1,430	210 30	00000	
	A000	0413	DVRE0091006	1 1	15.00 16.15	1	3	1,430	210 30	00000	
	A000	0413	DVRE0092006	1 1	15.00 16.15	1	1	1,430	210 30	00000	
4	A000	0500	CPTR1000010	111111	8.00 14.50		1	4,709	210 22	00000	
4	A000	0500	CPTR1000011	111111	8.00 14.50	1	1	4,709	210 22	00000	
4	A000	0500	CPTR2710001	111111	8.00 14.50	1	1	4,709	210 22	00000	
4	A000	0500	ELEC1120001	111111	8.00 14.50	1	14	4,709	210 22	00000	
4	A000	0500	ELEC1120002	111111	8.00 14.50	1	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1210001	111111	8.00 14.50	18	4,709	210 22	00000	
4	8	A000	0500	ELEC1220001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1230001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1311001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1330001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1410001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1420001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1430001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC1440001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2460001	111111	8.00 14.50	13	4,709	210 22	00000	
4	8	A000	0500	ELEC2460002	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2542001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2991001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2993001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2995001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELEC2996001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELTR2800001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ELTR2840001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1120001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1130001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1210001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1220001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1230001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN1240001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN2110001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN2120001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	ETRN2130001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	IDEL2720001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	MATH1110001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	SOLR1000001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	SOLR1010001	111111	8.00 14.50	1	4,709	210 22	00000	
4	8	A000	0500	SOLR1020001	111111	8.00 14.50	1	4,709	210 22	00000	
4	A000	0501	CLTS2912001	111111	7.00 15.30		2	2,394	210 20	00000	
4	A000	0501	CLTS2922002	111111	7.00 15.30	1	1	2,394	210 20	00000	
4	A000	0501	CLTS2932002	111111	7.00 15.30	1	1	2,394	210 20	00000	
4	A000	0501	CLTS2942003	111111	7.00 15.30	1	2	2,394	210 20	00000	
	A000	0501	CLTS1030001	1 1 1	8.30 9.35	1	23	2,394	210 20	00000	
	8	A000	0501	BOTH1210003	1 1 1	8.45 9.50	1	9	2,394	210 20	00000
	A000	0501	CLTS2710001	1 1	9.00 11.15		16	2,394	210 20	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 9

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	A000	0501	CLTS2410001	1 1 1	9.45 10.50		19	210 20	00000
8	A000	0501	HCOR1160001	1	10.00 11.00	1	13	210 20	00000
	A000	0501	HPHL1011002	1 1	10.45 13.15		15	210 20	00000
	A000	0501	CHEM1410001	1 1 1	11.00 12.05		25	210 20	00000
8	A000	0501	CLTS1030002	1 1 1	11.00 12.05	1	17	210 20	00000
	A000	0501	CLTS2910001	1	12.30 15.00		2	210 20	00000
	A000	0501	HPHL1011001	1 1	12.45 15.15		15	210 20	00000
8	A000	0501	CLTS2080001	111	13.00 15.00	1	16	210 20	00000
	A000	0501	CLTS2411001	1	13.00 15.30		18	210 20	00000
4	A000	0503A	AUTO1100001	11111	8.00 14.50		29	210 20	00000
4	8	A000	0503A	AUTO1110001	11111	1	30	210 20	00000
4	8	A000	0503A	AUTO1120001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1130001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1200001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1210001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1220001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1230001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1240001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1300001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1310001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1320001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1330001	11111	1	29	210 20	00000
4	8	A000	0503A	AUTO1340001	11111	1	29	210 20	00000
4		A000	0504	MTTC2110001	11111		8	210 20	00000
4		A000	0504	MTTC2120001	11111	1	5	210 20	00000
4		A000	0504	MTTC2210001	11111	1	4	210 20	00000
4		A000	0504	MTTC2220001	11111	1	10	210 20	00000
4		A000	0504	MTTC2230001	11111	1	1	210 20	00000
4	8	A000	0504	MTTC2310001	11111	1	8	210 20	00000
4	8	A000	0504	MTTC2310002	11111	1	1	210 20	00000
4	8	A000	0504	MTTC2320001	11111	1	5	210 20	00000
4	8	A000	0504	MTTC2320002	11111	1	1	210 20	00000
4	8	A000	0504	MTTC2331001	11111	1	7	210 20	00000
4	8	A000	0504	MTTC2410001	11111	1	5	210 20	00000
4	8	A000	0504	MTTC2420001	11111	1	5	210 20	00000
4	8	A000	0504	MTTC2431001	11111	1	3	210 20	00000
4	8	A000	0504	MTTC2510001	11111	1	11	210 20	00000
4	8	A000	0504	MTTC2710001	11111	1	1	210 20	00000
4		A000	0506	WELD1110001	11111		11	210 40	00000
4		A000	0506	WELD1120001	11111	1	7	210 40	00000
4		A000	0506	WELD1130001	11111	1	1	210 40	00000
4		A000	0506	WELD1140001	11111	1	8	210 40	00000
4		A000	0506	WELD1210001	11111	1	8	210 40	00000
4		A000	0506	WELD1310001	11111	1	1	210 40	00000
4		A000	0506	WELD1410001	11111	1	7	210 40	00000
4		A000	0506	WELD1411001	11111	1	8	210 40	00000
4		A000	0506	WELD1412001	11111	1	2	210 40	00000
4		A000	0506	WELD1420001	11111	1	2	210 40	00000
4		A000	0506	WELD1510001	11111	1	3	210 40	00000
4		A000	0506	WELD1511001	11111	1	2	210 40	00000
4	8	A000	0506	WELD1512001	11111	1	1	210 40	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 10

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	8	A000 0506	WELD2110001	11111	6.45 13.00	1	3	3,528	210 40 00000	
4	8	A000 0506	WELD2111001	11111	6.45 13.00	1	6	3,528	210 40 00000	
4	8	A000 0506	WELD2113001	11111	6.45 13.00	1	3	3,528	210 40 00000	
4	8	A000 0506	WELD2210001	11111	6.45 13.00	1	5	3,528	210 40 00000	
4	8	A000 0506	WELD2230001	11111	6.45 13.00	1	6	3,528	210 40 00000	
4	8	A000 0506	WELD2310001	11111	6.45 13.00	1	5	3,528	210 40 00000	
4	8	A000 0506	WELD2311001	11111	6.45 13.00	1	6	3,528	210 40 00000	
4	8	A000 0506	WELD2320001	11111	6.45 13.00	1	3	3,528	210 40 00000	
4	8	A000 0506	WELD2321001	11111	6.45 13.00	1	1	3,528	210 40 00000	
4	8	A000 0506	WELD2322001	11111	6.45 13.00	1	1	3,528	210 40 00000	
4	8	A000 0506	WELD2440001	11111	6.45 13.00	1	1	3,528	210 40 00000	
4	8	A000 0506	WELD2441001	11111	6.45 13.00	1	4	3,528	210 40 00000	
4	8	A000 0506	WELD2991001	11111	6.45 13.00	1	1	3,528	210 40 00000	
		A000 0601A	INCT1210001	1 1 1	8.00 9.50		21	775	110 20 00000	
		A000 0601A	INCT2110001	1 1	8.00 10.40		28	775	110 20 00000	
		A000 0601A	INCT1100002	1 1 1	10.00 11.50		19	775	110 20 00000	
		A000 0601A	INCT2060001	1 1	10.50 12.05		29	775	110 20 00000	
	8	A000 0601A	CPTR1860001	1 1	10.50 14.00	1	7	775	110 20 00000	
	8	A000 0601A	INCT1210007	111	10.50 14.55	1	1	775	110 20 00000	
	8	A000 0601A	INCT1210002	1 1	10.50 14.55	1	1	775	110 20 00000	
		A000 0601A	CPTR1010003	1 1 1	13.00 14.50		16	775	110 20 00000	
		A000 0601A	INCT2060001	1 1	13.40 14.55		29	775	110 20 00000	
		A000 0601E	CPTR1300001	1 1	8.00 9.50		10	644	215 20 00000	
		A000 0601E	CPTR1310001	1 1	8.00 9.50	1	1	644	215 20 00000	
		A000 0601E	CPTR1010002	1 1	8.00 10.40		20	644	215 20 00000	
		A000 0601E	INCT1100001	1 1 1	10.00 11.50		24	644	215 20 00000	
		A000 0601E	KYBD1000002	1 1	10.50 12.05		16	644	215 20 00000	
		A000 0601E	INCT2902002	1 1	10.50 14.55	1	5	644	215 20 00000	
		A000 0601E	CPTR1010001	1 1 1	13.00 14.50		19	644	215 20 00000	
		A000 0601E	CPTR1010007	1 1 1	13.00 14.50	1	1	644	215 20 00000	
	8	A000 0601G	INCT2860001	1 1 1	8.00 9.50		28	748	210 15 00000	
	8	A000 0601G	INCT2010007	111	8.00 10.40	1	1	748	210 15 00000	
	8	A000 0601G	INCT2010001	1 1	8.00 10.40	1	32	748	210 15 00000	
	8	A000 0601G	INCT2070001	1 1 1	10.00 11.50		34	748	210 15 00000	
	8	A000 0601G	INCT2855001	1 1 1	13.00 13.50		29	748	210 15 00000	
		A000 0601H	INCT1110001	1 1 1	8.00 9.50		19	456	210 15 00000	
		A000 0601H	INCT1110007	1 1 1	8.00 9.50	1	1	456	210 15 00000	
		A000 0601H	CPTR1000001	1 1	9.25 10.40		19	456	210 15 00000	
		A000 0601H	INCT2902001	1 1 1	10.00 11.50		16	456	210 15 00000	
	8	A000 0601H	KYBD1000005	1 1	10.50 12.05		29	456	210 15 00000	
		A000 0601H	INCT1200001	1 1 1	13.00 14.50		17	456	210 15 00000	
		A000 0601H	INCT1200002	1 1	13.40 16.00		16	456	210 15 00000	
	4	A000 0603	CADD1210001	11111	8.00 14.50		16	3,111	210 30 00000	
	4	A000 0603	CADD2300001	11111	8.00 14.50	1	7	3,111	210 30 00000	
	4	A000 0603	CADD2310001	11111	8.00 14.50	1	12	3,111	210 30 00000	
	4	8	A000 0603	DRFT1110001	11111	8.00 14.50	1	14	3,111	210 30 00000
	4	8	A000 0603	DRFT1110002	11111	8.00 14.50	1	1	3,111	210 30 00000
	4	8	A000 0603	DRFT1120001	11111	8.00 14.50	1	14	3,111	210 30 00000
	4	8	A000 0603	DRFT1120002	11111	8.00 14.50	1	1	3,111	210 30 00000
	4	8	A000 0603	DRFT1130001	11111	8.00 14.50	1	11	3,111	210 30 00000
	4	8	A000 0603	DRFT1140001	11111	8.00 14.50	1	10	3,111	210 30 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 11

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0603	DRFT1140002	11111	8.00 14.50	1	1	3,111	210 30 00000
4	8	A000 0603	DRFT1161001	11111	8.00 14.50	1	11	3,111	210 30 00000
4	8	A000 0603	DRFT1161002	11111	8.00 14.50	1	1	3,111	210 30 00000
4	8	A000 0603	DRFT1210001	11111	8.00 14.50	1	2	3,111	210 30 00000
4	8	A000 0603	DRFT1220001	11111	8.00 14.50	1	8	3,111	210 30 00000
4	8	A000 0603	DRFT1230001	11111	8.00 14.50	1	2	3,111	210 30 00000
4	8	A000 0603	DRFT2310001	11111	8.00 14.50	1	10	3,111	210 30 00000
4	8	A000 0603	DRFT2320001	11111	8.00 14.50	1	9	3,111	210 30 00000
4	8	A000 0603	DRFT2330001	11111	8.00 14.50	1	7	3,111	210 30 00000
4	8	A000 0603	DRFT2431001	11111	8.00 14.50	1	2	3,111	210 30 00000
4	8	A000 0603	DRFT2441001	11111	8.00 14.50	1	5	3,111	210 30 00000
4	8	A000 0603	DRFT2541001	11111	8.00 14.50	1	1	3,111	210 30 00000
		A000 0605	GRPH1420001	11111	8.00 9.50		7	2,967	210 20 00000
		A000 0605	GRPH2120001	11111	8.00 9.50	1	3	2,967	210 20 00000
		A000 0605	GRPH1420002	11111	8.00 11.50	1	1	2,967	210 20 00000
		A000 0605	GRPH2110002	1111	8.00 11.50	1	1	2,967	210 20 00000
		A000 0605	GRPH1400002	1	8.00 11.50	1	1	2,967	210 20 00000
		A000 0605	GRPH2130001	11111	10.00 10.50	1	2	2,967	210 20 00000
		A000 0605	GRPH1430001	11111	10.00 11.50	1	10	2,967	210 20 00000
		A000 0605	GRPH2130002	11111	11.00 12.00	1	1	2,967	210 20 00000
8		A000 0605	GRPH1300001	1	11.00 12.00	1	6	2,967	210 20 00000
8		A000 0605	GRPH1100001	1 1 1	11.00 13.50	1	19	2,967	210 20 00000
8		A000 0605	GRPH1400001	1	11.00 15.50	1	6	2,967	210 20 00000
		A000 0605	GRPH2991001	1 1	12.00 12.50		2	2,967	210 20 00000
		A000 0605	GRPH2110001	11111	12.00 13.50	1	3	2,967	210 20 00000
		A000 0605	GRPH1300001	1 1	12.00 15.50	1	6	2,967	210 20 00000
		A000 0605	GRPH1430002	11111	12.00 16.00	1	1	2,967	210 20 00000
		A000 0605	GRPH2120002	11111	14.00 15.50	1	1	2,967	210 20 00000
		A000 0605	GRPH1200001	1 1 1	14.00 15.50	1	16	2,967	210 20 00000
		A000 0605A	GRPH2320002	11111	8.00 9.50		2	744	210 15 00000
		A000 0605A	GRPH2330002	11111	10.00 11.50		2	744	210 15 00000
		A000 0607	CIVL1320004	1 1	7.00 8.00		1	546	110 20 00000
		A000 0607	CIVL1320001	1 1	7.00 8.15	1	7	546	110 20 00000
		A000 0607	CIVL1121001	1	7.00 9.50		10	546	110 20 00000
		A000 0607	CIVL1121004	1	7.00 9.50	1	3	546	110 20 00000
		A000 0607	CIVL1150002	1 1 1	8.00 8.50	1	4	546	110 20 00000
		A000 0607	CIVL1121002	1	8.00 10.55		7	546	110 20 00000
		A000 0607	CIVL1411002	1	8.00 10.55		9	546	110 20 00000
		A000 0607	CIVL1411001	1	8.30 11.10		6	546	110 20 00000
		A000 0607	CIVL1411004	1	8.30 11.10	1	1	546	110 20 00000
4		A000 0607	CIVL1141001	1	8.30 14.30		12	546	110 20 00000
4		A000 0607	CIVL1141004	1	8.30 14.30	1	4	546	110 20 00000
4		A000 0607	CIVL1441001	1	8.30 14.30	1	2	546	110 20 00000
4		A000 0607	CIVL2551001	1	8.30 14.30	1	1	546	110 20 00000
		A000 0607	CIVL1410001	1 1	9.00 9.50		5	546	110 20 00000
		A000 0607	CIVL1410002	1 1	9.00 9.50	1	10	546	110 20 00000
		A000 0607	CIVL1120003	1 1 1	10.00 10.50		5	546	110 20 00000
		A000 0607	CIVL1120002	1 1	10.00 10.50	1	12	546	110 20 00000
		A000 0607	CIVL1120004	1 1	10.00 10.50	1	3	546	110 20 00000
		A000 0607	CIVL1430001	1 1 1	11.00 11.50		8	546	110 20 00000
		A000 0607	CIVL1430003	1 1 1	11.00 11.55	1	9	546	110 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2010
 RUN DATE 11/16/2010 PROGRAM I-D:Z235B266.
 PAGE NUM 12

L.T.C. -LAFAYETTE
 BRANCH
 PARISH
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0607	CIVL1460001	1	11.15 14.30		4	546	110 20 00000	
	A000	0607	CIVL1141002	1 1	11.15 14.55	1	5	546	110 20 00000	
	A000	0607	CIVL1150001	1 1 1	13.00 13.50		14	546	110 20 00000	
	A000	0607	CIVL1150004	1 1 1	13.00 13.50	1	3	546	110 20 00000	
	A000	0607	CIVL1460002	1 1 1	13.00 13.50	1	10	546	110 20 00000	
	A000	0607	MATH1110002	1 1 1	13.00 13.50	1	3	546	110 20 00000	
8	A000	0607	CPTR1000002	1 1 1	14.00 14.50		31	546	110 20 00000	
8	A000	0607	CPTR1000004	1 1 1	14.00 14.50	1	3	546	110 20 00000	
8	A000	0607	CIVL1321004	1	14.00 17.00	1	1	546	110 20 00000	
8	A000	0607	CIVL1321001	1	15.00 18.00	1	7	546	110 20 00000	
	A000	0607	CIVL1430004	1	17.00 20.00		3	546	110 20 00000	
4	A000	0609	HACR1150001	11111	8.00 14.30		10	3,055	210 20 00000	
4	A000	0609	HACR1160001	11111	8.00 14.30	1	11	3,055	210 20 00000	
4	8	A000	0609	HACR1170001	11111	8.00 14.30	1	15	3,055	210 20 00000
4	8	A000	0609	HACR1210001	11111	8.00 14.30	1	5	3,055	210 20 00000
4	8	A000	0609	HACR1220001	11111	8.00 14.30	1	6	3,055	210 20 00000
4	8	A000	0609	HACR1230001	11111	8.00 14.30	1	15	3,055	210 20 00000
4	8	A000	0609	HACR1240001	11111	8.00 14.30	1	11	3,055	210 20 00000
4	8	A000	0609	HACR1410001	11111	8.00 14.30	1	13	3,055	210 20 00000
4	8	A000	0609	HACR1420001	11111	8.00 14.30	1	12	3,055	210 20 00000
4	8	A000	0609	HACR2510001	11111	8.00 14.30	1	4	3,055	210 20 00000
4	8	A000	0609	HACR2520001	11111	8.00 14.30	1	3	3,055	210 20 00000
4	8	A000	0609	HACR2530001	11111	8.00 14.30	1	3	3,055	210 20 00000
4	8	A000	0609	HACR2540001	11111	8.00 14.30	1	4	3,055	210 20 00000
4	8	A000	0609	HACR2550001	11111	8.00 14.30	1	3	3,055	210 20 00000
4	8	A000	0609	HACR2560001	11111	8.00 14.30	1	3	3,055	210 20 00000
4	8	A000	0609	HACR2810001	11111	8.00 14.30	1	3	3,055	210 20 00000
4	8	A000	0609	HACR2820001	11111	8.00 14.30	1	1	3,055	210 20 00000
4	G000	0104	AMTP2210001	11111	8.00 14.25		21	566	110 15 00000	
4	8	G000	0104	AMTP2220001	11111	8.00 14.25	1	23	566	110 15 00000
4	8	G000	0104	AMTP2230001	11111	8.00 14.25	1	19	566	110 15 00000
4	8	G000	0104	AMTP2260001	11111	8.00 14.25	1	23	566	110 15 00000
4	8	G000	0104	AMTP2290001	11111	8.00 14.25	1	21	566	110 15 00000
	G000	0104	AMTP2310001	11111	14.30 15.30		2	566	110 15 00000	
4	G000	0113	AMTA2010001	11111	8.00 14.25		13	615	110 15 00000	
4	G000	0113	AMTA2020001	11111	8.00 14.25	1	3	615	110 15 00000	
4	G000	0113	AMTA2050001	11111	8.00 14.25	1	6	615	110 15 00000	
4	8	G000	0113	AMTA2060001	11111	8.00 14.25	1	8	615	110 15 00000
4	8	G000	0113	AMTA2070001	11111	8.00 14.25	1	4	615	110 15 00000
4	8	G000	0113	AMTA2090001	11111	8.00 14.25	1	9	615	110 15 00000
4	8	G000	0113	AMTA2110001	11111	8.00 14.25	1	12	615	110 15 00000
4	8	G000	0113	AMTA2110002	11111	8.00 14.25	1	1	615	110 15 00000
4	8	G000	0113	AMTA2130001	11111	8.00 14.25	1	8	615	110 15 00000
4	8	G000	0113	AMTA2130002	11111	8.00 14.25	1	1	615	110 15 00000
4	8	G000	0113	AMTA2140001	11111	8.00 14.25	1	8	615	110 15 00000
4	8	G000	0113	AMTA2140002	11111	8.00 14.25	1	1	615	110 15 00000
	G000	0113	AMTP2991002	1 1	14.30 15.30		1	615	110 15 00000	

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 204

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 259
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 463

TOTAL NUMBER OF RECORDS READ 608
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 608
NUMBER OF JOINT-CLASS RECORDS 447
NUMBER OF ALTERATE WEEKS RECORDS
NUMBER OF DIFFERENT TIMES RECORDS
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-LAFAYETTE

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	17780	169	17949
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1991	16	2007
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	51165	520	51685
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	35561	338	35899
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.6	1.5	65.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	81.8	1.4	53.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.5	65.0	69.5
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			22
TOTAL NUMBER OF STATIONS (CAPACITY)			483
WEEKLY STUDENT CONTACT HOURS	17780	169	17949
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1980	1100	3080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1991	16	2007
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	43470	24150	67620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	51165	520	51685
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	35561	338	35899
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.6	1.5	65.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	81.8	1.4	53.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	69.5	65.0	69.5

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	56768	315	57083
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14897	18	14915
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	332050	480	332530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	113536	630	114166
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	300.9	.7	193.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	133.8	1.3	86.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.2	131.3	34.3

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			55
TOTAL NUMBER OF STATIONS (CAPACITY)			943
WEEKLY STUDENT CONTACT HOURS	56768	315	57083
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4950	2750	7700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14897	18	14915
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	84870	47150	132020
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	332050	480	332530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	113536	630	114166
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	300.9	.7	193.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	133.8	1.3	86.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	34.2	131.3	34.3

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY