

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0101	KYBD1210003	1 1	8.00 9.15		8	1,012	210 36	00000
	000A	0101	MACH1350004	1 1 1	9.00 10.00		2	1,012	210 36	00000
	000A	0101	KYBD1111003	1 1	9.15 10.45		10	1,012	210 36	00000
	000A	0101	KYBD1210002	1 1 1	10.00 11.00		8	1,012	210 36	00000
	000A	0101	KYBD1010002	1 1 1	13.00 14.00		19	1,012	210 36	00000
	000A	0101	INCT1200001	1 1 1	16.30 18.30		10	1,012	210 36	00000
	000A	0101	INCT2261001	1 1 1	16.30 18.30	1	7	1,012	210 36	00000
	000A	0104	ENGL1030001	1 1 1	8.00 9.00		19	767	210 25	00000
	000A	0104	KYBD1210001	1 1 1	9.00 10.00		8	767	210 25	00000
	000A	0104	MACH1350001	1 1 1	9.00 10.00	1	2	767	210 25	00000
	000A	0104	MAST2110001	1 1 1	9.00 10.00	1	10	767	210 25	00000
	000A	0104	MACH1350002	1 1 1	9.30 10.30	1	1	767	210 25	00000
	000A	0104	MACH1350005	1 1	9.30 10.45		1	767	210 25	00000
	000A	0104	KYBD1111001	1 1 1	10.00 11.00		10	767	210 25	00000
	000A	0104	CPTR1010B91	1 1 1	11.00 12.00		7	767	210 25	00000
	000A	0104	MACH1350003	1 1 1	11.00 12.00	1	6	767	210 25	00000
	000A	0104	MACH1350006	1 1 1	11.00 12.00	1	6	767	210 25	00000
	000A	0104	MAST1230001	1 1 1	11.00 12.00	1	5	767	210 25	00000
	000A	0104	OSYS2530001	1 1 1	11.00 12.00	1	9	767	210 25	00000
	000A	0104	KYBD1010001	1 1 1	13.00 14.00		19	767	210 25	00000
	000A	0104	MAST1230002	1 1	13.00 14.00		3	767	210 25	00000
	000A	0104	CPTR1010B92	1 1	13.00 14.15	1	7	767	210 25	00000
	000A	0104	ENGL1050001	1 1	13.00 14.15	1	6	767	210 25	00000
	000A	0104	MAST1210002	11111	14.00 15.00	1	7	767	210 25	00000
8	000A	0104	BUSM1050001	1 1 1	14.00 15.00	1	17	767	210 25	00000
8	000A	0104	MAST1210001	1 1 1	14.00 15.00	1	7	767	210 25	00000
	000A	0105	DVED2993001	1 1 1	8.00 9.00		13	920	210 30	00000
	000A	0105	CPTR1000B92	1 1	8.00 9.15		10	920	210 30	00000
	000A	0105	CPTR1002B92	1 1	8.00 9.15	1	4	920	210 30	00000
	000A	0105	ORNT1000007	1 1	8.00 9.15	1	26	920	210 30	00000
	000A	0105	DVEN0090B91	1 1 1	9.00 10.00		1	920	210 30	00000
	000A	0105	DVEN0091B91	1 1 1	9.00 10.00	1	5	920	210 30	00000
	000A	0105	DVMA0090B91	1 1 1	9.00 10.00	1	6	920	210 30	00000
	000A	0105	DVRE0092B91	1 1 1	9.00 10.00	1	1	920	210 30	00000
	000A	0105	KYBD11110002	1 1 1	9.00 10.00	1	2	920	210 30	00000
	000A	0105	KYBD1111002	1 1 1	9.00 10.00	1	10	920	210 30	00000
	000A	0105	CPTR1000B91	1 1 1	10.00 11.00		8	920	210 30	00000
	000A	0105	CPTR1002B91	1 1 1	10.00 11.00	1	8	920	210 30	00000
	000A	0105	ORNT1000001	1 1 1	10.00 11.00	1	15	920	210 30	00000
	000A	0105	ORNT1000002	1 1 1	10.00 11.00	1	2	920	210 30	00000
	000A	0105	CSRV1000001	1 1	10.45 12.00		16	920	210 30	00000
	000A	0105	CPTR1310002	1 1 1	11.00 12.00		1	920	210 30	00000
	000A	0105	DVEN0091B92	1 1 1	11.00 12.00	1	3	920	210 30	00000
	000A	0105	DVMA0090B92	1 1 1	11.00 12.00	1	2	920	210 30	00000
	000A	0105	JOBS2450001	1 1 1	11.00 12.00	1	2	920	210 30	00000
	000A	0105	CPTR1300001	1 1 1	13.00 14.00		11	920	210 30	00000
	000A	0105	CPTR1310001	1 1 1	13.00 14.00	1	1	920	210 30	00000
	000A	0105	CPTR2640002	1 1 1	13.00 14.00	1	2	920	210 30	00000
	000A	0105	JOBS2450002	1 1 1	13.00 14.00	1	9	920	210 30	00000
	000A	0105	ORNT1000003	1 1 1	13.00 14.00	1	5	920	210 30	00000
	000A	0105	CPTR1000B94	1 1	13.00 14.15		1	920	210 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0105	CPTR1002B93	1 1	13.00 14.15	1	6	920	210 30	00000	
	000A	0105	ORNT1000008	1 1	13.00 14.15	1	3	920	210 30	00000	
	000A	0105	CPTR1320001	1 1 1	13.00 15.00		7	920	210 30	00000	
	000A	0105	CPTR2650001	1 1 1	13.00 15.00	1	1	920	210 30	00000	
	000A	0105	CPTR1300003	1 1 1	14.00 15.00	1	1	920	210 30	00000	
	000A	0105	CPTR2640001	1 1 1	14.00 15.00	1	4	920	210 30	00000	
	000A	0105	CSRV1000002	1 1	14.15 16.00		7	920	210 30	00000	
	000A	0105	DVMA0090B93	1 1 1	15.00 16.00		2	920	210 30	00000	
	000A	0105	ORNT1000005	1 1 1	15.00 16.00	1	3	920	210 30	00000	
	000A	0108	DVRE0090B91	1 1 1	9.00 10.00		1	150	110 16	00000	
	000A	0108	DVRE0091B91	1 1 1	9.00 10.00	1	2	150	110 16	00000	
	000A	0108	DVRE0090B92	1 1 1	11.00 12.00		1	150	110 16	00000	
	000A	0108	DVRE0091B92	1 1 1	11.00 12.00	1	1	150	110 16	00000	
	000A	0108	DVRE0090B93	1 1 1	13.00 14.00		1	150	110 16	00000	
	000A	0108	AHEN1000B92	1 1	13.30 15.00		1	150	110 16	00000	
	000A	0108	AHMA1000B92	1 1	13.30 15.00	1	3	150	110 16	00000	
	000A	0108	AHRE1000B92	1 1	13.30 15.00	1	2	150	110 16	00000	
	000A	0108	AHEN1000B91	1 1 1	14.00 15.00		1	150	110 16	00000	
	000A	0108	AHRE1000B91	1 1 1	14.00 15.00	1	2	150	110 16	00000	
	000A	0108	AHMA1000B91	1 1 1	18.00 21.00		3	150	110 16	00000	
	000A	0109	ELEC1140003	11111	8.00 11.00		11	2,000	720 30	00000	
	000A	0109	WELD1210003	11111	8.00 11.00	1	12	2,000	720 30	00000	
	000A	0109	WELD1310003	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD1410003	11111	8.00 11.00	1	12	2,000	720 30	00000	
	000A	0109	WELD1420003	11111	8.00 11.00	1	2	2,000	720 30	00000	
	000A	0109	WELD1512002	11111	8.00 11.00	1	1	2,000	720 30	00000	
	000A	0109	WELD2221002	11111	8.00 11.00	1	1	2,000	720 30	00000	
8	000A	0109	WELD2991001	11111	8.00 11.00	1	7	2,000	720 30	00000	
8	000A	0109	WELD1110003	11111	8.00 12.00	1	12	2,000	720 30	00000	
4	8	000A	0109	WELD1411002	11111	8.00 14.45	1	1	2,000	720 30	00000
4	8	000A	0109	WELD1510003	11111	8.00 14.45	1	1	2,000	720 30	00000
4	8	000A	0109	WELD2110001	11111	8.00 14.45	1	3	2,000	720 30	00000
4	8	000A	0109	WELD2111001	11111	8.00 14.45	1	1	2,000	720 30	00000
4	8	000A	0109	WELD2113001	11111	8.00 14.45	1	1	2,000	720 30	00000
4	8	000A	0109	WELD2210001	11111	8.00 14.45	1	2	2,000	720 30	00000
4	8	000A	0109	WELD2220001	11111	8.00 14.45	1	4	2,000	720 30	00000
4	8	000A	0109	WELD2221001	11111	8.00 14.45	1	2	2,000	720 30	00000
4	8	000A	0109	WELD2222001	11111	8.00 14.45	1	2	2,000	720 30	00000
4	8	000A	0109	WELD2251001	11111	8.00 14.45	1	1	2,000	720 30	00000
4	8	000A	0109	WELD2320001	11111	8.00 14.45	1	3	2,000	720 30	00000
4	8	000A	0109	WELD2321001	11111	8.00 14.45	1	2	2,000	720 30	00000
4	8	000A	0109	WELD2322001	11111	8.00 14.45	1	2	2,000	720 30	00000
4	8	000A	0109	ELEC1140002	11111	8.00 15.00	1	1	2,000	720 30	00000
4	8	000A	0109	WELD1110001	11111	8.00 15.00	1	7	2,000	720 30	00000
8	000A	0109	WELD1310001	11111	11.45 14.45	1	14	2,000	720 30	00000	
8	000A	0109	WELD1410001	11111	11.45 14.45	1	7	2,000	720 30	00000	
8	000A	0109	WELD1411001	11111	11.45 14.45	1	8	2,000	720 30	00000	
8	000A	0109	WELD1412001	11111	11.45 14.45	1	3	2,000	720 30	00000	
8	000A	0109	WELD1420001	11111	11.45 14.45	1	3	2,000	720 30	00000	
8	000A	0109	WELD1510001	11111	11.45 14.45	1	5	2,000	720 30	00000	
8	000A	0109	WELD1511001	11111	11.45 14.45	1	5	2,000	720 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/01/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -NORTHEAST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	000A	0109	WELD1512001	11111	11.45 14.45	1	2,000	720 30	00000	
8	000A	0109	WELD2311003	11111	11.45 14.45	1	2,000	720 30	00000	
8	000A	0109	ELEC1140001	11111	12.00 15.00	1	2,000	720 30	00000	
8	000A	0109	WELD1120001	11111	12.00 15.00	1	2,000	720 30	00000	
8	000A	0109	WELD1210001	11111	12.00 15.00	1	2,000	720 30	00000	
	000A	0109	WELD1130001	11111	18.00 21.00		2,000	720 30	00000	
4	000A	0111	EMPT2140001	1 1	8.00 16.00		1,557	210 20	00000	
	000A	0112	ISYS1650001	11111	8.00 9.00		893	210 20	00000	
	000A	0112	ACCT1400001	1 1 1	8.00 9.00	1	893	210 20	00000	
	000A	0112	ACCT1500001	1 1 1	8.00 9.00	1	893	210 20	00000	
	000A	0112	ACCT1400002	1 1	8.00 9.15		893	210 20	00000	
	000A	0112	ACCT1500002	1 1	8.00 9.15	1	893	210 20	00000	
	000A	0112	ACCT1300001	1 1 1	9.00 10.00		893	210 20	00000	
	000A	0112	ISYS1450001	1 1 1	9.00 11.00	1	893	210 20	00000	
	000A	0112	ACCT1300002	1 1	9.15 10.45		893	210 20	00000	
	000A	0112	ACCT1200001	1 1 1	10.00 11.00		893	210 20	00000	
	000A	0112	ISYS1550001	1 1 1	10.00 11.00	1	893	210 20	00000	
	000A	0112	ACCT1200002	1 1	10.45 12.00		893	210 20	00000	
	000A	0112	ACCT1100001	11111	11.00 12.00	1	893	210 20	00000	
	000A	0112	ACCT1100002	1 1	13.00 15.00		893	210 20	00000	
	000A	0112	INCT1900001	1 1 1	18.30 20.15		893	210 20	00000	
	000C	0309	HNUR2723001	11 11	8.00 11.00		1,373	210 20	00000	
	000C	0309	HNUR2133001	11	8.00 11.00	1	1,373	210 20	00000	
4	000C	0309	EMTP2130001	1	8.00 16.00		1,373	210 20	00000	
4	000C	0309	EMTP2140001	1	8.00 16.00	1	1,373	210 20	00000	
4	000C	0309	EMTP2110002	1	8.00 16.00		1,373	210 20	00000	
4	000C	0309	EMTP2130002	1	8.00 16.00	1	1,373	210 20	00000	
	8	000C	0309	HNUR2813001	111	11.45 14.15	1	1,373	210 20	00000
	8	000C	0309	HNUR2713001	11 11	11.45 14.45	1	1,373	210 20	00000
		000D	0420	HNUR1300001	1 1 1	8.00 9.00	17	1,005	110 45	00000
		000D	0420	HNUR1300002	1 1	8.00 9.30	17	1,005	110 45	00000
4		000D	0420	CDYC1241001	1	8.00 15.00	1	1,005	110 45	00000
4		000D	0420	CDYC2211001	1	8.00 15.00	1	1,005	110 45	00000
		000D	0420	HNUR1320001	1 1 1	9.00 10.00	17	1,005	110 45	00000
		000D	0420	HNUR1320002	1 1	9.30 11.15	19	1,005	110 45	00000
		000D	0420	HNUR1300003	1 1 1	10.00 11.00	19	1,005	110 45	00000
		000D	0420	HNUR1300004	1 1	11.45 13.15	19	1,005	110 45	00000
		000D	0420	CDYC1332001	1	15.00 18.00	10	1,005	110 45	00000
		000D	0420	CDYC1130001	1	18.00 21.00	8	1,005	110 45	00000
		000D	0420	CDYC1110001	1	18.00 21.00	8	1,005	110 45	00000
		000D	0426	BTEL1010001	1 1	9.15 10.45	9	484	350 20	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 22

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 33  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 55

TOTAL NUMBER OF RECORDS READ 143  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 143  
NUMBER OF JOINT-CLASS RECORDS 89  
NUMBER OF ALTERNATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

## SPACE UTILIZ - SUMMARY PAGE

## L. T. C. -NORTHEAST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			85
WEEKLY STUDENT CONTACT HOURS	356	66	422
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	74	24	98
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7650	4250	11900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2170	732	2902
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	712	132	844
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.4	16.0	23.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.3	3.1	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.8	18.0	29.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			3
TOTAL NUMBER OF STATIONS (CAPACITY)			85
WEEKLY STUDENT CONTACT HOURS	356	66	422
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	270	150	420
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	74	24	98
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7650	4250	11900
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2170	732	2902
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	712	132	844
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	27.4	16.0	23.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.3	3.1	7.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	32.8	18.0	29.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			170
WEEKLY STUDENT CONTACT HOURS	2095	48	2143
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	374	8	382
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15300	8500	23800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9320	160	9480
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4190	96	4286
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.9	2.0	34.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.4	1.1	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.0	60.0	45.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			8
TOTAL NUMBER OF STATIONS (CAPACITY)			170
WEEKLY STUDENT CONTACT HOURS	2095	48	2143
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	720	400	1120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	374	8	382
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	15300	8500	23800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	9320	160	9480
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4190	96	4286
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	51.9	2.0	34.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	27.4	1.1	18.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.0	60.0	45.2

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY