

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0101	HNUR2133001	1 1	8.00 11.00		11	771	110 60 00000	
	A000	0101	HNUR2133002	1 1	8.00 11.00	1	10	771	110 60 00000	
	A000	0101	HNUR2133003	1 1	8.00 11.00	1	11	771	110 60 00000	
	A000	0101	HNUR2713001	1 1	12.00 13.25		11	771	110 60 00000	
	A000	0101	HNUR2713002	1 1	12.00 13.25	1	10	771	110 60 00000	
	A000	0101	HNUR2713003	1 1	12.00 13.25	1	11	771	110 60 00000	
	A000	0102	AHSC1000001	11	8.00 11.00		31	845	110 60 00000	
	A000	0103	CPTR1000011	1 1	8.00 9.25		8	464	210 40 00000	
	A000	0105	HNUR1361001	1 1 1	8.00 9.25		35	850	110 60 00000	
	A000	0105	HNUR2996002	1 1	8.00 9.25		35	850	110 60 00000	
	A000	0105	HNUR1411001	11111	9.25 11.00		36	850	110 60 00000	
	A000	0105	ORNT1000011	1 1	9.35 11.00	1	38	850	110 60 00000	
	A000	0105	HNUR1300001	11111	12.00 13.25		33	850	110 60 00000	
	A000	0105	HNUR1211001	1 111	12.00 13.25	1	39	850	110 60 00000	
	A000	0105	HNUR2813001	1 1	13.35 15.00		11	850	110 60 00000	
	A000	0105	HNUR2813002	1 1	13.35 15.00	1	10	850	110 60 00000	
	A000	0105	HNUR2813003	1 1	13.35 15.00	1	11	850	110 60 00000	
	A000	0105	HMDT1170001	1	13.35 15.00	1	1	850	110 60 00000	
	A000	0105	HNUR1270001	111	13.35 15.00		37	850	110 60 00000	
	A000	0105	HNUR1211004	1 1	17.00 20.00		12	850	110 60 00000	
	A000	0109T	HNUR2123001	1 1	8.00 11.00		8	923	110 50 00000	
	A000	0109T	HNUR2123002	1 1	8.00 11.00	1	10	923	110 50 00000	
	A000	0109T	HNUR2123003	1 1	8.00 11.00	1	11	923	110 50 00000	
	A000	0109T	HNUR2723001	1 1	12.00 13.25		10	923	110 50 00000	
	A000	0109T	HNUR2723002	1 1	12.00 13.25	1	11	923	110 50 00000	
	A000	0109T	HNUR2723003	1 1	12.00 13.25	1	11	923	110 50 00000	
	A000	0109T	HNUR2523001	1 1	13.35 15.00		5	923	110 50 00000	
	A000	0109T	HNUR2523002	1 1	13.35 15.00	1	8	923	110 50 00000	
	A000	0109T	HNUR2523003	1 1	13.35 15.00	1	10	923	110 50 00000	
4	A000	0110A	CPTR1000005	11111	8.00 15.00		9	1,122	210 26 00000	
4	A000	0110A	IMMT1110001	11111	8.00 15.00	1	19	1,122	210 26 00000	
4	8	A000	0110A	IMMT1320001	11111	8.00 15.00	1	12	1,122	210 26 00000
4	8	A000	0110A	IMMT1321001	11111	8.00 15.00	1	12	1,122	210 26 00000
4	8	A000	0110A	IMMT1330001	11111	8.00 15.00	1	14	1,122	210 26 00000
4	8	A000	0110A	IMMT1331001	11111	8.00 15.00	1	14	1,122	210 26 00000
4	8	A000	0110A	IMMT1410001	11111	8.00 15.00	1	11	1,122	210 26 00000
4	8	A000	0110A	IMMT1411001	11111	8.00 15.00	1	11	1,122	210 26 00000
4	8	A000	0110A	IMMT1421001	11111	8.00 15.00	1	11	1,122	210 26 00000
4	8	A000	0110A	IMMT1430001	11111	8.00 15.00	1	9	1,122	210 26 00000
4	8	A000	0110A	IMMT1441001	11111	8.00 15.00	1	2	1,122	210 26 00000
4	8	A000	0110A	JOBS2450005	11111	8.00 15.00	1	8	1,122	210 26 00000
4	8	A000	0110A	ORNT1000005	11111	8.00 15.00	1	15	1,122	210 26 00000
4	A000	0112A	AUTO1100001	11111	8.00 15.00		2	2,035	210 30 00000	
4	A000	0112A	AUTO1110001	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1120001	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1130001	11111	8.00 15.00	1	12	2,035	210 30 00000	
4	A000	0112A	AUTO1200001	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1210001	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1220001	11111	8.00 15.00	1	1	2,035	210 30 00000	
4	A000	0112A	AUTO1230001	11111	8.00 15.00	1	2	2,035	210 30 00000	
4	A000	0112A	AUTO1240001	11111	8.00 15.00	1	2	2,035	210 30 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
4	A000	0112A	AUTO1300001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1310001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1320001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1330001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1340001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	A000	0112A	AUTO1400001	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1410001	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1420001	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1430001	11111	8.00 15.00	1	1	2,035	210 30	00000	
4	A000	0112A	AUTO1440001	11111	8.00 15.00	1	2	2,035	210 30	00000	
4	8	A000	0112A	AUTO1600001	11111	8.00 15.00	1	20	2,035	210 30	00000
4	8	A000	0112A	AUTO1610001	11111	8.00 15.00	1	19	2,035	210 30	00000
4	8	A000	0112A	AUTO1620001	11111	8.00 15.00	1	16	2,035	210 30	00000
4	8	A000	0112A	AUTO1630001	11111	8.00 15.00	1	14	2,035	210 30	00000
4	8	A000	0112A	AUTO1640001	11111	8.00 15.00	1	15	2,035	210 30	00000
4	8	A000	0112A	AUTO1650001	11111	8.00 15.00	1	12	2,035	210 30	00000
4	8	A000	0112A	AUTO1660001	11111	8.00 15.00	1	11	2,035	210 30	00000
4	8	A000	0112A	AUTO1700001	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	AUTO1710001	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	AUTO1720001	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	AUTO1730001	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	AUTO1740001	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	AUTO1800001	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1810001	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	AUTO1820001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	AUTO1830001	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	AUTO1840001	11111	8.00 15.00	1	1	2,035	210 30	00000
4	8	A000	0112A	AUTO1850001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1111001	11111	8.00 15.00	1	5	2,035	210 30	00000
4	8	A000	0112A	OPET1121001	11111	8.00 15.00	1	5	2,035	210 30	00000
4	8	A000	0112A	OPET1131001	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	OPET1141001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1161001	11111	8.00 15.00	1	4	2,035	210 30	00000
4	8	A000	0112A	OPET1221001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1251001	11111	8.00 15.00	1	3	2,035	210 30	00000
4	8	A000	0112A	OPET1321001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1331001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET1341001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	OPET2111001	11111	8.00 15.00	1	2	2,035	210 30	00000
4	8	A000	0112A	ORNT1000008	11111	8.00 15.00	1	25	2,035	210 30	00000
4	A000	0114A	JOBS2450004	11111	8.00 15.00		2	2,179	210 19	00000	
4	A000	0114A	WELD1110001	11111	8.00 15.00	1	6	2,179	210 19	00000	
4	A000	0114A	WELD1130001	11111	8.00 15.00	1	2	2,179	210 19	00000	
4	A000	0114A	WELD1140001	11111	8.00 15.00	1	4	2,179	210 19	00000	
4	A000	0114A	WELD1210001	11111	8.00 15.00	1	6	2,179	210 19	00000	
4	A000	0114A	WELD1310001	11111	8.00 15.00	1	8	2,179	210 19	00000	
4	8	A000	0114A	WELD1410001	11111	8.00 15.00	1	5	2,179	210 19	00000
4	8	A000	0114A	WELD1411001	11111	8.00 15.00	1	4	2,179	210 19	00000
4	8	A000	0114A	WELD1412001	11111	8.00 15.00	1	4	2,179	210 19	00000
4	8	A000	0114A	WELD1420001	11111	8.00 15.00	1	6	2,179	210 19	00000
4	8	A000	0114A	WELD1510001	11111	8.00 15.00	1	7	2,179	210 19	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	A000 0114A	WELD1511001	11111	8.00 15.00	1	7	2,179	210 19 00000
4	8	A000 0114A	WELD1512001	11111	8.00 15.00	1	5	2,179	210 19 00000
4	8	A000 0114A	WELD2110001	11111	8.00 15.00	1	2	2,179	210 19 00000
4	8	A000 0114A	WELD2111001	11111	8.00 15.00	1	3	2,179	210 19 00000
4	8	A000 0114A	WELD2210001	11111	8.00 15.00	1	2	2,179	210 19 00000
4	8	A000 0114A	WELD2230001	11111	8.00 15.00	1	5	2,179	210 19 00000
4	8	A000 0114A	WELD2310001	11111	8.00 15.00	1	1	2,179	210 19 00000
4	8	A000 0114A	WELD2311001	11111	8.00 15.00	1	6	2,179	210 19 00000
4		A000 0114T	ZOIL1000001	1111	8.00 17.00		5	481	110 17 00000
4		A000 0115A	IMMT1111001	11111	8.00 15.00		6	1,916	210 15 00000
4		A000 0115A	IMMT1112001	11111	8.00 15.00	1	6	1,916	210 15 00000
4	8	A000 0115A	IMMT1120001	11111	8.00 15.00	1	15	1,916	210 15 00000
4	8	A000 0115A	IMMT1121001	11111	8.00 15.00	1	7	1,916	210 15 00000
4	8	A000 0115A	IMMT1210001	11111	8.00 15.00	1	7	1,916	210 15 00000
4	8	A000 0115A	IMMT1220001	11111	8.00 15.00	1	6	1,916	210 15 00000
4	8	A000 0115A	IMMT1221001	11111	8.00 15.00	1	6	1,916	210 15 00000
4	8	A000 0115A	IMMT1230001	11111	8.00 15.00	1	7	1,916	210 15 00000
4	8	A000 0115A	IMMT1231001	11111	8.00 15.00	1	7	1,916	210 15 00000
4	8	A000 0115A	IMMT1241001	11111	8.00 15.00	1	6	1,916	210 15 00000
4	8	A000 0115A	IMMT1311001	11111	8.00 15.00	1	17	1,916	210 15 00000
		B000 0201A	DVRE0092003	1 1 1	12.30 13.50		2	231	325 2 00000
		B000 0203	DVEN0091001	1 1 1	9.30 10.50		20	1,037	110 21 00000
		B000 0203	MAST1220001	1 1 1	13.35 15.20		12	1,037	110 21 00000
		B000 0205	BOTH1300001	1 1 1	9.00 9.50		26	875	110 34 00000
		B000 0205	BUSE1030001	1 1 1	10.00 10.50		35	875	110 34 00000
		B000 0205	BOTH1230001	1 1	10.50 12.05		21	875	110 34 00000
		B000 0205	CSRV1000001	1 1 1	11.00 11.50		35	875	110 34 00000
		B000 0205	BOTH1120001	1 1	12.15 13.30		28	875	110 34 00000
		B000 0205	BOTH2110001	1 1 1	13.00 15.00		12	875	110 34 00000
		B000 0205	BOTH1300002	1 1	13.40 14.55		35	875	110 34 00000
		B000 0205	BUSI2115001	1 1 1	15.00 15.50		12	875	110 34 00000
		B000 0205	MAST1230001	1 1	15.00 16.20	1	2	875	110 34 00000
		B000 0206A	DVMA0090001	1 1 1	8.00 9.20		21	1,037	110 20 00000
		B000 0206A	AHMA1000001	1 1	8.00 10.00		6	1,037	110 20 00000
		B000 0206A	AHEN1000001	1 1 1	9.30 10.50		2	1,037	110 20 00000
		B000 0206A	DVMA0090002	1 1 1	12.30 13.50		21	1,037	110 20 00000
		B000 0206A	DVED2991001	1 1	12.30 14.30		1	1,037	110 20 00000
		B000 0206A	DVED2991002	1 1	12.30 14.30	1	1	1,037	110 20 00000
		B000 0206A	DVED2993001	1 1	12.30 14.30	1	5	1,037	110 20 00000
		B000 0206A	DVED2991003	1 1	13.00 15.00	1	1	1,037	110 20 00000
		B000 0207	ACCT1100001	1 1 1	8.00 8.50		22	896	110 25 00000
		B000 0207	ACCT1100001	1 1	8.00 9.15		22	896	110 25 00000
		B000 0207	ISYS1440001	1 1	8.00 9.15	1	3	896	110 25 00000
		B000 0207	ISYS1440001	1 1 1	9.00 9.50		3	896	110 25 00000
		B000 0207	OSYS1100001	1 1 1	9.00 9.50	1	26	896	110 25 00000
		B000 0207	SPPR2996001	1 1 1	10.00 10.50		8	896	110 25 00000
		B000 0207	MACH1350001	1 1 1	13.00 15.00		9	896	110 25 00000
		B000 0210A	AHRE1000001	1 1 1	8.00 9.20		3	1,771	110 40 00000
		B000 0210A	DVRE0090001	1 1 1	8.00 9.20	1	2	1,771	110 40 00000
		B000 0210A	DVRE0091001	1 1 1	8.00 9.20	1	9	1,771	110 40 00000
		B000 0210A	DVRE0092001	1 1 1	8.00 9.20	1	2	1,771	110 40 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	B000	0210A	WKEY0070001	1 1	8.00 9.30	1	2	1,771	110 40 00000	
	B000	0210A	WKEY0070021	1 1	8.00 9.30	1	1	1,771	110 40 00000	
	B000	0210A	AHRE1000002	1 1 1	9.30 10.50		1	1,771	110 40 00000	
	B000	0210A	DVRE0090002	1 1 1	9.30 10.50	1	6	1,771	110 40 00000	
	B000	0210A	DVRE0091002	1 1 1	9.30 10.50	1	7	1,771	110 40 00000	
	B000	0210A	DVRE0092002	1 1 1	9.30 10.50	1	1	1,771	110 40 00000	
	B000	0210A	WKEY0070002	1 1	9.30 11.00	1	2	1,771	110 40 00000	
	B000	0210A	WKEY0070022	1 1 1	12.00 13.30		1	1,771	110 40 00000	
	B000	0210A	WKEY0070003	1 1	12.00 13.30	1	2	1,771	110 40 00000	
	B000	0210A	DVRE0090003	1 1 1	12.30 13.50	1	4	1,771	110 40 00000	
	B000	0210A	DVRE0091003	1 1 1	12.30 13.50	1	9	1,771	110 40 00000	
	B000	0211A	KYBD1010001	1 1	9.25 10.40		21	1,200	110 26 00000	
	B000	0211A	KYBD1111001	1 1 1	12.00 12.50		15	1,200	110 26 00000	
	B000	0211A	MAST1130001	1 1 1	12.00 12.50	1	3	1,200	110 26 00000	
	B000	0211A	KYBD1111001	1 1	12.15 13.30		15	1,200	110 26 00000	
	B000	0211A	MAST1130001	1 1	12.15 13.30	1	3	1,200	110 26 00000	
	B000	0211A	ORNT1000001	1 1 1	13.00 13.50		18	1,200	110 26 00000	
	B000	0211A	ORNT1000002	1 1 1	13.00 13.50	1	8	1,200	110 26 00000	
	B000	0211A	KYBD1010002	1 1	13.40 14.55		19	1,200	110 26 00000	
	B000	0211A	CPTR1002002	1 1 1	14.00 14.50		29	1,200	110 26 00000	
8	B000	0213	CPTR1002001	1 1	9.25 10.40		19	1,001	110 10 00000	
	B000	0213	CPTR1310001	1 1 1	12.00 12.50		7	1,001	110 10 00000	
	B000	0213	CPTR1310001	1 1	13.40 14.55		7	1,001	110 10 00000	
4	B000	0214A	CPTR1000007	11111	8.00 15.00		3	2,962	210 28 00000	
4	B000	0214A	JOBS2450007	11111	8.00 15.00	1	1	2,962	210 28 00000	
4	B000	0214A	MTTC2110001	11111	8.00 15.00	1	9	2,962	210 28 00000	
4	B000	0214A	MTTC2120001	11111	8.00 15.00	1	10	2,962	210 28 00000	
4	B000	0214A	MTTC2210001	11111	8.00 15.00	1	8	2,962	210 28 00000	
4	B000	0214A	MTTC2220001	11111	8.00 15.00	1	2	2,962	210 28 00000	
4	B000	0214A	MTTC2230001	11111	8.00 15.00	1	9	2,962	210 28 00000	
4	8	B000	0214A	MTTC2310001	11111	8.00 15.00	1	2	2,962	210 28 00000
4	8	B000	0214A	MTTC2320001	11111	8.00 15.00	1	3	2,962	210 28 00000
4	8	B000	0214A	MTTC2331001	11111	8.00 15.00	1	4	2,962	210 28 00000
4	8	B000	0214A	MTTC2410001	11111	8.00 15.00	1	2	2,962	210 28 00000
4	8	B000	0214A	MTTC2420001	11111	8.00 15.00	1	2	2,962	210 28 00000
4	8	B000	0214A	MTTC2431001	11111	8.00 15.00	1	1	2,962	210 28 00000
4	8	B000	0214A	MTTC2510001	11111	8.00 15.00	1	3	2,962	210 28 00000
4	8	B000	0214A	MTTC2710001	11111	8.00 15.00	1	1	2,962	210 28 00000
4	8	B000	0214A	MTTC2991001	11111	8.00 15.00	1	2	2,962	210 28 00000
4	8	B000	0214A	MTTC2993001	11111	8.00 15.00	1	3	2,962	210 28 00000
4	8	B000	0214A	MTTC2996001	11111	8.00 15.00	1	1	2,962	210 28 00000
4	8	B000	0214A	ORNT1000007	11111	8.00 15.00	1	3	2,962	210 28 00000
	B000	0217	MAST1110001	1 1	10.50 12.05		15	3,045	110 60 00000	
	B000	0217	MAST1120001	1 1	10.50 12.05	1	17	3,045	110 60 00000	
	B000	0217	MAST1110001	1 1 1	11.00 11.50		15	3,045	110 60 00000	
	B000	0217	MAST1120001	1 1 1	11.00 11.50	1	17	3,045	110 60 00000	
4	C000	0301A	CADD1210001	11111	8.00 15.00		2	1,409	110 15 00000	
4	C000	0301A	CADD2300001	11111	8.00 15.00	1	2	1,409	110 15 00000	
4	C000	0301A	CPTR1000009	11111	8.00 15.00	1	4	1,409	110 15 00000	
4	C000	0301A	DRFT1110001	11111	8.00 15.00	1	2	1,409	110 15 00000	
4	C000	0301A	DRFT1120001	11111	8.00 15.00	1	2	1,409	110 15 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C. -NORTHWEST  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	C000	0301A	DRFT1130001	11111	8.00 15.00	1	5	1,409	110 15 00000	
4	C000	0301A	DRFT1140001	11111	8.00 15.00	1	3	1,409	110 15 00000	
4	8	C000	0301A	DRFT1150001	11111	8.00 15.00	1	5	1,409	110 15 00000
4	8	C000	0301A	DRFT1160001	11111	8.00 15.00	1	3	1,409	110 15 00000
4	8	C000	0301A	DRFT1161001	11111	8.00 15.00	1	5	1,409	110 15 00000
4	8	C000	0301A	DRFT1210001	11111	8.00 15.00	1	2	1,409	110 15 00000
4	8	C000	0301A	DRFT1220001	11111	8.00 15.00	1	2	1,409	110 15 00000
4	8	C000	0301A	DRFT1230001	11111	8.00 15.00	1	5	1,409	110 15 00000
4	8	C000	0301A	DRFT2310001	11111	8.00 15.00	1	4	1,409	110 15 00000
4	8	C000	0301A	DRFT2320001	11111	8.00 15.00	1	4	1,409	110 15 00000
4	8	C000	0301A	DRFT2330001	11111	8.00 15.00	1	1	1,409	110 15 00000
4	8	C000	0301A	DRFT2411001	11111	8.00 15.00	1	1	1,409	110 15 00000
4	8	C000	0301A	DRFT2511001	11111	8.00 15.00	1	1	1,409	110 15 00000
4	8	C000	0301A	DRFT2611001	11111	8.00 15.00	1	1	1,409	110 15 00000
4	8	C000	0301A	DRFT2991001	11111	8.00 15.00	1	3	1,409	110 15 00000
4	8	C000	0301A	JOBS2450009	11111	8.00 15.00	1	2	1,409	110 15 00000
4		C000	0303A	CPTR1000014	11111	8.00 15.00	17	658	110 17 00000	
4	8	C000	0303A	INST1110001	11111	8.00 15.00	17	658	110 17 00000	
4	8	C000	0303A	INST2740001	11111	8.00 15.00	16	658	110 17 00000	
4		C000	0304A	INST1330001	11111	8.00 15.00	13	657	110 17 00000	
4	8	C000	0304A	INST1410001	11111	8.00 15.00	14	657	110 17 00000	
4	8	C000	0304A	INST1420001	11111	8.00 15.00	14	657	110 17 00000	
4		C000	0305A	INST2620001	11111	8.00 15.00	16	658	110 17 00000	
4	8	C000	0305A	INST2630001	11111	8.00 15.00	16	658	110 17 00000	
4	8	C000	0305A	INST2630002	11111	8.00 15.00	16	658	110 17 00000	
4	8	C000	0305A	JOBS2450014	11111	8.00 15.00	17	658	110 17 00000	
4		C000	0306A	INST1430001	11111	8.00 15.00	15	1,008	110 17 00000	
4	8	C000	0306A	INST2610001	11111	8.00 15.00	15	1,008	110 17 00000	
4	8	C000	0306A	INST2730001	11111	8.00 15.00	15	1,008	110 17 00000	
4		C000	0307A	ETRN1120001	11111	8.00 15.00	14	723	110 17 00000	
4	8	C000	0307A	ETRN1130001	11111	8.00 15.00	14	723	110 17 00000	
4	8	C000	0307A	ETRN1210001	11111	8.00 15.00	14	723	110 17 00000	
4	8	C000	0307A	ETRN1220001	11111	8.00 15.00	14	723	110 17 00000	
4	8	C000	0307A	ETRN1220002	11111	8.00 15.00	16	723	110 17 00000	
4	8	C000	0307A	ETRN1420001	11111	8.00 15.00	17	723	110 17 00000	
4	8	C000	0307A	ORNT1000014	11111	8.00 15.00	14	723	110 17 00000	
4		C000	0308	INST2820001	11111	8.00 15.00	14	283	110 12 00000	
4	8	C000	0308	INST2830001	11111	8.00 15.00	14	283	110 12 00000	
4	8	C000	0308	INST2840001	11111	8.00 15.00	14	283	110 12 00000	
4	8	C000	0308	JOBS2450015	11111	8.00 15.00	13	283	110 12 00000	
		C000	0309T	MATH1015001	1 1	9.30 10.45	17	481	110 24 00000	
		C000	0309T	SPCH1015001	1 1	14.30 15.45	18	481	110 24 00000	
4		T000	0105	HCVO1110001	11111	8.00 15.00	30	469	110 30 00000	
4	8	T000	0105	HCVO1111001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1120001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1121001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1130001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1131001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1200001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1210001	11111	8.00 15.00	1	469	110 30 00000	
4	8	T000	0105	HCVO1220001	11111	8.00 15.00	1	469	110 30 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 11/18/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-NORTHWEST  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	T000 0105	HCVO1230001	11111	8.00 15.00	1	30	469	110 30 00000
4		T000 0108	CTDP1110001	11111	7.00 15.00		14	463	110 30 00000
4		T000 0108	CTDP1120001	11111	7.00 15.00	1	14	463	110 30 00000
4		T000 0108	CTDP1211001	11111	7.00 15.00	1	14	463	110 30 00000
4	8	T000 0108	HCVO1140001	11111	7.00 15.00	1	14	463	110 30 00000
4	8	T000 0108	HCVO1212001	11111	7.00 15.00	1	14	463	110 30 00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 172

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 119  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 291

TOTAL NUMBER OF RECORDS READ 261  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 261  
NUMBER OF JOINT-CLASS RECORDS 195  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS

SPACE UTILIZ - SUMMARY PAGE

L. T. C. -NORTHWEST

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			764
WEEKLY STUDENT CONTACT HOURS	32803	72	32875
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1915	12	1927
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	68760	38200	106960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	48749	720	49469
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	65607	144	65751
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.8	.9	51.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	95.4	.4	61.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	134.6	20.0	132.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			27
TOTAL NUMBER OF STATIONS (CAPACITY)			764
WEEKLY STUDENT CONTACT HOURS	32803	72	32875
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2430	1350	3780
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1915	12	1927
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	68760	38200	106960
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	48749	720	49469
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	65607	144	65751
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.8	.9	51.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	95.4	.4	61.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	134.6	20.0	132.9



	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			240
WEEKLY STUDENT CONTACT HOURS	22039		22039
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	776		776
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	21600	12000	33600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18860		18860
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44078		44078
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	78.4	.0	50.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	204.1	.0	131.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	233.7	.0	233.7

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			216
WEEKLY STUDENT CONTACT HOURS	22039		22039
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	776		776
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	19440	10800	30240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18860		18860
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44078		44078
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	86.2	.0	55.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	226.7	.0	145.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	233.7	.0	233.7

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY