

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 12/16/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-SHELBY JACKSON  
 BRANCH  
 PARISH  
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4      | 000A 1030       | HCOR12121        | 11                  | 6.30 12.30        |                         | 21        | 780                 | 110 20               | 00000    |
|        | 000A 1030       | MAST12101        | 1 1 1               | 8.00 11.00        | 1                       | 9         | 780                 | 110 20               | 00000    |
| 4      | 8 000A 1030     | HCOR29971        | 11                  | 8.00 15.00        | 1                       | 21        | 780                 | 110 20               | 00000    |
|        | 8 000A 1030     | HCOR11203        | 1 1                 | 8.15 11.00        | 1                       | 7         | 780                 | 110 20               | 00000    |
|        | 8 000A 1030     | HCOR11601        | 1                   | 8.15 11.00        | 1                       | 5         | 780                 | 110 20               | 00000    |
| 4      | 000A 1030       | HPHL10221        | 1 1 1               | 8.15 14.00        |                         | 5         | 780                 | 110 20               | 00000    |
| 4      | 000A 1030       | HNUR12111        | 1 1                 | 9.00 14.30        | 1                       | 21        | 780                 | 110 20               | 00000    |
|        | 8 000A 1030     | HMDT11703        | 1 1                 | 12.00 13.30       | 1                       | 6         | 780                 | 110 20               | 00000    |
|        | 000A 1030       | CPTR10002        | 1 1 1               | 12.00 15.00       |                         | 5         | 780                 | 110 20               | 00000    |
|        | 000A 1030       | HCOR29911        | 1                   | 12.00 15.00       |                         | 5         | 780                 | 110 20               | 00000    |
| 4      | 000A 1070       | HNUR21231        | 11111               | 6.30 14.30        |                         | 28        | 676                 | 110 35               | 00000    |
| 4      | 000A 1070       | HNUR21232        | 11111               | 6.30 14.30        | 1                       | 1         | 676                 | 110 35               | 00000    |
| 4      | 8 000A 1070     | HNUR25231        | 1111                | 6.30 14.30        | 1                       | 28        | 676                 | 110 35               | 00000    |
| 4      | 8 000A 1070     | HNUR25232        | 1111                | 6.30 14.30        | 1                       | 1         | 676                 | 110 35               | 00000    |
|        | 8 000A 1070     | HNUR26111        | 1 1                 | 12.00 14.45       | 1                       | 23        | 676                 | 110 35               | 00000    |
|        | 000A 1070       | CSRV10002        | 1                   | 12.00 14.45       |                         | 26        | 676                 | 110 35               | 00000    |
|        | 000A 1070       | CSRV10003        | 1                   | 12.00 14.45       | 1                       | 1         | 676                 | 110 35               | 00000    |
|        | 000A 1170       | CPTR10101        | 11111               | 8.00 8.50         |                         | 9         | 715                 | 110 35               | 00000    |
|        | 000A 1170       | INCT21101        | 11111               | 9.00 9.50         |                         | 9         | 715                 | 110 35               | 00000    |
|        | 000A 1170       | INCT20101        | 11111               | 10.00 10.50       |                         | 8         | 715                 | 110 35               | 00000    |
|        | 000A 1170       | INCT29021        | 1 1 1               | 12.00 12.50       |                         | 2         | 715                 | 110 35               | 00000    |
|        | 000A 1170       | INCT11001        | 11 11               | 13.00 13.50       |                         | 8         | 715                 | 110 35               | 00000    |
|        | 000A 1180       | BOTH12101        | 1 1 1               | 8.00 8.50         |                         | 20        | 715                 | 110 35               | 00000    |
|        | 000A 1180       | CPTR10021        | 1 1 1               | 8.00 8.50         | 1                       | 13        | 715                 | 110 35               | 00000    |
|        | 000A 1180       | CSRV10001        | 1 1                 | 9.25 10.40        |                         | 20        | 715                 | 110 35               | 00000    |
|        | 000A 1180       | KYBD11111        | 1111                | 10.00 10.50       | 1                       | 13        | 715                 | 110 35               | 00000    |
|        | 000A 1180       | KYBD10001        | 1 1 1               | 10.00 10.50       | 1                       | 8         | 715                 | 110 35               | 00000    |
|        | 000A 1180       | BUSE10301        | 1 1 1               | 12.00 12.50       |                         | 20        | 715                 | 110 35               | 00000    |
|        | 000A 1180       | BUSE10451        | 1 1                 | 12.15 13.30       |                         | 8         | 715                 | 110 35               | 00000    |
|        | 000A 1180       | BOTH21101        | 1 1 1               | 13.00 13.50       |                         | 5         | 715                 | 110 35               | 00000    |
|        | 000A 1180       | ORNT10001        | 1                   | 14.00 14.50       |                         | 26        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | JOBS2450191      | 11111               | 8.00 8.50         |                         | 1         | 715                 | 110 35               | 00000    |
|        | 000A 1200       | ACCT14001        | 1111                | 8.00 8.50         | 1                       | 3         | 715                 | 110 35               | 00000    |
|        | 000A 1200       | ACCT11001        | 111                 | 9.00 9.50         |                         | 25        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | ACCT1115 1       | 1 1                 | 9.00 9.50         |                         | 12        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | MATH1015C92      | 1 1                 | 9.30 10.45        |                         | 5         | 715                 | 110 35               | 00000    |
|        | 000A 1200       | ACCT15001        | 1111                | 10.00 10.50       | 1                       | 4         | 715                 | 110 35               | 00000    |
|        | 000A 1200       | KYBD1000999      | 1 1 1               | 10.00 10.50       | 1                       | 14        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | MAST12301        | 1 1                 | 12.15 13.45       |                         | 13        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | CPTR13001        | 1111                | 13.00 13.50       | 1                       | 11        | 715                 | 110 35               | 00000    |
|        | 000A 1200       | SPCH1015C91      | 1 1                 | 14.30 15.45       |                         | 7         | 715                 | 110 35               | 00000    |
|        | 000B 2040       | WELD11103        | 11111               | 12.10 15.00       |                         | 4         | 475                 | 110 25               | 00000    |
|        | 000B 2090       | WELD11104        | 11111               | 8.00 9.00         |                         | 2         | 288                 | 110 25               | 00000    |
|        | 000B 2120       | WELD11403        | 11111               | 8.00 9.00         |                         | 2         | 2,500               | 210 25               | 00000    |
|        | 000B 2120       | WELD12104        | 11111               | 8.00 9.00         | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD11302        | 11111               | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD11404        | 11111               | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD13102        | 11111               | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD14111        | 11111               | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD14121        | 11111               | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD14122        | 11111               | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 12/16/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-SHELBY JACKSON  
 BRANCH  
 PARISH  
 RELATION OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
| 4      | 000B 2120       | WELD14123        | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD14201        | 111111              | 8.10 15.00        | 1                       | 3         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD15111        | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD15121        | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD21101        | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD21102        | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD21103        | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD21105        | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD211101       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD211102       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD211103       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD221001       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD221002       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD221003       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD221004       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD222201       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD223001       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD223002       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 000B 2120       | WELD223003       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 8 000B 2120     | WELD223004       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 8 000B 2120     | WELD231001       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 8 000B 2120     | WELD231002       | 111111              | 8.10 15.00        | 1                       | 1         | 2,500               | 210 25               | 00000    |
| 4      | 8 000B 2120     | WELD231003       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
| 4      | 8 000B 2120     | WELD231103       | 111111              | 8.10 15.00        | 1                       | 2         | 2,500               | 210 25               | 00000    |
|        | 8 000B 2120     | WELD11402        | 111111              | 12.10 15.00       | 1                       | 4         | 2,500               | 210 25               | 00000    |
|        | 8 000B 2120     | WELD12103        | 111111              | 12.10 15.00       | 1                       | 4         | 2,500               | 210 25               | 00000    |
|        | 000B 2130       | HNUR14601        | 111 1               | 8.00 11.00        |                         | 28        | 2,450               | 650 100              | 00000    |
|        | 000B 2130       | HNUR13001        | 1 1                 | 8.00 11.00        | 1                       | 23        | 2,450               | 650 100              | 00000    |
|        | 000B 2130       | HNUR13611        | 1 1                 | 8.00 11.00        | 1                       | 26        | 2,450               | 650 100              | 00000    |
|        | 000B 2130       | HNUR14112        | 111 1               | 11.45 14.30       |                         | 25        | 2,450               | 650 100              | 00000    |
|        | 000B 2130       | CPTR10001        | 1 1                 | 11.45 14.30       | 1                       | 9         | 2,450               | 650 100              | 00000    |
|        | 000B 2240       | BLdG1150 1       | 111111              | 8.15 11.00        |                         | 12        | 433                 | 110 25               | 00000    |
|        | 000B 2240       | BLDG1330 1       | 111111              | 8.15 11.00        | 1                       | 12        | 433                 | 110 25               | 00000    |
|        | 000B 2240       | BLDG29931        | 111111              | 8.15 11.00        | 1                       | 6         | 433                 | 110 25               | 00000    |
| 4      | 000B 2240       | BLDG11101        | 111111              | 8.15 15.00        | 1                       | 8         | 433                 | 110 25               | 00000    |
|        | 8 000B 2240     | BLDG11102        | 111111              | 12.00 15.00       | 1                       | 6         | 433                 | 110 25               | 00000    |
|        | 8 000B 2240     | BLDG11301        | 111111              | 12.00 15.00       | 1                       | 18        | 433                 | 110 25               | 00000    |
|        | 8 000B 2240     | BLDG11401        | 111111              | 12.00 15.00       | 1                       | 18        | 433                 | 110 25               | 00000    |
|        | 000C 4000       | AHEN1000 1       | 1111                | 8.00 8.50         |                         | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHRE10001        | 1111                | 8.00 8.50         | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00921        | 1111                | 8.00 8.50         | 1                       | 2         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHEN10002        | 1111                | 9.00 9.50         |                         | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHMA10002        | 1111                | 9.00 9.50         | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHRE10005        | 1111                | 9.00 9.50         | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHSC10002        | 1111                | 9.00 9.50         | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVEN00912        | 1111                | 9.00 9.50         | 1                       | 2         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVMA00902        | 1111                | 9.00 9.50         | 1                       | 8         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00912        | 1111                | 9.00 9.50         | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00922        | 1111                | 9.00 9.50         | 1                       | 2         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHSC10005        | 1111                | 10.00 10.50       |                         | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHSC10006        | 1111                | 10.00 10.50       | 1                       | 1         | 1,064               | 110 35               | 00000    |

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 12/16/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-SHELBY JACKSON  
 BRANCH  
 PARISH  
 RELATION

OTHER

| ERRORS | BLDNG./ROOM NO. | COURSE/SECT. NO. | MEETNG DAYS MTWTFSS | BEGIN - END TIMES | J A D I N L I N T T F C | TOTAL REG | NET ASSIGN. SQ. FT. | ROOM TYPE & CAPACITY | RECR NO. |
|--------|-----------------|------------------|---------------------|-------------------|-------------------------|-----------|---------------------|----------------------|----------|
|        | 000C 4000       | DVMA00905        | 1111                | 10.00 10.50       | 1                       | 4         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00915        | 1111                | 10.00 10.50       | 1                       | 2         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00925        | 1111                | 10.00 10.50       | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | INCT18001        | 11111               | 10.50 12.05       |                         | 6         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHMA 1003        | 1111                | 13.00 13.50       |                         | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHRE10003        | 1111                | 13.00 13.50       | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVEN00913        | 1111                | 13.00 13.50       | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVMA00903        | 1111                | 13.00 13.50       | 1                       | 3         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | DVRE00913        | 1111                | 13.00 13.50       | 1                       | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4000       | AHSC10004        | 1111                | 14.00 14.50       |                         | 1         | 1,064               | 110 35               | 00000    |
|        | 000C 4010       | HPHM12001        | 1111                | 8.00 11.00        |                         | 23        | 570                 | 110 20               | 00000    |
| 8      | 000C 4010       | HPHM15131        | 11111               | 8.00 11.15        | 1                       | 23        | 570                 | 110 20               | 00000    |
| 8      | 000C 4010       | HPHM15031        | 1111                | 8.00 11.15        | 1                       | 23        | 570                 | 110 20               | 00000    |
|        | 000C 4010       | HPHM13001        | 1111                | 11.45 14.45       |                         | 23        | 570                 | 110 20               | 00000    |
| 8      | 000C 4010       | HPHM14001        | 1111                | 12.00 14.00       | 1                       | 23        | 570                 | 110 20               | 00000    |
|        | 000C 4010       | ORNT10002        | 1111                | 14.45 15.45       |                         | 13        | 570                 | 110 20               | 00000    |

|   |     |
|---|-----|
| ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.<br>THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,<br>THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE. |     |
| ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.  |     |
| ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00   |     |
| ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.   | 39  |
| ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,<br>CUSTODIAL OR MECHANICAL.   |     |
| ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS  |     |
| ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED).<br>PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.   | 20  |
| ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.  |     |
| TOTAL ERRORS (INCLUDING WARNINGS)   | 59  |
| TOTAL NUMBER OF RECORDS READ  | 118 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION  | 118 |
| NUMBER OF JOINT-CLASS RECORDS   | 80  |
| NUMBER OF ALTERATE WEEKS RECORDS  |     |
| NUMBER OF DIFFERENT TIMES RECORDS   |     |
| NUMBER OF INCONSISTENT RECORDS  |     |

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHELBY JACKSON

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 10                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 290                      |
| WEEKLY STUDENT CONTACT HOURS   | 7338                   |                          | 7338                     |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 900                    | 500                      | 1400                     |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 1266                   |                          | 1266                     |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 26100                  | 14500                    | 40600                    |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 36745                  |                          | 36745                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 14677                  |                          | 14677                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 140.7                  | .0                       | 90.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 56.2                   | .0                       | 36.2                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 39.9                   | .0                       | 39.9                     |

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASSROOM  |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 10                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 290                      |
| WEEKLY STUDENT CONTACT HOURS   | 7338                   |                          | 7338                     |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 900                    | 500                      | 1400                     |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 1266                   |                          | 1266                     |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 26100                  | 14500                    | 40600                    |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 36745                  |                          | 36745                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 14677                  |                          | 14677                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 140.7                  | .0                       | 90.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 56.2                   | .0                       | 36.2                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 39.9                   | .0                       | 39.9                     |

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 4                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 110                      |
| WEEKLY STUDENT CONTACT HOURS   | 1645                   |                          | 1645                     |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 360                    | 200                      | 560                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 2180                   |                          | 2180                     |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 9900                   | 5500                     | 15400                    |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 54500                  |                          | 54500                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 3290                   |                          | 3290                     |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 605.6                  | .0                       | 389.3                    |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 33.2                   | .0                       | 21.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 6.0                    | .0                       | 6.0                      |

|  | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--|------------------------|--------------------------|--------------------------|
| CLASS LABORATORY   |                        |                          |                          |
| TOTAL NUMBER OF ROOMS  |                        |                          | 4                        |
| TOTAL NUMBER OF STATIONS (CAPACITY)  |                        |                          | 110                      |
| WEEKLY STUDENT CONTACT HOURS   | 1645                   |                          | 1645                     |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 360                    | 200                      | 560                      |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 2180                   |                          | 2180                     |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 9900                   | 5500                     | 15400                    |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 54500                  |                          | 54500                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 3290                   |                          | 3290                     |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE   | 605.6                  | .0                       | 389.3                    |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 33.2                   | .0                       | 21.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 6.0                    | .0                       | 6.0                      |

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY