

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	A000 0101	BARB321 001	111111	8.00 14.45		13	341	630 23	00000
4	A000 0101	BARB341 001	111111	8.00 14.45	1	22	341	630 23	00000
4	8 A000 0101	BARB995 001	111111	8.00 14.45	1	2	341	630 23	00000
4	8 A000 0101	BARB996 001	111111	8.00 14.45	1	4	341	630 23	00000
	7 A000 0101	BARB110 901	111	17.00 21.00			341	630 23	00000
	A000 0101	BARB160 901	111	17.00 21.00	1	3	341	630 23	00000
	A000 0101	BARB350 901	111	17.00 21.00	1	9	341	630 23	00000
	A000 0101	BARB410 901	111	17.00 21.00	1	10	341	630 23	00000
	A000 0101	BARB993 901	111	17.00 21.00	1	2	341	630 23	00000
3	A000 0104	BARB350 001	111111	8.00 2.45		13	495	110 32	00000
4	A000 0104	BARB111 001	111111	8.00 14.45		6	495	110 32	00000
4	A000 0104	BARB120 001	111111	8.00 14.45	1	21	495	110 32	00000
4	A000 0104	BARB310 001	111111	8.00 14.45	1	21	495	110 32	00000
4	8 A000 0104	BARB330 001	111111	8.00 14.45	1	28	495	110 32	00000
4	8 A000 0104	BARB430 001	111111	8.00 14.45	1	15	495	110 32	00000
	7 A000 0104	BARB120 901	1111	17.00 21.00			495	110 32	00000
	A000 0104	BARB330 901	1111	17.00 21.00	1	9	495	110 32	00000
	A000 0104	BARB630 901	111	17.00 21.00	1	3	495	110 32	00000
	A000 0104	BARB995 901	111	17.00 21.00	1	2	495	110 32	00000
4	A000 0105	BARB111 002	111111	8.00 14.45		2	526	210 14	00000
4	A000 0105	BARB131 001	111111	8.00 14.45	1	18	526	210 14	00000
4	8 A000 0105	BARB991 001	111111	8.00 14.45	1	5	526	210 14	00000
	7 A000 0105	BARB131 901	111	17.00 21.00			526	210 14	00000
	A000 0105	BARB211 901	111	17.00 21.00	1	8	526	210 14	00000
	A000 0105	BARB341 901	111	17.00 21.00	1	5	526	210 14	00000
	A000 0200	CSRV000 001	1111	8.00 9.15		22	776	140 22	00000
	8 A000 0200	ENGL050 001	1111	8.00 9.15	1	16	776	140 22	00000
4	8 A000 0200	CPTR000 999	111111	8.00 14.30	1	5	776	140 22	00000
4	8 A000 0200	JOBS450 999	111111	8.00 14.30	1	7	776	140 22	00000
	8 A000 0200	ENGL030 001	1111	13.00 14.30	1	4	776	140 22	00000
	A000 0200	CPTR000 901	1	17.00 20.00		31	776	140 22	00000
	A000 0201	ACCT200 001	1111	8.00 9.15		4	769	140 22	00000
4	A000 0201	OSYS997 001	111111	8.00 14.30	1	6	769	140 22	00000
4	A000 0201	OSYS999 001	111111	8.00 14.30	1	5	769	140 22	00000
	A000 0201	ACCT100 001	1111	9.00 10.45	1	17	769	140 22	00000
4	A000 0202	KYBD000 700	111111	8.00 14.00		12	776	140 22	00000
	A000 0207	KYBD000 999	111111	9.00 10.00		1	451	210 14	00000
	A000 0207	CPTR310 001	1111	9.00 10.15	1	5	451	210 14	00000
	A000 0207	ISYS650 001	1111	11.45 13.00		17	451	210 14	00000
	A000 0207	MACH350 001	1111	11.45 13.00	1	3	451	210 14	00000
	A000 0207	ISYS450 001	1111	13.15 14.30		20	451	210 14	00000
	8 A000 0207	ISYS550 001	1111	13.15 14.30	1	2	451	210 14	00000
	A000 0208	KYBD010 003	111111	9.00 10.30		1	511	210 15	00000
	8 A000 0208	CPTR000 001	111111	9.30 10.45	1	30	511	210 15	00000
	8 A000 0208	CPTR000 002	111111	9.30 10.45	1	29	511	210 15	00000
	A000 0208	KYBD010 002	111111	11.45 13.00		21	511	210 15	00000
	8 A000 0208	KYBD110 001	111111	11.45 13.00	1	28	511	210 15	00000
	8 A000 0208	JOBS450 001	111111	12.00 13.00	1	33	511	210 15	00000
	8 A000 0208	JOBS450 002	111111	12.00 13.00	1	11	511	210 15	00000
	8 A000 0208	CPTR000 003	111111	14.30 16.00		28	511	210 15	00000
	8 A000 0208	CPTR000 004	111111	14.30 16.00	1	32	511	210 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	A000	0208	JOBS450 901	1	17.00 20.00		511	210 15	00000	
4	A000	0209	CADD210 001	111111	8.00 14.45		1,149	220 22	00000	
4	A000	0209	CADD300 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	CADD310 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT110 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT120 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT140 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT150 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT160 001	111111	8.00 14.45	1	1,149	220 22	00000	
4	A000	0209	DRFT160 002	111111	8.00 14.45	1	1,149	220 22	00000	
4	8	A000	0209	DRFT310 001	111111	8.00 14.45	1	1,149	220 22	00000
4	78	A000	0209	DRFT310 002	111111	8.00 14.45	1	1,149	220 22	00000
4	8	A000	0209	DRFT320 001	111111	8.00 14.45	1	1,149	220 22	00000
4	8	A000	0209	DRFT330 001	111111	8.00 14.45	1	1,149	220 22	00000
4	8	A000	0209	DRFT431 001	111111	8.00 14.45	1	1,149	220 22	00000
4	8	A000	0209	DRFT531 001	111111	8.00 14.45	1	1,149	220 22	00000
4	8	A000	0209	DRFT631 001	11 11	8.00 14.45	1	1,149	220 22	00000
	A000	0211	WKEY070 001	111111	9.00 10.15		784	110 33	00000	
	A000	0211	WKEY070 003	111111	9.00 10.30	1	784	110 33	00000	
	A000	0211	WKEY070 002	111111	13.00 14.15		784	110 33	00000	
	A000	0211	WKEY070 004	111111	13.00 14.30	1	784	110 33	00000	
	A000	0213	BARB993 601	1	17.00 20.30		781	110 37	00000	
7	B000	0101	ETRN130 001	111111	8.00 11.45		552	110 22	00000	
7	B000	0101	ETRN210 001	111111	8.00 11.45	1	552	110 22	00000	
4	7	B000	0101	ETRN230 001	111111	8.00 14.45	1	552	110 22	00000
4	7	B000	0101	ETRN240 001	111111	8.00 14.45	1	552	110 22	00000
4	7	B000	0101A	DAVT510 001	111111	8.00 14.45		2,346	210 22	00000
4	7	B000	0101A	DAVT520 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT530 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT610 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT620 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT710 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT720 001	111111	8.00 14.45	1	2,346	210 22	00000
4	7	B000	0101A	DAVT810 001	111111	8.00 14.45	1	2,346	210 22	00000
4	7	B000	0101A	DAVT820 001	111111	8.00 14.45	1	2,346	210 22	00000
4		B000	0101A	DAVT997 001	111111	8.00 14.45	1	2,346	210 22	00000
4	7	B000	0101A	ETRN220 001	111111	8.00 14.45	1	2,346	210 22	00000
	B000	0101A	DAVT995 001	111111	11.45 14.45	1	2,346	210 22	00000	
7	B000	0101A	DAVT996 001	111111	11.45 14.45	1	2,346	210 22	00000	
	B000	0102	INCT100 001	1 1	8.00 11.00		568	110 22	00000	
4	B000	0102	INCT110 001	1 1	8.00 14.45		568	110 22	00000	
4	B000	0102	INCT120 001	1 1	8.00 14.45	1	568	110 22	00000	
	B000	0102	INCT110 001	1 1	11.45 14.45		568	110 22	00000	
	B000	0102	INCT330 001	1 1	16.00 19.00		568	110 22	00000	
4	B000	0102A	INCT130 001	1 1	8.00 14.45		1,194	140 34	00000	
4	B000	0102A	INCT140 001	1 1	8.00 14.45	1	1,194	140 34	00000	
4	8	B000	0102B	INCT120 001	1	8.00 14.45	8	625	220 4	00000
4	8	B000	0102B	INCT902 001	1	8.00 14.45	3	625	220 4	00000
4	8	B000	0102B	INCT995 001	1	8.00 14.45	2	625	220 4	00000
	B000	0102B	INCT110 901	1 1	16.00 19.00		625	220 4	00000	
	B000	0102E	INCT200 001	1 1	8.00 11.00		383	140 15	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	B000	0102E	KYBD010 001	1	8.00 11.00		17	383	140 15 00000	
	B000	0102E	CPTR010 001	11	11.45 14.45		15	383	140 15 00000	
	B000	0102E	INCT991 001	1	11.45 14.45		5	383	140 15 00000	
	B000	0103	AHSC000 001	11	7.30 9.25		25	570	110 20 00000	
	B000	0103	MATH015 C91	1 1	9.30 10.45		9	570	110 20 00000	
	B000	0103	SPCH015 C91	1 1	14.30 15.45		3	570	110 20 00000	
	B000	0103E	INCT020 901	1 1	16.00 19.00		4	297	140 16 00000	
4	B000	0104A	BARB110 001	111111	8.00 14.30		24	2,347	220 45 00000	
4	B000	0104A	BARB120 001	111111	8.00 14.30	1	24	2,347	220 45 00000	
4	8	B000	0104A	BARB131 001	111111	8.00 14.30	1	24	2,347	220 45 00000
4	8	B000	0104A	BARB140 001	111111	8.00 14.30	1	31	2,347	220 45 00000
4	8	B000	0104A	BARB140 002	111111	8.00 14.30	1	1	2,347	220 45 00000
4	8	B000	0104A	BARB150 001	111111	8.00 14.30	1	29	2,347	220 45 00000
4	8	B000	0104A	BARB160 001	111111	8.00 14.30	1	24	2,347	220 45 00000
4	8	B000	0104A	BARB220 001	111111	8.00 14.30	1	25	2,347	220 45 00000
4	8	B000	0104A	BARB410 001	111111	8.00 14.30	1	27	2,347	220 45 00000
4	8	B000	0104A	BARB420 001	111111	8.00 14.30	1	24	2,347	220 45 00000
4	8	B000	0104A	BARB420 002	111111	8.00 14.30	1	1	2,347	220 45 00000
4	8	B000	0104A	BARB420 003	111111	8.00 14.30	1	1	2,347	220 45 00000
4	8	B000	0104A	BARB630 001	111111	8.00 14.30	1	26	2,347	220 45 00000
	B000	0104A	BARB630 002	111111	17.00 21.00		1	2,347	220 45 00000	
45	8	B000	0105	BARB211 001	111111	8.00 14.45	7	56	030 1 00000	
45	8	B000	0105	BARB211 002	111111	8.00 14.45	1	56	030 1 00000	
4	C000	0101	HACR150 001	1 1 1	8.00 15.00		20	553	110 13 00000	
4	8	C000	0101	HACR160 001	1 1 1	8.00 15.00	1	21	553	110 13 00000
4	8	C000	0101	HACR170 001	1 1 1	8.00 15.00	1	20	553	110 13 00000
4	C000	0101	HACR530 001	1 1	8.00 15.00		14	553	110 13 00000	
4	8	C000	0101	HACR540 001	1 1	8.00 15.00	1	18	553	110 13 00000
4	8	C000	0101	HACR550 001	1 1	8.00 15.00	1	18	553	110 13 00000
4	8	C000	0101	HACR560 001	1 1	8.00 15.00	1	18	553	110 13 00000
	C000	0101	HACR530 901	1 1	17.00 20.00		11	553	110 13 00000	
	8	C000	0101	HACR540 901	1 1	17.00 20.00	1	13	553	110 13 00000
	8	C000	0101	HACR550 901	1 1	17.00 20.00	1	13	553	110 13 00000
	8	C000	0101	HACR560 901	1 1	17.00 20.00	1	14	553	110 13 00000
4	C000	0101A	HACR150 001	1 1 1	8.00 15.00		20	1,633	220 20 00000	
4	8	C000	0101A	HACR160 001	1 1 1	8.00 15.00	1	21	1,633	220 20 00000
4	8	C000	0101A	HACR170 001	1 1 1	8.00 15.00	1	20	1,633	220 20 00000
4	C000	0101A	HACR530 001	1 1	8.00 15.00		14	1,633	220 20 00000	
4	8	C000	0101A	HACR540 001	1 1	8.00 15.00	1	18	1,633	220 20 00000
4	8	C000	0101A	HACR550 001	1 1	8.00 15.00	1	18	1,633	220 20 00000
	C000	0101A	HACR530 901	1 1	17.00 20.00		11	1,633	220 20 00000	
	C000	0101A	HACR540 901	1 1	17.00 20.00	1	13	1,633	220 20 00000	
	8	C000	0101A	HACR550 901	1 1	17.00 20.00	1	13	1,633	220 20 00000
	8	C000	0101A	HACR560 901	1 1	17.00 20.00	1	14	1,633	220 20 00000
4	8	C000	0101B	HACR150 001	1 1 1	8.00 15.00	20	561	110 8 00000	
4	8	C000	0101B	HACR160 001	1 1 1	8.00 15.00	1	21	561	110 8 00000
4	8	C000	0101B	HACR170 001	1 1 1	8.00 15.00	1	20	561	110 8 00000
4	8	C000	0101B	HACR530 001	1 1	8.00 15.00	14	561	110 8 00000	
4	8	C000	0101B	HACR540 001	1 1	8.00 15.00	1	18	561	110 8 00000
4	8	C000	0101B	HACR550 001	1 1	8.00 15.00	1	18	561	110 8 00000
	C000	0101B	HACR530 901	1 1	17.00 20.00		11	561	110 8 00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
8	C000 0101B	HACR540 901	1 1	17.00 20.00	1	13	561	110 8	00000	
8	C000 0101B	HACR550 901	1 1	17.00 20.00	1	13	561	110 8	00000	
8	C000 0101B	HACR560 901	1 1	17.00 20.00	1	14	561	110 8	00000	
4	C000 0102	HACR210 001	1 1 1	8.00 15.00	1	2	570	110 13	00000	
4	C000 0102	HACR220 001	1 1 1	8.00 15.00	1	2	570	110 13	00000	
4	C000 0102	HACR240 001	1 1 1	8.00 15.00	1	2	570	110 13	00000	
4	C000 0102	HACR410 001	1 1	8.00 15.00	1	4	570	110 13	00000	
4	C000 0102	HACR420 001	1 1	8.00 15.00	1	5	570	110 13	00000	
4	7	C000 0102	HACR510 001	1 1	8.00 15.00	1	570	110 13	00000	
4	7	C000 0102	HACR520 001	1 1	8.00 15.00	1	570	110 13	00000	
	C000 0102	HACR230 001	1 1 1	17.00 20.00	1	2	570	110 13	00000	
	C000 0102	HACR210 901	1 1	17.00 20.00	1	13	570	110 13	00000	
	C000 0102	HACR210 902	1 1	17.00 20.00	1	1	570	110 13	00000	
	8	C000 0102	HACR220 901	1 1	17.00 20.00	1	12	570	110 13	00000
	8	C000 0102	HACR230 901	1 1	17.00 20.00	1	13	570	110 13	00000
	8	C000 0102	HACR240 901	1 1	17.00 20.00	1	14	570	110 13	00000
	C000 0102A	HACR220 902	1 1 1	17.00 20.00	1	1	1,931	220 35	00000	
	C000 0102A	HACR230 902	1 1 1	17.00 20.00	1	1	1,931	220 35	00000	
	C000 0102A	HACR240 902	1 1 1	17.00 20.00	1	1	1,931	220 35	00000	
4	8	C000 0102B	HACR210 001	1 1 1	8.00 15.00	1	2	334	215	00000
4	8	C000 0102B	HACR220 001	1 1 1	8.00 15.00	1	2	334	215	00000
4	8	C000 0102B	HACR240 001	1 1 1	8.00 15.00	1	2	334	215	00000
4	8	C000 0102B	HACR410 001	1 1	8.00 15.00	1	4	334	215	00000
4	8	C000 0102B	HACR420 001	1 1	8.00 15.00	1	5	334	215	00000
4	78	C000 0102B	HACR510 001	1 1	8.00 15.00	1	334	215	00000	
4	78	C000 0102B	HACR520 001	1 1	8.00 15.00	1	334	215	00000	
	8	C000 0102B	HACR230 001	1 1 1	17.00 20.00	1	2	334	215	00000
	8	C000 0102B	HACR210 901	1 1	17.00 20.00	1	13	334	215	00000
	8	C000 0102B	HACR220 901	1 1	17.00 20.00	1	12	334	215	00000
	8	C000 0102B	HACR230 901	1 1	17.00 20.00	1	13	334	215	00000
	8	C000 0102B	HACR240 901	1 1	17.00 20.00	1	14	334	215	00000
4	C000 0103	CLRP110 700	111111	8.00 14.00	1	13	910	110 25	00000	
4	C000 0103	CLRP121 700	111111	8.00 14.00	1	13	910	110 25	00000	
4	C000 0103	CLRP130 700	111111	8.00 14.00	1	1	910	110 25	00000	
4	C000 0103	CLRP131 700	111111	8.00 14.00	1	3	910	110 25	00000	
4	C000 0103	CLRP121 001	111111	8.00 14.45	1	6	910	110 25	00000	
4	8	C000 0103	CLRP131 001	111111	8.00 14.45	1	7	910	110 25	00000
4	8	C000 0103	CLRP140 001	111111	8.00 14.45	1	18	910	110 25	00000
	7	C000 0103	CLRP121 901	1111	17.00 20.00	1	910	110 25	00000	
	7	C000 0103	CLRP131 901	1111	17.00 20.00	1	910	110 25	00000	
	7	C000 0103	CLRP140 901	1111	17.00 20.00	1	910	110 25	00000	
4	C000 0103A	CLRP130 001	111111	8.00 14.45	1	6	2,332	210 40	00000	
4	C000 0103A	CLRP140 001	111111	8.00 14.45	1	1	2,332	210 40	00000	
4	7	C000 0103A	CLRP150 001	111111	8.00 14.45	1	2,332	210 40	00000	
4	7	C000 0103A	CLRP210 001	111111	8.00 14.45	1	2,332	210 40	00000	
4	7	C000 0103A	CLRP220 001	111111	8.00 14.45	1	2,332	210 40	00000	
4	C000 0103A	CLRP230 001	111111	8.00 14.45	1	20	2,332	210 40	00000	
4	C000 0103A	CLRP320 001	111111	8.00 14.45	1	19	2,332	210 40	00000	
	7	C000 0103A	CLRP130 901	1111	17.00 20.00	1	2,332	210 40	00000	
	7	C000 0103A	CLRP140 901	1111	17.00 20.00	1	2,332	210 40	00000	
	7	C000 0103A	CLRP150 901	1111	17.00 20.00	1	2,332	210 40	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
7	C000 0103A	CLRP210 901	1111	17.00 20.00	1		2,332	210 40	00000
7	C000 0103A	CLRP220 901	1111	17.00 20.00	1		2,332	210 40	00000
7	C000 0103A	CLRP230 901	1111	17.00 20.00	1		2,332	210 40	00000
7	C000 0103A	CLRP320 901	1111	17.00 20.00	1		2,332	210 40	00000
4	C000 0104	CLRP110 001	11111	8.00 14.45		8	560	110 22	00000
4	C000 0104	CLRP121 001	11111	8.00 14.45	1	6	560	110 22	00000
4	C000 0104	CLRP131 001	11111	8.00 14.45	1	7	560	110 22	00000
7	C000 0104	CLRP121 901	1111	17.00 20.00			560	110 22	00000
7	C000 0104	CLRP110 901	1111	17.00 22.00	1		560	110 22	00000
4	C000 0104A	CLRP111 001	11111	8.00 14.45		1	2,340	210 40	00000
4	C000 0104A	CLRP121 001	11111	8.00 14.45	1	2	2,340	210 40	00000
4	7 C000 0104A	CLRP311 001	11111	8.00 14.45	1		2,340	210 40	00000
7	C000 0104A	CLRP111 901	1111	17.00 20.00			2,340	210 40	00000
7	C000 0104A	CLRP121 901	1111	17.00 20.00	1		2,340	210 40	00000
7	C000 0104A	CLRP311 901	1111	17.00 20.00	1		2,340	210 40	00000
45 8	C000 0104C	CLRP130 001	11111	8.00 14.45		6	33	010	00000
45 8	C000 0104C	CLRP140 001	11111	8.00 14.45	1	18	33	010	00000
45 89	C000 0104C	CLRP140 001	11111	8.00 14.45		1	33	010	00000
45 78	C000 0104C	CLRP150 001	11111	8.00 14.45	1		33	010	00000
45 78	C000 0104C	CLRP210 001	11111	8.00 14.45	1		33	010	00000
45 78	C000 0104C	CLRP220 001	11111	8.00 14.45	1		33	010	00000
45 8	C000 0104C	CLRP230 001	11111	8.00 14.45	1	20	33	010	00000
45 8	C000 0104C	CLRP320 001	11111	8.00 14.45	1	19	33	010	00000
5 7	C000 0104C	CLRP130 901	1111	17.00 20.00			33	010	00000
5 7	C000 0104C	CLRP131 901	1111	17.00 20.00	1		33	010	00000
5 7	C000 0104C	CLRP140 901	1111	17.00 20.00	1		33	010	00000
5 7 9	C000 0104C	CLRP140 901	1111	17.00 20.00			33	010	00000
5 7	C000 0104C	CLRP150 901	1111	17.00 20.00	1		33	010	00000
5 7	C000 0104C	CLRP210 901	1111	17.00 20.00	1		33	010	00000
5 7	C000 0104C	CLRP220 901	1111	17.00 20.00	1		33	010	00000
5 7	C000 0104C	CLRP230 901	1111	17.00 20.00	1		33	010	00000
5 7	C000 0104C	CLRP320 901	1111	17.00 20.00	1		33	010	00000
4	D000 0100	CPTR000 700	11111	8.00 14.00		2	950	110 19	00000
4	D000 0100	INCT100 700	11111	8.00 14.00	1	2	950	110 19	00000
4	D000 0100	INCT110 700	11111	8.00 14.00	1	2	950	110 19	00000
4	D000 0100	INCT120 700	11111	8.00 14.00	1	2	950	110 19	00000
4	D000 0100C	CPTR000 700	11111	8.00 14.00		2	879	110 25	00000
4	D000 0100C	INCT100 700	11111	8.00 14.00	1	2	879	110 25	00000
4	D000 0100C	INCT110 700	11111	8.00 14.00	1	2	879	110 25	00000
4	D000 0100C	INCT120 700	11111	8.00 14.00	1	2	879	110 25	00000
4	D000 0101	JOBS450 700	11111	8.00 14.00		30	906	110 30	00000
4	D000 0102	WELD110 700	11111	8.00 14.00		17	1,040	110 43	00000
4	9 D000 0102	WELD110 700	11111	8.00 14.00		3	1,040	110 43	00000
4	D000 0102	WELD111 700	11111	8.00 14.00	1	3	1,040	110 43	00000
4	D000 0102	WELD120 700	11111	8.00 14.00	1	6	1,040	110 43	00000
4	D000 0102	WELD130 700	11111	8.00 14.00	1	3	1,040	110 43	00000
4	D000 0102	WELD140 700	11111	8.00 14.00	1	6	1,040	110 43	00000
4	D000 0102	WELD210 700	11111	8.00 14.00	1	17	1,040	110 43	00000
4	D000 0102	WELD310 700	11111	8.00 14.00	1	6	1,040	110 43	00000
4	8 D000 0102	WELD311 700	11111	8.00 14.00	1	6	1,040	110 43	00000
4	8 D000 0102	WELD410 700	11111	8.00 14.00	1	17	1,040	110 43	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	D000 0102	WELD412 700	111111	8.00 14.00	1	17	110 43	00000
4	8	D000 0102	WELD420 700	111111	8.00 14.00	1	3	110 43	00000
4	8	D000 0102	WELD110 001	111111	8.00 14.45	1	15	110 43	00000
4	89	D000 0102	WELD110 001	111111	8.00 14.45		8	110 43	00000
4	8	D000 0102	WELD111 001	111111	8.00 14.45	1	7	110 43	00000
4	78	D000 0102	WELD113 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD114 001	111111	8.00 14.45	1		110 43	00000
4	8	D000 0102	WELD130 001	111111	8.00 14.45	1	18	110 43	00000
4	8	D000 0102	WELD130 002	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD140 001	111111	8.00 14.45	1	17	110 43	00000
4	8	D000 0102	WELD140 002	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD210 001	111111	8.00 14.45	1	17	110 43	00000
4	89	D000 0102	WELD210 001	111111	8.00 14.45		5	110 43	00000
4	78	D000 0102	WELD220 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD221 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD222 001	111111	8.00 14.45	1		110 43	00000
4	8	D000 0102	WELD230 001	111111	8.00 14.45	1	7	110 43	00000
4	8	D000 0102	WELD310 001	111111	8.00 14.45	1	14	110 43	00000
4	89	D000 0102	WELD310 001	111111	8.00 14.45		7	110 43	00000
4	8	D000 0102	WELD310 002	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD311 001	111111	8.00 14.45	1	2	110 43	00000
4	78	D000 0102	WELD320 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD321 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD322 001	111111	8.00 14.45	1		110 43	00000
4	78	D000 0102	WELD330 001	111111	8.00 14.45	1		110 43	00000
4	8	D000 0102	WELD410 002	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD411 001	111111	8.00 14.45	1	6	110 43	00000
4	8	D000 0102	WELD411 002	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD412 001	111111	8.00 14.45	1	8	110 43	00000
4	8	D000 0102	WELD420 001	111111	8.00 14.45	1	3	110 43	00000
4	8	D000 0102	WELD510 001	111111	8.00 14.45	1	2	110 43	00000
4	8	D000 0102	WELD511 001	111111	8.00 14.45	1	4	110 43	00000
4	8	D000 0102	WELD512 001	111111	8.00 14.45	1	1	110 43	00000
4	8	D000 0102	WELD120 001	1111	8.00 14.45	1	17	110 43	00000
4	78	D000 0102	WELD112 001	1111	8.00 14.45	1		110 43	00000
		D000 0102	WELD411 901	111	17.00 20.00		2	110 43	00000
		D000 0102	WELD110 901	111	17.00 21.00	1	6	110 43	00000
	9	D000 0102	WELD110 901	111	17.00 21.00		2	110 43	00000
		D000 0102	WELD111 901	111	17.00 21.00	1	3	110 43	00000
	7	D000 0102	WELD112 901	111	17.00 21.00	1		110 43	00000
	7	D000 0102	WELD113 901	111	17.00 21.00	1		110 43	00000
		D000 0102	WELD114 901	111	17.00 21.00	1	1	110 43	00000
		D000 0102	WELD120 901	111	17.00 21.00	1	6	110 43	00000
		D000 0102	WELD130 901	111	17.00 21.00	1	5	110 43	00000
		D000 0102	WELD140 901	111	17.00 21.00	1	5	110 43	00000
		D000 0102	WELD210 901	111	17.00 21.00	1	3	110 43	00000
	9	D000 0102	WELD210 901	111	17.00 21.00		2	110 43	00000
		D000 0102	WELD220 901	111	17.00 21.00	1	2	110 43	00000
		D000 0102	WELD221 901	111	17.00 21.00	1	3	110 43	00000
		D000 0102	WELD230 901	111	17.00 21.00	1	2	110 43	00000
		D000 0102	WELD310 901	111	17.00 21.00	1	1	110 43	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
9	D000 0102	WELD310 901	111	17.00 21.00		1	1,040	110 43	00000
	D000 0102	WELD311 901	111	17.00 21.00	1	3	1,040	110 43	00000
7	D000 0102	WELD320 901	111	17.00 21.00	1		1,040	110 43	00000
7	D000 0102	WELD321 901	111	17.00 21.00	1		1,040	110 43	00000
7	D000 0102	WELD322 901	111	17.00 21.00	1		1,040	110 43	00000
7	D000 0102	WELD330 901	111	17.00 21.00	1		1,040	110 43	00000
	D000 0102	WELD410 901	111	17.00 21.00	1	1	1,040	110 43	00000
	D000 0102	WELD420 901	111	17.00 21.00	1	4	1,040	110 43	00000
	D000 0102	WELD510 901	111	17.00 21.00	1	4	1,040	110 43	00000
	D000 0102	WELD511 901	111	17.00 21.00	1	3	1,040	110 43	00000
	D000 0102	WELD512 901	111	17.00 21.00	1	2	1,040	110 43	00000
4	8 D000 0105	OAGT996 004	111111	7.00 17.00		47	698	110 25	00000
4	8 D000 0105	OAGT996 005	111111	7.00 17.00	1	48	698	110 25	00000
4	8 D000 0105	OAGT996 001	111111	7.30 17.00	1	31	698	110 25	00000
4	8 D000 0105	OAGT996 002	111111	7.30 17.00	1	3	698	110 25	00000
4	8 D000 0105	OAGT996 003	111111	7.30 17.00	1	59	698	110 25	00000
4	8 D000 0105	OAGT996 006	111111	7.30 17.00	1	43	698	110 25	00000
4	8 D000 0105	OAGT996 007	111111	7.30 17.00	1	22	698	110 25	00000
4	D000 0106	DPET210 999	111111	8.00 14.30		1	702	110 25	00000
4	D000 0106	DPET110 001	111111	8.00 14.45	1	4	702	110 25	00000
4	D000 0106	DPET130 001	111111	8.00 14.45	1	1	702	110 25	00000
4	9 D000 0106	DPET130 001	111111	8.00 14.45		4	702	110 25	00000
4	D000 0106	DPET140 001	111111	8.00 14.45	1	1	702	110 25	00000
4	9 D000 0106	DPET140 001	111111	8.00 14.45		7	702	110 25	00000
4	D000 0106	DPET141 001	111111	8.00 14.45	1	4	702	110 25	00000
4	D000 0106	DPET150 001	111111	8.00 14.45	1	4	702	110 25	00000
4	D000 0106	DPET210 001	111111	8.00 14.45	1	2	702	110 25	00000
4	9 D000 0106	DPET210 001	111111	8.00 14.45		5	702	110 25	00000
4	D000 0106	DPET220 001	111111	8.00 14.45	1	1	702	110 25	00000
4	89 D000 0106	DPET220 001	111111	8.00 14.45		6	702	110 25	00000
4	8 D000 0106	DPET231 001	111111	8.00 14.45	1	3	702	110 25	00000
4	8 D000 0106	DPET240 001	111111	8.00 14.45	1	1	702	110 25	00000
4	89 D000 0106	DPET240 001	111111	8.00 14.45		3	702	110 25	00000
4	8 D000 0106	DPET240 999	111111	8.00 14.45	1	1	702	110 25	00000
4	78 D000 0106	DPET330 001	111111	8.00 14.45	1		702	110 25	00000
	D000 0107	DPET220 002	111111	8.00 12.45		1	1,595	110 16	00000
4	D000 0107	DPET120 001	111111	8.00 14.45	1	2	1,595	110 16	00000
4	D000 0107	DPET210 002	111111	8.00 14.45	1	1	1,595	110 16	00000
4	D000 0107	DPET240 002	111111	8.00 14.45	1	1	1,595	110 16	00000
4	D000 0108	DPET210 999	111111	8.00 14.30		1	4,845	210 45	00000
4	D000 0108	DPET110 001	111111	8.00 14.45	1	4	4,845	210 45	00000
4	D000 0108	DPET130 001	111111	8.00 14.45	1	1	4,845	210 45	00000
4	9 D000 0108	DPET130 001	111111	8.00 14.45		4	4,845	210 45	00000
4	D000 0108	DPET140 001	111111	8.00 14.45	1	1	4,845	210 45	00000
4	9 D000 0108	DPET140 001	111111	8.00 14.45		7	4,845	210 45	00000
4	D000 0108	DPET141 001	111111	8.00 14.45	1	4	4,845	210 45	00000
4	D000 0108	DPET150 001	111111	8.00 14.45	1	4	4,845	210 45	00000
4	D000 0108	DPET210 001	111111	8.00 14.45	1	2	4,845	210 45	00000
4	9 D000 0108	DPET210 001	111111	8.00 14.45		5	4,845	210 45	00000
4	D000 0108	DPET220 001	111111	8.00 14.45	1	1	4,845	210 45	00000
4	9 D000 0108	DPET220 001	111111	8.00 14.45		6	4,845	210 45	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	D000	0108	DPET231 001	11111	8.00 14.45	1	3	4,845	210 45 00000
4	D000	0108	DPET240 001	11111	8.00 14.45	1	1	4,845	210 45 00000
4	9	D000	0108	DPET240 001	11111	8.00 14.45	3	4,845	210 45 00000
4		D000	0108	DPET240 999	11111	8.00 14.45	1	4,845	210 45 00000
4	7	D000	0108	DPET330 001	11111	8.00 14.45	1	4,845	210 45 00000
4		D000	0109	WELD411 700	11111	8.00 14.00	17	3,448	210 35 00000
4		D000	0109C	WELD411 700	11111	8.00 14.00	17	344	110 15 00000
4		D000	0112	WELD110 700	11111	8.00 14.00	17	3,872	210 30 00000
4	9	D000	0112	WELD110 700	11111	8.00 14.00	3	3,872	210 30 00000
4		D000	0112	WELD111 700	11111	8.00 14.00	3	3,872	210 30 00000
4		D000	0112	WELD120 700	11111	8.00 14.00	6	3,872	210 30 00000
4		D000	0112	WELD130 700	11111	8.00 14.00	3	3,872	210 30 00000
4		D000	0112	WELD140 700	11111	8.00 14.00	6	3,872	210 30 00000
4	8	D000	0112	WELD210 700	11111	8.00 14.00	17	3,872	210 30 00000
4	8	D000	0112	WELD310 700	11111	8.00 14.00	6	3,872	210 30 00000
4	8	D000	0112	WELD311 700	11111	8.00 14.00	6	3,872	210 30 00000
4	8	D000	0112	WELD410 700	11111	8.00 14.00	17	3,872	210 30 00000
4	8	D000	0112	WELD412 700	11111	8.00 14.00	17	3,872	210 30 00000
4	8	D000	0112	WELD420 700	11111	8.00 14.00	3	3,872	210 30 00000
4	8	D000	0112	WELD110 001	11111	8.00 14.45	15	3,872	210 30 00000
4	89	D000	0112	WELD110 001	11111	8.00 14.45	8	3,872	210 30 00000
4	8	D000	0112	WELD111 001	11111	8.00 14.45	7	3,872	210 30 00000
4	78	D000	0112	WELD113 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD114 001	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD130 001	11111	8.00 14.45	18	3,872	210 30 00000
4	8	D000	0112	WELD130 002	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD140 001	11111	8.00 14.45	17	3,872	210 30 00000
4	8	D000	0112	WELD140 002	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD210 001	11111	8.00 14.45	17	3,872	210 30 00000
4	89	D000	0112	WELD210 001	11111	8.00 14.45	5	3,872	210 30 00000
4	78	D000	0112	WELD220 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD221 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD222 001	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD230 001	11111	8.00 14.45	7	3,872	210 30 00000
4	8	D000	0112	WELD310 001	11111	8.00 14.45	14	3,872	210 30 00000
4	89	D000	0112	WELD310 001	11111	8.00 14.45	7	3,872	210 30 00000
4	8	D000	0112	WELD310 002	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD311 001	11111	8.00 14.45	2	3,872	210 30 00000
4	78	D000	0112	WELD320 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD321 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD322 001	11111	8.00 14.45	1	3,872	210 30 00000
4	78	D000	0112	WELD330 001	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD410 001	11111	8.00 14.45	3	3,872	210 30 00000
4	8	D000	0112	WELD410 002	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD411 001	11111	8.00 14.45	6	3,872	210 30 00000
4	8	D000	0112	WELD411 002	11111	8.00 14.45	1	3,872	210 30 00000
4	8	D000	0112	WELD412 001	11111	8.00 14.45	8	3,872	210 30 00000
4	8	D000	0112	WELD420 001	11111	8.00 14.45	3	3,872	210 30 00000
4	8	D000	0112	WELD510 001	11111	8.00 14.45	2	3,872	210 30 00000
4	8	D000	0112	WELD511 001	11111	8.00 14.45	4	3,872	210 30 00000
4	8	D000	0112	WELD512 001	11111	8.00 14.45	1	3,872	210 30 00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	D000 0112	WELD120 001	1111	8.00 14.45	1	17	3,872	210 30 00000
4	78	D000 0112	WELD112 001	1111	8.00 14.45	1		3,872	210 30 00000
		D000 0112	WELD411 901	111	17.00 20.00		2	3,872	210 30 00000
		D000 0112	WELD412 901	1111	17.00 21.00	1	2	3,872	210 30 00000
		D000 0112	WELD110 901	111	17.00 21.00	1	6	3,872	210 30 00000
	9	D000 0112	WELD110 901	111	17.00 21.00		2	3,872	210 30 00000
		D000 0112	WELD111 901	111	17.00 21.00	1	3	3,872	210 30 00000
	7	D000 0112	WELD112 901	111	17.00 21.00	1		3,872	210 30 00000
	7	D000 0112	WELD113 901	111	17.00 21.00	1		3,872	210 30 00000
		D000 0112	WELD114 901	111	17.00 21.00	1	1	3,872	210 30 00000
		D000 0112	WELD120 901	111	17.00 21.00	1	6	3,872	210 30 00000
		D000 0112	WELD130 901	111	17.00 21.00	1	5	3,872	210 30 00000
		D000 0112	WELD140 901	111	17.00 21.00	1	5	3,872	210 30 00000
		D000 0112	WELD210 901	111	17.00 21.00	1	3	3,872	210 30 00000
	9	D000 0112	WELD210 901	111	17.00 21.00		2	3,872	210 30 00000
		D000 0112	WELD220 901	111	17.00 21.00	1	2	3,872	210 30 00000
		D000 0112	WELD221 901	111	17.00 21.00	1	3	3,872	210 30 00000
		D000 0112	WELD222 901	111	17.00 21.00	1	3	3,872	210 30 00000
	8	D000 0112	WELD230 901	111	17.00 21.00	1	2	3,872	210 30 00000
	8	D000 0112	WELD310 901	111	17.00 21.00	1	1	3,872	210 30 00000
	8	D000 0112	WELD311 901	111	17.00 21.00	1	3	3,872	210 30 00000
	78	D000 0112	WELD320 901	111	17.00 21.00	1		3,872	210 30 00000
	78	D000 0112	WELD321 901	111	17.00 21.00	1		3,872	210 30 00000
	78	D000 0112	WELD322 901	111	17.00 21.00	1		3,872	210 30 00000
	78	D000 0112	WELD330 901	111	17.00 21.00	1		3,872	210 30 00000
	8	D000 0112	WELD410 901	111	17.00 21.00	1	1	3,872	210 30 00000
	8	D000 0112	WELD420 901	111	17.00 21.00	1	4	3,872	210 30 00000
	8	D000 0112	WELD510 901	111	17.00 21.00	1	4	3,872	210 30 00000
	8	D000 0112	WELD511 901	111	17.00 21.00	1	3	3,872	210 30 00000
	8	D000 0112	WELD512 901	111	17.00 21.00	1	2	3,872	210 30 00000
4		E000 0114	HMDT170 700	111111	8.00 14.00		24	729	110 49 00000
		E000 0115	HNUR611 001	11	7.30 9.25		34	692	110 49 00000
		E000 0115	HNUR411 001	111111	7.30 11.30	1	30	692	110 49 00000
4	8	E000 0115	HNUR113 001	111111	7.30 15.30	1	30	692	110 49 00000
4	8	E000 0115	HNUR523 001	111111	7.30 15.30	1	26	692	110 49 00000
	8	E000 0115	HNUR460 001	111111	13.30 14.30	1	39	692	110 49 00000
		E000 0115	HNUR320 901	1	17.00 20.00		32	692	110 49 00000
4		E000 0118	HNUR993 001	11	7.30 14.30		3	621	110 35 00000
		E000 0118	HEKG011 003	111	8.00 11.30		11	621	110 35 00000
		E000 0118	HCOR160 003	111	12.15 14.30		9	621	110 35 00000
	7	E000 0118	HNUR611 901	1	16.30 20.00			621	110 35 00000
		E000 0118	HNUR611 902	1	16.30 20.00	1	5	621	110 35 00000
		E000 0123	HNUR813 001	111111	7.30 11.30		35	855	110 48 00000
4	8	E000 0123	HNUR133 001	111111	7.30 15.30	1	39	855	110 48 00000
4	8	E000 0123	HNUR713 001	111111	7.30 15.30	1	38	855	110 48 00000
4	8	E000 0123	HNUR723 001	111111	7.30 15.30	1	33	855	110 48 00000
4		E000 0125	OPET111 700	111111	8.00 14.00		5	494	110 20 00000
4		E000 0125	OPET121 700	111111	8.00 14.00	1	5	494	110 20 00000
4		E000 0125	OPET131 700	111111	8.00 14.00	1	5	494	110 20 00000
4		E000 0125	OPET141 700	111111	8.00 14.00	1	5	494	110 20 00000
4		E000 0125	OPET151 700	111111	8.00 14.00	1	2	494	110 20 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 10

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
4	E000	0125	OPET161 700	111111	8.00 14.00	1	494	110 20	00000	
4	E000	0125	OPET221 700	111111	8.00 14.00	1	494	110 20	00000	
4	E000	0125	OPET251 700	111111	8.00 14.00	1	494	110 20	00000	
4	E000	0125	OPET261 700	111111	8.00 14.00	1	494	110 20	00000	
4	E000	0125	OPET321 700	111111	8.00 14.00	1	494	110 20	00000	
4	E000	0126	HPHL011 003	111	7.30 14.30		494	110 34	00000	
4	E000	0126	HPHL022 003	111111	7.30 15.30	1	494	110 34	00000	
4	E000	0127	HNUR211 003	11	7.30 14.30		1,732	210 35	00000	
4	E000	0127	MAST210 003	1 1	8.00 14.30	1	1,732	210 35	00000	
	E000	0127	HCOR120 003	1 1 1	9.30 11.30		1,732	210 35	00000	
	E000	0127	HMDT170 003	1 1 1	12.15 13.15		1,732	210 35	00000	
	E000	0130	OPET111 001	1 1 1	8.00 9.50		3,190	210 23	00000	
7	E000	0130	OPET221 001	1 1 1	8.00 9.50	1	3,190	210 23	00000	
	E000	0130	OPET321 001	1 1 1	8.00 9.50	1	3,190	210 23	00000	
	E000	0130	OPET131 001	1 1	8.00 9.50		3,190	210 23	00000	
	E000	0130	OPET141 001	1 1	8.00 9.50	1	3,190	210 23	00000	
4	E000	0130	OPET111 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET121 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET131 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET141 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET151 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET161 700	111111	8.00 14.00	1	3,190	210 23	00000	
4	E000	0130	OPET221 700	111111	8.00 14.00	1	3,190	210 23	00000	
	E000	0130	OPET141 001	1 1	10.00 10.50	1	3,190	210 23	00000	
	E000	0130	OPET121 001	1 1 1	10.00 12.40		3,190	210 23	00000	
7	E000	0130	OPET231 001	1 1 1	10.00 12.40	1	3,190	210 23	00000	
	E000	0130	OPET331 001	1 1 1	10.00 12.40	1	3,190	210 23	00000	
	E000	0130	OPET151 001	1 1	10.00 12.40		3,190	210 23	00000	
	E000	0130	OPET131 001	1 1 1	12.50 14.00		3,190	210 23	00000	
	E000	0130	OPET341 001	1 1 1	12.50 14.00	1	3,190	210 23	00000	
	E000	0130	OPET161 001	1 1	12.50 14.00		3,190	210 23	00000	
	E000	0130	OPET993 001	1 1 1	12.50 14.30		3,190	210 23	00000	
7	E000	0130	OPET995 001	1 1	12.50 14.30		3,190	210 23	00000	
	E000	0130	OPET311 001	1 1	14.00 15.00	1	3,190	210 23	00000	
	E000	0145	ORNT000 001	11	9.00 14.00		714	610 65	00000	
	E000	0145	ORNT000 003	11	9.00 14.00	1	714	610 65	00000	
	E000	0145	ORNT000 005	1111	17.00 20.00		714	610 65	00000	
	E000	0145	ORNT000 006	1111	17.00 20.00	1	714	610 65	00000	
4	E000	0147	HNUR113 002	111111	7.30 15.30		739	110 49	00000	
4	8	E000	0147	HNUR123 001	111111	7.30 15.30	40	739	110 49	00000
	E000	0147	AHSC000 901	1	17.00 20.00		26	739	110 49	00000
	E000	0147	HNUR270 901	1	17.00 20.00		34	739	110 49	00000
	E000	0148	HNUR270 001	1 1	7.30 9.25		37	581	110 35	00000
	E000	0148	HNUR211 001	1 1 1	7.30 11.30		38	581	110 35	00000
	E000	0148	HNUR320 001	1 1	9.35 11.30		36	581	110 35	00000
	E000	0148	HNUR361 001	11	12.15 14.30		33	581	110 35	00000
	E000	0148	HNUR300 001	111	12.15 14.30		49	581	110 35	00000
	E000	0148	HNUR300 901	1 1	17.00 20.00		33	581	110 35	00000
	E000	0150	DVMA090 001	1 1	8.00 9.15		13	4,563	110 150	00000
	E000	0150	AHEN000 001	1 1	8.00 9.15		1	4,563	110 150	00000
	E000	0150	DVEN090 001	1 1	8.00 9.15	1	6	4,563	110 150	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 11

L.T.C.-SHREVEPORT BOSSIER

BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	E000	0150	AHMA000 001	1 1	9.30 10.45		8	4,563	110 150	00000	
	E000	0150	DVMA090 002	1 1	13.30 14.45		9	4,563	110 150	00000	
	E000	0150	DVRE090 001	1 1	13.30 14.45	1	14	4,563	110 150	00000	
	E000	0150	AHRE000 001	1 1	13.30 14.45		5	4,563	110 150	00000	
	E000	0150	DVEN090 901	1	15.00 17.45		9	4,563	110 150	00000	
	E000	0150	DVEN090 902	1	15.00 17.45	1	1	4,563	110 150	00000	
	E000	0150	DVMA090 901	1	15.00 17.45		16	4,563	110 150	00000	
	E000	0150	DVMA090 902	1	15.00 17.45	1	1	4,563	110 150	00000	
	E000	0150	DVRE090 901	1	15.00 17.45		9	4,563	110 150	00000	
	E000	0150	AHRE000 901	1	15.00 17.45		2	4,563	110 150	00000	
	E000	0157	CULN110 700	111111	8.00 10.20		18	2,033	630 72	00000	
	E000	0157	CULN120 700	111111	8.00 10.20	1	17	2,033	630 72	00000	
	E000	0157	CULN110 001	111111	8.00 11.00	1	15	2,033	630 72	00000	
	E000	0157	CULN120 001	111111	8.00 11.00	1	15	2,033	630 72	00000	
	E000	0157	CULN120 002	111111	8.00 11.00	1	1	2,033	630 72	00000	
	E000	0157	CULN220 001	111111	8.00 11.00	1	12	2,033	630 72	00000	
	E000	0157	CULN321 001	111111	8.00 11.00	1	8	2,033	630 72	00000	
	E000	0157	CULN140 001	111111	8.00 13.00	1	15	2,033	630 72	00000	
	E000	0157	CULN140 002	111111	8.00 13.00	1	1	2,033	630 72	00000	
4	8	E000	0157	CULN310 001	111111	8.00 14.00	1	8	2,033	630 72	00000
4	8	E000	0157	CULN440 001	111111	8.00 14.00	1	8	2,033	630 72	00000
4	8	E000	0157	CULN210 001	111111	8.00 15.00	1	12	2,033	630 72	00000
	8	E000	0157	CULN230 001	111111	11.00 13.00	1	7	2,033	630 72	00000
	8	E000	0157	CULN130 001	111111	11.00 14.00	1	15	2,033	630 72	00000
	8	E000	0157	CULN130 002	111111	11.00 14.00	1	1	2,033	630 72	00000
	78	E000	0157	CULN110 710	111111	11.30 13.45	1	2,033	630 72	00000	
	78	E000	0157	CULN120 710	111111	11.30 13.45	1	2,033	630 72	00000	
	78	E000	0157	CULN130 710	111111	11.30 13.45	1	2,033	630 72	00000	
	78	E000	0157	CULN140 710	111111	11.30 13.45	1	2,033	630 72	00000	
	8	E000	0157	CULN160 901	111111	12.00 15.00	1	13	2,033	630 72	00000
	78	E000	0157	CULN995 001	111111	13.00 14.30	1	2,033	630 72	00000	
	8	E000	0157	CULN991 001	111111	13.00 15.00	1	1	2,033	630 72	00000
	8	E000	0157	CULN993 001	111111	13.00 15.00	1	1	2,033	630 72	00000
	8	E000	0157	CULN430 001	111111	13.30 15.45	1	2	2,033	630 72	00000
	7	E000	0157	CULN995 901	111111	17.00 19.00		2,033	630 72	00000	
	8	E000	0157A	ORNT000 002	11	9.00 14.00		41	363	635 9	00000
	8	E000	0157A	ORNT000 004	11	9.00 14.00	1	46	363	635 9	00000
4		E000	0158	CULN130 700	111111	8.00 14.00		7	1,711	210 34	00000
4		E000	0158	CULN140 700	111111	8.00 14.00	1	7	1,711	210 34	00000
		E000	0165	GRPH300 001	1111	8.00 10.15		4	1,647	210 33	00000
4		E000	0165	GRPH110 001	111	8.00 15.00	1	9	1,647	210 33	00000
4		E000	0165	GRPH120 001	111	8.00 15.00	1	9	1,647	210 33	00000
	7	E000	0165	GRPH420 001	111	9.00 14.00	1		1,647	210 33	00000
		E000	0165	GRPH350 001	1111	11.15 14.30	1	3	1,647	210 33	00000
		E000	0167	CULN110 700	111111	8.00 10.20		18	1,556	110 30	00000
		E000	0167	CULN120 700	111111	8.00 10.20	1	17	1,556	110 30	00000
	8	E000	0167	CULN110 001	111111	8.00 11.00	1	15	1,556	110 30	00000
	8	E000	0167	CULN120 001	111111	8.00 11.00	1	15	1,556	110 30	00000
	8	E000	0167	CULN120 002	111111	8.00 11.00	1	1	1,556	110 30	00000
	8	E000	0167	CULN220 001	111111	8.00 11.00	1	12	1,556	110 30	00000
	8	E000	0167	CULN321 001	111111	8.00 11.00	1	8	1,556	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 12

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	8	E000 0167	CULN140 001	111111	8.00 13.00	1	15	1,556	110 30	00000
	8	E000 0167	CULN140 002	111111	8.00 13.00	1	1	1,556	110 30	00000
4	8	E000 0167	CULN310 001	111111	8.00 14.00	1	8	1,556	110 30	00000
4	8	E000 0167	CULN440 001	111111	8.00 14.00	1	8	1,556	110 30	00000
4	8	E000 0167	CULN210 001	111111	8.00 15.00	1	12	1,556	110 30	00000
	8	E000 0167	CULN230 001	111111	11.00 13.00	1	7	1,556	110 30	00000
	8	E000 0167	CULN130 001	111111	11.00 14.00	1	15	1,556	110 30	00000
	8	E000 0167	CULN130 002	111111	11.00 14.00	1	1	1,556	110 30	00000
	78	E000 0167	CULN110 710	111111	11.30 13.45	1		1,556	110 30	00000
	78	E000 0167	CULN120 710	111111	11.30 13.45	1		1,556	110 30	00000
	78	E000 0167	CULN130 710	111111	11.30 13.45	1		1,556	110 30	00000
	78	E000 0167	CULN140 710	111111	11.30 13.45	1		1,556	110 30	00000
	8	E000 0167	CULN160 901	111111	12.00 15.00	1	13	1,556	110 30	00000
	78	E000 0167	CULN995 001	111111	13.00 14.30	1		1,556	110 30	00000
	8	E000 0167	CULN991 001	111111	13.00 15.00	1	1	1,556	110 30	00000
	8	E000 0167	CULN993 001	111111	13.00 15.00	1	1	1,556	110 30	00000
	8	E000 0167	CULN430 001	111111	13.30 15.45	1	2	1,556	110 30	00000
	7	E000 0167	CULN995 901	111111	17.00 19.00			1,556	110 30	00000
		E000 0169	GRPH300 001	1111	8.00 10.15		4	3,052	220 20	00000
4		E000 0169	GRPH110 001	111	8.00 15.00	1	9	3,052	220 20	00000
4		E000 0169	GRPH120 001	111	8.00 15.00	1	9	3,052	220 20	00000
	7	E000 0169	GRPH420 001	111	9.00 14.00	1		3,052	220 20	00000
		E000 0169	GRPH100 001	111111	9.30 13.00	1	2	3,052	220 20	00000
		E000 0169	GRPH200 001	111111	9.30 13.00	1	3	3,052	220 20	00000
	8	E000 0169	GRPH400 001	1111	10.15 11.15	1	4	3,052	220 20	00000
		E000 0169	GRPH350 001	1111	11.15 14.30		3	3,052	220 20	00000
	4	E000 0170	GRPH100 700	111111	8.00 14.00		23	1,163	210 37	00000
	4	E000 0170	GRPH200 700	111111	8.00 14.00	1	4	1,163	210 37	00000
	4	E000 0170	GRPH420 700	111111	8.00 14.00	1	3	1,163	210 37	00000
1	4	F000 0102E	AUTO400 700	111111	8.00 14.00		21			00000
1	4	F000 0102E	AUTO410 700	111111	8.00 14.00		8			00000
1	4	F000 0102E	AUTO420 700	111111	8.00 14.00		5			00000
1	4	F000 0102E	AUTO430 700	111111	8.00 14.00		1			00000
1	4	F000 0102E	AUTO440 700	111111	8.00 14.00		21			00000
1	4	F000 0102E	AUTO500 700	111111	8.00 14.00		21			00000
1	4	F000 0102E	AUTO510 700	111111	8.00 14.00		8			00000
1	4	F000 0102E	AUTO520 700	111111	8.00 14.00		8			00000
1	4	F000 0102E	AUTO530 700	111111	8.00 14.00		5			00000
1	4	F000 0102E	AUTO540 700	111111	8.00 14.00		1			00000
1	4	F000 0102E	AUTO600 700	111111	8.00 14.00		21			00000
1	4	F000 0102E	AUTO620 700	111111	8.00 14.00		5			00000
1	4	F000 0102E	AUTO630 700	111111	8.00 14.00		5			00000
1	4	F000 0102E	AUTO640 700	111111	8.00 14.00		1			00000
1	4	F000 0102E	AUTO660 700	111111	8.00 14.00		1			00000
1	4	F000 0102E	AUTO800 700	111111	8.00 14.00		8			00000
1	4	F000 0102E	AUTO810 700	111111	8.00 14.00		5			00000
1	4	F000 0102E	AUTO820 700	111111	8.00 14.00		1			00000
	4	F000 0108	AUTO530 001	111111	8.00 14.45		17	583	110 31	00000
	4	F000 0109	AUTO200 001	111111	8.00 14.45		22	583	110 20	00000
	4	8 F000 0109	AUTO220 001	111111	8.00 14.45	1	22	583	110 20	00000
	4	8 F000 0109	AUTO230 001	111111	8.00 14.45	1	22	583	110 20	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 13

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	F000 0109	AUTO240 001	111111	8.00 14.45	1	22	583 110 20	00000
4	8	F000 0109	AUTO400 001	111111	8.00 14.45	1	20	583 110 20	00000
4	8	F000 0109	AUTO410 001	111111	8.00 14.45	1	19	583 110 20	00000
4	8	F000 0109	AUTO420 001	111111	8.00 14.45	1	19	583 110 20	00000
4	8	F000 0109	AUTO430 001	111111	8.00 14.45	1	19	583 110 20	00000
4	8	F000 0109	AUTO440 001	111111	8.00 14.45	1	19	583 110 20	00000
4	8	F000 0109	AUTO500 001	111111	8.00 14.45	1	18	583 110 20	00000
4	8	F000 0109	AUTO510 001	111111	8.00 14.45	1	18	583 110 20	00000
4	8	F000 0109	AUTO520 001	111111	8.00 14.45	1	19	583 110 20	00000
4	8	F000 0109	AUTO540 001	111111	8.00 14.45	1	18	583 110 20	00000
4	8	F000 0109	AUTO210 001	11 11	8.00 14.45	1	22	583 110 20	00000
4		F000 0110	AUTO200 001	111111	8.00 14.45		22	731 110 20	00000
4	8	F000 0110	AUTO220 001	111111	8.00 14.45	1	22	731 110 20	00000
4	8	F000 0110	AUTO230 001	111111	8.00 14.45	1	22	731 110 20	00000
4	8	F000 0110	AUTO240 001	111111	8.00 14.45	1	22	731 110 20	00000
4	8	F000 0110	AUTO400 001	111111	8.00 14.45	1	20	731 110 20	00000
4	8	F000 0110	AUTO410 001	111111	8.00 14.45	1	19	731 110 20	00000
4	8	F000 0110	AUTO420 001	111111	8.00 14.45	1	19	731 110 20	00000
4	8	F000 0110	AUTO430 001	111111	8.00 14.45	1	19	731 110 20	00000
4	8	F000 0110	AUTO440 001	111111	8.00 14.45	1	19	731 110 20	00000
4	8	F000 0110	AUTO500 001	111111	8.00 14.45	1	18	731 110 20	00000
4	8	F000 0110	AUTO510 001	111111	8.00 14.45	1	18	731 110 20	00000
4	8	F000 0110	AUTO520 001	111111	8.00 14.45	1	19	731 110 20	00000
4	8	F000 0110	AUTO540 001	111111	8.00 14.45	1	18	731 110 20	00000
4	8	F000 0110	AUTO210 001	11 11	8.00 14.45	1	22	731 110 20	00000
4		F000 0115	ELEC120 001	111111	8.00 14.45		15	782 110 30	00000
4		F000 0115	ELEC210 001	111111	8.00 14.45	1	7	782 110 30	00000
4	7	F000 0115	ELEC220 001	111111	8.00 14.45	1		782 110 30	00000
4	7	F000 0115	ELEC230 001	111111	8.00 14.45	1		782 110 30	00000
4		F000 0115	ELEC311 001	111111	8.00 14.45	1	7	782 110 30	00000
4		F000 0115	ELEC330 001	111111	8.00 14.45	1	9	782 110 30	00000
4	8	F000 0115	ELEC410 001	111111	8.00 14.45	1	8	782 110 30	00000
4	8	F000 0115	ELEC420 001	111111	8.00 14.45	1	8	782 110 30	00000
4	8	F000 0115	ELEC430 001	111111	8.00 14.45	1	10	782 110 30	00000
4	8	F000 0115	ELEC440 001	111111	8.00 14.45	1	8	782 110 30	00000
4	8	F000 0115	ELEC460 001	111111	8.00 14.45	1	15	782 110 30	00000
4	8	F000 0115	ELEC991 001	111111	8.00 14.45	1	2	782 110 30	00000
4	8	F000 0115	ELEC993 001	111111	8.00 14.45	1	2	782 110 30	00000
4	8	F000 0115	ELEC995 001	111111	8.00 14.45	1	3	782 110 30	00000
4	78	F000 0115	ELEC996 001	111111	8.00 14.45	1		782 110 30	00000
		F000 0115	ELEC120 901	111	16.30 20.30		7	782 110 30	00000
		F000 0115	ELEC220 901	111	16.30 20.30	1	3	782 110 30	00000
		F000 0115	ELEC230 901	111	16.30 20.30	1	5	782 110 30	00000
		F000 0115	ELEC311 901	111	16.30 20.30	1	5	782 110 30	00000
		F000 0115	ELEC330 901	111	16.30 20.30	1	5	782 110 30	00000
		F000 0115	ELEC410 901	111	16.30 20.30	1	1	782 110 30	00000
	7	F000 0115	ELEC420 901	111	16.30 20.30	1		782 110 30	00000
		F000 0115	ELEC430 901	111	16.30 20.30	1	1	782 110 30	00000
	7	F000 0115	ELEC440 901	111	16.30 20.30	1		782 110 30	00000
		F000 0115	ELEC460 901	111	16.30 20.30	1	8	782 110 30	00000
	7	F000 0115	ELEC991 901	111	16.30 20.30	1		782 110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 14

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
7	F000	0115	ELEC993 901	111	16.30 20.30	1	782	110 30	00000	
7	F000	0115	ELEC995 901	111	16.30 20.30	1	782	110 30	00000	
7	F000	0115	ELEC997 901	111	16.30 20.30	1	782	110 30	00000	
4	F000	0117	ELEC120 002	111111	8.00 14.00	1	95	310 2	00000	
4	F000	0117	ELEC430 002	111111	8.00 14.30	1	95	310 2	00000	
4	F000	0117	ELEC460 002	111111	8.00 14.30	1	95	310 2	00000	
7	F000	0117	ELEC210 901	111	16.30 20.30	1	95	310 2	00000	
4	F000	0118	AUTO650 700	111111	8.00 14.00	1	12,500	210 100	00000	
4	F000	0118	AUTO200 001	111111	8.00 14.45	1	22	210 100	00000	
4	F000	0118	AUTO220 001	111111	8.00 14.45	1	22	210 100	00000	
4	F000	0118	AUTO230 001	111111	8.00 14.45	1	22	210 100	00000	
4	F000	0118	AUTO240 001	111111	8.00 14.45	1	22	210 100	00000	
4	F000	0118	AUTO400 001	111111	8.00 14.45	1	20	210 100	00000	
4	F000	0118	AUTO410 001	111111	8.00 14.45	1	19	210 100	00000	
4	F000	0118	AUTO420 001	111111	8.00 14.45	1	19	210 100	00000	
4	8	F000	0118	AUTO430 001	111111	8.00 14.45	1	19	210 100	00000
4	8	F000	0118	AUTO440 001	111111	8.00 14.45	1	19	210 100	00000
4	8	F000	0118	AUTO500 001	111111	8.00 14.45	1	18	210 100	00000
4	8	F000	0118	AUTO510 001	111111	8.00 14.45	1	18	210 100	00000
4	8	F000	0118	AUTO520 001	111111	8.00 14.45	1	19	210 100	00000
4	8	F000	0118	AUTO530 001	111111	8.00 14.45	1	17	210 100	00000
4	8	F000	0118	AUTO540 001	111111	8.00 14.45	1	18	210 100	00000
4	8	F000	0118	AUTO210 001	11 11	8.00 14.45	1	22	210 100	00000
4	F000	0119	ELEC120 001	111111	8.00 14.45	1	15	210 150	00000	
4	F000	0119	ELEC210 001	111111	8.00 14.45	1	7	210 150	00000	
4	7	F000	0119	ELEC220 001	111111	8.00 14.45	1	11,640	210 150	00000
4	7	F000	0119	ELEC230 001	111111	8.00 14.45	1	11,640	210 150	00000
4	F000	0119	ELEC311 001	111111	8.00 14.45	1	7	210 150	00000	
4	F000	0119	ELEC330 001	111111	8.00 14.45	1	9	210 150	00000	
4	F000	0119	ELEC410 001	111111	8.00 14.45	1	8	210 150	00000	
4	F000	0119	ELEC420 001	111111	8.00 14.45	1	8	210 150	00000	
4	F000	0119	ELEC430 001	111111	8.00 14.45	1	10	210 150	00000	
4	F000	0119	ELEC440 001	111111	8.00 14.45	1	8	210 150	00000	
4	F000	0119	ELEC460 001	111111	8.00 14.45	1	15	210 150	00000	
4	F000	0119	ELEC991 001	111111	8.00 14.45	1	2	210 150	00000	
4	F000	0119	ELEC993 001	111111	8.00 14.45	1	2	210 150	00000	
4	F000	0119	ELEC995 001	111111	8.00 14.45	1	3	210 150	00000	
4	7	F000	0119	ELEC996 001	111111	8.00 14.45	1	11,640	210 150	00000
		F000	0119	ELEC120 901	111	16.30 20.30	1	7	210 150	00000
		F000	0119	ELEC220 901	111	16.30 20.30	1	3	210 150	00000
		F000	0119	ELEC230 901	111	16.30 20.30	1	5	210 150	00000
		F000	0119	ELEC311 901	111	16.30 20.30	1	5	210 150	00000
		F000	0119	ELEC330 901	111	16.30 20.30	1	5	210 150	00000
		F000	0119	ELEC410 901	111	16.30 20.30	1	1	210 150	00000
7	F000	0119	ELEC420 901	111	16.30 20.30	1	11,640	210 150	00000	
		F000	0119	ELEC430 901	111	16.30 20.30	1	1	210 150	00000
7	F000	0119	ELEC440 901	111	16.30 20.30	1	11,640	210 150	00000	
		F000	0119	ELEC460 901	111	16.30 20.30	1	8	210 150	00000
7	F000	0119	ELEC991 901	111	16.30 20.30	1	11,640	210 150	00000	
7	F000	0119	ELEC993 901	111	16.30 20.30	1	11,640	210 150	00000	
7	F000	0119	ELEC995 901	111	16.30 20.30	1	11,640	210 150	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 02/22/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 15

L.T.C.-SHREVEPORT BOSSIER  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
7	F000 0119	ELEC997 901	111	16.30 20.30	1		11,640	210 150	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	18
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	1
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	416
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	19
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	120
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	280
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	25
TOTAL ERRORS (INCLUDING WARNINGS)	879
TOTAL NUMBER OF RECORDS READ	715
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	552
NUMBER OF JOINT-CLASS RECORDS	530
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	



## SPACE UTILIZ - SUMMARY PAGE

## L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			51
TOTAL NUMBER OF STATIONS (CAPACITY)			1471
WEEKLY STUDENT CONTACT HOURS	75808	2437	78246
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4590	2550	7140
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3649	195	3844
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	132390	73550	205940
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	106577	5417	111994
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	151617	4875	156492
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	79.5	7.6	53.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	114.5	6.6	76.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	142.3	90.0	139.7
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			45
TOTAL NUMBER OF STATIONS (CAPACITY)			1340
WEEKLY STUDENT CONTACT HOURS	73841	2344	76185
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	4050	2250	6300
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3319	189	3508
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	120600	67000	187600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	98969	5285	104254
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	147682	4689	152371
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	82.0	8.4	55.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	122.5	7.0	81.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	149.2	88.7	146.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			131
WEEKLY STUDENT CONTACT HOURS	1967	93	2060
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	330	6	336
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	11790	6550	18340
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	7608	132	7740
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3935	186	4121
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	61.1	2.0	40.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.4	2.8	22.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	51.7	140.9	53.2

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			30
TOTAL NUMBER OF STATIONS (CAPACITY)			1000
WEEKLY STUDENT CONTACT HOURS	44212	1294	45506
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2700	1500	4200
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2395	204	2599
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	90000	50000	140000
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	100705	5802	106507
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	88425	2588	91013
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	88.7	13.6	61.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	98.3	5.2	65.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	87.8	44.6	85.5

SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SHREVEPORT BOSSIER

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			24
TOTAL NUMBER OF STATIONS (CAPACITY)			854
WEEKLY STUDENT CONTACT HOURS	31213	941	32154
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	2160	1200	3360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1855	104	1959
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	76860	42700	119560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	87015	2262	89277
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	62427	1882	64309
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	85.9	8.7	58.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	81.2	4.4	53.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	71.7	83.2	72.0

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			6
TOTAL NUMBER OF STATIONS (CAPACITY)			146
WEEKLY STUDENT CONTACT HOURS	12999	353	13352
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	540	300	840
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	540	100	640
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	13140	7300	20440
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	13690	3540	17230
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	25998	706	26704
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	100.0	33.3	76.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	197.9	9.7	130.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	189.9	19.9	155.0

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY