

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	ADMN 1103	OADM121000A	1 1 1	8.00 8.50	1	22	958	210 19	00000	
	ADMN 1103	BUSI108000A	1 1	9.25 10.40		23	958	210 19	00000	
	ADMN 1103	OADM253000A	1 1 1	10.00 10.50	1	14	958	210 19	00000	
	ADMN 1103	OADM111000B	1 1 1	11.00 11.50	1	28	958	210 19	00000	
	ADMN 1103	OADM111000A	1 1	12.00 12.50	1	28	958	210 19	00000	
	ADMN 1104	ACCT121000A	1 1 1	8.00 8.50		16	958	210 19	00000	
	ADMN 1104	ACCT151000A	1 1	8.00 9.15		10	958	210 19	00000	
	ADMN 1104	OADM150000A	1 1 1	9.00 9.50	1	14	958	210 19	00000	
	ADMN 1104	OADM264000A	1 1	9.25 10.40	1	9	958	210 19	00000	
	ADMN 1104	OADM145000A	1 1 1	10.00 10.50	1	21	958	210 19	00000	
	ADMN 1104	OADM133000A	1 1	10.55 12.10	1	22	958	210 19	00000	
	ADMN 1104	OADM165000A	1 1 1	11.00 11.50	1	11	958	210 19	00000	
	ADMN 1124	CULN121000A	11111	7.00 10.45	1	11			00000	
	ADMN 1124	CULN243000A	11111	8.00 11.45	1	5			00000	
	ADMN 1142	CULN114000B			1	1	715	210 14	00000	
	ADMN 1142	CULN131000A			1	4	715	210 14	00000	
	ADMN 1142	CULN132100A	11111	6.30 11.00	1	1	715	210 14	00000	
	ADMN 1142	CULN122000A	11111	7.00 9.15	1	13	715	210 14	00000	
	ADMN 1142	CULN244000A	11111	8.00 12.30	1 1	7	715	210 14	00000	
4	8	ADMN 1142	CULN123000A	1111	8.00 13.15	1 1	7	715	210 14	00000
	8	ADMN 1142	CULN114000A	11111	11.00 13.45	1 1	31	715	210 14	00000
	8	ADMN 1142	CULN112000A	11111	11.00 14.00	1	28	715	210 14	00000
4	8	ADMN 1142	CULN242000A	11111	11.00 16.15	1	16	715	210 14	00000
	8	ADMN 1142	HOST101000A	11111	13.00 14.30	1	25	715	210 14	00000
	ADMN 1144	CULN112000B			1	1	981	210 20	00000	
	ADMN 1144	CULN131000A			1	4	981	210 20	00000	
	ADMN 1144	CULN132100A	11111	6.30 11.00	1	1	981	210 20	00000	
	ADMN 1144	CULN244000A	11111	8.00 12.30	1	7	981	210 20	00000	
4	8	ADMN 1144	CULN123000A	1111	8.00 13.15	1 1	7	981	210 20	00000
	8	ADMN 1144	CULN114000A	11111	11.00 13.45	1 1	31	981	210 20	00000
	8	ADMN 1144	CULN112000A	11111	11.00 14.00	1	28	981	210 20	00000
4	8	ADMN 1144	CULN242000A	11111	11.00 16.15	1 1	16	981	210 20	00000
	8	ADMN 1144	HOST101000A	11111	13.00 14.30	1	25	981	210 20	00000
	8	ADMN 1145	CULN113000A	11111	7.00 10.45	1	28	63	215	00000
4	8	ADMN 1147	CULN123000A	1111	8.00 13.15	1	7	160	215	00000
	8	ADMN 1147	CULN112000A	11111	11.00 14.00	1	28	160	215	00000
4	8	ADMN 1147	CULN242000A	11111	11.00 16.15	1 1	16	160	215	00000
	ADMN 1149	CULN131000A			1	4	512	210 10	00000	
	ADMN 1149	CULN132100A	11111	6.30 11.00	1	1	512	210 10	00000	
	ADMN 1149	CULN244000A	11111	8.00 12.30	1 1	7	512	210 10	00000	
	8	ADMN 1149	CULN114000A	11111	11.00 13.45	1 1	31	512	210 10	00000
	ADMN 1151	CULN132100A	11111	6.30 11.00	1	1	1,900	680 51	00000	
4	8	ADMN 1151	CULN123000A	1111	8.00 13.15	1 1	7	1,900	680 51	00000
4	8	ADMN 1151	CDEV9999999	1	8.00 16.00		2	1,900	680 51	00000
	ADMN 1151	CULN114000A	11111	11.00 13.45	1	31	1,900	680 51	00000	
	ADMN 1151	CULN112000A	11111	11.00 14.00	1	28	1,900	680 51	00000	
	8	ADMN 1151	HOST101000A	11111	13.00 14.30	1 1	25	1,900	680 51	00000
	ADMN 1152	CULN131000A			1	4	703	210 14	00000	
	ADMN 1152	CULN244000A	11111	8.00 12.30	1	7	703	210 14	00000	
	ADMN 1200	TSMA009200B	1 1 1	8.00 8.50	1	24	514	110 30	00000	
	ADMN 1200	TSMA009200I	1 1	8.00 9.15	1	24	514	110 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1200	MATH110000A	1 1 1	9.00 9.50	1	27	514	110 30	00000
	ADMN 1200	MATH110000B	1 1 1	10.00 10.50	1	24	514	110 30	00000
	ADMN 1200	TSMA0092001	11111	11.00 12.00	1	26	514	110 30	00000
8	ADMN 1200	TSMA0093001	11111	11.00 12.00	1 1	29	514	110 30	00000
	ADMN 1200	TSMA009300G	1 1	12.15 13.30	1	26	514	110 30	00000
	ADMN 1202	ANUR305000A	1 1	8.00 9.50	1	23	514	110 24	00000
	ADMN 1202	ANUR243000A	1 1 1	10.00 11.50	1	23	514	110 24	00000
8	ADMN 1202	ANUR262000A	1 1	10.00 11.50	1	30	514	110 24	00000
	ADMN 1202	ANUR323000A	1 1	12.30 14.20	1	23	514	110 24	00000
	ADMN 1204	ANUR232000A	1 1	8.00 9.50	1	30	514	110 24	00000
	ADMN 1204	ANUR144100A	1 1	8.00 11.50	1	30	514	110 24	00000
	ADMN 1204	ANUR243000B	1 1 1	12.30 14.20	1	30	514	110 24	00000
	ADMN 1205	ITEC120000A	1 1 1	8.30 9.50	1	30	1,597	240 30	00000
	ADMN 1205	ITEC212000A	1 1	8.30 10.30	1	16	1,597	240 30	00000
	ADMN 1205	ITEC211000A	1 1 1	10.00 11.20	1	28	1,597	240 30	00000
	ADMN 1205	ITEC100000C	1 1	10.50 12.05	1	30	1,597	240 30	00000
	ADMN 1205	ITEC110000A	1 1 1	12.00 12.50	1	24	1,597	240 30	00000
	ADMN 1205	ITEC11000LA	1	13.00 14.50	1	24	1,597	240 30	00000
	ADMN 1205	ITEC284000A	1 1	13.40 14.55	1	16	1,597	240 30	00000
	ADMN 1205	ITEC130000N	1	17.00 19.30	1	29	1,597	240 30	00000
	ADMN 1205	ITEC110000N	1	17.00 19.30	1	21	1,597	240 30	00000
	ADMN 1205	ITEC11000LN	1	19.30 21.00	1	21	1,597	240 30	00000
	ADMN 1206	ANUR101000A	1 1 1	8.00 9.50	1	45	1,001	110 35	00000
	ADMN 1206	ANUR102000A	1 1 1	10.00 11.50	1	45	1,001	110 35	00000
	ADMN 1206	ANUR103000A	1 1	12.30 14.20	1	45	1,001	110 35	00000
8	ADMN 1206	ANUR105000A	1 1	12.30 14.20	1	45	1,001	110 35	00000
	ADMN 1206	NLAB101000A	1	12.30 14.20	1	45	1,001	110 35	00000
	ADMN 1206	ACNA111000A	1111	15.00 19.00	1	26	1,001	110 35	00000
	ADMN 1206	ACNA112000A	1111	15.00 19.00	1	26	1,001	110 35	00000
8	ADMN 1206	ACNA114000A	1111	15.00 19.00	1	26	1,001	110 35	00000
8	ADMN 1206	ACNA116000A	1111	15.00 19.00	1	26	1,001	110 35	00000
	ADMN 1207	CULN122000A	11111	7.00 9.15	1	13	1,137	240 35	00000
	ADMN 1207	CULN113000A	11111	7.00 10.45	1	28	1,137	240 35	00000
8	ADMN 1207	ITEC161000A	1	9.25 10.40	1	18	1,137	240 35	00000
	ADMN 1207	ITEC121000A	1 1 1	10.00 10.50	1	28	1,137	240 35	00000
	ADMN 1207	MATH110000J	1 1	10.50 12.05	1	20	1,137	240 35	00000
	ADMN 1207	ITEC100000A	1 1 1	11.00 11.50	1	31	1,137	240 35	00000
	ADMN 1207	ITEC100000E	1 1 1	12.00 12.50	1	31	1,137	240 35	00000
	ADMN 1207	ITEC105000A	1 1	12.15 13.30	1	24	1,137	240 35	00000
	ADMN 1207	MEDL130000N	1 1	17.30 20.00	1	31	1,137	240 35	00000
8	ADMN 1207	MEDL136000N	1 1	17.30 20.00	1	31	1,137	240 35	00000
	ADMN 1207	ACCT120000N	1	17.30 20.30	1	17	1,137	240 35	00000
	ADMN 1208	PSYC201000A	1 1 1	8.00 8.50	1	39	1,032	110 45	00000
	ADMN 1208	PSYC233500A	1 1	8.00 9.15	1	16	1,032	110 45	00000
	ADMN 1208	PSYC201000B	1 1 1	9.00 9.50	1	36	1,032	110 45	00000
	ADMN 1208	HIST201000C	1 1	9.25 10.40	1	38	1,032	110 45	00000
	ADMN 1208	HIST201000A	1 1 1	10.00 10.50	1	38	1,032	110 45	00000
	ADMN 1208	HIST201000D	1 1	10.50 12.05	1	36	1,032	110 45	00000
	ADMN 1208	PSYC201000C	1 1 1	11.00 11.50	1	39	1,032	110 45	00000
	ADMN 1208	HIST202000C	1 1 1	12.00 12.50	1	39	1,032	110 45	00000
	ADMN 1208	PSYC201000E	1 1	12.15 13.30	1	39	1,032	110 45	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1208	HIST201000B	1 1 1	13.00 13.50	1	36	1,032	110 45	00000
	ADMN 1208	PSYC201000N	1	17.30 20.10	1	28	1,032	110 45	00000
	ADMN 1208	PSYC201000M	1	17.30 20.10	1	32	1,032	110 45	00000
	ADMN 1209	ITEC100500A	1 1 1	9.00 9.50	1	26	1,337	240 32	00000
	ADMN 1209	ITEC245000A	1 1 1	10.00 10.50	1	11	1,337	240 32	00000
	ADMN 1209	ITEC132000A	1 1	10.55 12.10	1	28	1,337	240 32	00000
	ADMN 1209	ITEC100500B	1 1 1	11.00 11.50	1	27	1,337	240 32	00000
	ADMN 1209	ITEC100000B	1 1 1	12.00 12.50	1	28	1,337	240 32	00000
	ADMN 1209	ITEC155000A	1 1	12.15 13.30	1	13	1,337	240 32	00000
	ADMN 1209	ITEC100000D	1 1	13.40 14.55	1	30	1,337	240 32	00000
	ADMN 1209	ITEC100000N	1 1	16.30 21.00	1	16	1,337	240 32	00000
	ADMN 1210	MATH102000A	1 1 1	9.00 9.50	1	28	480	110 30	00000
	ADMN 1210	TSMA009300H	1 1	9.25 10.40	1	19	480	110 30	00000
	ADMN 1210	BUSI121000A	1 1 1	10.00 10.50	1	24	480	110 30	00000
	ADMN 1210	PSYC201000D	1 1	10.50 12.05	1	26	480	110 30	00000
	ADMN 1210	MATH102000B	1 1 1	11.00 11.50	1	17	480	110 30	00000
	ADMN 1210	TSMA009200G	1 1 1	12.00 12.50	1	27	480	110 30	00000
	ADMN 1210	TSMA009200R	1 1	12.15 13.30	1	22	480	110 30	00000
	ADMN 1212	BUSI230000A	1	8.00 9.15		25	504	110 24	00000
	ADMN 1212	ACCT115000A	1 1 1	9.00 9.50		25	504	110 24	00000
	ADMN 1212	BUSI103000A	1 1	9.25 10.40		21	504	110 24	00000
	ADMN 1212	BUSI104000A	1 1	12.15 13.30		20	504	110 24	00000
	ADMN 1212	CDEV9999999	1	18.00 21.00		13	504	110 24	00000
	ADMN 1214	ACCT120000A	11111	8.00 8.50		18	528	110 22	00000
	ADMN 1214	ACCT110000A	11111	9.00 9.50		25	528	110 22	00000
	ADMN 1214	MATH110000H	1 1 1	10.00 10.50	1	23	528	110 22	00000
	ADMN 1214	ACCT130000A	1 1	10.55 12.10		17	528	110 22	00000
	ADMN 1214	ACCT140000A	1 1 1	11.00 11.50		12	528	110 22	00000
	ADMN 1214	ACCT110000B	1 1 1	13.00 14.25		25	528	110 22	00000
	ADMN 1214	ACCT125000N	1	17.30 20.05		16	528	110 22	00000
	ADMN 1214	ACCT110000N	1	17.30 20.30		22	528	110 22	00000
	ADMN 1214	ACCT110000M	1	17.30 20.30		14	528	110 22	00000
	ADMN 1215	TSMA009300F	1 1	8.00 9.15	1	24	651	110 30	00000
	ADMN 1215	HIST202000A	1 1 1	9.00 9.50	1	30	651	110 30	00000
	ADMN 1215	TSMA009200J	1 1	9.25 10.40	1	28	651	110 30	00000
	ADMN 1215	HIST202000B	1 1 1	10.00 10.50	1	27	651	110 30	00000
	ADMN 1215	MATH110000F	1 1	10.50 12.05	1	27	651	110 30	00000
	ADMN 1215	MATH110000C	1 1 1	11.00 11.50	1	28	651	110 30	00000
8	ADMN 1215	TSMA009300A	11111	11.00 12.00	1	25	651	110 30	00000
	ADMN 1215	TSMA009200S	1 1 1	12.00 12.50	1	24	651	110 30	00000
	ADMN 1215	MATH110000G	1 1	12.15 13.30	1	30	651	110 30	00000
	ADMN 1215	TSMA009200Q	1 1	13.00 14.15	1	27	651	110 30	00000
	ADMN 1215	TSMA009200O	1 1	13.40 14.55	1	28	651	110 30	00000
	ADMN 1215	TSMA009300N	1 1	14.30 15.45	1	25	651	110 30	00000
	ADMN 1215	MATH110000I	1 1	17.30 18.45	1	21	651	110 30	00000
	ADMN 1215	TSMA009200N	1 1	18.45 20.00	1	25	651	110 30	00000
	ADMN 1217	TSMA009200C	1 1 1	8.00 8.50	1	29	718	110 30	00000
	ADMN 1217	MATH110000D	1 1	8.00 9.15	1	24	718	110 30	00000
	ADMN 1217	TSMA009300B	1 1 1	9.00 9.50	1	27	718	110 30	00000
	ADMN 1217	MATH110000E	1 1	9.25 10.40	1	29	718	110 30	00000
8	ADMN 1217	TSMA009200K	1 1	9.25 10.40	1	25	718	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	ADMN 1217	TSMA009300C	1 1 1	10.00 10.50	1	28	718	110 30	00000
	ADMN 1217	TSMA009200L	1 1	10.50 12.05	1	27	718	110 30	00000
	ADMN 1217	TSMA009300D	1 1 1	11.00 11.50	1	26	718	110 30	00000
	ADMN 1217	TSMA009300E	1 1 1	12.00 12.50	1	28	718	110 30	00000
	ADMN 1217	TSMA009200M	1 1	16.00 17.15	1	24	718	110 30	00000
8	ADMN 1234	ANUR144100A	1 1	8.00 11.50		30	1,639	210 16	00000
8	ADMN 1234	ANUR262000A	1 1	10.00 11.50		30	1,639	210 16	00000
8	ADMN 1234	ANUR103000A	1 1	12.30 14.20		45	1,639	210 16	00000
8	ADMN 1234	ANUR262100A	1	12.30 14.20		30	1,639	210 16	00000
8	ADMN 1234	ACNA114000A	1111	15.00 19.00		26	1,639	210 16	00000
8	ADMN 1238	ANUR232000A	1 1	8.00 9.50		30	830	210 16	00000
8	ADMN 1238	ANUR305000A	1 1	8.00 9.50	1	23	830	210 16	00000
8	ADMN 1238	ANUR144100A	1 1	8.00 11.50		30	830	210 16	00000
8	ADMN 1238	ANUR243000A	1 1	10.00 11.50		23	830	210 16	00000
8	ADMN 1238	ANUR243000B	1 1	12.30 14.20		30	830	210 16	00000
8	ADMN 1238	ANUR323000A	1 1	12.30 14.20	1	23	830	210 16	00000
8	ADMN 1238	NLAB101000A	1	12.30 14.20	1	45	830	210 16	00000
	AVCR 0805	TSEN009300A	1 1 1	8.00 8.50	1	25	742	110 30	00000
	AVCR 0805	TSEN009100H	1 1	8.00 9.15	1	27	742	110 30	00000
	AVCR 0805	ENGL102000B	1 1 1	9.00 9.50	1	24	742	110 30	00000
	AVCR 0805	ENGL102000A	1 1	9.25 10.40	1	29	742	110 30	00000
	AVCR 0805	TSEN009300F	1 1	10.50 12.05	1	18	742	110 30	00000
	AVCR 0805	TSEN009100C	1 1 1	11.00 11.50	1	27	742	110 30	00000
	AVCR 0805	JOBS245000E	1 1	12.15 13.05	1	19	742	110 30	00000
	AVCR 0805	JOBS245000F	1 1	13.40 14.30	1	19	742	110 30	00000
	AVCR 0814	TSRE009100A	1 1 1	8.00 8.50	1	24	480	210 25	00000
	AVCR 0814	TSRE009100D	1 1	8.00 9.15	1	24	480	210 25	00000
	AVCR 0814	TSRE009100E	1 1	9.25 10.40	1	23	480	210 25	00000
	AVCR 0814	TSRE009100B	1 1 1	10.00 10.50	1	25	480	210 25	00000
	AVCR 0814	TSRE009100F	1 1	10.50 12.05	1	23	480	210 25	00000
	AVCR 0814	TSRE009100C	1 1 1	12.00 12.50	1	25	480	210 25	00000
	AVCR 0814	TSRE009100G	1 1	12.15 13.30	1	24	480	210 25	00000
	AVCR 0814	TSRE009100I	1 1	13.00 14.15	1	26	480	210 25	00000
	AVCR 0814	TSRE009100H	1 1	13.40 14.30	1	23	480	210 25	00000
	AVCR 0814	TSRE009100N	1 1	17.30 18.45	1	23	480	210 25	00000
	AVCR 0818	ENGL253500A	1 1 1	8.00 8.50	1	25	720	110 28	00000
	AVCR 0818	ENGL101000B	1 1 1	9.00 9.50	1	31	720	110 28	00000
	AVCR 0818	TSEN009100B	1 1 1	10.00 10.50	1	28	720	110 28	00000
	AVCR 0818	TSEN009100F	1 1	10.50 12.05	1	28	720	110 28	00000
	AVCR 0818	TSEN009300B	1 1 1	11.00 11.50	1	16	720	110 28	00000
	AVCR 0818	TSEN009100G	1 1	12.15 13.30	1	28	720	110 28	00000
	AVCR 0818	TSEN009100D	1 1 1	13.00 13.50	1	26	720	110 28	00000
	AVCR 0818	ENGL101000M	1 1	18.00 19.15	1	16	720	110 28	00000
	AVCR 0818	ENGL101000N	1 1	18.00 19.15	1	15	720	110 28	00000
	AVCR 0820	ENGL101000A	1 1 1	8.00 8.50	1	30	720	110 28	00000
	AVCR 0820	ENGL101000E	1 1	8.00 9.15	1	24	720	110 28	00000
	AVCR 0820	TSEN009100A	1 1 1	9.00 9.50	1	27	720	110 28	00000
	AVCR 0820	TSEN009300E	1 1	9.25 10.40	1	25	720	110 28	00000
	AVCR 0820	ENGL101000C	1 1 1	10.00 10.50	1	28	720	110 28	00000
	AVCR 0820	ENGL101000F	1 1	10.50 12.05	1	27	720	110 28	00000
	AVCR 0820	ENGL101000D	1 1 1	11.00 11.50	1	30	720	110 28	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	AVCR 0820	TSEN009300C	1 1 1	12.00 12.50		1	11	720	110 28 00000
	AVCR 0820	ENGL101000G	1 1	13.00 14.15		1	28	720	110 28 00000
	AVCR 0820	TSEN009100Q	1 1	16.30 17.45		1	20	720	110 28 00000
	AVCR 0820	TSEN009100N	1 1	16.30 17.45		1	19	720	110 28 00000
	AVCR 0820	TSEN009100O	1 1	18.00 19.15		1	16	720	110 28 00000
	AVCR 0820	TSEN009100M	1 1	18.00 19.15		1	6	720	110 28 00000
	AVIA 0400	AMTA201000A	1 1	8.00 9.30			3	19,594	210 49 00000
	AVIA 0400	AMTP228000A	1 1	8.00 9.30	1		2	19,594	210 49 00000
	AVIA 0400	AMTP230000A	1 1	8.00 9.30	1		1	19,594	210 49 00000
4	AVIA 0400	AMTG101000A	11111	8.00 14.30	1		16	19,594	210 49 00000
4	AVIA 0400	AMTG101000B	11111	8.00 14.30	1		12	19,594	210 49 00000
4	AVIA 0400	AMTG102000A	11111	8.00 14.30	1		14	19,594	210 49 00000
4	AVIA 0400	AMTG102000B	11111	8.00 14.30	1		12	19,594	210 49 00000
4 8	AVIA 0400	AMTG104000A	11111	8.00 14.30	1		15	19,594	210 49 00000
4 8	AVIA 0400	AMTG104000B	11111	8.00 14.30	1		12	19,594	210 49 00000
4 8	AVIA 0400	AMTG106000A	11111	8.00 14.30	1		16	19,594	210 49 00000
4 8	AVIA 0400	AMTG106000B	11111	8.00 14.30	1		12	19,594	210 49 00000
4 8	AVIA 0400	AMTG109000A	11111	8.00 14.30	1		16	19,594	210 49 00000
4 8	AVIA 0400	AMTG109000B	11111	8.00 14.30	1		13	19,594	210 49 00000
4 8	AVIA 0400	AMTP221000A	11111	8.00 14.30	1		17	19,594	210 49 00000
4 8	AVIA 0400	AMTP224000A	11111	8.00 14.30	1		20	19,594	210 49 00000
4 8	AVIA 0400	AMTP227000A	11111	8.00 14.30	1		16	19,594	210 49 00000
4 8	AVIA 0400	AMTP229000A	11111	8.00 14.30	1		20	19,594	210 49 00000
4 8	AVIA 0400	AMTA202000A	1	8.00 14.30	1		1	19,594	210 49 00000
4 8	AVIA 0401	AMTG109000A	11111	8.00 14.30			16	416	210 8 00000
4 8	AVIA 0401	AMTG109000B	11111	8.00 14.30	1		13	416	210 8 00000
	AVIA 0404	AMTA201000A	1 1	8.00 9.30			3	647	210 13 00000
	AVIA 0404	AMTP230000A	1 1	8.00 9.30	1		1	647	210 13 00000
4	AVIA 0404	AMTG101000A	11111	8.00 14.30	1		16	647	210 13 00000
4 8	AVIA 0404	AMTG102000A	11111	8.00 14.30	1		14	647	210 13 00000
4 8	AVIA 0404	AMTG104000A	11111	8.00 14.30	1		15	647	210 13 00000
4 8	AVIA 0404	AMTG106000A	11111	8.00 14.30	1		16	647	210 13 00000
4 8	AVIA 0404	AMTG109000A	11111	8.00 14.30	1		16	647	210 13 00000
4 8	AVIA 0404	AMTA202000A	1	8.00 14.30	1		1	647	210 13 00000
4	AVIA 0408	AMTG101000B	11111	8.00 14.30			12	508	110 15 00000
4 8	AVIA 0408	AMTG102000B	11111	8.00 14.30	1		12	508	110 15 00000
4 8	AVIA 0408	AMTG104000B	11111	8.00 14.30	1		12	508	110 15 00000
4 8	AVIA 0408	AMTG106000B	11111	8.00 14.30	1		12	508	110 15 00000
4 8	AVIA 0408	AMTG109000B	11111	8.00 14.30	1		13	508	110 15 00000
	AVIA 0409	AMTP228000A	1 1	8.00 9.30			2	497	110 12 00000
4 8	AVIA 0409	AMTP221000A	11111	8.00 14.30	1		17	497	110 12 00000
4 8	AVIA 0409	AMTP224000A	11111	8.00 14.30	1		20	497	110 12 00000
4 8	AVIA 0409	AMTP227000A	11111	8.00 14.30	1		16	497	110 12 00000
4 8	AVIA 0409	AMTP229000A	11111	8.00 14.30	1		20	497	110 12 00000
4 8	AVIA 0409	AMTA211000A	1	8.00 14.30	1		2	497	110 12 00000
4 8	AVIA 0412	AMTG104000A	11111	8.00 14.30			15	471	210 9 00000
4 8	AVIA 0412	AMTG104000B	11111	8.00 14.30	1		12	471	210 9 00000
4 8	AVIA 0414	AMTG106000A	11111	8.00 14.30			16	277	210 6 00000
4 8	AVIA 0414	AMTG106000B	11111	8.00 14.30	1		12	277	210 6 00000
4 8	AVIA 0415	AMTG101000A	11111	8.00 14.30			16	1,271	210 8 00000
4 8	AVIA 0415	AMTG101000B	11111	8.00 14.30	1		12	1,271	210 8 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	AVIA 0415	AMTP221000A	11111	8.00 14.30	1	17	210 8	00000
		AVIA 0417	AMTP228000A	1 1	8.00 9.30		2	210 9	00000
		AVIA 0418	AMTA201000A	1 1	8.00 9.30		3	210 15	00000
		AVIA 0418	AMTP230000A	1 1	8.00 9.30	1	1	210 15	00000
		CPTR 0101	PTEC132000A	1 1 1	7.45 8.50	1	25	110 25	00000
		CPTR 0101	PTEC131000B	1 1	7.45 9.30	1	28	110 25	00000
		CPTR 0101	PTEC131000A	1 1 1	9.50 10.55	1	30	110 25	00000
		CPTR 0101	PTEC131000C	1 1	10.30 12.10	1	28	110 25	00000
		CPTR 0101	PTEC100000A	1 1	11.00 11.50	1	23	110 25	00000
		CPTR 0101	PHSC100000B	1 1 1	12.00 12.50	1	26	110 25	00000
		CPTR 0101	PTEC132000B	1 1	12.15 13.55	1	30	110 25	00000
		CPTR 0101	PHSC100000C	1 1 1	13.00 13.50	1	24	110 25	00000
		CPTR 0101	PTEC243000A	1 11	14.40 15.30	1	17	110 25	00000
		CPTR 0101	PTEC2620LBN	1 1	16.00 16.50	1	10	110 25	00000
		CPTR 0101	PTEC132000N	1 1	17.30 19.30	1	11	110 25	00000
		CPTR 0103	PTEC203000C	1 1	8.00 9.15	1	12	110 25	00000
		CPTR 0103	PTEC244000A	1 1 1	9.00 9.50	1	17	110 25	00000
		CPTR 0103	PTEC244000B	1 1	9.25 10.40	1	12	110 25	00000
		CPTR 0103	PTEC262000A	1 1 1	10.00 10.50	1	14	110 25	00000
		CPTR 0103	PTEC203000A	1 1 1	11.00 11.50	1	15	110 25	00000
		CPTR 0103	PTEC2620LBA	1 1	11.00 11.50	1	13	110 25	00000
		CPTR 0103	PTEC262000B	1 1 1	12.00 12.50	1	10	110 25	00000
		CPTR 0103	PTEC101000B	1 1 1	14.00 14.50	1	27	110 25	00000
	8	CPTR 0103	PTEC243000B	1 11	14.40 15.30	1	18	110 25	00000
	8	CPTR 0103	PTEC263000A	1 1	15.00 16.15	1	15	110 25	00000
		CPTR 0103	PTEC2620LBN	1 1	16.00 16.50	1	10	110 25	00000
		CPTR 0103	PTEC101000N	1 1	16.30 21.00	1	8	110 25	00000
		CPTR 0103	PTEC203000N	1 1	16.30 21.00	1	8	110 25	00000
		CPTR 0103	PTEC263000N	1 1	17.00 18.15	1	31	110 25	00000
		CPTR 0103	PTEC262000N	1 1	17.00 18.15	1	9	110 25	00000
	8	CPTR 0106	PTEC161000A	1 1 1	7.45 8.18	1	29	210 14	00000
		CPTR 0106	PTEC242000B	1 1	8.00 9.15	1	19	210 14	00000
	8	CPTR 0106	PTEC1610LBA	1 1 1	8.18 8.50	1	29	210 14	00000
		CPTR 0106	PTEC242000A	1 1 1	9.00 9.50	1	11	210 14	00000
	8	CPTR 0106	PTEC101000A	1 1 1	10.00 10.50	1	28	210 14	00000
		CPTR 0106	PTEC100000B	1 1	10.50 11.40	1	19	210 14	00000
		CPTR 0106	PTEC207000A	1 1 1	11.00 11.50	1	16	210 14	00000
		CPTR 0106	PTEC242000C	1 1 1	13.00 13.50	1	13	210 14	00000
		CPTR 0106	PTEC2420LBC	1	13.50 15.10	1	19	210 14	00000
		CPTR 0108	CADD110100A	1111	8.00 9.50		18	210 14	00000
		CPTR 0108	DRFT110100A	1111	10.00 10.50	1	16	210 14	00000
		CPTR 0108	DRFT110200A	1111	12.00 12.50	1	13	210 14	00000
		CPTR 0108	DRFT110300A	1111	13.00 13.50	1	12	210 14	00000
		CPTR 0108	DRFT110400A	1111	14.00 14.50	1	14	210 14	00000
		CPTR 0109	DRFT230100A	11111	8.00 8.50	1	7	210 14	00000
		CPTR 0109	DRFT240400A	11111	9.00 10.15	1	12	210 14	00000
	8	CPTR 0109	DRFT230300A	11111	10.00 10.50	1	15	210 14	00000
		CPTR 0109	DRFT240200A	11111	11.30 12.25	1	13	210 14	00000
		CPTR 0109	DRFT240300A	1111	12.30 13.25	1	14	210 14	00000
	8	CPTR 0110	BIOL101000A	1 1 1	8.00 8.50		28	210 14	00000
	8	CPTR 0110	BIOL101000D	1 1	8.00 9.15		29	210 14	00000

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
8	CPTR 0110	CADD120100A	1111	8.00 9.50	1	8	704	210 14	00000
8	CPTR 0110	BIOL101000F	1 1 1	9.00 9.50	1	27	704	210 14	00000
	CPTR 0110	BIOL101100C	1	9.25 11.15		13	704	210 14	00000
8	CPTR 0110	DRFT120100A	1111	10.00 10.50	1 1	9	704	210 14	00000
8	CPTR 0110	BIOL102000A	1 1 1	10.00 10.50	1	23	704	210 14	00000
	CPTR 0110	DRFT120200A	1111	12.00 12.50		8	704	210 14	00000
8	CPTR 0110	BIOL101000C	1 1 1	12.00 12.50	1	27	704	210 14	00000
8	CPTR 0110	BIOL101000B	1 1	12.15 13.30		26	704	210 14	00000
8	CPTR 0110	DRFT120300A	1111	13.00 13.50	1 1	6	704	210 14	00000
8	CPTR 0110	BIOL101100A	1	13.00 14.50	1	9	704	210 14	00000
	CPTR 0110	BIOL101100B	1	13.00 14.50		8	704	210 14	00000
	CPTR 0110	DRFT120400A	1111	14.00 14.50	1 1	9	704	210 14	00000
	CPTR 0111	CHEM101000B	1 1	8.00 9.15		24	1,189	210 24	00000
	CPTR 0111	CHEM101000C	1 1 1	9.00 9.50		24	1,189	210 24	00000
	CPTR 0111	BIOL101000E	1 1	9.25 10.40		28	1,189	210 24	00000
	CPTR 0111	PHSC100000A	1 1	10.50 12.05		27	1,189	210 24	00000
	CPTR 0111	CHEM101000A	1 1 1	11.00 11.50		23	1,189	210 24	00000
	CPTR 0111	CHEM101100A	1	12.00 14.30		21	1,189	210 24	00000
	CPTR 0111	CHEM101100B	1	12.30 15.00		20	1,189	210 24	00000
	CPTR 0111	CHEM101100C	1	12.30 15.00		16	1,189	210 24	00000
	CPTR 0300	PTEC132000A	1 1 1	7.45 8.50		25	2,507	210 30	00000
	CPTR 0300	PTEC131000B	1 1	7.45 9.30		28	2,507	210 30	00000
	CPTR 0300	PTEC244000A	1 1 1	9.00 9.50		17	2,507	210 30	00000
	CPTR 0300	PTEC2420LBA	1	9.25 11.05		13	2,507	210 30	00000
	CPTR 0300	PTEC2420LBB	1	9.25 11.05		12	2,507	210 30	00000
	CPTR 0300	PTEC131000A	1 1 1	9.50 10.55		30	2,507	210 30	00000
8	CPTR 0300	PTEC101000A	1 1 1	10.00 10.50	1	28	2,507	210 30	00000
8	CPTR 0300	PTEC262000A	1 1 1	10.00 10.50	1	14	2,507	210 30	00000
	CPTR 0300	PTEC131000C	1 1	10.30 12.10		28	2,507	210 30	00000
	CPTR 0300	PTEC2620LBA	1 1	11.00 11.50		13	2,507	210 30	00000
	CPTR 0300	PTEC262000B	1 1 1	12.00 12.50		10	2,507	210 30	00000
	CPTR 0300	PTEC291100A	1 1 1	12.00 14.30	1	17	2,507	210 30	00000
	CPTR 0300	PTEC291100B	1 1 1	12.00 14.30	1	17	2,507	210 30	00000
8	CPTR 0300	PTEC291100C	1 1 1	12.00 14.30	1	16	2,507	210 30	00000
8	CPTR 0300	PTEC132000B	1 1	12.15 13.55	1	30	2,507	210 30	00000
	CPTR 0300	PTEC2620LBB	1 1	13.00 13.50		9	2,507	210 30	00000
	CPTR 0300	PTEC101000B	1 1 1	14.00 14.50		27	2,507	210 30	00000
	CPTR 0300	PTEC243000A	1 1 1	14.40 15.30	1	17	2,507	210 30	00000
8	CPTR 0300	PTEC243000B	1 1 1	14.40 15.30	1	18	2,507	210 30	00000
8	CPTR 0300	PTEC243000C	1 1 1	14.40 15.30	1	15	2,507	210 30	00000
	CPTR 0300	PTEC2430LBA	1 1	15.40 16.30		18	2,507	210 30	00000
	CPTR 0300	PTEC2430LBB	1 1	15.40 16.30	1	17	2,507	210 30	00000
8	CPTR 0300	PTEC2430LBC	1 1	15.40 16.30	1	15	2,507	210 30	00000
	CPTR 0300	PTEC2620LBN	1 1	16.00 16.50		10	2,507	210 30	00000
	CPTR 0300	PTEC101000N	1 1	16.30 21.00	1	8	2,507	210 30	00000
	CPTR 0300	PTEC262000N	1 1	17.00 18.15	1	9	2,507	210 30	00000
	CPTR 0300	PTEC132000N	1 1	17.30 19.30		11	2,507	210 30	00000
	CPTR 0302	PTEC161000A	1 1 1	7.45 8.18		29	2,725	210 35	00000
8	CPTR 0302	PTEC132000A	1 1 1	7.45 8.50	1	25	2,725	210 35	00000
	CPTR 0302	PTEC131000B	1 1	7.45 9.30		28	2,725	210 35	00000
	CPTR 0302	PTEC242000B	1 1	8.00 9.15	1	19	2,725	210 35	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 8

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	CPTR	0302	PTEC1610LBA	1 1 1	8.18 8.50		1	29	2,725	210 35	00000
	CPTR	0302	PTEC242000A	1 1 1	9.00 9.50		1	11	2,725	210 35	00000
	CPTR	0302	PTEC2420LBA	1	9.25 11.05		1	13	2,725	210 35	00000
	CPTR	0302	PTEC2420LBB	1	9.25 11.05		1	12	2,725	210 35	00000
	CPTR	0302	PTEC131000A	1 1 1	9.50 10.55		1	30	2,725	210 35	00000
8	CPTR	0302	PTEC101000A	1 1 1	10.00 10.50	1	1	28	2,725	210 35	00000
	CPTR	0302	PTEC131000C	1 1 1	10.30 12.10		1	28	2,725	210 35	00000
	CPTR	0302	PTEC291100A	1 1 1	12.00 14.30	1	1	17	2,725	210 35	00000
8	CPTR	0302	PTEC291100B	1 1 1	12.00 14.30	1	1	17	2,725	210 35	00000
8	CPTR	0302	PTEC291100C	1 1 1	12.00 14.30	1	1	16	2,725	210 35	00000
8	CPTR	0302	PTEC132000B	1 1 1	12.15 13.55	1	1	30	2,725	210 35	00000
	CPTR	0302	PTEC242000C	1 1 1	13.00 13.50		1	13	2,725	210 35	00000
	CPTR	0302	PTEC2420LBC	1	13.50 15.10		1	19	2,725	210 35	00000
	CPTR	0302	PTEC101000B	1 1 1	14.00 14.50	1	1	27	2,725	210 35	00000
8	CPTR	0302	PTEC243000A	1 1 1	14.40 15.30	1	1	17	2,725	210 35	00000
8	CPTR	0302	PTEC243000B	1 1 1	14.40 15.30	1	1	18	2,725	210 35	00000
8	CPTR	0302	PTEC243000C	1 1 1	14.40 15.30	1	1	15	2,725	210 35	00000
	CPTR	0302	PTEC2430LBA	1 1	15.40 16.30		1	18	2,725	210 35	00000
	CPTR	0302	PTEC2430LBB	1 1	15.40 16.30	1	1	17	2,725	210 35	00000
	CPTR	0302	PTEC2430LBC	1 1	15.40 16.30	1	1	15	2,725	210 35	00000
	CPTR	0302	PTEC101000N	1 1	16.30 21.00		1	8	2,725	210 35	00000
	CPTR	0302	PTEC132000N	1 1	17.30 19.30		1	11	2,725	210 35	00000
	CPTR	0311	PTEC243000A	1 1 1	14.40 15.30		1	17	1,723	210 15	00000
8	CPTR	0311	PTEC243000B	1 1 1	14.40 15.30	1	1	18	1,723	210 15	00000
8	CPTR	0311	PTEC243000C	1 1 1	14.40 15.30	1	1	15	1,723	210 15	00000
	CPTR	0311	PTEC2430LBA	1 1	15.40 16.30		1	18	1,723	210 15	00000
8	CPTR	0311	PTEC2430LBB	1 1	15.40 16.30	1	1	17	1,723	210 15	00000
8	CPTR	0311	PTEC2430LBC	1 1	15.40 16.30	1	1	15	1,723	210 15	00000
	EMCH	0309	ELEC142200C	1 1 1	8.00 9.45		1	18	1,145	210 23	00000
	EMCH	0309	ELEC134000A	1 1	8.00 10.30		1	28	1,145	210 23	00000
	EMCH	0309	ELEC123000A	1 1 1	10.00 11.45		1	25	1,145	210 23	00000
	EMCH	0309	ELEC143000A	1 1	10.00 12.10		1	28	1,145	210 23	00000
	EMCH	0309	ELEC246000A	1 1	12.00 13.15		1	9	1,145	210 23	00000
	EMCH	0309	ELEC123000B	1 1	12.00 14.30		1	28	1,145	210 23	00000
8	EMCH	0309	ELEC112200A	1 1	12.20 14.30	1	1	25	1,145	210 23	00000
	EMCH	0310	ELEC142200A	1 1 1	8.00 9.45		1	18	1,756	210 20	00000
	EMCH	0310	ELEC142200B	1 1 1	10.00 11.45		1	18	1,756	210 20	00000
	EMCH	0310	ELEC263000A	1 1 1	12.30 14.15		1	17	1,756	210 20	00000
	EMCH	0310	ELEC263000N	1 1	17.00 19.45		1	18	1,756	210 20	00000
	EMCH	0312	CRMJ122000A	1 1 1	8.00 8.50		1	39	1,177	110 36	00000
	EMCH	0312	CRMJ132200A	1 1	8.00 9.15		1	40	1,177	110 36	00000
	EMCH	0312	CRMJ111000A	1 1 1	9.00 9.50		1	42	1,177	110 36	00000
	EMCH	0312	CRMJ134000A	1 1	9.25 10.40		1	43	1,177	110 36	00000
	EMCH	0312	CRMJ123000A	1 1 1	10.00 10.50		1	41	1,177	110 36	00000
	EMCH	0312	CRMJ252000A	1 1	10.50 12.05		1	40	1,177	110 36	00000
	EMCH	0312	CRMJ111000B	1 1 1	11.00 11.50		1	41	1,177	110 36	00000
	EMCH	0312	CRMJ141000A	1 1 1	12.00 12.50		1	42	1,177	110 36	00000
	EMCH	0312	CRMJ111000C	1 1	12.15 13.30		1	24	1,177	110 36	00000
	EMCH	0312	CRMJ122000B	1 1 1	13.00 13.50		1	27	1,177	110 36	00000
	EMCH	0312	CRMJ251000N	1	17.00 20.45		1	28	1,177	110 36	00000
	EMCH	0312	CRMJ299700N	1	17.00 20.45		1	20	1,177	110 36	00000



CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 9

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	EMCH	0312		CRMJ299700M	1	17.25 20.05	14	110 36	00000
	EMCH	0313	1 1	ELEC134000A		8.00 10.30	28	210 40	00000
	EMCH	0313	1 1 1	ELEC123000A		10.00 11.45	25	210 40	00000
	EMCH	0313	1 1	ELEC123000B		12.00 14.30	28	210 40	00000
8	EMCH	0314	1 1 1	INST272100C		8.00 9.45	17	210 10	00000
8	EMCH	0314	1 1 1	INST281100A	1	8.00 9.45	16	210 10	00000
8	EMCH	0314	1 1	INST272100B		8.00 10.30	19	210 10	00000
8	EMCH	0314	1 1 1	INST111000C		10.00 11.25	24	210 10	00000
8	EMCH	0314	1 1 1	INST281100B		12.00 13.45	18	210 10	00000
8	EMCH	0314	1 1 1	INST272100A	1	12.30 14.15	18	210 10	00000
	EMCH	0314	11	INST111000N		17.00 19.10	15	210 10	00000
8	EMCH	0314	1 1	INST284100N	1	17.00 19.45	20	210 10	00000
	EMCH	0315	1 1 1	INST272100C		8.00 9.45	17	210 12	00000
8	EMCH	0315	1 1 1	INST281100A	1	8.00 9.45	16	210 12	00000
8	EMCH	0315	1 1	INST272100B		8.00 10.30	19	210 12	00000
8	EMCH	0315	1 1 1	INST284100B		10.00 11.45	21	210 12	00000
	EMCH	0315	1 1 1	INST281100B		12.00 13.45	18	210 12	00000
8	EMCH	0315	1 1 1	INST272100A	1	12.30 14.15	18	210 12	00000
	EMCH	0315	11	INST111000N		17.00 19.10	15	210 12	00000
8	EMCH	0315	1 1	INST284100N	1	17.00 19.45	20	210 12	00000
	EMCH	0316	1 1	ELEC134000A		8.00 10.30	28	110 26	00000
	EMCH	0316	1 1	ETRN211200B		13.00 15.10	13	110 26	00000
	EMCH	0320	111111	ETRN111200A		8.00 9.45	32	210 25	00000
	EMCH	0320	111111	ETRN111200B		10.00 11.45	33	210 25	00000
	EMCH	0320	111111	ETRN121200A		13.00 14.45	38	210 25	00000
	EMCH	0320	111	ETRN111200C		17.00 19.45	14	210 25	00000
	EMCH	0324	1 1 1	ETRN123200A		8.00 9.30	22	210 22	00000
	EMCH	0324	1 1	INST111000A		8.00 10.10	31	210 22	00000
	EMCH	0324	1 1 1	ETRN123200B		10.00 11.30	25	210 22	00000
	EMCH	0324	1 1	INST111000B		12.00 14.10	33	210 22	00000
	EMCH	0324	11	INST111000N		17.00 19.10	15	210 22	00000
8	EMCH	0324	1 1	ETRN123200N	1	17.00 19.15	21	210 22	00000
	EMCH	0325	1 1	ETRN211200A		8.00 10.10	30	210 45	00000
	EMCH	0325	1 1	ETRN211200B		13.00 15.10	13	210 45	00000
	EMCH	0325	111	ETRN111200D	1	13.00 15.30	25	210 45	00000
	EMCH	0327	1 1 1	INST273100A		8.00 9.30	21	110 40	00000
	EMCH	0327	1 1	INST261100A		8.00 10.10	22	110 40	00000
	EMCH	0327	1 1 1	INST111000C		10.00 11.25	24	110 40	00000
	EMCH	0327	1 1	INST261100B		12.00 14.10	20	110 40	00000
	EMCH	0327	1 1	INST131100A		15.00 17.10	26	110 40	00000
	EMCH	0328	1 1 1	INST273100A		8.00 9.30	21	210 23	00000
8	EMCH	0328	1 1 1	INST272100C	1	8.00 9.45	17	210 23	00000
89	EMCH	0328	1 1 1	INST272100C		8.00 9.45	17	210 23	00000
8	EMCH	0328	1 1 1	INST281100A	1	8.00 9.45	16	210 23	00000
89	EMCH	0328	1 1 1	INST281100A		8.00 9.45	16	210 23	00000
	EMCH	0328	1 1	INST111000A		8.00 10.10	31	210 23	00000
8	EMCH	0328	1 1	INST261100A	1	8.00 10.10	22	210 23	00000
89	EMCH	0328	1 1	INST261100A		8.00 10.10	22	210 23	00000
8	EMCH	0328	1 1	INST272100B	1	8.00 10.30	19	210 23	00000
89	EMCH	0328	1 1	INST272100B		8.00 10.30	19	210 23	00000
	EMCH	0328	1 1 1	INST111000C		10.00 11.25	24	210 23	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 10

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
89	EMCH 0328	INST111000C	1 1 1	10.00 11.25		1	24	1,131	210 23 00000
8	EMCH 0328	INST284100B	1 1 1	10.00 11.45	1	1	21	1,131	210 23 00000
89	EMCH 0328	INST284100B	1 1 1	10.00 11.45		1	21	1,131	210 23 00000
	EMCH 0328	INST281100B	1 1 1	12.00 13.45		1	18	1,131	210 23 00000
89	EMCH 0328	INST281100B	1 1 1	12.00 13.45		1	18	1,131	210 23 00000
	EMCH 0328	INST111000B	1 1	12.00 14.10		1	33	1,131	210 23 00000
8	EMCH 0328	INST261100B	1 1	12.00 14.10	1	1	20	1,131	210 23 00000
89	EMCH 0328	INST261100B	1 1	12.00 14.10		1	20	1,131	210 23 00000
	EMCH 0328	ELEC263000A	1 1 1	12.30 14.15		1	17	1,131	210 23 00000
	EMCH 0328	INST272100A	1 1 1	12.30 14.15	1	1	18	1,131	210 23 00000
89	EMCH 0328	INST272100A	1 1 1	12.30 14.15		1	18	1,131	210 23 00000
	EMCH 0328	INST131100A	1 1	15.00 17.10		1	26	1,131	210 23 00000
8	EMCH 0328	INST111000N	11	17.00 19.10	1	1	15	1,131	210 23 00000
8	EMCH 0328	ELEC263000N	1 1	17.00 19.45	1	1	18	1,131	210 23 00000
	EMCH 0328	INST284100N	1 1	17.00 19.45		1	20	1,131	210 23 00000
89	EMCH 0328	INST284100N	1 1	17.00 19.45		1	20	1,131	210 23 00000
	EMCH 309X	ELEC112200A	1 1	12.20 14.30		1	25		00000
	EMCH 328X	ELEC142200A	1 1 1	8.00 9.45		1	18		00000
	EMCH 328X	ELEC142200C	1 1 1	8.00 9.45		1	18		00000
	EMCH 328X	ELEC142200B	1 1 1	10.00 11.45		1	18		00000
1	MA01 00A1	CULN111000A	111111	9.00 10.00			20		00000
8	MECH 0601	COMA204000A	1 1 1	8.00 9.35			19	552	210 11 00000
8	MECH 0601	COMA101000B	1 1	8.00 9.50	1		22	552	210 11 00000
8	MECH 0601	COMA103000A	1 1	8.00 10.25			22	552	210 11 00000
	MECH 0601	COMA121000A	1 1	12.15 14.40			17	552	210 11 00000
8	MECH 0601	COMA124000A	1 1 1	13.00 14.35			23	552	210 11 00000
8	MECH 0602	COMA204000A	1 1 1	8.00 9.35			19	432	210 5 00000
	MECH 0603	COMA204000A	1 1 1	8.00 9.35			19	744	210 15 00000
	MECH 0603	COMA224000A	1 1	8.00 10.25			13	744	210 15 00000
	MECH 0603	COMA201000A	1 1 1	10.00 11.35			23	744	210 15 00000
	MECH 0603	COMA250000A	1	11.00 11.50			8	744	210 15 00000
	MECH 0603	COMA104000A	1 1 1	13.00 14.35			15	744	210 15 00000
8	MECH 0603	COMA124000A	1 1 1	13.00 14.35	1		23	744	210 15 00000
8	MECH 0611	COMA103000A	1 1	8.00 10.25			22	552	210 11 00000
8	MECH 0611	COMA123000A	1 1 1	10.00 11.35			18	552	210 11 00000
	MECH 0611	COMA121000A	1 1	12.15 14.40			17	552	210 11 00000
8	MECH 0611	COMA203000A	1 1	12.15 14.40	1		12	552	210 11 00000
	MECH 0611	COMA105000A	1 1 1	13.00 14.35			15	552	210 11 00000
	MECH 0611	COMA221000A	1 1	15.00 17.35			9	552	210 11 00000
	METL 0102	TSMA009300F	1 1	8.00 9.15		1	24	875	410 34 00000
	METL 0102	TSMA009300B	1 1 1	9.00 9.50		1	27	875	410 34 00000
	METL 0102	TSMA009300H	1 1	9.25 10.40		1	19	875	410 34 00000
	METL 0102	TSMA009300C	1 1 1	10.00 10.50		1	28	875	410 34 00000
	METL 0102	TSMA009300D	1 1 1	11.00 11.50		1	26	875	410 34 00000
	METL 0102	TSMA009300A	111111	11.00 12.00	1	1	25	875	410 34 00000
8	METL 0102	TSMA009300I	111111	11.00 12.00	1	1	29	875	410 34 00000
	METL 0102	TSMA009300E	1 1 1	12.00 12.50		1	28	875	410 34 00000
	METL 0102	TSMA009300G	1 1	12.15 13.30		1	26	875	410 34 00000
	METL 0102	TSMA009300N	1 1	14.30 15.45		1	25	875	410 34 00000
	METL 0103	TSMA009300F	1 1	8.00 9.15		1	24	870	210 44 00000
	METL 0103	TSMA009300B	1 1 1	9.00 9.50		1	27	870	210 44 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 11

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	METL 0103	TSMA009300H	1 1	9.25 10.40	1	19	870	210 44	00000	
	METL 0103	TSMA009300C	1 1 1	10.00 10.50	1	28	870	210 44	00000	
	METL 0103	TSMA009300D	1 1 1	11.00 11.50	1	26	870	210 44	00000	
	METL 0103	TSMA009300A	11111	11.00 12.00	1	25	870	210 44	00000	
8	METL 0103	TSMA0093001	11111	11.00 12.00	1	29	870	210 44	00000	
	METL 0103	TSMA009300E	1 1 1	12.00 12.50	1	28	870	210 44	00000	
	METL 0103	TSMA009300G	1 1	12.15 13.30	1	26	870	210 44	00000	
	METL 0103	TSMA009300N	1 1	14.30 15.45	1	25	870	210 44	00000	
4	METL 0106	WELD111000A	11111	8.00 14.30	1	10	4,186	210 36	00000	
4	METL 0106	WELD112000A	11111	8.00 14.30	1	16	4,186	210 36	00000	
4	METL 0106	WELD113000A	11111	8.00 14.30	1	13	4,186	210 36	00000	
4	METL 0106	WELD121000A	11111	8.00 14.30	1	5	4,186	210 36	00000	
4	8	METL 0106	WELD131000A	11111	8.00 14.30	1	12	4,186	210 36	00000
4	8	METL 0106	WELD141000A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD141100A	11111	8.00 14.30	1	7	4,186	210 36	00000
4	8	METL 0106	WELD142000A	11111	8.00 14.30	1	8	4,186	210 36	00000
4	8	METL 0106	WELD151000A	11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD151400A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD151500A	11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD151600A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	8	METL 0106	WELD211000A	11111	8.00 14.30	1	11	4,186	210 36	00000
4	8	METL 0106	WELD211100A	11111	8.00 14.30	1	8	4,186	210 36	00000
4	8	METL 0106	WELD221000A	11111	8.00 14.30	1	2	4,186	210 36	00000
4	8	METL 0106	WELD222000A	11111	8.00 14.30	1	1	4,186	210 36	00000
4	8	METL 0106	WELD222100A	11111	8.00 14.30	1	1	4,186	210 36	00000
4	8	METL 0106	WELD223000A	11111	8.00 14.30	1	4	4,186	210 36	00000
4	8	METL 0106	WELD231000A	11111	8.00 14.30	1	9	4,186	210 36	00000
4	8	METL 0106	WELD231100A	11111	8.00 14.30	1	5	4,186	210 36	00000
4	METL 0111	WELD111000A	11111	8.00 14.30	1	10	433	110 29	00000	
4	METL 0111	WELD112000A	11111	8.00 14.30	1	16	433	110 29	00000	
4	METL 0111	WELD113000A	11111	8.00 14.30	1	13	433	110 29	00000	
4	METL 0111	WELD121000A	11111	8.00 14.30	1	5	433	110 29	00000	
4	8	METL 0111	WELD141000A	11111	8.00 14.30	1	5	433	110 29	00000
4	8	METL 0111	WELD141100A	11111	8.00 14.30	1	7	433	110 29	00000
4	8	METL 0111	WELD142000A	11111	8.00 14.30	1	8	433	110 29	00000
4	8	METL 0111	WELD151000A	11111	8.00 14.30	1	2	433	110 29	00000
4	8	METL 0111	WELD151400A	11111	8.00 14.30	1	5	433	110 29	00000
4	8	METL 0111	WELD151500A	11111	8.00 14.30	1	2	433	110 29	00000
4	8	METL 0111	WELD151600A	11111	8.00 14.30	1	5	433	110 29	00000
4	8	METL 0111	WELD211000A	11111	8.00 14.30	1	11	433	110 29	00000
4	8	METL 0111	WELD211100A	11111	8.00 14.30	1	8	433	110 29	00000
4	8	METL 0111	WELD221000A	11111	8.00 14.30	1	2	433	110 29	00000
4	8	METL 0111	WELD222000A	11111	8.00 14.30	1	1	433	110 29	00000
4	8	METL 0111	WELD222100A	11111	8.00 14.30	1	1	433	110 29	00000
4	8	METL 0111	WELD223000A	11111	8.00 14.30	1	4	433	110 29	00000
4	8	METL 0111	WELD231000A	11111	8.00 14.30	1	9	433	110 29	00000
4	8	METL 0111	WELD231100A	11111	8.00 14.30	1	5	433	110 29	00000
4	PLPS 0100	ITEC100000P	11111	7.00 15.30	1	4	9,130	210 30	00000	
4	PLPS 0100	JOBS245000P	11111	7.00 15.30	1	4	9,130	210 30	00000	
4	PLPS 0100	WELD111000P	11111	7.00 15.30	1	4	9,130	210 30	00000	
4	PLPS 0100	WELD112000P	11111	7.00 15.30	1	4	9,130	210 30	00000	

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 12

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	PLPS 0100	WELD113000P	111111	7.00 15.30	1 1	4	9,130	210 30	00000
4	PLPS 0100	WELD121000P	111111	7.00 15.30	1 1	12	9,130	210 30	00000
4	8 PLPS 0100	WELD131000P	111111	7.00 15.30	1 1	16	9,130	210 30	00000
4	8 PLPS 0100	WELD141000P	111111	7.00 15.30	1 1	16	9,130	210 30	00000
4	8 PLPS 0100	WELD141100P	111111	7.00 15.30	1 1	16	9,130	210 30	00000
4	8 PLPS 0100	WELD142000P	111111	7.00 15.30	1 1	17	9,130	210 30	00000
4	8 PLPS 0100	WELD151000P	111111	7.00 15.30	1 1	20	9,130	210 30	00000
4	8 PLPS 0100	WELD151400P	111111	7.00 15.30	1 1	8	9,130	210 30	00000
4	8 PLPS 0100	WELD151500P	111111	7.00 15.30	1 1	10	9,130	210 30	00000
4	8 PLPS 0100	WELD151600P	111111	7.00 15.30	1 1	7	9,130	210 30	00000
4	8 PLPS 0100	WELD151700P	111111	7.00 15.30	1 1	6	9,130	210 30	00000
4	8 PLPS 0100	WELD211000P	111111	7.00 15.30	1 1	7	9,130	210 30	00000
4	8 PLPS 0100	WELD211100P	111111	7.00 15.30	1 1	5	9,130	210 30	00000
4	8 PLPS 0100	WELD221000P	111111	7.00 15.30	1 1	7	9,130	210 30	00000
4	8 PLPS 0100	WELD222000P	111111	7.00 15.30	1 1	5	9,130	210 30	00000
4	8 PLPS 0100	WELD222100P	111111	7.00 15.30	1 1	5	9,130	210 30	00000
4	8 PLPS 0100	WELD222200P	111111	7.00 15.30	1 1	4	9,130	210 30	00000
4	8 PLPS 0100	WELD223000P	111111	7.00 15.30	1 1	3	9,130	210 30	00000
4	8 PLPS 0100	WELD231000P	111111	7.00 15.30	1 1	5	9,130	210 30	00000
4	8 PLPS 0100	WELD231100P	111111	7.00 15.30	1 1	7	9,130	210 30	00000
4	8 PLPS 0100	WELD231200P	111111	7.00 15.30	1 1	4	9,130	210 30	00000
4	8 PLPS 0100	WELD299000P	111111	7.00 15.30	1 1	1	9,130	210 30	00000
4	PLPS 0105	WELD111000P	111111	7.00 15.30	1 1	4	600	210 12	00000
4	PLPS 0105	WELD112000P	111111	7.00 15.30	1 1	4	600	210 12	00000
4	PLPS 0105	WELD113000P	111111	7.00 15.30	1 1	4	600	210 12	00000
4	8 PLPS 0105	WELD121000P	111111	7.00 15.30	1 1	12	600	210 12	00000
4	8 PLPS 0105	WELD131000P	111111	7.00 15.30	1 1	16	600	210 12	00000
4	8 PLPS 0105	WELD141000P	111111	7.00 15.30	1 1	16	600	210 12	00000
4	8 PLPS 0105	WELD141100P	111111	7.00 15.30	1 1	16	600	210 12	00000
4	8 PLPS 0105	WELD142000P	111111	7.00 15.30	1 1	17	600	210 12	00000
4	8 PLPS 0105	WELD151000P	111111	7.00 15.30	1 1	20	600	210 12	00000
4	8 PLPS 0105	WELD151400P	111111	7.00 15.30	1 1	8	600	210 12	00000
4	8 PLPS 0105	WELD151500P	111111	7.00 15.30	1 1	10	600	210 12	00000
4	8 PLPS 0105	WELD151600P	111111	7.00 15.30	1 1	7	600	210 12	00000
4	8 PLPS 0105	WELD151700P	111111	7.00 15.30	1 1	6	600	210 12	00000
4	8 PLPS 0105	WELD211000P	111111	7.00 15.30	1 1	7	600	210 12	00000
4	8 PLPS 0105	WELD211100P	111111	7.00 15.30	1 1	5	600	210 12	00000
4	8 PLPS 0105	WELD221000P	111111	7.00 15.30	1 1	7	600	210 12	00000
4	8 PLPS 0105	WELD222000P	111111	7.00 15.30	1 1	5	600	210 12	00000
4	8 PLPS 0105	WELD222100P	111111	7.00 15.30	1 1	5	600	210 12	00000
4	8 PLPS 0105	WELD222200P	111111	7.00 15.30	1 1	4	600	210 12	00000
4	8 PLPS 0105	WELD223000P	111111	7.00 15.30	1 1	3	600	210 12	00000
4	8 PLPS 0105	WELD231000P	111111	7.00 15.30	1 1	5	600	210 12	00000
4	8 PLPS 0105	WELD231100P	111111	7.00 15.30	1 1	7	600	210 12	00000
4	8 PLPS 0105	WELD231200P	111111	7.00 15.30	1 1	4	600	210 12	00000
4	8 PLPS 0105	WELD299000P	111111	7.00 15.30	1 1	1	600	210 12	00000
1 4	TBA0 0TBA	ANUR232200A	111	6.45 15.00		30			00000
	TB62 0062	TSMA009200A	1 1 1	8.00 8.50		22	713	110 30	00000
	TB62 0062	TSMA009200H	1 1	8.00 9.15		23	713	110 30	00000
	TB62 0062	TSMA009200D	1 1 1	9.00 9.50		25	713	110 30	00000
	TB62 0062	TSMA009200E	1 1 1	10.00 10.50		22	713	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 13

L.T.C. -SOWELA  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	TB62	0062	TSMA009200F	1 1 1	12.00 12.50	1	22	713	110 30 00000
	TB64	0064	JOBS245000A	1 1	8.00 8.50	1	20	713	110 30 00000
	TB64	0064	JOBS245000B	1 1	10.00 10.50	1	23	713	110 30 00000
4 8	TRNS	0002	AUTO130200A	11111	8.00 14.30		34	698	210 14 00000
4 8	TRNS	0002	AUTO170200A	11111	8.00 14.30	1	24	698	210 14 00000
4 8	TRNS	0002	AUTO180200A	11111	8.00 14.30	1	39	698	210 14 00000
	TRNS	0003	AUTO100200A	11111	8.00 11.00		41	698	210 14 00000
	TRNS	0003	CLRP121000A	11111	8.00 11.00	1	26	698	210 14 00000
	TRNS	0003	CLRP211100A	11111	8.00 11.00	1	13	698	210 14 00000
	TRNS	0003	AUTO160200A	11111	11.30 14.30		33	698	210 14 00000
	TRNS	0003	CLRP121100A	11111	11.30 14.30	1	25	698	210 14 00000
	TRNS	0003	CLRP212100A	11111	11.30 14.30	1	8	698	210 14 00000
	TRNS	0003	CLRP214000A	11111	11.30 14.30	1	13	698	210 14 00000
	TRNS	0200	AUTO100200A	11111	8.00 11.00		41	4,362	210 40 00000
4 8	TRNS	0200	AUTO130200A	11111	8.00 14.30	1	34	4,362	210 40 00000
4 8	TRNS	0200	AUTO170200A	11111	8.00 14.30	1	24	4,362	210 40 00000
4 8	TRNS	0200	AUTO180200A	11111	8.00 14.30	1	39	4,362	210 40 00000
	TRNS	0200	AUTO160200A	11111	11.30 14.30	1	33	4,362	210 40 00000
	TRNS	0300	CLRP121000A	11111	8.00 11.00		26	3,954	210 40 00000
	TRNS	0300	CLRP211100A	11111	8.00 11.00	1	13	3,954	210 40 00000
	TRNS	0300	CLRP121100A	11111	11.30 14.30		25	3,954	210 40 00000
	TRNS	0300	CLRP212100A	11111	11.30 14.30	1	8	3,954	210 40 00000
	TRNS	0300	CLRP214000A	11111	11.30 14.30	1	13	3,954	210 40 00000
123	OTBA	0000	AUTO1202DEC				1		00000
123	OTBA	0000	AUTO1802DE1				2		00000
123	OTBA	0000	CLRP1110DE1				4		00000
123	OTBA	0000	CLRP1121DE1				4		00000
123	OTBA	0000	COMA205000A				1		00000
123	OTBA	0000	CULN1110DEH				17		00000
123	OTBA	0000	CULN1110DE1				14		00000
	OTBA	0000	CULN1130DEH			1	11		00000
	OTBA	0000	CULN1130DE1			1	2		00000
	OTBA	0000	CULN113000B			1	2		00000
	OTBA	0000	CULN115000A			1	1		00000
	OTBA	0000	DRFT1101DE2			1	10		00000
	OTBA	0000	DRFT1102DE2			1	10		00000
	OTBA	0000	DRFT1201DE2			1	3		00000
	OTBA	0000	INST141100A			1	1		00000
	OTBA	0000	ITEC299800A			1	4		00000
	OTBA	0000	ITEC299900A			1	9		00000
	OTBA	0000	OADM1150DEA			1	10		00000
	OTBA	0000	WELD1110DEC			1	5		00000
	OTBA	0000	WELD1110DEH			1	20		00000
	OTBA	0000	WELD1110DE1			1	7		00000
	OTBA	0000	WELD1410DEH			1	7		00000
	OTBA	0000	WELD1410DE1			1	5		00000
1 4	OTBA	0000	ANUR243200A	111	6.45 15.00		23		00000
1 4	OTBA	0000	ANUR305200A	111	6.45 15.00		23		00000
1 4	OTBA	0000	ANUR323400A	111	6.45 15.00		23		00000
1	OTBA	0000	CDEV9999999	1	7.00 11.00		10		00000
1 4	OTBA	0000	CDEV9999999	11111	7.30 16.00		12		00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 03/01/2011 PROGRAM I-D:Z235B266.  
 PAGE NUM 14

L.T.C.-SOWELA  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	0TBA 0000	CULN241000A	11111	8.00 10.15	1	14			00000
1	0TBA 0000	CDEV9999999	1	11.30 15.30		10			00000
1	0TBA 0000	CRMJ255200A	1	14.00 14.50		7			00000
	0TBA 0000	LEIS9999999	1	17.30 19.30	1	8			00000
	0TBA 0000	LEIS9999999	1	17.30 19.30	1	3			00000
	0TBA 0000	GAPC110000A	1 1	18.00 21.00	1	2			00000
	0TBA 0000	GAPC111000A	1 1	18.00 21.00	1	2			00000
	0TBA 0000	GAPC120000A	1 1	18.00 21.00	1	4			00000
	0TBA 0000	GAPC121000A	1 1	18.00 21.00	1	4			00000
	0TBA 0000	GAPC130000A	1 1	18.00 21.00	1	5			00000
	0TBA 0000	GAPC220000A	1 1	18.00 21.00	1	3			00000
	0TBA 0000	LEIS9999999	1 1	18.00 21.00	1	15			00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	16
ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	7
ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	7
ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS.	148
ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	233
ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	10
TOTAL ERRORS (INCLUDING WARNINGS)	421
TOTAL NUMBER OF RECORDS READ	675
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	611
NUMBER OF JOINT-CLASS RECORDS	240
NUMBER OF ALTERATE WEEKS RECORDS	
NUMBER OF DIFFERENT TIMES RECORDS	
NUMBER OF INCONSISTENT RECORDS	492

SPACE UTILIZ - SUMMARY PAGE

L. T. C. - SOWELA

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			1040
WEEKLY STUDENT CONTACT HOURS	22177	1070	23247
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2915	114	3029
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	93600	52000	145600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	76906	3404	80310
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44355	2140	46495
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.0	6.3	60.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.4	4.1	31.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.7	62.9	57.9

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			1040
WEEKLY STUDENT CONTACT HOURS	22177	1070	23247
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3240	1800	5040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2915	114	3029
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	93600	52000	145600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	76906	3404	80310
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	44355	2140	46495
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	90.0	6.3	60.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	47.4	4.1	31.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	57.7	62.9	57.9



	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			58
TOTAL NUMBER OF STATIONS (CAPACITY)			1511
WEEKLY STUDENT CONTACT HOURS	67676	1291	68967
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5220	2900	8120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10482	156	10638
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	135990	75550	211540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	260222	3246	263468
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	135352	2582	137934
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	200.8	5.4	131.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	99.5	3.4	65.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	52.0	79.5	52.4

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			58
TOTAL NUMBER OF STATIONS (CAPACITY)			1511
WEEKLY STUDENT CONTACT HOURS	67676	1291	68967
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	5220	2900	8120
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	10482	156	10638
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	135990	75550	211540
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	260222	3246	263468
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	135352	2582	137934
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	200.8	5.4	131.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	99.5	3.4	65.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	52.0	79.5	52.4

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY