

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 1

L.T.C. -SULLIVAN  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
	000A	0101	ACCT1200001	11111	9.00 9.50		2	679	110 25 00000
	000A	0101	ACCT1400001	11111	9.00 9.50	1	3	679	110 25 00000
	000A	0101	ACCT1100001	1 1 1	10.00 11.30		28	679	110 25 00000
	000A	0101	ACCT1300001	1 1	10.00 11.50		5	679	110 25 00000
	000A	0101	CSRV1000001	1 1 1	14.00 14.50		26	679	110 25 00000
	000A	0104	BOTH1300001	1 1 1	8.00 8.50		21	610	110 25 00000
	000A	0104	OSYS1250001	1 1 1	8.00 8.50	1	15	610	110 25 00000
	000A	0104	MAST1230001	1 1	8.00 11.10		16	610	110 25 00000
	000A	0104	KYBD1010004	11111	10.00 10.50	1	1	610	110 25 00000
	000A	0104	BOTH1210001	1 1 1	11.00 11.50		36	610	110 25 00000
	000A	0104	BOTH1300002	1 1 1	13.00 14.30		30	610	110 25 00000
8	000A	0104	OSYS1100001	1 1 1	13.00 15.05	1	23	610	110 25 00000
	000A	0104	CRMJ1340001	1	17.00 20.00		16	610	110 25 00000
	000A	0104	CRMJ1330001	1	17.00 20.00		23	610	110 25 00000
	000A	0104	CRMJ1410001	1	17.00 20.00		19	610	110 25 00000
	000A	0106	JOBS2450003	1 1 1	8.00 9.00		1	982	210 21 00000
	000A	0106	KYBD1010002	1 1	8.00 9.15		27	982	210 21 00000
8	000A	0106	KYBD1010001	1 1 1	10.00 10.50		34	982	210 21 00000
	000A	0106	JOBS2450001	1 1	10.00 10.50		29	982	210 21 00000
	000A	0106	KYBD1210003	1 1	11.00 15.10		1	982	210 21 00000
	000A	0106	KYBD1111001	11111	13.00 13.50	1	21	982	210 21 00000
	000A	0106	JOBS2450002	1 1	14.00 14.50		16	982	210 21 00000
	000A	0106	KYBD1010003	1	15.30 18.30		20	982	210 21 00000
	000A	0107	BOTH2110001	1 1 1	8.00 11.00		15	884	210 24 00000
	000A	0107	ISYS1450001	1 1 1	8.00 11.30	1	3	884	210 24 00000
	000A	0107	ISYS1650001	1 1 1	8.00 11.30	1	1	884	210 24 00000
	000A	0107	KYBD1210004	1 1	9.00 11.15		2	884	210 24 00000
	000A	0107	SPPR2996001	1 1 1	10.30 12.00		1	884	210 24 00000
	000A	0107	KYBD1210002	1 1	12.00 15.00		3	884	210 24 00000
	000A	0107	MACH1350001	1 1	12.00 15.10	1	13	884	210 24 00000
	000A	0107	KYBD1210001	11111	13.00 13.50	1	10	884	210 24 00000
	000A	0107	ACCT1500001	1 1	13.00 15.00	1	4	884	210 24 00000
	000A	0108	HCOR1160001	1 1	8.00 9.20		22	724	110 40 00000
	000A	0108	HMDT1170001	1 1	8.00 9.20	1	13	724	110 40 00000
4	000A	0108	HCOR1212001	1 1 1	8.00 14.00		14	724	110 40 00000
4	000A	0108	HEKG1011001	1 1 1	8.00 14.00	1	22	724	110 40 00000
4	000A	0108	HNUR1211002	1 1 1	8.00 14.00	1	14	724	110 40 00000
	000A	0108	BOTH1120001	1 1	9.30 10.50		10	724	110 40 00000
	000A	0108	HCOR1120001	1 1	9.30 10.50	1	13	724	110 40 00000
	000A	0108	BOTH1120002	1	15.30 18.30		17	724	110 40 00000
	000A	0108	BOTH1300003	1	15.30 18.30		13	724	110 40 00000
	000A	0202	CPTR1000002	1 1	8.00 9.30		4	583	210 14 00000
	000A	0202	CPTR1002002	1 1	8.00 9.30	1	10	583	210 14 00000
	000A	0202	CPTR1300001	1 1	9.00 11.00	1	2	583	210 14 00000
	000A	0202	CPTR1000001	1 1 1	12.00 12.50		13	583	210 14 00000
8	000A	0202	CPTR1002001	1 1 1	12.00 12.50	1	16	583	210 14 00000
8	000A	0202	CPTR1310001	1 1 1	12.00 13.15	1	6	583	210 14 00000
	000A	0202	CPTR2640001	1 1 1	13.30 14.45		2	583	210 14 00000
	000A	0202	CPTR1000005	1	18.00 21.00		14	583	210 14 00000
	000A	0202	CPTR1002004	1	18.00 21.00	1	3	583	210 14 00000
	000A	0204	CPTR1010001	1 1 1	8.00 9.50		18	598	210 14 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 2

L.T.C.-SULLIVAN  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.		
	000A	0208	CPTR1000003	1 1	9.00 10.30		15	608	210 14	00000	
	000A	0208	CPTR1002003	1 1	9.00 10.30	1	4	608	210 14	00000	
8	000A	0208	INCT1740001	11111	9.00 10.50	1	4	608	210 14	00000	
8	000A	0208	INCT1750001	11111	9.00 10.50	1	2	608	210 14	00000	
8	000A	0208	INCT2995002	11111	10.00 10.50	1	1	608	210 14	00000	
	000A	0208	INCT1730001	1 1	12.00 14.30		4	608	210 14	00000	
	000A	0208	INCT1451001	11111	12.00 14.50	1	2	608	210 14	00000	
	000A	0208	INCT1760001	11111	12.00 14.50	1	2	608	210 14	00000	
	000A	0208	INCT1461001	11111	12.00 15.00	1	1	608	210 14	00000	
8	000A	0208	CPTR1000004	1 1	13.00 14.30	1	25	608	210 14	00000	
8	000A	0208	INCT2881001	11111	13.00 14.50	1	1	608	210 14	00000	
8	000A	0208	INCT1210001	1 1 1	13.00 14.50	1	17	608	210 14	00000	
	000A	0208	INCT2991002	11111	15.00 15.30		1	608	210 14	00000	
	000A	0301	HNUR1460001	11111	8.00 11.00		8	1,100	310 5	00000	
8	000A	0301	HNUR1460002	11111	8.00 11.00	1	9	1,100	310 5	00000	
8	000A	0301	HNUR2713001	11111	8.00 11.00	1	10	1,100	310 5	00000	
8	000A	0301	HNUR2713002	11111	8.00 11.00	1	10	1,100	310 5	00000	
8	000A	0301	HNUR2123001	11111	12.00 15.00		11	1,100	310 5	00000	
8	000A	0301	HNUR2123002	11111	12.00 15.00	1	10	1,100	310 5	00000	
8	000A	0301	HNUR2523001	11111	12.00 15.00	1	11	1,100	310 5	00000	
8	000A	0301	HNUR2523002	11111	12.00 15.00	1	11	1,100	310 5	00000	
	000A	0301	HNUR2995001	1	16.30 18.30		3	1,100	310 5	00000	
	000A	0301	ZIVT1000001	1	16.30 19.00		4	1,100	310 5	00000	
	000A	0401	HNUR1300001	1 1 1	8.00 11.00		59	1,230	110 55	00000	
4	8	000A	0401	ORNT1000001	111	8.00 15.00	1	56	1,230	110 55	00000
4	8	000A	0401	HNUR1211001	1 1	8.00 15.00	1	51	1,230	110 55	00000
4	8	000A	0401	HNUR1411001	1 1	8.00 15.00	1	63	1,230	110 55	00000
	000A	0401	HNUR1270001	1 1 1	12.00 13.30		62	1,230	110 55	00000	
	000A	0401	HNUR1361002	11111	13.30 15.00		1	1,230	110 55	00000	
	000A	0401	HNUR1320001	1 1 1	13.30 15.00	1	61	1,230	110 55	00000	
	8	000A	0401	HNUR1361001	1 1 1	13.30 15.00	1	68	1,230	110 55	00000
	000A	0401	HNUR2991004	1 1	15.00 16.00		2	1,230	110 55	00000	
	000A	0401	HEMS1172001	111	17.00 21.00		14	1,230	110 55	00000	
	000A	0401	HEMS1110001	11	17.00 21.00	1	14	1,230	110 55	00000	
	000A	0401	HEMS1120001	11	17.00 21.00	1	14	1,230	110 55	00000	
	000A	0401	HEMS1140001	11	17.00 21.00	1	14	1,230	110 55	00000	
	000A	0401	HEMS1170001	11	17.00 21.00	1	13	1,230	110 55	00000	
	000A	0401	HEMS1160001	1	17.00 21.00	1	14	1,230	110 55	00000	
4	000A	0406	CADD1210001	11111	8.00 14.30		5	1,168	210 25	00000	
4	000A	0406	CADD2300001	11111	8.00 14.30	1	6	1,168	210 25	00000	
4	000A	0406	CADD2310001	11111	8.00 14.30	1	7	1,168	210 25	00000	
4	000A	0406	DRFT1110001	11111	8.00 14.30	1	6	1,168	210 25	00000	
4	000A	0406	DRFT1120001	11111	8.00 14.30	1	8	1,168	210 25	00000	
4	000A	0406	DRFT1130001	11111	8.00 14.30	1	4	1,168	210 25	00000	
4	8	000A	0406	DRFT1140001	11111	8.00 14.30	1	7	1,168	210 25	00000
4	8	000A	0406	DRFT1150001	11111	8.00 14.30	1	7	1,168	210 25	00000
4	8	000A	0406	DRFT1161001	11111	8.00 14.30	1	7	1,168	210 25	00000
4	8	000A	0406	DRFT1230001	11111	8.00 14.30	1	4	1,168	210 25	00000
4	8	000A	0406	DRFT2330001	11111	8.00 14.30	1	6	1,168	210 25	00000
4	8	000A	0406	DRFT2421001	11111	8.00 14.30	1	2	1,168	210 25	00000
4	8	000A	0406	DRFT2451001	11111	8.00 14.30	1	1	1,168	210 25	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 3

L.T.C. -SULLIVAN  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000A 0406	DRFT2461001	11111	8.00 14.30	1	5	210 25	00000
4	8	000A 0406	DRFT2461002	11111	8.00 14.30	1	2	210 25	00000
4	8	000A 0406	DRFT2521001	11111	8.00 14.30	1	2	210 25	00000
4	8	000A 0406	DRFT2551001	11111	8.00 14.30	1	1	210 25	00000
4	8	000A 0406	DRFT2561001	11111	8.00 14.30	1	4	210 25	00000
4	8	000A 0406	DRFT2561002	11111	8.00 14.30	1	2	210 25	00000
4	8	000A 0406	DRFT2621001	11111	8.00 14.30	1	2	210 25	00000
4	8	000A 0406	DRFT2661001	11111	8.00 14.30	1	1	210 25	00000
4	8	000A 0406	DRFT2661002	11111	9.30 15.30	1	2	210 25	00000
		000A 0501	INCT1200002	1 1	8.00 10.50		10	210 36	00000
		000A 0501	ORNT1000002	1	9.00 9.50	1	44	210 36	00000
		000A 0501	ORNT1000003	1	11.00 11.50		51	210 36	00000
		000A 0501	ORNT1000005	1	11.00 11.50		15	210 36	00000
		000A 0501	WKEY0060002	1 1	11.00 12.30		21	210 36	00000
		000A 0501	WKEY0061001	1 1 1	12.00 12.50		6	210 36	00000
		000A 0501	INCT2993001	1 1 1	13.00 15.00		1	210 36	00000
		000A 0501	ORNT1000004	1	14.00 14.30		35	210 36	00000
		000A 0501	WKEY0060001	1 1 1	14.00 14.50		13	210 36	00000
		000A 0501	JIND1100002	1 1	16.30 20.30		1	210 36	00000
		000A 0504	INCT1100001	1 1	8.00 10.50		19	210 25	00000
		000A 0504	INCT2840001	1 1	8.00 10.50	1	9	210 25	00000
		000A 0504	INCT2110001	1 1	12.00 15.00		3	210 25	00000
		000A 0504	INCT2120001	1 1	12.00 15.00	1	5	210 25	00000
		000A 0504	JIND1100001	1 1	16.30 20.30		9	210 25	00000
		000A 0504	JIND1110001	1 1	16.30 20.30	1	9	210 25	00000
		000A 0504	JIND1200001	1 1	16.30 20.30	1	5	210 25	00000
		000A 0504	JIND1210001	1 1	16.30 20.30	1	5	210 25	00000
	8	000A 0504	JIND1300001	1 1	16.30 20.30	1	12	210 25	00000
	8	000A 0504	JIND2200001	1 1	16.30 20.30	1	6	210 25	00000
	8	000A 0504	JIND2300001	1 1	16.30 20.30	1	5	210 25	00000
		000A 0505	HNUR2133001	11111	8.00 11.00		9	110 25	00000
		000A 0505	HNUR2133002	11111	8.00 11.00	1	9	110 25	00000
		000A 0505	HNUR2133003	11111	8.00 11.00	1	10	110 25	00000
4		000A 0505	HNUR2991001	11111	8.00 15.00	1	9	110 25	00000
4	8	000A 0505	HNUR2991002	11111	8.00 15.00	1	9	110 25	00000
4	8	000A 0505	HNUR2991003	11111	8.00 15.00	1	10	110 25	00000
	8	000A 0505	HNUR2723001	11111	12.00 15.00	1	9	110 25	00000
	8	000A 0505	HNUR2723002	11111	12.00 15.00	1	10	110 25	00000
	8	000A 0505	HNUR2723003	11111	12.00 15.00	1	9	110 25	00000
	8	000A 0505	HNUR2813002	11111	12.00 15.00	1	9	110 25	00000
	8	000A 0505	HNUR2813003	11111	12.00 15.00	1	10	110 25	00000
	8	000A 0505	HNUR2813001	1 11	12.00 15.00	1	9	110 25	00000
		000A 0505	JIND1110002	1 1	16.30 20.30		1	110 25	00000
		000A 0602	AHEN1000001	1 1 1	8.00 9.20		1	210 27	00000
		000A 0602	AHRE1000001	1 1 1	8.00 9.20	1	1	210 27	00000
		000A 0602	DVEN0090001	1 1 1	8.00 9.20	1	7	210 27	00000
		000A 0602	DVEN0091001	1 1 1	8.00 9.20	1	9	210 27	00000
		000A 0602	DVEN0092001	1 1 1	8.00 9.20	1	1	210 27	00000
		000A 0602	DVRE0090001	1 1 1	8.00 9.20	1	1	210 27	00000
		000A 0602	DVRE0091001	1 1 1	8.00 9.20	1	6	210 27	00000
		000A 0602	DVRE0092001	1 1 1	8.00 9.20	1	2	210 27	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 4

L.T.C.-SULLIVAN  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.	
	000A	0602	AHEN1000005	1 1	8.00 10.00		2	858	210 27	00000
	000A	0602	AHRE1000005	1 1	8.00 10.00	1	1	858	210 27	00000
	000A	0602	DVEN0090005	1 1	8.00 10.00	1	3	858	210 27	00000
	000A	0602	DVEN0091005	1 1	8.00 10.00	1	6	858	210 27	00000
	000A	0602	DVEN0092005	1 1	8.00 10.00	1	6	858	210 27	00000
	000A	0602	DVRE0090005	1 1	8.00 10.00	1	2	858	210 27	00000
	000A	0602	DVRE0091005	1 1	8.00 10.00	1	4	858	210 27	00000
	000A	0602	DVEN0090002	1 1 1	9.30 10.50		3	858	210 27	00000
	000A	0602	DVEN0091002	1 1 1	9.30 10.50	1	1	858	210 27	00000
	000A	0602	DVRE0091002	1 1 1	9.30 10.50	1	2	858	210 27	00000
	000A	0602	DVRE0092002	1 1 1	9.30 10.50	1	3	858	210 27	00000
	000A	0602	AHEN1000003	1 1 1	12.00 13.20		3	858	210 27	00000
	000A	0602	AHRE1000003	1 1 1	12.00 13.20	1	4	858	210 27	00000
	000A	0602	DVEN0091003	1 1 1	12.00 13.20	1	4	858	210 27	00000
	000A	0602	DVEN0092003	1 1 1	12.00 13.20	1	1	858	210 27	00000
	000A	0602	DVRE0090003	1 1 1	12.00 13.20	1	2	858	210 27	00000
	000A	0602	DVRE0091003	1 1 1	12.00 13.20	1	3	858	210 27	00000
	000A	0602	AHRE1000004	1 1 1	13.30 14.50		1	858	210 27	00000
	000A	0602	DVEN0090004	1 1 1	13.30 14.50	1	3	858	210 27	00000
	000A	0602	DVEN0091004	1 1 1	13.30 14.50	1	8	858	210 27	00000
	000A	0602	DVRE0090004	1 1 1	13.30 14.50	1	2	858	210 27	00000
	000A	0602	DVRE0091004	1 1 1	13.30 14.50	1	1	858	210 27	00000
	000A	0602	DVRE0092004	1 1 1	13.30 14.50	1	3	858	210 27	00000
	000A	0604	AHSC1000001	1 1 1	8.00 9.20		19	682	210 27	00000
	000A	0604	AHMA1000002	1 1	8.00 10.00		2	682	210 27	00000
	000A	0604	DVMA0090002	1 1	8.00 10.00	1	17	682	210 27	00000
	000A	0604	DVMA0091002	1 1	8.00 10.00	1	1	682	210 27	00000
	000A	0604	AHMA1000001	1 1 1	9.30 10.50		3	682	210 27	00000
	000A	0604	DVMA0090001	1 1 1	9.30 10.50	1	28	682	210 27	00000
	000A	0604	DVMA0091001	1 1 1	9.30 10.50	1	2	682	210 27	00000
	000A	0604	BUSM1050001	1 1	10.00 11.15		10	682	210 27	00000
	000A	0604	DVMA0092001	1 1 1	13.00 14.20		2	682	210 27	00000
	000A	0604	AHSC1000002	1 1	13.00 15.00		19	682	210 27	00000
	000A	0604	AHMA1000003	1	15.30 19.30		1	682	210 27	00000
	000A	0604	AHSC1000003	1	15.30 19.30	1	1	682	210 27	00000
	000A	0604	DVMA0090003	1	15.30 19.30	1	8	682	210 27	00000
	000A	0604	DVMA0091003	1	15.30 19.30	1	4	682	210 27	00000
	000A	0604	DVMA0092003	1	15.30 19.30	1	2	682	210 27	00000
	000A	0608	CRMJ1110001	1 1	8.00 9.30		24	708	110 25	00000
4	000A	0608	HNUR1211003	1 1	8.00 14.00		17	708	110 25	00000
8	000A	0608	BUSE1030001	1 1 1	9.00 9.50	1	41	708	110 25	00000
	000A	0608	CRMJ1120001	1 1	9.45 11.15		23	708	110 25	00000
	000A	0608	CRMJ1220001	1 1	12.15 13.45		16	708	110 25	00000
	000A	0608	HCOR1212003	1 1	12.30 14.30		17	708	110 25	00000
	000A	0608	SOCL2112001	1 1	14.00 15.30		14	708	110 25	00000
	000A	0610	CDYC2996001	1 1 1	8.00 8.50		6	854	110 30	00000
	000A	0610	CDYC1110001	1 1	8.00 9.15		22	854	110 30	00000
	000A	0610	CDYC1320001	1 1	9.30 10.45		26	854	110 30	00000
	000A	0610	CDYC1330001	1 1	11.00 12.15		24	854	110 30	00000
	000A	0610	CDYC1230001	1 1	13.00 14.15		19	854	110 30	00000
	000A	0610	CDYC1332001	1	17.00 20.00		7	854	110 30	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 5

L.T.C.-SULLIVAN  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	000D 1800	WELD1110001	111111	8.00 15.00		7	2,780	210 15	00000
4	000D 1800	WELD1120001	111111	8.00 15.00	1	8	2,780	210 15	00000
4	000D 1800	WELD1130001	111111	8.00 15.00	1	7	2,780	210 15	00000
4	8 000D 1800	WELD1140001	111111	8.00 15.00	1	16	2,780	210 15	00000
4	8 000D 1800	WELD1210001	111111	8.00 15.00	1	7	2,780	210 15	00000
4	8 000D 1800	WELD1310001	111111	8.00 15.00	1	9	2,780	210 15	00000
4	8 000D 1800	WELD1410001	111111	8.00 15.00	1	7	2,780	210 15	00000
4	8 000D 1800	WELD1411001	111111	8.00 15.00	1	14	2,780	210 15	00000
4	8 000D 1800	WELD1412001	111111	8.00 15.00	1	16	2,780	210 15	00000
4	8 000D 1800	WELD1420001	111111	8.00 15.00	1	11	2,780	210 15	00000
4	8 000D 1800	WELD1510001	111111	8.00 15.00	1	2	2,780	210 15	00000
4	8 000D 1800	WELD1511001	111111	8.00 15.00	1	1	2,780	210 15	00000
4	8 000D 1800	WELD1512001	111111	8.00 15.00	1	3	2,780	210 15	00000
4	8 000D 1800	WELD2110001	111111	8.00 15.00	1	11	2,780	210 15	00000
4	8 000D 1800	WELD2111001	111111	8.00 15.00	1	13	2,780	210 15	00000
4	8 000D 1800	WELD2210001	111111	8.00 15.00	1	3	2,780	210 15	00000
4	8 000D 1800	WELD2220001	111111	8.00 15.00	1	1	2,780	210 15	00000
4	8 000D 1800	WELD2221001	111111	8.00 15.00	1	1	2,780	210 15	00000
4	8 000D 1800	WELD2222001	111111	8.00 15.00	1	1	2,780	210 15	00000
4	8 000D 1800	WELD2230001	111111	8.00 15.00	1	3	2,780	210 15	00000
4	8 000D 1800	WELD2250001	111111	8.00 15.00	1	2	2,780	210 15	00000
4	8 000D 1800	WELD2251001	111111	8.00 15.00	1	1	2,780	210 15	00000
4	8 000D 1800	WELD2310001	111111	8.00 15.00	1	9	2,780	210 15	00000
4	8 000D 1800	WELD2311001	111111	8.00 15.00	1	5	2,780	210 15	00000
4	8 000D 1800	WELD2991001	111111	8.00 15.00	1	1	2,780	210 15	00000
	000D 1800	WELD1110003	1 1	17.00 21.00		1	2,780	210 15	00000
	000D 1800	WELD1210003	1 1	17.00 21.00	1	1	2,780	210 15	00000
	000D 1800	WELD1412003	1 1	17.00 21.00	1	1	2,780	210 15	00000
	8 000M 0901	HACR2530001	111111	8.00 12.30		30	2,127	210 15	00000
	8 000M 0901	HACR2540001	111111	8.00 12.30	1	30	2,127	210 15	00000
	8 000M 0901	HACR2550001	111111	8.00 12.30	1	30	2,127	210 15	00000
	8 000M 0901	HACR2560001	111111	8.00 12.30	1	30	2,127	210 15	00000
4	8 000M 0901	HACR2810001	111111	8.00 13.30	1	10	2,127	210 15	00000
4	8 000M 0901	HACR2820001	111111	8.00 13.30	1	8	2,127	210 15	00000
4	8 000M 0901	HACR2830001	111111	8.00 13.30	1	4	2,127	210 15	00000
4	8 000M 0901	HACR2910001	111111	8.00 13.30	1	2	2,127	210 15	00000
	000M 0906	HACR1150001	111111	8.00 12.30		16	530	110 15	00000
	8 000M 0906	HACR1160001	111111	8.00 12.30	1	16	530	110 15	00000
	8 000M 0906	HACR1170001	111111	8.00 12.30	1	16	530	110 15	00000
4	000M 1006	MTTC2110001	1 1 1	8.00 15.00		6	530	110 15	00000
4	000M 1006	MTTC2120001	111	8.00 15.00	1	7	530	110 15	00000
4	000M 1006	MTTC2220001	111	8.00 15.00	1	2	530	110 15	00000
4	000M 1006	MTTC2230001	111	8.00 15.00	1	4	530	110 15	00000
4	000M 1006	MTTC2310001	111	8.00 15.00	1	4	530	110 15	00000
4	8 000M 1006	MTTC2320001	111	8.00 15.00	1	3	530	110 15	00000
4	8 000M 1006	MTTC2331001	111	8.00 15.00	1	2	530	110 15	00000
4	8 000M 1006	MTTC2410001	111	8.00 15.00	1	1	530	110 15	00000
4	8 000M 1006	MTTC2420001	111	8.00 15.00	1	2	530	110 15	00000
4	8 000M 1006	MTTC2431001	111	8.00 15.00	1	2	530	110 15	00000
4	8 000M 1006	MTTC2510001	111	8.00 15.00	1	1	530	110 15	00000
4	8 000M 1006	MTTC2710001	111	8.00 15.00	1	1	530	110 15	00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 6

L.T.C.-SULLIVAN  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000M 1006	MTTC2991001	111	8.00 15.00	1	2	530	110 15 00000
4	8	000M 1006	MTTC2995001	111	8.00 15.00	1	1	530	110 15 00000
	8	000M 1006	MTTC2120003	11111	12.00 15.00	1	1	530	110 15 00000
4	8	000M 1006	MTTC2993001	11	13.30 20.30	1	1	530	110 15 00000
4		000M 1107	BLDG1110001	11111	8.00 15.00		3	529	110 15 00000
4		000M 1107	BLDG1130001	11111	8.00 15.00	1	3	529	110 15 00000
4		000M 1107	BLDG1140001	11111	8.00 15.00	1	3	529	110 15 00000
4		000M 1107	BLDG1330001	11111	8.00 15.00	1	3	529	110 15 00000
4		000M 1107	CARP1110001	11111	8.00 15.00	1	3	529	110 15 00000
4		000M 1107	CARP1120001	11111	8.00 15.00	1	4	529	110 15 00000
4		000M 1107	CARP1130001	11111	8.00 15.00	1	3	529	110 15 00000
4	8	000M 1107	CARP1140001	11111	8.00 15.00	1	2	529	110 15 00000
4	8	000M 1107	CARP1150001	11111	8.00 15.00	1	4	529	110 15 00000
4	8	000M 1107	CARP2110001	11111	8.00 15.00	1	4	529	110 15 00000
4	8	000M 1107	CARP2120001	11111	8.00 15.00	1	3	529	110 15 00000
4	8	000M 1107	CARP2131001	11111	8.00 15.00	1	3	529	110 15 00000
4	8	000M 1107	CARP2210001	11111	8.00 15.00	1	2	529	110 15 00000
4	8	000M 1107	CARP2220001	11111	8.00 15.00	1	1	529	110 15 00000
4	8	000M 1107	CARP2230001	11111	8.00 15.00	1	1	529	110 15 00000
4	8	000M 1107	CARP2620001	11111	8.00 15.00	1	2	529	110 15 00000
4	8	000M 1107	CARP2991001	11111	8.00 15.00	1	3	529	110 15 00000
4	8	000M 1107	CARP2991002	11111	8.00 15.00	1	1	529	110 15 00000
4	8	000M 1107	CARP2995001	11111	8.00 15.00	1	4	529	110 15 00000
4	8	000M 1107	CARP2996001	11111	8.00 15.00	1	1	529	110 15 00000
4		000M 1201	DPET1120001	11111	8.00 15.00		8	2,457	210 15 00000
4		000M 1201	DPET1130001	11111	8.00 15.00	1	8	2,457	210 15 00000
4		000M 1201	DPET1140001	11111	8.00 15.00	1	4	2,457	210 15 00000
4	8	000M 1201	DPET1150001	11111	8.00 15.00	1	4	2,457	210 15 00000
4	8	000M 1201	DPET1210001	11111	8.00 15.00	1	28	2,457	210 15 00000
4	8	000M 1201	DPET1220001	11111	8.00 15.00	1	28	2,457	210 15 00000
4	8	000M 1201	DPET1231001	11111	8.00 15.00	1	2	2,457	210 15 00000
4	8	000M 1201	DPET1310001	11111	8.00 15.00	1	2	2,457	210 15 00000
4	8	000M 1201	DPET2130001	11111	8.00 15.00	1	12	2,457	210 15 00000
4	8	000M 1201	DPET2220001	11111	8.00 15.00	1	18	2,457	210 15 00000
4	8	000M 1201	DPET2231001	11111	8.00 15.00	1	6	2,457	210 15 00000
4		000M 1301	AUTO1400001	11111	8.00 15.00		19	2,828	210 15 00000
4		000M 1301	AUTO1400002	11111	8.00 15.00	1	1	2,828	210 15 00000
4	8	000M 1301	AUTO1410001	11111	8.00 15.00	1	21	2,828	210 15 00000
4	8	000M 1301	AUTO1420001	11111	8.00 15.00	1	22	2,828	210 15 00000
4	8	000M 1301	AUTO1430001	11111	8.00 15.00	1	21	2,828	210 15 00000
4	8	000M 1301	AUTO1440001	11111	8.00 15.00	1	21	2,828	210 15 00000
4	8	000M 1301	AUTO1500001	11111	8.00 15.00	1	19	2,828	210 15 00000
4	8	000M 1301	AUTO1500002	11111	8.00 15.00	1	1	2,828	210 15 00000
4	8	000M 1301	AUTO1510001	11111	8.00 15.00	1	19	2,828	210 15 00000
4	8	000M 1301	AUTO1510002	11111	8.00 15.00	1	1	2,828	210 15 00000
4	8	000M 1301	AUTO1520001	11111	8.00 15.00	1	19	2,828	210 15 00000
4	8	000M 1301	AUTO1520002	11111	8.00 15.00	1	1	2,828	210 15 00000
4	8	000M 1301	AUTO1530001	11111	8.00 15.00	1	19	2,828	210 15 00000
4	8	000M 1301	AUTO1530002	11111	8.00 15.00	1	1	2,828	210 15 00000
4	8	000M 1301	AUTO1540001	11111	8.00 15.00	1	19	2,828	210 15 00000
4	8	000M 1301	AUTO1540002	11111	8.00 15.00	1	1	2,828	210 15 00000

CLASSROOM AND LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2010  
 RUN DATE 10/21/2010 PROGRAM I-D:Z235B266.  
 PAGE NUM 7

L.T.C.-SULLIVAN  
 BRANCH  
 PARISH  
 RELATION

OTHER

ERRORS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECR NO.
4	8	000M 1301	AUTO1600001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1610001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1640001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1650001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1660001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1800001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1810001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1850001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO2993001	11111	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1630001	111 1	8.00 15.00	1	2,828	210 15	00000
4	8	000M 1301	AUTO1620001	11	8.00 15.00	1	2,828	210 15	00000

ERROR 1 - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE.  
THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,  
THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.

ERROR 2 - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.

ERROR 3 - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00

ERROR 4 - WARNING - CLASS TIME EXCEEDS 5 HOURS. 134

ERROR 5 - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION,  
CUSTODIAL OR MECHANICAL.

ERROR 7 - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS

ERROR 8 - WARNING - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). 138  
PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.

ERROR 9 - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.

TOTAL ERRORS (INCLUDING WARNINGS) 272

TOTAL NUMBER OF RECORDS READ 317  
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION 317  
NUMBER OF JOINT-CLASS RECORDS 226  
NUMBER OF ALTERATE WEEKS RECORDS  
NUMBER OF DIFFERENT TIMES RECORDS  
NUMBER OF INCONSISTENT RECORDS



SPACE UTILIZ - SUMMARY PAGE

L.T.C.-SULLIVAN

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			320
WEEKLY STUDENT CONTACT HOURS	13100	859	13959
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	796	120	916
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28800	16000	44800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21440	5910	27350
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	26201	1718	27919
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.2	17.1	46.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	91.0	10.7	62.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	122.2	29.1	102.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			14
TOTAL NUMBER OF STATIONS (CAPACITY)			320
WEEKLY STUDENT CONTACT HOURS	13100	859	13959
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1260	700	1960
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	796	120	916
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	28800	16000	44800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	21440	5910	27350
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	26201	1718	27919
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.2	17.1	46.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	91.0	10.7	62.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	122.2	29.1	102.1

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			387
WEEKLY STUDENT CONTACT HOURS	27350	75	27425
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1201	44	1245
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34830	19350	54180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24534	648	25182
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	54700	150	54850
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.7	4.4	44.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	157.0	.8	101.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	223.0	23.1	217.8

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			20
TOTAL NUMBER OF STATIONS (CAPACITY)			387
WEEKLY STUDENT CONTACT HOURS	27350	75	27425
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1800	1000	2800
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1201	44	1245
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	34830	19350	54180
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	24534	648	25182
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	54700	150	54850
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	66.7	4.4	44.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	157.0	.8	101.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	223.0	23.1	217.8

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY