

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 1

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0002	1050	BSAD507 ET	1	18.00 20.50		9	677	260 20 00000
	0002	1050	BSAD525 EW	1	18.00 20.50		12	677	260 20 00000
	0002	2010	SPCH101 3M	1 1 1	9.40 10.35		28	720	210 40 00000
	0002	2010	SPCH101 3T	1 1	10.30 11.50		30	720	210 40 00000
	0002	2010	SPCH101 4M	1 1 1	10.45 11.40		31	720	210 40 00000
	0002	2010	SPCH101 4T	1 1	12.00 13.20		30	720	210 40 00000
	0002	2020	OIS 200 H1W	1	7.30 8.25		37	1,166	240 43 00000
	0002	2020	OIS 200 H2M	1	8.35 9.30		38	1,166	240 43 00000
	0002	2020	OIS 200 H2W	1	8.35 9.30		39	1,166	240 43 00000
	0002	2020	CIS 370 H2T	1 1	9.00 10.20		34	1,166	240 43 00000
	0002	2020	CIS 470 H2T	1 1	9.00 10.20	1	5	1,166	240 43 00000
	0002	2020	OIS 200 H3M	1	9.40 10.35		40	1,166	240 43 00000
	0002	2020	CIS 231 H3T	1 1	10.30 11.50		38	1,166	240 43 00000
	0002	2020	CIS 150 4M	1 1 1	10.45 11.40		37	1,166	240 43 00000
	0002	2020	OIS 200 5M1	1 1 1	11.50 12.45		34	1,166	240 43 00000
	0002	2020	QBA 282 4T	1 1	12.00 13.20		40	1,166	240 43 00000
	0002	2020	CIS 370 H5T	1 1	13.30 14.50		9	1,166	240 43 00000
	0002	2020	OIS 200 EM	1	18.00 20.55		35	1,166	240 43 00000
	0002	2040	CIS 410 7MW	1 1	15.30 16.50		23	718	210 27 00000
	0002	2050	OIS 200 3M	1 1 1	9.40 10.35		29	728	240 34 00000
	0002	2050	CIS 455 3T	1 1	10.30 11.50		17	728	240 34 00000
	0002	2050	OIS 200 4M	1 1 1	10.45 11.40		27	728	240 34 00000
	0002	2050	OIS 200 5M	1 1 1	11.50 12.45		29	728	240 34 00000
	0002	2050	CIS 501 ER	1	18.00 20.55		10	728	240 34 00000
	0002	2070	CIS 231 1T	1 1	7.30 8.50		47	717	110 48 00000
	0002	2070	SPCH101 2T	1 1	9.00 10.20		30	717	110 48 00000
	0002	2070	CIS 320 3M	1 1 1	9.40 10.35		42	717	110 48 00000
	0002	2070	CIS 231 3T	1 1	10.30 11.50		37	717	110 48 00000
	0002	2070	SPCH302 4M	1 1 1	10.45 11.40		11	717	110 48 00000
	0002	2070	BIOL370 5M	1 1 1	11.50 12.45		32	717	110 48 00000
	0002	2070	SPCH101 4T1	1 1	12.00 13.20		28	717	110 48 00000
	0002	2070	SPCH391 6M	1 1 1	12.55 13.50		8	717	110 48 00000
	0002	2070	BSAD501 EM	1	18.00 20.55		11	717	110 48 00000
	0002	2080	FINC302 2M	1 1 1	8.35 9.30		41	706	210 45 00000
	0002	2080	FINC341 2T	1 1	9.00 10.20		41	706	210 45 00000
	0002	2080	FINC310 3M	1 1 1	9.40 10.35		28	706	210 45 00000
	0002	2080	FINC302 3T	1 1	10.30 11.50		41	706	210 45 00000
	0002	2080	FINC405 XMW	1 1	12.15 13.35		35	706	210 45 00000
	0002	2080	ENGL102 5T	1 1	13.30 14.50		25	706	210 45 00000
	0004	1180	HPED246 3T	1 1	10.30 11.50		25	17,858	520 119 00000
	0004	1180	HPED390 4M	1 1 1	10.45 11.40		3	17,858	520 119 00000
	0004	1180	MUS 191 7M1	1 1 1	14.00 15.55		12	17,858	520 119 00000
	0004	1180	MUS 391 7M1	1 1 1	14.00 15.55	1	1	17,858	520 119 00000
	0005	1040	CHEM109 1M	1 1 1	7.30 8.25		81	1,960	110 110 00000
	0005	1040	CHEM221 2M	1 1 1	8.35 9.30		54	1,960	110 110 00000
	0005	1040	CHEM105 2T	1 1	9.00 10.20		89	1,960	110 110 00000
	0005	1040	ASTR101 3M	1 1 1	9.40 10.35		101	1,960	110 110 00000
	0005	1040	CHEM109 3T	1 1	10.30 11.50		64	1,960	110 110 00000
	0005	1040	CHEM105 4M	1 1 1	10.45 11.40		61	1,960	110 110 00000
	0005	1040	GEOL101 5M	1 1 1	11.50 12.45		95	1,960	110 110 00000
	0005	1040	CHEM109 4T	1 1	12.00 13.20		96	1,960	110 110 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 2

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0005	1040	CHEM105 5T	1 1	13.30 14.50		24	1,960	110 110	00000
	0005	1050	CHEM221 2T	1 1	9.00 10.20		29	1,152	210 24	00000
	0005	1050	BIOL404 3M	1	9.40 10.35	1	7	1,152	210 24	00000
	0005	1050	BIOL473 6W	1	12.55 15.45		7	1,152	210 24	00000
	0005	1050	BIOL404 3M	1	13.30 16.20		7	1,152	210 24	00000
	0005	1070	BIOL473 23R	1	9.00 11.50		5	1,152	210 24	00000
	0005	1070	BIOL283 3M	1 1 1	9.40 10.35		12	1,152	210 24	00000
	0005	1070	BIOL284 6W	1	12.55 15.45		10	1,152	210 24	00000
	0005	1070	BIOL551 5T	1	13.30 16.20		10	1,152	210 24	00000
	0005	1070	BIOL450 5T	1	13.30 16.20		4	1,152	210 24	00000
	0005	1070	BIOL570 5T	1	13.30 16.20	1	2	1,152	210 24	00000
	0005	1530	BIOL504 3W	1	9.40 12.30		8	1,008	210 24	00000
	0005	1650	CHEM222 2M	1 1 1	8.35 9.30		33	1,222	110 66	00000
	0005	1650	CHEM106 2T	1 1	9.00 10.20		33	1,222	110 66	00000
	0005	1650	CHEM105 3M1	1 1 1	9.40 10.35		39	1,222	110 66	00000
	0005	1650	SOCI302 H3T	1 1	10.30 11.50		24	1,222	110 66	00000
	0005	1650	CHEM435 4M	1 1 1	10.45 11.40		43	1,222	110 66	00000
	0005	1650	GEOL102 5M	1 1 1	11.50 12.45		67	1,222	110 66	00000
	0005	1650	GEOL101 4T	1 1	12.00 13.20		67	1,222	110 66	00000
	0005	1650	UNIV101 6M2	1	12.55 13.50		24	1,222	110 66	00000
	0005	1650	GEOL101 5T	1 1	13.30 14.50		68	1,222	110 66	00000
	0005	1650	PHYS201 7T	1 1	16.30 17.50		41	1,222	110 66	00000
	0005	2100	CHEM110 2T	1 1	9.00 11.45		7	529	110 24	00000
	0005	2100	CHEM110 56M	1 1	11.50 14.35		23	529	110 24	00000
	0005	2100	CHEM437 6F	1	12.55 16.20		13	529	110 24	00000
	0005	2100	CHEM113 56R	1	13.30 16.20		13	529	110 24	00000
	0005	2100	CHEM226 7MW	1 1	14.00 16.45		17	529	110 24	00000
	0005	2100	CHEM437 6R	1	15.00 18.30		16	529	110 24	00000
	0005	2100	CHEM437 BT	1	16.30 19.15		8	529	110 24	00000
	0005	2280	PHYS203 1R	1	7.30 10.15		21	1,081	210 32	00000
	0005	2280	PHYS203 1T	1	7.30 10.20		19	1,081	210 32	00000
	0005	2280	PHYS203 67M	1	12.55 15.40		27	1,081	210 32	00000
	0005	2280	PHYS203 67W	1	12.55 15.40		27	1,081	210 32	00000
	0005	2280	PHYS203 56T	1	13.30 16.15		26	1,081	210 32	00000
	0005	2280	PHYS203 56R	1	13.30 16.15		25	1,081	210 32	00000
	0005	2400	CHEM305 5MW	1 1	11.50 13.10		18	759	210 12	00000
	0005	2440	CHEM226 56T	1 1	13.30 16.20		12	946	210 16	00000
	0005	2460	CHEM302 6M	1 1	12.55 15.45		13	276	110 12	00000
	0005	2460	CHEM319 5R	1	13.30 14.50		12	276	110 12	00000
	0005	2480	CHEM490 2T	1 1	9.00 10.20		13	529	110 24	00000
	0005	2480	CHEM303 3M	1 1 1	9.40 10.35		18	529	110 24	00000
	0005	2480	CHEM300 4M	1 1 1	10.45 11.40		14	529	110 24	00000
	0005	2480	CHEM412 6M	1 1 1	12.55 13.50		7	529	110 24	00000
	0005	2480	CHEM113 56T	1	14.00 16.50		14	529	110 24	00000
	0005	2480	CHEM110 8MW	1 1	15.05 17.55		14	529	110 24	00000
	0005	2550	CHEM413 78W	1	14.00 16.45		7	660	210 12	00000
	0006	1010	PHYS101 4M	1 1 1	10.45 11.40		125	9,026	610 992	00000
	0006	1050	MATH100 1M	1 1	7.30 8.25		32	841	110 80	00000
9	0006	1050	MATH100 1M	1 1	7.30 8.50		32	841	110 80	00000
	0006	1050	MATH100 3M	1 1 1	9.00 10.20		34	841	110 80	00000
9	0006	1050	MATH100 3M	1 1 1	9.40 10.35		34	841	110 80	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 3

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	1050	MATH102 3T	1 1	10.30 11.50		32	841	110 80 00000
	0006	1050	MATH102 4M	1 1 1	10.45 11.40		34	841	110 80 00000
	0006	1050	MATH100 5M	1 1 1	11.50 12.45		35	841	110 80 00000
9	0006	1050	MATH100 5M	1 1 1	12.00 13.20		35	841	110 80 00000
	0006	1050	MATH100 6M	1 1 1	12.55 13.50	1	31	841	110 80 00000
89	0006	1050	MATH100 6M	1 1 1	13.30 14.50		31	841	110 80 00000
	0006	1050	MATH214 6T	1 1 1	15.00 16.20		21	841	110 80 00000
	0006	1050	HIST371 EM	1	18.00 20.50		20	841	110 80 00000
	0006	1080	MATH500 XMR	1111	13.45 14.45		2	181	315 4 00000
	0006	1150	MATH210 2T	1 1	9.00 10.20		25	876	110 50 00000
	0006	1150	MATH110 3M	1 1 1	9.40 10.35		27	876	110 50 00000
	0006	1150	MATH110 3T	1 1	10.30 11.50		17	876	110 50 00000
	0006	1150	MATH210 4M	1 1 1	10.45 11.40		15	876	110 50 00000
	0006	1150	MATH102 5M1	1 1 1	11.50 12.45		15	876	110 50 00000
	0006	1150	MATH214 4T	1 1	12.00 13.20		29	876	110 50 00000
	0006	1150	MATH165 6M	1 1	12.55 13.50	1	28	876	110 50 00000
89	0006	1150	MATH165 6M	1 1	13.30 14.50		28	876	110 50 00000
	0006	1150	MATH165 AMW	1	16.00 18.55		26	876	110 50 00000
9	0006	1150	MATH165 AMW	1	16.00 18.55		26	876	110 50 00000
	0006	1170	ENGL212 1M	1 1 1	7.30 8.25		20	770	110 50 00000
	0006	1170	MATH106 2M	1 1 1	8.35 9.30		33	770	110 50 00000
	0006	1170	MATH115L3MT	1 1	9.00 10.20		29	770	110 50 00000
	0006	1170	MATH115 3MT	1 1 1	9.40 10.35		29	770	110 50 00000
	0006	1170	MATH116L4MT	1 1	10.30 11.50		21	770	110 50 00000
	0006	1170	MATH116 4MT	1 1 1	10.45 11.40		21	770	110 50 00000
	0006	1170	MATH102 5M	1 1 1	11.50 12.45		31	770	110 50 00000
	0006	1170	MATH115L4TM	1 1	12.00 13.20		28	770	110 50 00000
	0006	1170	MATH115 4TM	1 1 1	12.55 13.50		28	770	110 50 00000
	0006	1170	MATH102 5T	1 1	13.30 14.50		34	770	110 50 00000
	0006	1170	MATH407 CTR	1 1	17.00 18.50		11	770	110 50 00000
	0006	1200	ENGL101 1T	1 1	7.30 8.50		24	904	210 26 00000
	0006	1200	ENGL216 2M	1 1 1	8.35 9.30		20	904	210 26 00000
	0006	1200	ENGL366 2T	1 1	9.00 10.20		25	904	210 26 00000
	0006	1200	ENGL102 3M	1 1 1	9.40 10.35		25	904	210 26 00000
	0006	1200	ENGL101 3T2	1 1	10.30 11.50		24	904	210 26 00000
	0006	1200	ENGL310 4M	1 1 1	10.45 11.40		26	904	210 26 00000
	0006	1200	ENGL101 5M3	1 1 1	11.50 12.45		22	904	210 26 00000
	0006	1200	ENGL468 H4T	1	12.00 13.20		25	904	210 26 00000
	0006	1200	ENGL468 H4R	1	12.00 13.20		25	904	210 26 00000
	0006	1200	ENGL101 6M	1 1 1	12.55 13.50		22	904	210 26 00000
	0006	1200	ENGL220 5T	1 1	13.30 14.50		23	904	210 26 00000
	0006	1200	ENGL102 7M1	1 1 1	14.00 14.55		24	904	210 26 00000
	0006	1200	ENGL366 6T	1 1	15.00 16.20		25	904	210 26 00000
	0006	1310	ENGL310 1T	1 1	7.30 8.50		25	891	240 27 00000
	0006	1310	ENGL101 2M	1 1 1	8.35 9.30		24	891	240 27 00000
	0006	1310	ENGL310 2T	1 1	9.00 10.20		26	891	240 27 00000
	0006	1310	ENGL265 3M	1 1 1	9.40 10.35		15	891	240 27 00000
	0006	1310	ENGL446 3T	1 1	10.30 11.50		6	891	240 27 00000
	0006	1310	SPAN101 4M	1 1 1	10.45 11.40		19	891	240 27 00000
	0006	1310	ENGL358 5M	1 1 1	11.50 12.45		12	891	240 27 00000
	0006	1310	ENGL112 4T	1 1	12.00 13.20		15	891	240 27 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 4

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH
 RELATION LAFOURCHE
 MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	1310	SPAN102 6M	1 1 1	12.55 13.50		24	891	240 27 00000
	0006	1310	ENGL240 5T	1 1	13.30 14.50		19	891	240 27 00000
	0006	1310	SPAN201 7M	1 1 1	14.00 14.55		7	891	240 27 00000
	0006	1310	ENGL101 6T	1 1	15.00 16.20		24	891	240 27 00000
	0006	1320	MATH101 1TM	1 1	7.30 8.25		28	1,102	110 84 00000
9	0006	1320	MATH101 1TM	1 1	7.30 8.50		28	1,102	110 84 00000
	0006	1320	MATH100 2M	1 1	8.35 9.30		30	1,102	110 84 00000
9	0006	1320	MATH100 2M	1 1	9.00 10.20		30	1,102	110 84 00000
	0006	1320	UNIV101 3M2	1	9.40 10.35		25	1,102	110 84 00000
	0006	1320	UNIV101 3W2	1	9.40 10.35		18	1,102	110 84 00000
	0006	1320	HIST151 3T	1 1	10.30 11.50		53	1,102	110 84 00000
	0006	1320	MATH101 4TM	1 1	10.45 11.40		28	1,102	110 84 00000
	0006	1320	MATH116 5TM	1 1 1	11.50 12.45		8	1,102	110 84 00000
	0006	1320	MATH101 4TM	1 1	12.00 13.20	1	28	1,102	110 84 00000
	0006	1320	MATH116L5TM	1 1	13.30 14.50		8	1,102	110 84 00000
	0006	1320	PSYC543 AT	1	16.00 18.50		1	1,102	110 84 00000
	0006	1330	MATH102 2M	1 1 1	8.35 9.30		31	339	110 35 00000
	0006	1330	ENGL430 2T	1 1	9.00 10.20		11	339	110 35 00000
	0006	1330	MATH101 3TW	1 1	9.40 10.35		27	339	110 35 00000
89	0006	1330	MATH101 3TW	1 1	10.30 11.50		27	339	110 35 00000
8	0006	1330	UNIV101 4W4	1	10.45 11.40	1	22	339	110 35 00000
	0006	1330	MATH118 4T	1 1	12.00 13.20		8	339	110 35 00000
	0006	1330	MATH106 5T1	1 1	13.30 14.50		28	339	110 35 00000
	0006	1330	PSYC514 CT	1	17.00 19.50		9	339	110 35 00000
	0006	1340	MATH100 2M1	1 1 1	8.35 9.30		32	538	110 38 00000
89	0006	1340	MATH100 2M1	1 1 1	9.00 10.20		32	538	110 38 00000
	0006	1340	MATH101 3TM	1 1	9.40 10.35		30	538	110 38 00000
89	0006	1340	MATH101 3TM	1 1	10.30 11.50		30	538	110 38 00000
	0006	1340	MATH101 4TW	1 1	10.45 11.40		26	538	110 38 00000
	0006	1340	MATH101 4TW	1 1	12.00 13.20		26	538	110 38 00000
	0006	1340	MATH117 6M1	1 1 1	12.55 13.50	1	22	538	110 38 00000
	0006	1340	MATH117 5T1	1 1	13.30 14.50		20	538	110 38 00000
	0006	1380	UNIV101 2T	1	9.00 10.00		20	1,238	110 76 00000
	0006	1380	UNIV101 2R3	1	9.00 10.20		13	1,238	110 76 00000
	0006	1380	UNIV101 3M1	1	9.40 10.35		24	1,238	110 76 00000
	0006	1380	UNIV101 3W1	1	9.40 10.35		25	1,238	110 76 00000
	0006	1380	UNIV101 3T	1	10.30 11.30		19	1,238	110 76 00000
	0006	1380	UNIV101 3R	1	10.30 11.30		20	1,238	110 76 00000
	0006	1380	UNIV101 4M3	1	10.45 11.40		33	1,238	110 76 00000
	0006	1380	UNIV101 4W2	1	10.45 11.40		26	1,238	110 76 00000
	0006	1380	UNIV101 5M2	1	11.50 12.45		23	1,238	110 76 00000
	0006	1380	UNIV101 6M	1	12.55 13.50		23	1,238	110 76 00000
	0006	1380	UNIV101 6W1	1	12.55 13.50		20	1,238	110 76 00000
	0006	1380	UNIV101 5T1	1	13.30 14.30		22	1,238	110 76 00000
	0006	1380	UNIV101 7W	1	14.00 14.50		29	1,238	110 76 00000
	0006	1400	SOCI225 2T	1 1	9.00 10.20		4	905	240 31 00000
	0006	1400	ENGL101 3M4	1 1 1	9.40 10.35		25	905	240 31 00000
	0006	1400	IDST410 H3T	1	10.30 11.50		7	905	240 31 00000
	0006	1400	ENGL102 4M	1 1 1	10.45 11.40		26	905	240 31 00000
	0006	1400	SOCI406 H5M	1 1 1	11.50 12.45		8	905	240 31 00000
	0006	1400	CMPS107 H6A	1	12.55 13.50		30	905	240 31 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 5

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	0006 1400	CMPS109 H6B	1	12.55 13.50	1	24	905	240 31	00000
	0006 1400	CMPS108 H6A	1	12.55 13.50		19	905	240 31	00000
	0006 1420	UNIV101 2T2	1	9.00 10.00		26	1,260	110 85	00000
	0006 1420	UNIV101 3M3	1	9.40 10.35		20	1,260	110 85	00000
	0006 1420	UNIV101 3T2	1	10.30 11.30		19	1,260	110 85	00000
	0006 1420	UNIV101 4M2	1	10.45 11.40		25	1,260	110 85	00000
	0006 1420	UNIV101 4W1	1	10.45 11.40		23	1,260	110 85	00000
	0006 1420	UNIV101 5M1	1	11.50 12.45		22	1,260	110 85	00000
	0006 1420	UNIV101 5W	1	11.50 12.45		11	1,260	110 85	00000
	0006 1420	UNIV101 4R	1	12.00 13.00		19	1,260	110 85	00000
	0006 1420	UNIV101 7W1	1	14.00 14.50		11	1,260	110 85	00000
	0006 1480	CMPS312 1M	1 1 1	7.30 8.25		3	863	110 64	00000
	0006 1480	MATH165 2M	1 1	8.35 9.30		32	863	110 64	00000
9	0006 1480	MATH165 2M	1 1	9.00 10.20		32	863	110 64	00000
	0006 1480	IDST300 3T	1 1	10.30 11.50		10	863	110 64	00000
	0006 1480	CMPS130 4M	1 1 1	10.45 11.40		29	863	110 64	00000
	0006 1480	CMPS135 5M	1 1 1	11.50 12.45		10	863	110 64	00000
	0006 1480	MATH360 4T	1 1	12.00 13.20		9	863	110 64	00000
	0006 1480	MATH265 6MW	1 1	12.55 14.45		11	863	110 64	00000
	0006 1480	MATH423 AM	1	16.00 18.55		9	863	110 64	00000
	0006 2060	ENGL101 1T1	1 1	7.30 8.50		22	883	240 30	00000
	0006 2060	ENGL101 2M1	1 1 1	8.35 9.30		24	883	240 30	00000
	0006 2060	ENGL368 2T	1 1	9.00 10.20		23	883	240 30	00000
	0006 2060	ENGL101 3M	1 1 1	9.40 10.35		24	883	240 30	00000
	0006 2060	ENGL101 3T	1 1	10.30 11.50		25	883	240 30	00000
	0006 2060	ENGL100 4M	1 1 1	10.45 11.40		13	883	240 30	00000
	0006 2060	ENGL310 5M	1 1 1	11.50 12.45		25	883	240 30	00000
	0006 2060	ENGL100L4T	1 1	12.00 13.20		13	883	240 30	00000
	0006 2060	ENGL368 6MH	1 1	12.55 13.50		25	883	240 30	00000
	0006 2060	ENGL368 5T	1 1	13.30 14.50		26	883	240 30	00000
	0006 2060	ENGL101 7M	1 1 1	14.00 14.55		22	883	240 30	00000
	0006 2060	ENGL102 6T1	1 1	15.00 16.20		22	883	240 30	00000
	0006 2060	ENGL102 7T	1 1	16.30 17.50		21	883	240 30	00000
	0006 2080	HIST335 2T	1 1	9.00 10.20		25	550	110 40	00000
	0006 2080	ENGL102 3M1	1 1 1	9.40 10.35		25	550	110 40	00000
	0006 2080	ENGL101 3T1	1 1	10.30 11.50		24	550	110 40	00000
	0006 2080	ENGL217 4M	1 1 1	10.45 11.40		8	550	110 40	00000
	0006 2080	ENGL471 6M	1 1 1	12.55 13.50		2	550	110 40	00000
	0006 2080	UNIV101 5T2	1	13.30 14.30		14	550	110 40	00000
	0006 2100	MATH116 2MT	1 1 1	8.35 9.30		24	828	110 50	00000
	0006 2100	MATH116L2MT	1 1	9.00 10.20		24	828	110 50	00000
	0006 2100	CRJU290 3M	1 1 1	9.40 10.35		27	828	110 50	00000
	0006 2100	GOVT101 3T	1 1	10.30 11.50		38	828	110 50	00000
	0006 2100	SOCI201 H4M	1 1 1	10.45 11.40		12	828	110 50	00000
	0006 2100	UNIV101 5W1	1	11.50 12.45		12	828	110 50	00000
	0006 2100	SOCI372 4T	1 1	12.00 13.20		33	828	110 50	00000
	0006 2100	SOCI204 6W	1	12.55 15.35		16	828	110 50	00000
	0006 2100	GOVT399 5T	1 1	13.30 14.50		18	828	110 50	00000
	0006 2110	SOCI151 2T	1 1	9.00 10.20		45	838	110 64	00000
	0006 2110	HIST430 H3M	1 1 1	9.40 10.35		26	838	110 64	00000
	0006 2110	SOCI204 3T	1 1	10.30 11.50		39	838	110 64	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 6

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	2110	GOVT252 4M	1 1 1	10.45 11.40		19	838	110 64 00000
	0006	2110	HIST105 5M	1 1 1	11.50 12.45		18	838	110 64 00000
	0006	2110	SOCI151 4T	1 1	12.00 13.20		48	838	110 64 00000
	0006	2110	GOVT421 6MW	1 1	12.55 14.15		7	838	110 64 00000
	0006	2110	SOCI204 5T	1 1	13.30 14.50		31	838	110 64 00000
	0006	2110	HUMA221 ET	1	18.00 20.50		5	838	110 64 00000
	0006	2150	SOCI400 2T	1 1	9.00 10.20		16	834	110 70 00000
	0006	2150	GOVT365 3M	1 1 1	9.40 10.35		7	834	110 70 00000
	0006	2150	HUMA420 3T	1 1	10.30 11.50		27	834	110 70 00000
	0006	2150	PHIL203 4M	1 1 1	10.45 11.40		32	834	110 70 00000
	0006	2150	HIST325 H5M	1 1 1	11.50 12.45		30	834	110 70 00000
	0006	2150	GOVT331 4T	1 1	12.00 13.20		15	834	110 70 00000
	0006	2150	MATH115 6MT	1 1 1	12.55 13.50		26	834	110 70 00000
	0006	2150	MATH115L6MT	1 1	13.30 14.50		26	834	110 70 00000
	0006	2150	MATH214 6T1	1 1	15.00 16.20		29	834	110 70 00000
	0006	2150	MATH214 BM	1	16.30 19.20		35	834	110 70 00000
	0006	2160	MATH214 2M	1 1 1	8.35 9.30		30	805	110 61 00000
	0006	2160	MATH106 2T	1 1	9.00 10.20		31	805	110 61 00000
	0006	2160	MATH100 3M1	1 1 1	9.40 10.35		33	805	110 61 00000
9	0006	2160	MATH100 3M1	1 1 1	10.30 11.50		33	805	110 61 00000
8	0006	2160	MATH106 4M	1 1 1	10.45 11.40	1	34	805	110 61 00000
	0006	2160	MATH106 5M	1 1 1	11.50 12.45		35	805	110 61 00000
	0006	2160	MATH106 4T	1 1	12.00 13.20		34	805	110 61 00000
	0006	2160	MATH117 6M	1 1 1	12.55 13.50		33	805	110 61 00000
	0006	2160	MATH106 5T	1 1	13.30 14.50		27	805	110 61 00000
	0006	2160	MATH117 6T	1 1	15.00 16.20		27	805	110 61 00000
	0006	2170	MATH115 1MT	1 1 1	7.30 8.25		29	831	110 36 00000
	0006	2170	MATH115L1MT	1 1	7.30 8.50		29	831	110 36 00000
	0006	2170	MATH115 2MT	1 1 1	8.35 9.30		28	831	110 36 00000
	0006	2170	MATH115L2MT	1 1	9.00 10.20		28	831	110 36 00000
	0006	2170	MATH117 3M	1 1 1	9.40 10.35		32	831	110 36 00000
	0006	2170	CRJU306 3T	1 1	10.30 11.50		16	831	110 36 00000
	0006	2170	HIST491 H4M	1 1 1	10.45 11.40		11	831	110 36 00000
	0006	2170	MATH115 5MT	1 1 1	11.50 12.45		27	831	110 36 00000
	0006	2170	MATH115L5MT	1 1	13.30 14.50		27	831	110 36 00000
8	0006	2180	ENGL312 3T	1 1	10.30 11.50		15	253	210 8 00000
	0006	2180	ENGL486 4M	1 1 1	10.45 11.40		6	253	210 8 00000
	0006	2180	ENGL432 68W	1	12.55 16.25		9	253	210 8 00000
	0006	2190	HIST255 2M	1 1 1	8.35 9.30		58	1,118	110 75 00000
	0006	2190	HIST150 2T	1 1	9.00 10.20		56	1,118	110 75 00000
	0006	2190	MATH118 3M	1 1 1	9.40 10.35		18	1,118	110 75 00000
	0006	2190	HIST256 3T	1 1	10.30 11.50		57	1,118	110 75 00000
	0006	2190	HIST255 4M	1 1 1	10.45 11.40		57	1,118	110 75 00000
	0006	2190	GOVT101 5MW	1 1	11.50 13.35		40	1,118	110 75 00000
	0006	2190	HIST256 4T	1 1	12.00 13.20		59	1,118	110 75 00000
	0006	2190	MATH117 5T	1 1	13.30 14.50		32	1,118	110 75 00000
	0006	2190	HUMA111 6R	1	15.00 16.20		50	1,118	110 75 00000
	0006	2200	ENGL101 2T2	1 1	9.00 10.20		22	529	110 22 00000
	0006	2200	ENGL100 3M	1 1 1	9.40 10.35		14	529	110 22 00000
	0006	2200	ENGL100L3T	1 1	10.30 11.50		14	529	110 22 00000
	0006	2200	ENGL341 4M	1 1 1	10.45 11.40		16	529	110 22 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 7

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	2200	ENGL111 4T	1 1	12.00 13.20		7	529	110 22 00000
	0006	2250	PSET431 7A7	1 1	7.30 10.20	1	10	665	210 18 00000
	0006	2250	PSET431 7B7	1 1	7.30 10.20	1 1	9	665	210 18 00000
	0006	2270	ENGL101 2T3	1 1	9.00 10.20		25	830	110 47 00000
	0006	2270	GEO1203 3M	1 1 1	9.40 10.35		14	830	110 47 00000
	0006	2270	MATH165 H4M	1 1 1	10.30 11.50	1	18	830	110 47 00000
9	0006	2270	MATH165 H4M	1 1 1	10.45 11.40		18	830	110 47 00000
	0006	2270	ENGL102 5M	1 1 1	11.50 12.45		26	830	110 47 00000
	0006	2270	HIST395 H4T	1 1	12.00 13.20		11	830	110 47 00000
	0006	2270	HIST101 6M	1 1 1	12.55 13.50		22	830	110 47 00000
	0006	2290	SATC440 7A7	1 1	10.30 13.20	1	23	869	210 18 00000
8	0006	2290	SATC440 7B7	1 1	10.30 13.20	1 1	17	869	210 18 00000
	0006	2300	ENGL101 2T1	1 1	9.00 10.20		23	821	110 52 00000
	0006	2300	MATH116 3MT	1 1 1	9.40 10.35		23	821	110 52 00000
	0006	2300	MATH116L3MT	1 1	10.30 11.50		23	821	110 52 00000
	0006	2300	MATH214 4M	1 1 1	10.45 11.40		30	821	110 52 00000
	0006	2300	MATH117 5M	1 1 1	11.50 12.45		33	821	110 52 00000
	0006	2300	MATH117 4T	1 1	12.00 13.20		36	821	110 52 00000
	0006	2300	MATH116 6MT	1 1 1	12.55 13.50		8	821	110 52 00000
	0006	2300	MATH116L6MT	1 1	13.30 14.50		8	821	110 52 00000
	0006	2330	SOCI151 2M	1 1 1	8.35 9.30		46	1,090	110 88 00000
	0006	2330	HIST255 2T	1 1	9.00 10.20		54	1,090	110 88 00000
	0006	2330	HIST101 3M	1 1 1	9.40 10.35		58	1,090	110 88 00000
	0006	2330	HIST255 3T	1 1	10.30 11.50		52	1,090	110 88 00000
	0006	2330	SOCI151 4M	1 1 1	10.45 11.40		47	1,090	110 88 00000
	0006	2330	HIST160 H5M	1 1 1	11.50 12.45		21	1,090	110 88 00000
	0006	2330	GEO103 4T	1 1	12.00 13.20		28	1,090	110 88 00000
	0006	2330	HIST303 5T	1 1	13.30 14.50		20	1,090	110 88 00000
	0006	2330	CRJU405 7M	1 1 1	14.00 14.55		9	1,090	110 88 00000
	0006	2370	SOCI425 3M	1 1 1	9.40 10.35		7	814	110 60 00000
	0006	2370	MATH117 3T	1 1	10.30 11.50		34	814	110 60 00000
	0006	2370	SOCI205 4M	1 1 1	10.45 11.40		16	814	110 60 00000
	0006	2370	MATH116 5MT	1 1 1	11.50 12.45		23	814	110 60 00000
	0006	2370	MATH116L5MT	1 1	12.00 13.20		23	814	110 60 00000
	0006	2370	MATH115 6TM	1 1 1	12.55 13.50		30	814	110 60 00000
	0006	2370	MATH115L6TM	1 1	13.30 14.50		30	814	110 60 00000
	0006	2390	HIST151 2M	1 1 1	8.35 9.30		42	1,267	110 78 00000
	0006	2390	SOCI300 2T	1 1	9.00 10.20		10	1,267	110 78 00000
	0006	2390	HIST256 3M	1 1 1	9.40 10.35		51	1,267	110 78 00000
	0006	2390	GEO103 3T	1 1	10.30 11.50		30	1,267	110 78 00000
	0006	2390	HIST150 4M	1 1 1	10.45 11.40		60	1,267	110 78 00000
	0006	2390	HIST256 5M	1 1 1	11.50 12.45		33	1,267	110 78 00000
	0006	2390	SOCI303 4T	1 1	12.00 13.20		17	1,267	110 78 00000
	0006	2390	MATH101 6TM	1 1	12.55 13.50	1	14	1,267	110 78 00000
	0006	2390	SOCI151 5T	1 1	13.30 14.50	1	25	1,267	110 78 00000
	0006	2390	MATH101 6TM	1 1	15.00 16.20		14	1,267	110 78 00000
	0006	2400	HIST151 2T	1 1	9.00 10.20		56	1,334	110 100 00000
	0006	2400	CHEM105 3M	1 1 1	9.40 10.35		43	1,334	110 100 00000
	0006	2400	PHSC101 3T	1 1	10.30 11.50		36	1,334	110 100 00000
	0006	2400	CHEM106 4M	1 1 1	10.45 11.40		33	1,334	110 100 00000
	0006	2400	HIST150 5M	1 1 1	11.50 12.45		55	1,334	110 100 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 8

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	2400	MATH301 4T	1 1	12.00 13.20		31	1,334	110 100 00000
	0006	2400	MATH301 6M	1 1 1	12.55 13.50		19	1,334	110 100 00000
	0006	2400	HIST151 5T	1 1	13.30 14.50		54	1,334	110 100 00000
	0006	2420	MATH166 23M	1 1 1	8.35 10.15		28	825	110 59 00000
	0006	2420	SOCI201 2T	1 1	9.00 10.20		11	825	110 59 00000
	0006	2420	HIST371 3T	1 1	10.30 11.50		29	825	110 59 00000
	0006	2420	CRJU291 4M	1 1 1	10.45 11.40		16	825	110 59 00000
	0006	2420	CRJU290 5M	1 1 1	11.50 12.45		13	825	110 59 00000
	0006	2420	SOCI490 H4T	1 1	12.00 13.20		2	825	110 59 00000
	0006	2420	SOCI372 H6W	1	12.55 15.35		25	825	110 59 00000
	0006	2420	CHEM226 56T	1 1	13.30 16.20		12	825	110 59 00000
	0006	2470	ENGL101 2M2	1 1 1	8.35 9.30		25	829	110 25 00000
	0006	2470	GOVT391 2T	1 1	9.00 10.20		21	829	110 25 00000
	0006	2470	ENGL101 3M1	1 1 1	9.40 10.35		24	829	110 25 00000
	0006	2470	UNIV101 3R5	1	10.30 11.50		24	829	110 25 00000
	0006	2470	ENGL101 4M	1 1 1	10.45 11.40		22	829	110 25 00000
	0006	2470	ENGL215 5M	1 1 1	11.50 12.45		29	829	110 25 00000
	0006	2470	ENGL405 4T	1 1	12.00 13.20		6	829	110 25 00000
	0006	2470	ENGL212 6M	1 1 1	12.55 13.50		29	829	110 25 00000
	0006	2470	ENGL215 5T	1 1	13.30 14.50		14	829	110 25 00000
	0006	2490	ENGL100 2M	1 1 1	8.35 9.30		13	531	110 22 00000
	0006	2490	ENGL100L2T	1 1	9.00 10.20		13	531	110 22 00000
	0006	2490	ENGL101 3M2	1 1 1	9.40 10.35		22	531	110 22 00000
	0006	2490	ENGL212 3T	1 1	10.30 11.50		24	531	110 22 00000
	0006	2490	ENGL101 4M1	1 1 1	10.45 11.40		25	531	110 22 00000
	0006	2490	ENGL102 5M1	1 1 1	11.50 12.45		25	531	110 22 00000
	0006	2490	ENGL101 4T	1 1	12.00 13.20		23	531	110 22 00000
	0006	2490	CRJU400 5T	1 1	13.30 14.50		4	531	110 22 00000
	0006	2490	ENGL102 7M	1 1 1	14.00 14.55		23	531	110 22 00000
	0006	2500	ENGL101 2T	1 1	9.00 10.20		26	827	110 52 00000
	0006	2500	ENGL101 3M3	1 1 1	9.40 10.35		23	827	110 52 00000
	0006	2500	SPAN101 3T	1 1	10.30 11.50		25	827	110 52 00000
	0006	2500	FREN101 4M	1 1 1	10.45 11.40		12	827	110 52 00000
	0006	2500	ENGL101 5M1	1 1 1	11.50 12.45		24	827	110 52 00000
	0006	2500	ENGL215 4T	1 1	12.00 13.20		26	827	110 52 00000
	0006	2500	ENGL215 6M	1 1 1	12.55 13.50		26	827	110 52 00000
	0006	2500	ENGL216 6T	1 1	15.00 16.20		18	827	110 52 00000
	0006	2520	ENGL101 2M3	1 1 1	8.35 9.30		25	820	110 28 00000
	0006	2520	ENGL102 2T1	1 1	9.00 10.20		27	820	110 28 00000
	0006	2520	ENGL316 3M	1 1 1	9.40 10.35		24	820	110 28 00000
	0006	2520	ENGL321 3T	1 1	10.30 11.50		26	820	110 28 00000
	0006	2520	ENGL101 5M	1 1 1	11.50 12.45		21	820	110 28 00000
	0006	2520	ENGL313 4T	1 1	12.00 13.20		13	820	110 28 00000
	0006	2520	ENGL102 6M	1 1 1	12.55 13.50		25	820	110 28 00000
	0006	2520	ENGL311 5T	1 1	13.30 14.50		13	820	110 28 00000
	0006	2520	ENGL102 7M2	1 1 1	14.00 14.55		16	820	110 28 00000
	0006	2520	ENGL102 6T	1 1	15.00 16.20		23	820	110 28 00000
	0006	2530	ENGL102 2T	1 1	9.00 10.20		26	552	110 24 00000
	0006	2530	ENGL101 3M5	1 1 1	9.40 10.35		22	552	110 24 00000
	0006	2530	ENGL215 3T	1 1	10.30 11.50		25	552	110 24 00000
	0006	2530	UNIV101 4W5	1	10.45 11.40		27	552	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 9

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0006	2530	ENGL101 5M2	1 1 1	11.50 12.45		25	552	110 24 00000
	0006	2530	ENGL102 4T	1 1	12.00 13.20		24	552	110 24 00000
	0006	2530	ENGL102 6M1	1 1 1	12.55 13.50		24	552	110 24 00000
	0006	2530	ENGL264 5T	1 1	13.30 14.50		13	552	110 24 00000
	0006	2560	ENGL498 3T	1 1	10.30 11.50		4	253	310 8 00000
	0007	1160	EDUC451 CW	1	17.00 19.50		9	834	350 37 00000
	0007	1160	EDUC452 CW	1	17.00 19.50	1	8	834	350 37 00000
	0007	1160	EDUC321 HCW	1	17.00 19.55	1	12	834	350 37 00000
	0007	1250	EDUC365 12M	1 1 1	7.30 9.30		19	2,262	210 50 00000
	0007	1250	EDUC402 23T	1 1	9.00 11.00		8	2,262	210 50 00000
	0007	1250	EDUC312 3M	1 1 1	9.40 10.35		15	2,262	210 50 00000
	0007	1250	EDUC313 H5M	1 1 1	11.50 12.45		21	2,262	210 50 00000
	0007	1250	EDUC211 6MW	1 1	12.55 14.20		30	2,262	210 50 00000
	0007	1250	EDUC309 H6T	1 1	15.00 16.20		7	2,262	210 50 00000
	0007	1250	EDUC403 BW	1	16.30 18.30		7	2,262	210 50 00000
	0007	1250	EDCI506 HCT	1	17.00 19.50		10	2,262	210 50 00000
	0007	1250	EDUC365 HCM	1	17.00 19.55		15	2,262	210 50 00000
	0007	1260	HPED320 2T	1 1	9.00 10.20		8	733	210 42 00000
	0007	1260	EDUC312 3T	1 1	10.30 11.50		19	733	210 42 00000
	0007	1260	EDUC250 H4T	1 1	12.00 13.20		33	733	210 42 00000
	0007	1260	EDUC392 6T	1 1	15.00 16.20		29	733	210 42 00000
	0007	1260	EDUC374 H8M	1 1	15.05 16.25		17	733	210 42 00000
	0007	1260	EDCI557 HCW	1	17.00 19.40		20	733	210 42 00000
	0007	1260	EDCI557 HC1	1	17.00 19.40	1	18	733	210 42 00000
	0007	1260	EDUC396 HCW	1	17.00 19.40	1	5	733	210 42 00000
	0007	1260	EDCI534 HCT	1	17.00 19.50		46	733	210 42 00000
8	0007	1260	EDCI534 HC1	1	17.00 19.50	1	23	733	210 42 00000
8	0007	1260	EDCI549 HCT	1	17.00 19.50	1	21	733	210 42 00000
8	0007	1260	EDUC487 HCT	1	17.00 19.50	1	17	733	210 42 00000
	0007	1270	EDUC368 HCT	1	17.00 19.50		7	696	110 50 00000
	0007	1420	EDUC251 2T	1 1	9.00 10.20		25	1,241	240 29 00000
	0007	1420	HPED360 3M	1 1 1	9.40 10.35		22	1,241	240 29 00000
	0007	1420	EDUC251 3T	1 1	10.30 11.50		26	1,241	240 29 00000
	0007	2370	PSYC101 2M	1 1 1	8.35 9.30		79	1,092	110 91 00000
	0007	2370	PSYC101 2T	1 1	9.00 10.20		79	1,092	110 91 00000
	0007	2370	PSYC212 3M	1 1 1	9.40 10.35		61	1,092	110 91 00000
	0007	2370	PSYC402 3T	1 1	10.30 11.50		26	1,092	110 91 00000
	0007	2370	PSYC301 4M	1 1 1	10.45 11.40		76	1,092	110 91 00000
	0007	2370	PSYC101 5T	1 1	13.30 14.50		80	1,092	110 91 00000
	0007	2370	EDUC211 HCW	1	17.00 19.40		17	1,092	110 91 00000
	0007	2370	PSYC206 CT	1	17.00 19.50		26	1,092	110 91 00000
	0007	2370	PSYC101 DR	1	17.30 20.25		30	1,092	110 91 00000
	0007	2500	PSYC448 H2W	1	8.35 9.30		33	678	110 64 00000
	0007	2500	EDUC339 H3M	1 1	9.40 10.35		22	678	110 64 00000
	0007	2500	PSYC464 3T	1 1	10.30 11.50		10	678	110 64 00000
	0007	2500	PSYC212 4M	1 1 1	10.45 11.40		38	678	110 64 00000
	0007	2500	PSYC475 5MW	1 1	11.50 12.45		14	678	110 64 00000
	0007	2500	PSYC219 6M	1 1 1	12.55 13.50		25	678	110 64 00000
	0007	2500	EDUC250 5T	1 1	13.30 14.50		24	678	110 64 00000
	0007	2500	COUN501 HCW	1	17.00 19.45		11	678	110 64 00000
	0007	2500	COUN545 HCT	1	17.00 19.50		4	678	110 64 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 10

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0007	2500	PSYC210 CM	1	17.00 19.55		40	678	110 64 00000
	0007	2500	COUN519 CR	1	17.00 19.55		14	678	110 64 00000
	0007	2500	PSYC519 CR	1	17.00 19.55	1	6	678	110 64 00000
	0007	2510	PSYC208 2T	1 1	9.00 10.20		39	682	110 52 00000
	0007	2510	EDUC441 H3M	1 1	9.40 10.35		18	682	110 52 00000
	0007	2510	PSYC305 3T	1 1	10.30 11.50		53	682	110 52 00000
	0007	2510	PSYC305 4M	1 1 1	10.45 11.40		15	682	110 52 00000
	0007	2510	PSYC399 4R	1	12.00 13.20		42	682	110 52 00000
	0007	2510	PSYC211 6M	1 1 1	12.55 13.50		21	682	110 52 00000
	0007	2510	PSYC234 H5T	1 1	13.30 14.50		34	682	110 52 00000
	0007	2510	COUN521 8M	1 1 1	15.05 16.00		5	682	110 52 00000
	0007	2510	COUN513 AT	1	16.00 18.50		18	682	110 52 00000
	0007	2510	PSYC506 HCW	1	17.00 19.45		23	682	110 52 00000
	0007	2510	COUN546 HCR	1	17.00 19.50		2	682	110 52 00000
	0007	2510	PSYC527 CM	1	17.00 19.55		11	682	110 52 00000
	0007	2530	PSYC208 2M	1 1 1	8.35 9.30		25	678	110 64 00000
	0007	2530	FCED131 H2T	1 1	9.00 10.20		22	678	110 64 00000
	0007	2530	PSYC209 3M	1 1 1	9.40 10.35		25	678	110 64 00000
	0007	2530	FCED333 H3T	1 1	10.30 11.50		15	678	110 64 00000
	0007	2530	FCED336 H3T	1 1	10.30 11.50	1	15	678	110 64 00000
	0007	2530	FCED430 H3R	1	10.30 11.50	1	11	678	110 64 00000
	0007	2530	PSYC131 H4W	1	10.45 11.40		35	678	110 64 00000
	0007	2530	FCED232 H4R	1 1	12.00 13.20		20	678	110 64 00000
	0007	2530	FCED232 H4T	1 1	12.00 13.20	1	24	678	110 64 00000
	0007	2530	FCED459 H4T	1	12.00 13.20	1	9	678	110 64 00000
	0007	2530	PSYC530 6T	1 1	15.00 16.50		8	678	110 64 00000
	0007	2530	COUN523 AW	1	16.00 16.55		5	678	110 64 00000
	0007	2530	COUN551 HCM	1	17.00 19.45		13	678	110 64 00000
	0007	2530	COUN500 HCW	1	17.00 19.45		12	678	110 64 00000
	0007	2530	PSYC500 HCW	1	17.00 19.45	1	7	678	110 64 00000
	0007	2530	PSYC508 HCT	1	17.00 19.50		11	678	110 64 00000
	0007	2530	PSYC529 CR	1	17.00 19.55		8	678	110 64 00000
	0007	2530	COUN535 EW	1	18.00 18.55		6	678	110 64 00000
	0007	2540	COUN522 HCW	1	5.00 7.55		10	682	110 59 00000
	0007	2540	MACO370 2T	1 1	9.00 10.20		23	682	110 59 00000
	0007	2540	PSYC204 3M	1 1 1	9.40 10.35		50	682	110 59 00000
	0007	2540	PSYC232 H3T	1	10.30 11.50		17	682	110 59 00000
	0007	2540	PSYC206 4M	1 1 1	10.45 11.40		40	682	110 59 00000
	0007	2540	PSYC301 4T	1 1	12.00 13.20		26	682	110 59 00000
	0007	2540	PSYC360 H6T	1 1	15.00 16.20		30	682	110 59 00000
	0007	2540	COUN521 8M1	1 1 1	15.05 16.00		5	682	110 59 00000
	0007	2540	COUN505 HCT	1	17.00 19.50		6	682	110 59 00000
	0007	2540	PSYC506 HCM	1	17.00 19.55		26	682	110 59 00000
	0007	2540	PSYC522 HCW	1	17.00 19.55		8	682	110 59 00000
	0007	2540	PSYC507 HCR	1	17.00 19.55		23	682	110 59 00000
	0010	1030	MACO230 2T	1 1	9.00 10.20		14	720	210 15 00000
	0010	1030	MACO251 3M	1 1 1	9.40 10.35		15	720	210 15 00000
	0010	1030	MACO350 3T	1 1	10.30 11.50		10	720	210 15 00000
	0010	1030	MACO252 4T	1 1	12.00 13.20		12	720	210 15 00000
	0010	1050	SPCH101 1M	1 1 1	7.30 8.25		30	725	110 40 00000
	0010	1050	COMD279 1T	1 1	7.30 8.50		26	725	110 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 11

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	1050	SPCH101 2M	1 1 1	8.35 9.30		29	725	110 40 00000
	0010	1050	SPCH101 2T1	1 1	9.00 10.20		29	725	110 40 00000
	0010	1050	MACO101 3M	1 1 1	9.40 10.35		17	725	110 40 00000
	0010	1050	SPCH101 3T1	1 1	10.30 11.50		29	725	110 40 00000
	0010	1050	MACO101 4M	1 1 1	10.45 11.40		38	725	110 40 00000
	0010	1050	SPCH101 5M	1 1 1	11.50 12.45		16	725	110 40 00000
	0010	1050	SPCH101 4T2	1 1	12.00 13.20		27	725	110 40 00000
	0010	1050	SPCH101 6M	1 1 1	12.55 13.50		28	725	110 40 00000
	0010	1050	MACO101 5T	1 1	13.30 14.50		34	725	110 40 00000
	0010	1050	SPCH101 EM1	1	18.00 20.55		29	725	110 40 00000
	0010	1050	SPCH101 ET	1	18.00 20.55		27	725	110 40 00000
	0010	1050	SPCH101 ER	1	18.00 20.55		29	725	110 40 00000
	0010	1060	MACO330 2M	1 1 1	8.35 9.30		10	720	110 40 00000
	0010	1060	MACO490 2T	1 1	9.00 10.20		9	720	110 40 00000
	0010	1060	MACO321 3M	1 1 1	9.40 10.35		15	720	110 40 00000
	0010	1060	MACO251 3T	1 1	10.30 11.50		17	720	110 40 00000
	0010	1060	MACO430 4M	1 1 1	10.45 11.40		16	720	110 40 00000
	0010	1060	MACO322 4T	1 1	12.00 13.20		15	720	110 40 00000
	0010	1060	MACO317 6M	1 1 1	12.55 13.50		10	720	110 40 00000
	0010	1060	MACO230 5T	1 1	13.30 14.50		16	720	110 40 00000
	0010	1060	MACO452 ET	1	18.00 20.50		10	720	110 40 00000
	0010	1070	MACO321 2T	1 1	9.00 10.20		9	1,147	210 20 00000
	0010	1070	MACO361 3T	1 1	10.30 11.50		17	1,147	210 20 00000
	0010	1070	MACO451 5M	1 1 1	11.50 12.45		15	1,147	210 20 00000
	0010	1070	MACO401 6T	1 1	15.00 16.20		8	1,147	210 20 00000
	0010	1080	ART 331 23M	1 1 1	8.35 10.35		7	1,911	270 20 00000
	0010	1080	ART 333 23M	1 1 1	8.35 10.35	1	3	1,911	270 20 00000
	0010	1080	ART 431 23M	1 1 1	8.35 10.35	1	2	1,911	270 20 00000
	0010	1080	ART 330 23T	1 1	9.00 11.50		3	1,911	270 20 00000
	0010	1080	ART 331 23T	1 1	9.00 11.50	1	4	1,911	270 20 00000
	0010	1080	ART 332 23T	1 1	9.00 11.50	1	4	1,911	270 20 00000
	0010	1080	ART 431 23T	1 1	9.00 11.50	1	2	1,911	270 20 00000
	0010	1080	ART 231 56M	1 1 1	11.50 13.50		20	1,911	270 20 00000
	0010	1090	ART 240 23T	1 1	9.00 11.50		15	1,217	270 20 00000
	0010	1090	ART 341 56T	1 1	13.30 16.20		2	1,217	270 20 00000
	0010	1090	ART 342 56T	1 1	13.30 16.20	1	1	1,217	270 20 00000
	0010	1090	ART 441 56T	1 1	13.30 16.20	1	1	1,217	270 20 00000
	0010	1750	MUS 100 4T	1 1	12.00 13.20		30	4,859	610 232 00000
	0010	2010	MUS 119 XM1	11111	8.00 8.55		12	1,311	110 60 00000
	0010	2010	ART 110 2T	1 1	9.00 10.20		66	1,311	110 60 00000
	0010	2010	MUS 105 3M	1 1 1	9.40 10.35		69	1,311	110 60 00000
	0010	2010	MUS 105 3T	1 1	10.30 11.50		74	1,311	110 60 00000
	0010	2010	ART 382 4M	1 1 1	10.45 11.40		17	1,311	110 60 00000
	0010	2010	MUS 105 6M	1 1 1	12.55 13.50		43	1,311	110 60 00000
	0010	2010	UNIV101 5T	1	13.30 14.30		23	1,311	110 60 00000
	0010	2010	SPCH101 EM	1	18.00 20.55		28	1,311	110 60 00000
	0010	2030	ART 201 23T	1 1	9.00 11.50		14	988	270 20 00000
	0010	2030	ART 301 56T	1 1	13.30 16.20		9	988	270 20 00000
	0010	2030	ART 303 56T	1 1	13.30 16.20	1	3	988	270 20 00000
	0010	2030	ART 401 56T	1 1	13.30 16.20	1	1	988	270 20 00000
	0010	2030	ART 201 78M	1 1 1	14.00 16.00		14	988	270 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 12

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	2030	ART 302 CTR	1 1	17.00 19.50		16	988	270 20 00000
	0010	2040	ART 261 56M	1 1 1	11.50 13.50		14	682	210 20 00000
	0010	2040	ART 361 78M	1 1 1	14.00 16.00		5	682	210 20 00000
	0010	2040	ART 461 78M	1 1 1	14.00 16.00	1	3	682	210 20 00000
	0010	2040	ART 462 78M	1 1 1	14.00 16.00	1	1	682	210 20 00000
	0010	2040	ART 463 78M	1 1 1	14.00 16.00	1	4	682	210 20 00000
	0010	2040	ART 464 78M	1 1 1	14.00 16.00	1	2	682	210 20 00000
	0010	2050	ART 251 23M	1 1 1	8.35 10.35		14	712	270 21 00000
	0010	2050	ART 350 23T	1 1	9.00 11.50		2	712	270 21 00000
	0010	2050	ART 357 23T	1 1	9.00 11.50	1	7	712	270 21 00000
	0010	2050	ART 251 56M	1 1 1	11.50 13.50		16	712	270 21 00000
	0010	2050	ART 252 56T	1 1	13.30 16.20		16	712	270 21 00000
	0010	2070	ART 211 23M	1 1 1	8.35 10.35		15	1,297	270 20 00000
	0010	2070	ART 311 56M	1 1 1	11.50 13.50		4	1,297	270 20 00000
	0010	2070	ART 313 56M	1 1 1	11.50 13.50	1	4	1,297	270 20 00000
	0010	2070	ART 411 56M	1 1 1	11.50 13.50	1	3	1,297	270 20 00000
	0010	2070	ART 413 56M	1 1 1	11.50 13.50	1	3	1,297	270 20 00000
	0010	2080	ART 254 23M	1 1 1	8.35 10.35		12	1,155	210 37 00000
	0010	2080	ART 457 23M	1 1 1	8.35 10.35	1	5	1,155	210 37 00000
	0010	2080	ART 497 23M	1 1 1	8.35 10.35	1	5	1,155	210 37 00000
	0010	2080	ART 359 23T	1 1	9.00 11.50		6	1,155	210 37 00000
	0010	2080	ART 450 23T	1 1	9.00 11.50	1	1	1,155	210 37 00000
	0010	2080	ART 451 23T	1 1	9.00 11.50	1	3	1,155	210 37 00000
	0010	2080	ART 376 56T	1 1	13.30 16.20		6	1,155	210 37 00000
	0010	2080	ART 452 56T	1 1	13.30 16.20	1	2	1,155	210 37 00000
	0010	2080	ART 477 56T	1 1	13.30 16.20	1	1	1,155	210 37 00000
	0010	2080	ART 355 CTR	1 1	17.00 19.50		7	1,155	210 37 00000
	0010	2080	ART 374 CTR	1 1	17.00 19.50	1	5	1,155	210 37 00000
	0010	2090	ART 221 23T	1 1	9.00 11.50		13	1,277	270 22 00000
	0010	2090	ART 325 CTR	1 1	17.00 19.50		2	1,277	270 22 00000
	0010	2090	ART 326 CTR	1 1	17.00 19.50	1	1	1,277	270 22 00000
	0010	2090	ART 327 CTR	1 1	17.00 19.50	1	2	1,277	270 22 00000
	0010	2090	ART 328 CTR	1 1	17.00 19.50	1	1	1,277	270 22 00000
	0010	2090	ART 370 CTR	1 1	17.00 19.50	1	4	1,277	270 22 00000
	0010	2100	ART 110 1T	1 1	7.30 8.50		47	1,080	110 60 00000
	0010	2100	ART 383 2T	1 1	9.00 10.20		20	1,080	110 60 00000
	0010	2100	ART 110 3T	1 1	10.30 11.50		49	1,080	110 60 00000
	0010	2100	ART 280 4M	1 1 1	10.45 11.40		46	1,080	110 60 00000
	0010	2100	ART 110 5M	1 1 1	11.50 12.45		18	1,080	110 60 00000
	0010	2100	ART 282 4T	1 1	12.00 13.20		38	1,080	110 60 00000
	0010	2100	FNAR301 6M	1 1 1	12.55 13.50		22	1,080	110 60 00000
	0010	2100	ART 110 5T	1 1	13.30 14.50		48	1,080	110 60 00000
	0010	2100	ART 392 H7M	1 1 1	14.00 14.55		4	1,080	110 60 00000
	0010	2100	ART 393 H7M	1 1 1	14.00 14.55	1	1	1,080	110 60 00000
	0010	2100	ART 491 H7M	1 1 1	14.00 14.55	1	1	1,080	110 60 00000
	0010	2100	ART 110 CTR	1 1	17.00 18.25		14	1,080	110 60 00000
	0010	2110	MUED386 2F	1	8.35 9.30		2	722	210 15 00000
	0010	2110	MUS 201 3M	1 1 1	9.40 10.35		13	722	210 15 00000
	0010	2110	MUS 432 3T	1 1	10.30 11.50		5	722	210 15 00000
	0010	2120	MUS 269 2MW	1 1	8.35 9.30		11	725	210 40 00000
	0010	2120	MUS 101 2T	1 1	9.00 10.20		22	725	210 40 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 13

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0010	2130	MUS 323 2M	1 1 1	8.35 9.30		19	725	210 40 00000
	0010	2130	MUS 340 3M	1 1 1	9.40 10.35		12	725	210 40 00000
	0010	2130	MUS 211 3T	1 1 1	10.30 11.50		14	725	210 40 00000
	0010	2130	MUS 217 4MW	1 1	10.45 11.40		15	725	210 40 00000
	0010	2130	MUS 104 5M	1 1 1	11.50 12.45		6	725	210 40 00000
	0010	2130	MUS 109 6M	1 1	12.55 13.50		2	725	210 40 00000
	0010	2130	MUS 376 5T	1 1	13.30 14.50		6	725	210 40 00000
	0010	2140	MUS 119 XM	111111	8.00 8.55		8	870	110 65 00000
	0010	2140	UNIV101 2R1	1	9.00 10.00		14	870	110 65 00000
	0010	2140	MUED385 3M	1 1 1	9.40 10.35		2	870	110 65 00000
	0010	2140	MUS 321 4M	1 1 1	10.45 11.40		16	870	110 65 00000
	0010	2140	MUS 105 5M	1 1 1	11.50 12.45		45	870	110 65 00000
	0010	2140	MUED383 5T	1 1	13.30 14.50		14	870	110 65 00000
	0010	2140	MUS 107 5T	1 1	13.30 14.50	1	23	870	110 65 00000
	0010	2140	MUS 196 6T0	1 1	15.00 16.20		3	870	110 65 00000
	0010	2140	MUS 298 6T0	1 1	15.00 16.20	1	4	870	110 65 00000
	0010	2140	MUS 398 6T	1 1	15.00 16.20	1	5	870	110 65 00000
	0010	2150	MUS 193 5M	1 1 1	11.50 12.45		12	1,170	220 100 00000
	0010	2150	MUS 193 5M0	1 1 1	11.50 12.45	1	9	1,170	220 100 00000
	0010	2150	MUS 393 5M	1 1 1	11.50 12.45	1	8	1,170	220 100 00000
	0010	2150	MUS 197 5T	1 1	13.30 14.50		4	1,170	220 100 00000
	0010	2150	MUS 197 5T0	1 1	13.30 14.50	1	4	1,170	220 100 00000
	0010	2150	MUS 196 6T	1 1	15.00 16.20		1	1,170	220 100 00000
	0010	2150	MUS 386 6T	1 1	15.00 16.20	1	1	1,170	220 100 00000
8	0010	2310	ART 496 3T	1 1	10.30 11.50		6	119	350 1 00000
8	0010	2450	MUS 300 4T	1 1	12.00 13.20		27	115	325 1 00000
	0014	1130	MKTG350 2M	1 1 1	8.35 9.30		31	1,156	110 66 00000
	0014	1130	MKTG490 2T	1 1	9.00 10.20		15	1,156	110 66 00000
	0014	1130	MKTG300 3M	1 1 1	9.40 10.35		57	1,156	110 66 00000
	0014	1130	MKTG300 3T	1 1	10.30 11.50		54	1,156	110 66 00000
	0014	1130	ECON211 4M	1 1 1	10.45 11.40		46	1,156	110 66 00000
	0014	1130	BSAD490 X5M	1	12.15 15.00		12	1,156	110 66 00000
	0014	1130	BSAD490 X5W	1	12.15 15.00		20	1,156	110 66 00000
	0014	1130	BSAD490 X5R	1	12.15 15.00		24	1,156	110 66 00000
	0014	1130	BSAD490 EM	1	18.00 20.50		25	1,156	110 66 00000
	0014	1130	MKTG501 ER	1	18.00 20.50		11	1,156	110 66 00000
	0014	1400	BSAD101 2M	1 1 1	8.35 9.30		90	3,058	110 122 00000
	0014	1400	BSAD221 2T	1 1	9.00 10.20		95	3,058	110 122 00000
	0014	1400	BSAD101 3M	1 1 1	9.40 10.35		118	3,058	110 122 00000
	0014	1400	BSAD221 3T	1 1	10.30 11.50		125	3,058	110 122 00000
	0014	1400	MKTG300 4M	1 1 1	10.45 11.40		62	3,058	110 122 00000
	0014	1400	MKTG450 5M	1 1 1	11.50 12.45		13	3,058	110 122 00000
	0014	1400	BSAD324 H5T	1	13.30 14.50		62	3,058	110 122 00000
	0014	1400	MKTG300 ET	1	18.00 20.50		37	3,058	110 122 00000
	0014	2080	MNGT470 2M	1 1 1	8.35 9.30		18	984	110 36 00000
	0014	2080	MNGT475 2T	1 1	9.00 10.20		23	984	110 36 00000
	0014	2080	MNGT450 3M	1 1 1	9.40 10.35		34	984	110 36 00000
	0014	2080	ACCT323 3T	1 1	10.30 11.50		21	984	110 36 00000
	0014	2080	FINC302 4MW	1 1	10.45 12.05		30	984	110 36 00000
	0014	2080	MNGT370 4T	1 1	12.00 13.20		24	984	110 36 00000
	0014	2080	FINC470 XMW	1 1	13.45 15.05		18	984	110 36 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 14

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	2080	MNGT301 EM	1	18.00 20.50		50	984	110 36 00000
	0014	2080	BSAD325 ET	1	18.00 20.50		23	984	110 36 00000
	0014	2080	MNGT502 EW	1	18.00 20.50		5	984	110 36 00000
	0014	2090	UNIV101 2T3	1	9.00 10.00		21	509	260 29 00000
	0014	2090	UNIV101 2R2	1	9.00 10.00		20	509	260 29 00000
	0014	2090	UNIV101 3T1	1	10.30 11.30		25	509	260 29 00000
	0014	2090	UNIV101 3R2	1	10.30 11.30		23	509	260 29 00000
	0014	2090	UNIV101 4M1	1	10.45 11.40		25	509	260 29 00000
	0014	2090	UNIV101 4W	1	10.45 11.40		25	509	260 29 00000
	0014	2090	UNIV101 5M	1	11.50 12.45		22	509	260 29 00000
	0014	2090	MKTG420 4T	1 1	12.00 13.20		9	509	260 29 00000
	0014	2090	MKTG320 X5W	1	12.15 15.00		13	509	260 29 00000
	0014	2100	ACCT206 2M	1 1 1	8.35 9.30		49	1,176	110 50 00000
	0014	2100	ACCT407 2T	1 1	9.00 10.20		32	1,176	110 50 00000
	0014	2100	ACCT206 3M	1 1 1	9.40 10.35		45	1,176	110 50 00000
	0014	2100	UNIV101 3R1	1	10.30 11.30		22	1,176	110 50 00000
	0014	2100	ACCT407 4MW	1 1	10.45 12.05		24	1,176	110 50 00000
	0014	2100	PSYC208 4T	1 1	12.00 13.20		16	1,176	110 50 00000
	0014	2100	CIS 310 6MW	1 1	12.55 14.15		39	1,176	110 50 00000
	0014	2100	FINC403 56T	1	13.30 16.20		30	1,176	110 50 00000
	0014	2100	FINC515 ET	1	18.00 20.50		8	1,176	110 50 00000
	0014	2100	MNGT330 EW	1	18.00 20.50		20	1,176	110 50 00000
	0014	2100	FINC520 EM	1	18.00 20.55		14	1,176	110 50 00000
	0014	2130	MNGT305 2T	1 1	9.00 10.20		16	1,195	110 80 00000
	0014	2130	MKTG481 3M	1 1 1	9.40 10.35		19	1,195	110 80 00000
	0014	2130	MNGT301 3T	1 1	10.30 11.50		49	1,195	110 80 00000
	0014	2130	MKTG470 4M	1 1 1	10.45 11.40		19	1,195	110 80 00000
	0014	2130	MKTG485 6MW	1 1	12.55 14.15		14	1,195	110 80 00000
	0014	2130	MNGT420 56T	1	13.30 16.20		31	1,195	110 80 00000
	0014	2130	FINC356 EM	1	18.00 20.55		25	1,195	110 80 00000
	0014	2140	PSYC204 2M	1 1 1	8.35 9.30		49	1,226	110 73 00000
	0014	2140	ECON212 3M	1 1 1	9.40 10.35		46	1,226	110 73 00000
	0014	2140	ECON255 3T	1 1	10.30 11.50		38	1,226	110 73 00000
	0014	2140	ECON325 4MW	1 1	10.45 12.05		28	1,226	110 73 00000
	0014	2140	ECON212 4T	1 1	12.00 13.20		54	1,226	110 73 00000
	0014	2140	ECON212 5T	1 1	13.30 14.50		38	1,226	110 73 00000
	0014	2140	ACCT403 ET	1	18.00 20.50		19	1,226	110 73 00000
	0014	2150	QBA 282 2T	1 1	9.00 10.20		41	1,560	110 76 00000
	0014	2150	ECON211 3M	1 1 1	9.40 10.35		47	1,560	110 76 00000
	0014	2150	ECON211 4M1	1 1 1	10.45 11.40		25	1,560	110 76 00000
	0014	2150	ECON211 5T	1 1	13.30 14.50		48	1,560	110 76 00000
	0014	2150	MKTG360 EW	1	18.00 20.50		26	1,560	110 76 00000
	0014	2150	QBA 282 EM	1	18.00 20.55		42	1,560	110 76 00000
	0014	2170	MNGT368 2M	1 1 1	8.35 9.30		31	1,440	110 80 00000
	0014	2170	BSAD101 2T	1 1	9.00 10.20		68	1,440	110 80 00000
	0014	2170	PSYC303 3M	1 1 1	9.40 10.35		48	1,440	110 80 00000
	0014	2170	ACCT205 3T	1 1	10.30 11.50		38	1,440	110 80 00000
	0014	2170	MNGT368 4M	1 1 1	10.45 11.40		30	1,440	110 80 00000
	0014	2170	QBA 282 5T	1 1	13.30 14.50		34	1,440	110 80 00000
	0014	2170	CHEM109 7M	1 1 1	14.00 14.55		18	1,440	110 80 00000
	0014	2170	MNGT368 EW	1	18.00 20.50		24	1,440	110 80 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 15

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0014	2170	BSAD221 EM	1	18.00 20.55		23	1,440	110 80 00000
	0014	2190	ACCT401 1T	1 1	7.30 8.50		37	1,354	110 58 00000
	0014	2190	ACCT321 H2T	1 1	9.00 10.20		27	1,354	110 58 00000
	0014	2190	QBA 283 3M	1 1 1	9.40 10.35		42	1,354	110 58 00000
	0014	2190	MKTG430 3T	1 1	10.30 11.50		29	1,354	110 58 00000
	0014	2190	QBA 283 4M	1 1 1	10.45 11.40		40	1,354	110 58 00000
	0014	2190	ACCT321 HXM	1	12.15 15.10		21	1,354	110 58 00000
	0014	2190	QBA 283 5T	1 1	13.30 14.50		27	1,354	110 58 00000
	0014	2190	ACCT500 ET	1	18.00 20.50		10	1,354	110 58 00000
	0014	2200	MNGT367 2T	1 1	9.00 10.20		28	1,232	110 72 00000
	0014	2200	ACCT408 3T	1 1	10.30 11.50		12	1,232	110 72 00000
	0014	2200	MNGT440 4MW	1 1	10.45 12.05		12	1,232	110 72 00000
	0014	2200	MNGT367 6MW	1 1	12.55 14.15		24	1,232	110 72 00000
	0014	2200	CHEM109 5T	1 1	13.30 14.50		30	1,232	110 72 00000
	0014	2210	ACCT205 2M	1 1 1	8.35 9.30		38	1,200	110 44 00000
	0014	2210	ACCT205 2T	1 1	9.00 10.20		42	1,200	110 44 00000
	0014	2210	ACCT205 3M	1 1 1	9.40 10.35		39	1,200	110 44 00000
	0014	2210	ACCT322 3T	1 1	10.30 11.50		42	1,200	110 44 00000
	0014	2210	ACCT306 5M	1 1 1	11.50 12.45		43	1,200	110 44 00000
	0014	2210	ACCT205 4T	1 1	12.00 13.20		38	1,200	110 44 00000
	0014	2210	ACCT351 H5R	1	13.30 16.25		35	1,200	110 44 00000
	0014	2210	ACCT315 ET	1	18.00 20.50		16	1,200	110 44 00000
8	0017	3150	UNIV100 4T1	1 1	12.00 13.20		14	10,414	430 1 00000
	0017	3220	UNIV101 3T3	1	10.30 11.30		27	1,283	680 100 00000
	0017	3220	UNIV101 3R3	1	10.30 11.30		25	1,283	680 100 00000
8	0017	3230	UNIV100 4T	1 1	12.00 13.20		15	15,865	430 1 00000
8	0017	3230	UNIV100 6MW	1 1	12.55 14.15		16	15,865	430 1 00000
	0019	1010	BIOL155 2M2	1 1 1	8.35 9.30		14	3,135	110 308 00000
	0019	1010	BIOL155 2M6	1 1 1	8.35 9.30	1	13	3,135	110 308 00000
	0019	1010	BIOL155 2M3	1	8.35 9.30	1	14	3,135	110 308 00000
	0019	1010	BIOL155 2M5	1	8.35 9.30	1	11	3,135	110 308 00000
	0019	1010	BIOL155 2M	1	8.35 9.30		12	3,135	110 308 00000
	0019	1010	BIOL155 2M7	1	8.35 9.30		13	3,135	110 308 00000
	0019	1010	BIOL155 2M1	1	8.35 9.30		14	3,135	110 308 00000
	0019	1010	BIOL155 2M4	1	8.35 9.30	1	13	3,135	110 308 00000
	0019	1010	BIOL106 2T	1 1	9.00 10.20	1	81	3,135	110 308 00000
	0019	1010	BIOL105 3M	1 1 1	9.40 10.35		117	3,135	110 308 00000
	0019	1010	BIOL105 5M	1 1 1	11.50 12.45		116	3,135	110 308 00000
	0019	1010	BIOL155 4T	1	12.00 13.20	1	14	3,135	110 308 00000
	0019	1010	BIOL155 4T1	1	12.00 13.20	1	13	3,135	110 308 00000
	0019	1010	BIOL155 4T3	1	12.00 13.20	1	14	3,135	110 308 00000
	0019	1010	BIOL155 4T6	1	12.00 13.20	1	13	3,135	110 308 00000
	0019	1010	BIOL155 4T2	1 1	12.00 13.20		14	3,135	110 308 00000
	0019	1010	BIOL155 4T5	1 1	12.00 13.20	1	12	3,135	110 308 00000
	0019	1010	BIOL155 4T7	1 1	12.00 13.20	1	12	3,135	110 308 00000
	0019	1010	BIOL155 4T4	1	12.00 13.20	1	13	3,135	110 308 00000
	0019	1010	BIOL116 6M	1 1 1	12.55 13.50		83	3,135	110 308 00000
	0019	1010	BIOL205 5T	1 1	13.30 14.50		56	3,135	110 308 00000
	0019	1010	DIET200 7MW	1 1	14.00 15.25		123	3,135	110 308 00000
	0019	1010	BIOL105 6T	1 1	15.00 16.20		101	3,135	110 308 00000
	0019	1010	BIOL155 2M2	1 1 1	18.00 20.50		14	3,135	110 308 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 16

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	1010	BIOL155 2M6	1 1 1	18.00 20.50	1	13	3,135	110 308 00000
	0019	1010	BIOL155 2M3	1	18.00 20.50	1	14	3,135	110 308 00000
	0019	1010	BIOL155 2M5	1	18.00 20.50	1	11	3,135	110 308 00000
	0019	1010	BIOL155 4T	1	18.00 20.50	1	14	3,135	110 308 00000
	0019	1010	BIOL155 4T1	1	18.00 20.50	1	13	3,135	110 308 00000
	0019	1010	BIOL155 4T3	1	18.00 20.50	1	14	3,135	110 308 00000
	0019	1010	BIOL155 4T6	1	18.00 20.50	1	13	3,135	110 308 00000
	0019	1010	BIOL155 4T2	1 1	18.00 20.50		14	3,135	110 308 00000
	0019	1010	BIOL155 4T5	1 1	18.00 20.50	1	12	3,135	110 308 00000
	0019	1010	BIOL155 4T7	1 1	18.00 20.50	1	12	3,135	110 308 00000
	0019	1010	BIOL155 2M	1	18.00 20.50	1	12	3,135	110 308 00000
	0019	1010	BIOL155 2M7	1	18.00 20.50		13	3,135	110 308 00000
	0019	1010	BIOL155 2M1	1	18.00 20.50		14	3,135	110 308 00000
	0019	1010	BIOL155 2M4	1	18.00 20.50	1	13	3,135	110 308 00000
	0019	1010	BIOL155 4T4	1	18.00 20.50	1	13	3,135	110 308 00000
	0019	1020	BIOL156 3T1	1	10.30 11.50		7	1,104	110 119 00000
	0019	1020	BIOL156 3T3	1 1	10.30 11.50		20	1,104	110 119 00000
	0019	1020	BIOL156 3T	1	10.30 11.50	1	20	1,104	110 119 00000
	0019	1020	BIOL156 3T2	1	10.30 11.50		15	1,104	110 119 00000
	0019	1020	BIOL114 5M1	1 1	11.50 13.10		95	1,104	110 119 00000
	0019	1020	BIOL301 4T	1 1	12.00 13.20		10	1,104	110 119 00000
	0019	1020	BIOL203 5T	1 1	13.30 14.50		72	1,104	110 119 00000
	0019	1020	BIOL106 7M	1 1 1	14.00 14.55		45	1,104	110 119 00000
	0019	2010	BIOL156 3T1	1	12.55 15.45		7	1,017	210 32 00000
	0019	2010	BIOL156 3T3	1 1	13.30 16.20		20	1,017	210 32 00000
	0019	2010	BIOL156 3T	1	13.30 16.20	1	20	1,017	210 32 00000
	0019	2010	BIOL156 3T2	1	15.30 18.20		15	1,017	210 32 00000
	0019	2030	BIOL115 2F	1	8.30 11.15		30	1,031	210 45 00000
	0019	2030	BIOL115 2M	1	8.35 11.25		32	1,031	210 45 00000
	0019	2030	BIOL115 2W	1	8.35 11.25		31	1,031	210 45 00000
	0019	2030	BIOL115 2T	1	9.00 11.50		31	1,031	210 45 00000
	0019	2030	BIOL115 2R	1	9.00 11.50		31	1,031	210 45 00000
	0019	2030	BIOL115 4T	1	12.00 14.50		31	1,031	210 45 00000
	0019	2030	BIOL115 4R	1	12.00 14.50		30	1,031	210 45 00000
	0019	2030	BIOL115 6W	1	12.55 15.45		28	1,031	210 45 00000
	0019	2030	BIOL115 9W	1	16.10 19.00		21	1,031	210 45 00000
	0019	2030	BIOL115 7T	1	16.30 19.20		30	1,031	210 45 00000
	0019	2030	BIOL115 7R	1	16.30 19.20		29	1,031	210 45 00000
	0019	2040	BIOL171 1T	1	7.30 10.20		13	1,138	210 56 00000
	0019	2040	BIOL275 1R	1	7.30 10.20		13	1,138	210 56 00000
	0019	2040	BIOL204 3R	1	10.30 13.20		26	1,138	210 56 00000
	0019	2040	BIOL204 6W	1	12.55 15.45		26	1,138	210 56 00000
	0019	2040	BIOL204 6T	1	15.00 17.50		20	1,138	210 56 00000
	0019	2090	BIOL460 3T	1 1	10.30 11.50		24	1,008	210 25 00000
	0019	2090	BIOL320 2T1	1 1	11.50 14.45		21	1,008	210 25 00000
8	0019	2090	BIOL441 5T	1	13.30 16.20	1	27	1,008	210 25 00000
	0019	2090	BIOL320 2T	1 1	13.30 16.20		19	1,008	210 25 00000
	0019	2090	BIOL406 CT	1	17.00 20.00		1	1,008	210 25 00000
	0019	2110	BIOL155 4T	1	9.00 11.50		14	992	210 41 00000
	0019	2110	BIOL155 4T1	1	9.00 11.50	1	13	992	210 41 00000
	0019	2110	BIOL155 2M	1	9.00 11.50		12	992	210 41 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 17

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	2110	BIOL155 2M1	1	9.00 11.50		14	992	210 41 00000
	0019	2110	BIOL155 2M5	1	9.40 12.30		11	992	210 41 00000
	0019	2110	BIOL155 4T5	1 1	9.40 12.30		12	992	210 41 00000
	0019	2110	BIOL155 2M3	1	12.55 15.45		14	992	210 41 00000
	0019	2110	BIOL155 4T3	1	12.55 15.45	1	14	992	210 41 00000
	0019	2110	BIOL155 2M2	1 1 1	13.30 16.20	1	14	992	210 41 00000
	0019	2110	BIOL155 4T2	1 1	13.30 16.20		14	992	210 41 00000
	0019	2110	BIOL155 2M4	1	13.30 16.20	1	13	992	210 41 00000
	0019	2110	BIOL155 4T4	1	13.30 16.20	1	13	992	210 41 00000
	0019	2110	BIOL155 2M6	1 1 1	18.00 20.50		13	992	210 41 00000
	0019	2110	BIOL155 4T6	1	18.00 20.50	1	13	992	210 41 00000
	0019	2110	BIOL155 4T7	1 1	18.00 20.50		12	992	210 41 00000
	0019	2110	BIOL155 2M7	1	18.00 20.50		13	992	210 41 00000
	0019	3010	BIOL114 2MW	1 1	8.35 9.55		83	1,172	110 88 00000
	0019	3010	BIOL320 2T1	1 1	9.00 10.20		21	1,172	110 88 00000
	0019	3010	BIOL320 2T	1	9.00 10.20	1	19	1,172	110 88 00000
	0019	3010	BIOL326 3T	1	10.30 11.50		22	1,172	110 88 00000
	0019	3010	BIOL326 3T1	1	10.30 11.50		20	1,172	110 88 00000
	0019	3010	BIOL114 5MW	1 1	11.50 13.10		61	1,172	110 88 00000
	0019	3010	BIOL124 5MW	1 1	11.50 13.10	1	13	1,172	110 88 00000
	0019	3010	BIOL440 4T	1 1	12.00 13.20		26	1,172	110 88 00000
	0019	3010	BIOL114 5T	1 1	13.30 14.50		79	1,172	110 88 00000
	0019	3010	BIOL401 9M	1	16.10 17.05		10	1,172	110 88 00000
	0019	3010	BIOL501 9M	1	16.10 17.05	1	2	1,172	110 88 00000
	0019	3010	BIOL585 ET	1	18.00 20.50		3	1,172	110 88 00000
	0019	3040	BIOL461 1M	1 1 1	7.30 10.35		35	1,056	210 36 00000
	0019	3040	BIOL117 2T	1	9.00 11.50		28	1,056	210 36 00000
	0019	3040	BIOL117 3R	1	10.30 13.20		27	1,056	210 36 00000
	0019	3040	BIOL326 3T	1	11.50 14.55		22	1,056	210 36 00000
	0019	3040	BIOL326 3T1	1	13.30 16.20		20	1,056	210 36 00000
	0019	3040	BIOL117 5R	1	13.30 16.20		16	1,056	210 36 00000
	0019	3040	BIOL117 7W	1	14.00 16.50		15	1,056	210 36 00000
	0019	3050	EGSC222 1T	1 1	7.30 10.00		11	1,053	140 30 00000
	0019	3050	GEOM309 2MW	1	8.35 10.35		8	1,053	140 30 00000
9	0019	3050	GEOM309 2MW	1	9.00 11.50		8	1,053	140 30 00000
	0019	3050	GEOM410 3T	1 1	10.30 11.50		7	1,053	140 30 00000
	0019	3050	GEOM405 5T	1	13.30 16.20		7	1,053	140 30 00000
	0019	3050	GEOM418 7MW	1	14.00 16.00		6	1,053	140 30 00000
9	0019	3050	GEOM418 7MW	1	14.00 17.05		6	1,053	140 30 00000
	0019	3050	GEOM405 5T	1	14.30 16.20		7	1,053	140 30 00000
	0019	3060	GEOM307 1T	1 1	7.30 8.50		6	880	210 37 00000
	0019	3060	GEOM205 3T	1 1	10.30 11.50		12	880	210 37 00000
	0019	3060	UNIV101 4T	1	12.00 13.00		32	880	210 37 00000
	0019	3060	GEOM306 6M	1 1 1	12.55 13.50		5	880	210 37 00000
	0019	3060	GEOM111 5T	1	13.30 15.20		7	880	210 37 00000
9	0019	3060	GEOM111 5T	1	13.30 16.20		7	880	210 37 00000
	0019	3090	SATC230 7A7	1 1	10.30 13.20	1	23	1,007	110 18 00000
8	0019	3090	SATC230 7B7	1 1	10.30 13.20	1 1	16	1,007	110 18 00000
	0019	3090	GEOM401 4M	1 1 1	10.45 11.40		3	1,007	110 18 00000
	0019	3090	SATC385 7A7	1 1	13.30 16.20	1	24	1,007	110 18 00000
8	0019	3090	SATC385 7B7	1 1	13.30 16.20	1 1	17	1,007	110 18 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 18

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	0019	3110	PSET231 7A7	1 1	7.30 10.20	1	22	1,111	110 60 00000
	0019	3110	PSET231 7B7	1 1	7.30 10.20	1 1	17	1,111	110 60 00000
	0019	3110	PSET371 7A7	1 1	10.30 13.20	1	9	1,111	110 60 00000
	0019	3110	PSET371 7B7	1 1	10.30 13.20	1 1	8	1,111	110 60 00000
	0019	3140	SATC420 7A7	1 1	7.30 10.20	1	15	572	210 21 00000
	0019	3140	SATC420 7B7	1 1	7.30 10.20	1 1	14	572	210 21 00000
	0019	3140	PSET171 7A7	1 1	13.30 16.20	1	27	572	210 21 00000
8	0019	3140	PSET171 7B7	1 1	13.30 16.20	1 1	24	572	210 21 00000
	0019	4010	BIOL570 3M	1	9.40 12.30		8	930	240 33 00000
	0019	4030	DIET416 2MW	1 1	8.35 9.55		11	944	110 26 00000
	0019	4030	AHSC315 4T	1 1	12.00 13.20		29	944	110 26 00000
	0019	4060	DIET112 23R	1	9.00 11.50		12	1,084	210 30 00000
	0019	4060	DIET112 56T	1	13.30 16.20		17	1,084	210 30 00000
	0020	1010	MUED227 1T	1 1	7.30 8.50		21	4,843	210 100 00000
	0020	1010	MUS 301 2T	1 1	9.00 10.20		17	4,843	210 100 00000
	0020	1010	MUS 302 2T	1 1	9.00 10.20	1	7	4,843	210 100 00000
	0020	1010	MUS 292 5M	1 1 1	11.50 12.45		7	4,843	210 100 00000
	0020	1010	MUS 292 5M0	1 1 1	11.50 12.45	1	4	4,843	210 100 00000
	0020	1010	MUS 194 6M	1 1 1	12.55 13.50		13	4,843	210 100 00000
	0020	1010	MUS 194 6M0	1 1 1	12.55 13.50	1	14	4,843	210 100 00000
	0020	1010	MUS 394 6M	1 1 1	12.55 13.50	1	9	4,843	210 100 00000
	0020	1010	MUS 191 7M0	1 1 1	14.00 14.55		16	4,843	210 100 00000
	0020	1010	MUS 191 7M	1 1 1	14.00 15.55	1	76	4,843	210 100 00000
	0020	1010	MUS 391 7M	1 1 1	14.00 15.55	1	29	4,843	210 100 00000
	0020	1010	MUS 296 6T	1 1	15.00 16.20		4	4,843	210 100 00000
	0020	1010	MUS 296 6T0	1 1	15.00 16.20	1	9	4,843	210 100 00000
	0020	1010	MUS 396 6T	1 1	15.00 16.20	1	3	4,843	210 100 00000
	0021	1130	DIET404 2R	1	9.00 11.50		7	627	210 28 00000
	0021	1130	DIET404 2T	1	9.00 11.50	1	8	627	210 28 00000
	0021	1130	AHSC408 4M	1 1 1	10.45 11.40		32	627	210 28 00000
	0021	1130	AHSC340 5M	1 1 1	11.50 12.45		17	627	210 28 00000
	0021	1130	DIET305 6MW	1 1	12.55 14.15		42	627	210 28 00000
	0021	1140	DIET411 2MW	1 1	8.35 9.55		22	591	110 43 00000
	0021	1140	AHSC440 2T	1 1	9.00 10.20		52	591	110 43 00000
	0021	1140	DIET200 4MW	1 1	10.45 12.05		52	591	110 43 00000
	0021	1140	DIET404 2R	1	12.00 13.50		7	591	110 43 00000
	0021	1140	DIET404 2T	1	12.00 13.50	1	8	591	110 43 00000
	0021	1140	DIET459 4R	1	12.00 13.50		11	591	110 43 00000
	0021	1140	AHSC200 6MA	1 1	12.55 13.50		51	591	110 43 00000
	0021	1140	COMD350 EM	1	18.00 20.55		16	591	110 43 00000
	0021	1140	COMD350 EH	1	18.00 20.55		15	591	110 43 00000
	0021	1180	COMD397 2M	1 1 1	8.35 9.30		10	952	110 63 00000
	0021	1180	COMD380 2T	1 1	9.00 10.20		14	952	110 63 00000
	0021	1180	COMD384 3M	1 1 1	9.40 10.35		8	952	110 63 00000
	0021	1180	COMD395 3T	1 1	10.30 11.50		7	952	110 63 00000
	0021	1180	COMD278 4M	1 1 1	10.45 11.40		41	952	110 63 00000
	0021	1180	COMD390 DT	1	17.30 20.20		13	952	110 63 00000
	0021	1200	DIET300 2T	1 1	9.00 10.20		22	599	110 24 00000
	0021	1200	ATTR250 3T	1 1	10.30 11.50		6	599	110 24 00000
	0021	1200	DIET390 4MW	1 1	10.45 12.05		21	599	110 24 00000
	0021	1200	DIET201 4T	1 1	12.00 13.20		23	599	110 24 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 19

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	0021	1200	DIET400 6T	1	15.00 16.50		11	599	110 24 00000	
	0021	1520	NURS427 HXW	1	9.00 12.00		54	1,974	610 106 00000	
	0021	1520	NURS428 XWF	1	13.00 16.00		53	1,974	610 106 00000	
	0021	2000	NURS371 XMB	11	9.00 12.00		32	961	110 76 00000	
	0021	2000	NURS371 XMA	111	9.00 12.00		34	961	110 76 00000	
	0021	2010	NURS381 XMA	11	9.00 12.00		34	961	110 76 00000	
	0021	2010	NURS381 XMB	11	9.00 12.00	1	34	961	110 76 00000	
	0021	2010	NURS340 H5T	1	13.30 16.20		57	961	110 76 00000	
4	0021	2020	NURS420 XMA	111	8.00 15.00		41	961	110 76 00000	
4	0021	2020	NURS420 XMB	111	8.00 15.00	1	40	961	110 76 00000	
	8	0021	2020	NURS420 XMA	111	9.00 12.00	1	41	961	110 76 00000
	8	0021	2020	NURS420 XMB	111	9.00 12.00	1	40	961	110 76 00000
		0021	2130	UNIV101 2M	1	8.35 9.30		27	660	110 41 00000
		0021	2130	UNIV101 2W	1	8.35 9.30		29	660	110 41 00000
		0021	2130	UNIV101 2T1	1	9.00 10.00		25	660	110 41 00000
		0021	2130	UNIV101 2R	1	9.00 10.00		26	660	110 41 00000
		0021	2130	UNIV101 3M	1	9.40 10.35		25	660	110 41 00000
		0021	2130	UNIV101 3R4	1	10.30 11.50		17	660	110 41 00000
		0021	2130	UNIV101 4M	1	10.45 11.40		25	660	110 41 00000
		0021	2130	UNIV101 4W3	1	10.45 11.40		24	660	110 41 00000
		0021	2130	UNIV101 5R	1	13.30 14.30		29	660	110 41 00000
		0021	2140	NURS255 XM	1	8.00 12.00		77	1,826	110 93 00000
4	0021	2160	NURS400 XMA	111	8.00 15.00		40	935	110 70 00000	
4	0021	2160	NURS400 XMB	111	8.00 15.00	1	41	935	110 70 00000	
	8	0021	2160	NURS400 XMA	111	9.00 12.00	1	40	935	110 70 00000
	8	0021	2160	NURS400 XMB	111	9.00 12.00	1	41	935	110 70 00000
		0021	2180	NURS355 XM	1	8.00 12.00		86	1,743	110 93 00000
4	0021	2210	NURS355 XM	1	8.00 14.00		86	960	210 65 00000	
4	0021	2220	NURS355 XM	1	8.00 14.00		86	949	210 63 00000	
	8	0021	2230	NURS428 XWF	1	13.00 16.00		53	949	210 8 00000
4	8	0021	2240	NURS371 XMB	11	8.00 15.00		32	963	210 8 00000
4	8	0021	2240	NURS371 XMA	111	8.00 15.00		34	963	210 8 00000
	8	0021	2250	NURS222 XMA	1	8.00 11.00		86	1,484	210 10 00000
	8	0021	2250	NURS255 XM	1	8.00 12.30		77	1,484	210 10 00000
	8	0021	2280	NURS222 XMA	1	8.00 11.00		86	943	210 10 00000
	8	0021	2280	NURS226 XT	1	8.00 12.00		81	943	210 10 00000
	8	0021	2280	NURS255 XM	1	8.00 12.30		77	943	210 10 00000
	8	0021	2310	NURS222 XMA	1	8.00 11.00		86	1,458	210 10 00000
	8	0021	2310	NURS223 XMB	1	8.00 11.00	1	86	1,458	210 10 00000
	8	0021	2310	NURS226 XT	1	8.00 12.00		81	1,458	210 10 00000
	8	0021	2310	NURS255 XM	1	8.00 12.30		77	1,458	210 10 00000
	8	0021	2340	NURS222 XMA	1	8.00 11.00		86	1,485	210 10 00000
	8	0021	2340	NURS223 XMB	1	8.00 11.00	1	86	1,485	210 10 00000
	8	0021	2340	NURS226 XT	1	8.00 11.00		81	1,485	210 10 00000
4	8	0021	2660	NURS381 XMA	11	8.00 15.00		34	1,173	210 11 00000
4	8	0021	2660	NURS381 XMB	11	8.00 15.00	1	34	1,173	210 11 00000
		0021	3010	NURS223 XMB	1	8.00 10.00		86	1,860	110 90 00000
	8	0021	3010	NURS222 XMA	1	8.00 12.00	1	86	1,860	110 90 00000
		0021	3010	NURS226 XT	1	8.00 12.00		81	1,860	110 90 00000
		0021	3010	NURS228 HT5	1	13.30 15.20		80	1,860	110 90 00000
4	0022	1510	BSAD501 EMB	1	8.00 17.00		12	720	110 48 00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 11/12/2019 07:50:35
 PAGE NUM 20

NICHOLLS STATE UNIVERSITY
 BRANCH
 PARISH LAFOURCHE
 RELATION MAIN CAMPUS

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	0022	1510	BSAD525 EMB	1	8.00 17.00	1	12	720	110 48 00000
4	0022	1510	ECON500 EMB	1	8.00 17.00	1	12	720	110 48 00000
4	0022	1510	FINC515 EMB	1	8.00 17.00	1	12	720	110 48 00000
	0116	1210	CULA101 3T	1 1	10.30 11.50		40	896	110 45 00000
	0116	1210	UNIV101 6M1	1	12.55 13.50		26	896	110 45 00000
	0116	1210	UNIV101 6W	1	12.55 13.50		21	896	110 45 00000
	0116	1210	CULA231 5T	1 1	13.30 14.50		10	896	110 45 00000
	0116	1210	CULA105 7MA	1 1 1	14.00 14.55		23	896	110 45 00000
	0116	1210	CULA105 7MB	1 1 1	14.00 14.55	1	13	896	110 45 00000
	0116	1210	CULA101 6T	1 1	15.00 16.20		24	896	110 45 00000
	0116	124A	CULA353 XTR	1 1	10.00 11.50		16	694	110 24 00000
	0116	124A	CULA351 XMW	1 1	10.15 11.35		16	694	110 24 00000
	0116	124A	CULA338 H5T	1	13.30 14.50		23	694	110 24 00000
	0116	124A	CULA442 7M	1 1 1	14.00 14.55		10	694	110 24 00000
	0116	124B	CULA319 XTR	1	9.00 11.00		17	694	210 30 00000
	0116	1280	CULA452 1W	1	7.00 11.30		11	1,497	210 16 00000
	0116	1280	CULA450 XM	1	9.00 13.20		16	1,497	210 16 00000
	0116	1280	CULA355 XF	1	9.00 13.20		15	1,497	210 16 00000
	0116	1280	CULA250 XT	1	12.30 16.30		15	1,497	210 16 00000
	0116	1280	CULA250 XR	1	12.30 16.30		14	1,497	210 16 00000
	0116	1290	CULA219 XM	1	12.30 16.30		14	1,005	210 16 00000
	0116	1290	CULA230 XT	1	12.30 16.30		11	1,005	210 16 00000
	0116	1290	CULA219 XW	1	12.30 16.30		12	1,005	210 16 00000
	0116	1290	CULA230 XR	1	12.30 16.30		11	1,005	210 16 00000
	0116	1300	CULA221 1M	1	7.00 11.00		14	1,379	210 16 00000
	0116	1300	CULA221 1W	1	7.00 11.00		14	1,379	210 16 00000
	0116	1300	CULA402 XF	1	9.00 13.20		13	1,379	210 16 00000
	0116	1300	CULA222 XT	1	12.30 16.30		13	1,379	210 16 00000
	0116	1300	CULA222 XR	1	12.30 16.30		15	1,379	210 16 00000
	0116	1300	CULA475 CT	1	17.00 21.20		16	1,379	210 16 00000
	0116	1310	CULA111 1M	1	7.00 11.00		13	1,539	210 16 00000
	0116	1310	CULA319 XTR	1	7.00 11.00		17	1,539	210 16 00000
	0116	1310	CULA111 1W	1	7.00 11.00		13	1,539	210 16 00000
	0116	1310	CULA475 CR	1	17.00 21.20		16	1,539	210 16 00000
	0116	1420	CULA305 7F	1	14.00 19.00		18	929	210 48 00000
4	0116	1420	CULA314 7MW	1 1	14.00 20.00		11	929	210 48 00000
4	0116	1420	CULA314 XTR	1 1	14.00 22.00		12	929	210 48 00000
4	0116	1430	CULA315 7MW	1 1	14.00 20.00		12	1,625	210 24 00000
4	0116	1430	CULA315 XTR	1 1	14.00 22.00		11	1,625	210 24 00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	18
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	44
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	17
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		79
TOTAL NUMBER OF RECORDS READ		1,008
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		991
NUMBER OF JOINT-CLASS RECORDS		133
NUMBER OF ALTERATE WEEKS RECORDS		8
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/12/2019 07:50:35

PAGE NUM 1

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			91
TOTAL NUMBER OF STATIONS (CAPACITY)			5,615
WEEKLY STUDENT CONTACT HOURS	50,556	3,689	54,245
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	8,190	4,550	12,740
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,328	424	3,752
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	505,350	280,750	786,100
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	220,566	51,012	271,578
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	101,113	7,378	108,491
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	40.6	9.3	29.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.0	2.6	13.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.8	14.5	39.9
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			86
TOTAL NUMBER OF STATIONS (CAPACITY)			5,455
WEEKLY STUDENT CONTACT HOURS	50,417	3,689	54,106
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	7,740	4,300	12,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,294	424	3,718
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	490,950	272,750	763,700
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	219,546	51,012	270,558
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	100,835	7,378	108,213
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	42.6	9.9	30.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.5	2.7	14.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	45.9	14.5	40.0

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/12/2019 07:50:35

PAGE NUM 2

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
COMPUTER CLASSROOM			
TOTAL NUMBER OF ROOMS			5
TOTAL NUMBER OF STATIONS (CAPACITY)			160
WEEKLY STUDENT CONTACT HOURS	139		139
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	450	250	700
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	34		34
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	14,400	8,000	22,400
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,020		1,020
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	278		278
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	7.6	.0	4.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	1.9	.0	1.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	27.3	.0	27.3
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			74
TOTAL NUMBER OF STATIONS (CAPACITY)			1,924
WEEKLY STUDENT CONTACT HOURS	18,451	1,011	19,462
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,660	3,700	10,360
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,608	144	1,752
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	173,160	96,200	269,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	54,200	5,412	59,612
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,902	2,022	38,924
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.1	3.9	16.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	21.3	2.1	14.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	68.1	37.4	65.3

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/12/2019 07:50:35

PAGE NUM 3

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			72
TOTAL NUMBER OF STATIONS (CAPACITY)			1,820
WEEKLY STUDENT CONTACT HOURS	18,334	1,011	19,345
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	6,480	3,600	10,080
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,572	144	1,716
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	163,800	91,000	254,800
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	50,600	5,412	56,012
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	36,668	2,022	38,690
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	24.3	4.0	17.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	22.4	2.2	15.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	72.5	37.4	69.1
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			104
WEEKLY STUDENT CONTACT HOURS	117		117
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36		36
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	9,360	5,200	14,560
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,600		3,600
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	234		234
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	20.0	.0	12.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	2.5	.0	1.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	6.5	.0	6.5

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/12/2019 07:50:35

PAGE NUM 4

NICHOLLS STATE UNIVERSITY

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*SPECIAL USE FACILITIES			
TOTAL NUMBER OF ROOMS			35
TOTAL NUMBER OF STATIONS (CAPACITY)			1,918
WEEKLY STUDENT CONTACT HOURS	162		162
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,150	1,750	4,900
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36		36
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	172,620	95,900	268,520
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,284		4,284
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	324		324
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	1.1	.0	.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.2	.0	.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	7.6	.0	7.6
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
ATHLETIC AND P.E.			
TOTAL NUMBER OF ROOMS			12
TOTAL NUMBER OF STATIONS (CAPACITY)			1,823
WEEKLY STUDENT CONTACT HOURS	162		162
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,080	600	1,680
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	36		36
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	164,070	91,150	255,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,284		4,284
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	324		324
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	3.3	.0	2.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	.2	.0	.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	7.6	.0	7.6

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY