

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13
 PAGE NUM 1

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	0050	0100	AUTO1430101	11111	12.00 15.30		4	1,368	210	15	00000
	0050	0101	DRFT1110074	11111	8.00 8.45		6	975	210	14	00000
	0050	0101	CADD1210074	11111	13.35 15.00		7	975	210	14	00000
	0050	0101	CADD1215074	11111	15.05 15.59		3	975	210	14	00000
	0050	0101	DRFT1110076	11111	16.00 16.45		1	975	210	14	00000
	0050	0101	CADD1215074	11111	16.00 17.45	1	1	975	210	14	00000
	0050	0103	DRFT1230075	11111	8.00 8.30		1	1,346	210	36	00000
	0050	0103	DRFT2330075	11111	8.00 9.30	1	2	1,346	210	36	00000
	0050	0103	DRFT1120074	11111	8.50 9.35	1	8	1,346	210	36	00000
	0050	0103	DRFT2342075	11111	9.35 11.05		2	1,346	210	36	00000
	0050	0103	DRFT1130074	11111	9.40 10.25	1	2	1,346	210	36	00000
	0050	0103	DRFT1145075	11111	10.30 11.59		8	1,346	210	36	00000
	0050	0103	DRFT2343076	11111	11.10 12.40	1	1	1,346	210	36	00000
	0050	0103	DRFT2310075	11111	11.45 13.15	1	2	1,346	210	36	00000
	0050	0103	DRFT1161075	11111	12.05 12.50	1	3	1,346	210	36	00000
	0050	0103	DRFT2344076	11111	12.45 14.15	1	2	1,346	210	36	00000
	0050	0103	DRFT1160075	11111	12.55 13.40	1	2	1,346	210	36	00000
	0050	0103	DRFT2320075	11111	13.20 14.50	1	2	1,346	210	36	00000
	0050	0103	DRFT1215075	11111	13.45 15.15	1	2	1,346	210	36	00000
	0050	0103	DRFT2320077	11111	16.00 17.45		1	1,346	210	36	00000
	0050	0103	DRFT2344077	11111	16.00 17.45	1	1	1,346	210	36	00000
	0050	0103	DRFT1120076	11111	16.50 17.35	1	1	1,346	210	36	00000
	0050	0103	DRFT1130076	11111	17.40 18.25		3	1,346	210	36	00000
	0050	0103	DRFT2330077	11111	17.50 19.35	1	1	1,346	210	36	00000
	0050	0103	DRFT2343077	11111	17.50 19.35	1	1	1,346	210	36	00000
	0050	0103	DRFT1145076	11111	18.30 20.15	1	1	1,346	210	36	00000
	0050	0103	DRFT1230077	11111	18.40 19.10	1	1	1,346	210	36	00000
	0050	0103	DRFT2346074	11111	19.59 21.00		1	1,346	210	36	00000
4	0050	0104	ELEC2991143	1 1	18.00 19.00		14	1,325	210	20	00000
	0050	0107	HCOR1212041	11111	6.30 15.00		15	649	110	22	00000
	0050	0107	HCOR1120042	1 1	8.00 9.15	1	16	649	110	22	00000
	0050	0107	MAST1210042	1 1 1	8.00 11.50		16	649	110	22	00000
4	0050	0107	HEKG1011042	1 1	9.30 16.00		15	649	110	22	00000
	0050	0107	HMDT1170042	1 1 1	13.30 15.00		17	649	110	22	00000
	0050	0108	HNUR2113129	11	8.00 11.00		29	557	110	25	00000
8	0050	0108	HNUR2123130	11	8.00 11.00	1	20	557	110	25	00000
	0050	0108	HNUR2523130	11	12.00 14.00		20	557	110	25	00000
8	0050	0108	HNUR2723130	11	12.00 15.00	1	20	557	110	25	00000
	0050	0109	HNUR1460129	11	12.00 15.00		25	920	110	36	00000
8	0050	0109	HNUR2611129	11	12.00 15.00	1	32	920	110	36	00000
	0050	0111	IMMT1230035	111	13.00 14.50		1	631	210	21	00000
	0050	0224	HNUR1300129	1 1	8.00 11.00		25	1,681	110	50	00000
4	0050	0224	HCOR1211160	11111	8.00 15.00	1	14	1,681	110	50	00000
	0050	0224	HNUR1211129	111	12.00 15.15	1	34	1,681	110	50	00000
4	0050	0241	DL A9999 N2	11111	8.00 16.30		30	656	110	28	00000
	0050	0241	ELEC2991143	11 1	18.00 19.00		26	656	110	28	00000
	0050	0241	ELEC2991144	1 1	18.00 19.00	1	14	656	110	28	00000
	0050	0241	ELEC2993143	11 1	19.01 21.00		26	656	110	28	00000
	0050	0241	ELEC2991143	1 1	19.01 21.00	1	10	656	110	28	00000
8	0050	0241	ELEC2991149	1 1	19.01 21.00	1	14	656	110	28	00000
8	0050	0241	ELEC2993143	1 1	19.01 21.00	1	10	656	110	28	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13
 PAGE NUM 2

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
89	0050	0241	ELEC2993143	1 1	19.01 21.00		14	656	110	28	00000
8	0050	0241	ELEC2993149	1 1	19.01 21.00	1	14	656	110	28	00000
	0050	0245	MATH 099082	1 1	15.30 16.45		4	685	110	30	00000
	0050	0246	BUSM1050094	1 1 1	8.00 8.50		5	822	210	20	00000
	0050	0246	OSYS1100018	1 1	11.00 12.15		7	822	210	20	00000
	0050	0246	BUSE1045168	1 1	12.30 13.45		2	822	210	20	00000
	0050	0246	ACCT1100160	1 1	12.30 15.00		6	822	210	20	00000
	0050	0246	ACCT1200160	1 1	12.30 15.00	1	6	822	210	20	00000
	0050	0246	BUSF1200166	1 1	18.00 19.15		1	822	210	20	00000
	0050	0247	CPTR1000048	1	15.15 17.45		11	812	210	25	00000
	0050	0247	BOTH1240130	1	17.00 19.30		6	812	210	25	00000
	0050	0248	EMSE2993048	111	8.00 8.50		2	596	210	20	00000
	0050	0248	EMSE2991048	1	8.00 8.50	1	3	596	210	20	00000
	0050	0248	EMSE2090054	1 1	8.00 11.50		15	596	210	20	00000
	0050	0248	EMSE2030054	1 1	9.00 10.50		3	596	210	20	00000
	0050	0248	EMSE2030054	11	9.00 10.50		12	596	210	20	00000
	0050	0248	EMSE2010054	1 1	12.00 15.50		3	596	210	20	00000
	0050	0248	EMSE2010054	11	12.00 15.50		12	596	210	20	00000
	0050	0248	EMSE2120054	1 1	13.00 14.50		15	596	210	20	00000
	0050	0248	EMSE2080054	1 1	16.00 16.50		3	596	210	20	00000
	0050	0248	EMSE2080054	11	16.00 16.50		12	596	210	20	00000
	0050	0248	EMSE1100032	11 1	17.30 21.30		23	596	210	20	00000
	0050	0248	EMSE1200032	1	17.30 21.30		23	596	210	20	00000
	0050	0250	ELEC2993144	1 1	19.01 21.00		14	521	110	24	00000
	0050	0254	ELEC2991144	1 1	19.00 21.00		14	448	110	14	00000
8	0050	0254	ELEC2993144	1 1	19.00 21.00	1	14	448	110	14	00000
	0051	0100	AUTO1240039	11111	8.00 9.50		5	800	210	30	00000
	0051	0100	AUTO1610059	11111	8.00 9.50	1	5	800	210	30	00000
	0051	0100	AUTO1820097	1 1	8.00 9.50	1	1	800	210	30	00000
	0051	0100	AUTO1850098	1 1	8.00 9.50		2	800	210	30	00000
	0051	0100	AUTO1210039	1	8.00 9.50	1	8	800	210	30	00000
	0051	0100	AUTO1640060	1	8.00 9.50	1	2	800	210	30	00000
	0051	0100	AUTO1650060	1	8.00 9.50		1	800	210	30	00000
	0051	0100	AUTO1230032	1	8.00 9.50		7	800	210	30	00000
	0051	0100	AUTO1660096	1	8.00 9.50	1	2	800	210	30	00000
	0051	0100	AUTO1200100	11111	8.00 11.30	1	6	800	210	30	00000
	0051	0100	AUTO1310100	11111	8.00 11.30	1	1	800	210	30	00000
	0051	0100	AUTO1330100	11111	8.00 11.30	1	1	800	210	30	00000
	0051	0100	AUTO1400100	11111	8.00 11.30	1	3	800	210	30	00000
	0051	0100	AUTO1500101	11111	8.00 11.30	1	2	800	210	30	00000
	0051	0100	AUTO1520102	11111	8.00 11.30	1	3	800	210	30	00000
	0051	0100	AUTO1630060	1	8.00 11.50	1	3	800	210	30	00000
4	0051	0100	AUTO1420101	11111	9.00 9.25	1	2	800	210	30	00000
	0051	0100	AUTO1810103	11111	9.00 10.20	1	1	800	210	30	00000
4	0051	0100	AUTO1440101	11111	10.00 10.25	1	3	800	210	30	00000
	0051	0100	AUTO1840098	1111	10.00 11.50	1	1	800	210	30	00000
	0051	0100	AUTO1600096	1 1	10.00 11.50	1	5	800	210	30	00000
	0051	0100	AUTO1620060	1 1	10.00 11.50		5	800	210	30	00000
4	0051	0100	AUTO1500101	11111	10.26 10.51	1	1	800	210	30	00000
4	0051	0100	AUTO1510101	11111	11.00 11.25		3	800	210	30	00000
	0051	0100	AUTO1830104	11111	12.00 12.50		2	800	210	30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13
 PAGE NUM 3

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
	0051	0100	AUTO1300100	11111	12.00 13.50	1	3	800	210 30	00000
	0051	0100	AUTO1220100	11111	12.00 15.30	1	8	800	210 30	00000
	0051	0100	AUTO1320100	11111	12.00 15.30	1	1	800	210 30	00000
	0051	0100	AUTO1340100	11111	12.00 15.30	1	1	800	210 30	00000
	0051	0100	AUTO1410101	11111	12.00 15.30	1	4	800	210 30	00000
	0051	0100	AUTO1650102	11111	12.00 15.30	1	1	800	210 30	00000
4	0051	0100	AUTO1530102	11111	12.26 12.51	1	2	800	210 30	00000
	0051	0100	AUTO1800060	1111	12.30 14.00	1	2	800	210 30	00000
4	0051	0100	AUTO1540102	11111	13.00 13.25	1	3	800	210 30	00000
4	0051	0100	AUTO1700102	11111	13.00 13.25	1	1	800	210 30	00000
	0051	0100	AUTO1100100	11111	13.00 13.50	1	6	800	210 30	00000
4	0051	0100	AUTO1700102	11111	13.26 13.51	1	1	800	210 30	00000
4	0051	0100	AUTO1710102	11111	13.26 13.51	1	1	800	210 30	00000
4	0051	0100	AUTO1720103	11111	14.00 14.25	1	1	800	210 30	00000
	0051	0100	AUTO1110045	1 1	14.00 14.50	1	6	800	210 30	00000
	0051	0100	AUTO1120045	1 1	14.00 14.50	1	5	800	210 30	00000
4	0051	0100	AUTO1730103	11111	14.26 14.51	1	2	800	210 30	00000
4	0051	0100	AUTO1130100	11111	15.00 15.25	1	6	800	210 30	00000
4	0051	0100	AUTO1740103	11111	15.26 15.51	1	2	800	210 30	00000
8	0052	0102	BARB1211021	11111	9.05 10.35	1	32	494	210 10	00000
8	0052	0102	BARB1441027	11111	10.40 13.40	1	31	494	210 10	00000
	0052	0104	BARB1211146	11111	8.00 10.00	1	3	497	210 12	00000
	0052	0104	BARB1310146	11111	10.05 11.05	1	3	497	210 12	00000
	0052	0104	BARB2630146	11111	14.35 15.05	1	2	497	210 12	00000
	0052	0104	BARB1420146	11111	14.35 16.30	1	2	497	210 12	00000
	0052	0107	BARB1160021	11	8.00 9.00	1	31	567	210 30	00000
4	0052	0107	BARB1110042	11111	8.00 14.50	1	1	567	210 30	00000
4	0052	0107	BARB1350043	11111	8.00 14.50	1	6	567	210 30	00000
	0052	0107	BARB1350146	11111	11.10 13.10	1	3	567	210 30	00000
	0052	0107	BARB2131027	11111	11.30 13.30	1	1	567	210 30	00000
8	0052	0107	BARB2111055	11111	12.05 13.00	1	6	567	210 30	00000
	0052	0107	BARB1341055	11111	13.05 14.05	1	6	567	210 30	00000
	0052	0107	BARB1341146	11111	13.15 14.30	1	3	567	210 30	00000
	0052	0107	BARB1140055	11111	13.45 14.45	1	22	567	210 30	00000
4	0052	0107	BARB2630055	11111	14.50 15.00	1	22	567	210 30	00000
	0052	0107	BARB2120027	11111	14.50 15.50	1	1	567	210 30	00000
	0052	0119	DPET1240122	11111	8.00 10.25	1	6	830	110 30	00000
	0052	0119	DPET1140106	11111	8.00 10.45	1	5	830	110 30	00000
	0052	0119	DPET1320147	11111	8.00 10.45	1	3	830	110 30	00000
	0052	0119	DPET2140106	11111	8.00 10.45	1	5	830	110 30	00000
	0052	0119	DPET2210107	11111	8.00 10.45	1	5	830	110 30	00000
	0052	0119	DPET2220107	11111	8.00 11.10	1	4	830	110 30	00000
	0052	0119	DPET1120106	11111	8.00 11.15	1	7	830	110 30	00000
	0052	0119	DPET2130106	11111	8.00 12.00	1	6	830	110 30	00000
	0052	0119	DPET1210147	11111	10.46 12.45	1	4	830	110 30	00000
8	0052	0119	DPET1310111	11111	12.00 14.35	1	5	830	110 30	00000
8	0052	0119	DPET1330111	11111	12.30 14.30	1	5	830	110 30	00000
8	0052	0119	DPET1130106	11111	12.30 15.15	1	7	830	110 30	00000
8	0052	0119	DPET2110106	11111	12.45 14.35	1	5	830	110 30	00000
8	0052	0119	DPET1150122	11111	12.45 14.45	1	3	830	110 30	00000
	0053	0103	SOLR1000018	11111	8.00 9.00	1	11	1,593	210 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13
 PAGE NUM 4

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.	
	0053	0103	ELEC1120069	11111	8.00 10.00	1	12	1,593	210 30	00000	
	0053	0103	ELEC2520070	11111	9.05 10.15	1	8	1,593	210 30	00000	
	0053	0103	ELEC2540070	11111	9.05 10.19	1	6	1,593	210 30	00000	
	0053	0103	ELEC2720070	11111	10.20 11.20		6	1,593	210 30	00000	
	0053	0103	ELEC1330070	11111	11.25 12.05		3	1,593	210 30	00000	
	0053	0103	ELEC1220069	111	12.00 14.00	1	4	1,593	210 30	00000	
	0053	0103	ELEC1440070	11111	13.15 16.00	1	8	1,593	210 30	00000	
	0053	0105	WELD1110061	11111	8.00 8.50		16	3,964	210 28	00000	
	0053	0105	WELD2310065	11111	8.00 9.00	1	4	3,964	210 28	00000	
	0053	0105	WELD1420063	11111	8.00 9.45	1	7	3,964	210 28	00000	
	0053	0105	WELD2210065	11111	8.00 10.59	1	1	3,964	210 28	00000	
4	0053	0105	WELD2111095	11111	8.00 14.05	1	3	3,964	210 28	00000	
4	0053	0105	WELD2210095	11111	8.00 14.05	1	3	3,964	210 28	00000	
4	0053	0105	WELD2230095	11111	8.00 14.05	1	1	3,964	210 28	00000	
4	0053	0105	WELD2311038	11111	8.00 14.05	1	3	3,964	210 28	00000	
8	0053	0105	WELD1130062	11111	8.51 9.49	1	17	3,964	210 28	00000	
8	0053	0105	WELD2311065	11111	9.31 11.00	1	4	3,964	210 28	00000	
4	8	0053	0105	WELD1310064	11111	9.46 10.15	1	6	3,964	210 28	00000
8	8	0053	0105	WELD1210061	11111	9.50 10.49	1	16	3,964	210 28	00000
8	0053	0105	WELD1120063	111 1	10.16 11.15	1	3	3,964	210 28	00000	
	0053	0105	WELD1410062	11111	12.00 12.50		17	3,964	210 28	00000	
	0053	0105	WELD2222068	11111	12.00 13.40	1	1	3,964	210 28	00000	
	0053	0105	WELD1110156	11111	12.00 14.50	1	4	3,964	210 28	00000	
	0053	0105	WELD1140156	11111	12.00 14.50	1	1	3,964	210 28	00000	
	0053	0105	WELD1210156	11111	12.00 14.50	1	5	3,964	210 28	00000	
	0053	0105	WELD1310156	11111	12.00 14.50	1	1	3,964	210 28	00000	
	0053	0105	WELD1410156	11111	12.00 14.50	1	5	3,964	210 28	00000	
	0053	0105	WELD1412157	11111	12.00 14.50	1	1	3,964	210 28	00000	
	0053	0105	WELD1411169	11111	12.00 15.00	1	1	3,964	210 28	00000	
	0053	0105	WELD1412063	11111	12.00 15.00	1	2	3,964	210 28	00000	
	0053	0105	WELD1420098	11111	12.00 15.00	1	1	3,964	210 28	00000	
8	0053	0105	WELD1411062	11111	12.51 14.20	1	19	3,964	210 28	00000	
8	0053	0105	WELD2110064	11111	13.00 14.30	1	3	3,964	210 28	00000	
8	0053	0105	WELD2210065	11111	13.00 14.30	1	3	3,964	210 28	00000	
8	0053	0105	WELD2311105	11111	13.00 14.30	1	1	3,964	210 28	00000	
8	0053	0105	WELD2111064	11111	13.00 15.59	1	1	3,964	210 28	00000	
8	0053	0105	WELD2230066	11111	13.00 15.59	1	1	3,964	210 28	00000	
8	0053	0105	WELD1412063	11111	14.21 15.50	1	19	3,964	210 28	00000	
8	0053	0105	WELD1310064	11111	14.29 15.30	1	1	3,964	210 28	00000	
8	0053	0105	WELD2111064	11111	14.31 15.59	1	4	3,964	210 28	00000	
8	0053	0105	WELD2230065	11111	14.31 15.59	1	3	3,964	210 28	00000	
	0053	0105	WELD1110061	11111	16.00 16.50		13	3,964	210 28	00000	
	0053	0105	WELD1412063	11111	16.00 17.30	1	3	3,964	210 28	00000	
	0053	0105	WELD2310065	11111	16.00 17.30	1	1	3,964	210 28	00000	
	0053	0105	WELD1510066	11111	16.00 17.40	1	1	3,964	210 28	00000	
	0053	0105	WELD1412038	1111	16.00 19.30	1	1	3,964	210 28	00000	
	0053	0105	WELD2110064	11111	16.30 18.00	1	2	3,964	210 28	00000	
	0053	0105	WELD1210062	11111	16.51 17.40	1	13	3,964	210 28	00000	
	0053	0105	WELD1512106	11111	17.30 18.20	1	1	3,964	210 28	00000	
	0053	0105	WELD1420063	11111	17.31 19.10	1	4	3,964	210 28	00000	
8	0053	0105	WELD1130062	11111	17.41 18.30	1	15	3,964	210 28	00000	

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13
 PAGE NUM 5

LDCC - DELTA OUACHITA CAMPUS
 BRANCH
 PARISH
 RELATION

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	OTHER	ROOM TYPE & CAPACITY	RECRD NO.
8	0053	0105	WELD1511066	11111	17.41 19.20	1	1	3,964	210 28	00000
8	0053	0105	WELD2330105	11111	18.00 19.30	1	1	3,964	210 28	00000
8	0053	0105	WELD1410062	11111	18.31 19.20	1	13	3,964	210 28	00000
8	0053	0105	WELD1120064	11111	19.11 19.55	1	7	3,964	210 28	00000
8	0053	0105	WELD1411063	11111	19.21 20.55	1	14	3,964	210 28	00000
8	0053	0105	WELD2222068	11111	19.21 21.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2210065	11111	19.31 21.00	1	1	3,964	210 28	00000
8	0053	0105	WELD2230066	11111	19.31 21.00	1	1	3,964	210 28	00000
8	0053	0105	WELD1310064	11111	20.00 21.00	1	3	3,964	210 28	00000
	0053	0109	IMMT1311035	11111	11.05 12.45		1	2,438	210 30	00000
	0053	0109	IMMT1121035	11111	12.00 13.15	1	5	2,438	210 30	00000
	0053	0110	IMMT1410095	1 1	8.00 11.00		5	408	210 10	00000
	0053	0110	IMMT2991035	11111	11.00 11.50		3	408	210 10	00000
	0053	0110	IMMT1111035	11111	13.20 14.00		5	408	210 10	00000
	0053	0111	HACR2520073	11111	8.00 9.00		4	2,340	210 30	00000
	0053	0111	HACR1150072	11111	8.00 9.15	1	9	2,340	210 30	00000
	0053	0111	HACR1220072	11111	8.00 9.15	1	4	2,340	210 30	00000
	0053	0111	HACR2910073	11111	8.00 10.50	1	2	2,340	210 30	00000
	0053	0111	HACR2530073	11111	9.05 9.55	1	4	2,340	210 30	00000
	0053	0111	HACR1160072	11111	9.20 10.35	1	10	2,340	210 30	00000
	0053	0111	HACR1230072	11111	9.20 10.35	1	4	2,340	210 30	00000
	0053	0111	HACR2540073	11111	10.00 11.30	1	4	2,340	210 30	00000
8	0053	0111	HACR1170072	11111	10.40 11.55	1	10	2,340	210 30	00000
8	0053	0111	HACR1240072	11111	10.40 11.55	1	5	2,340	210 30	00000
8	0053	0111	HACR2920073	11111	10.55 13.45	1	1	2,340	210 30	00000
8	0053	0111	HACR2550073	11111	11.35 12.50	1	3	2,340	210 30	00000
8	0053	0111	HACR1410072	11111	12.00 12.50	1	5	2,340	210 30	00000
8	0053	0111	HACR1180072	11111	12.00 13.15	1	9	2,340	210 30	00000
8	0053	0111	HACR1150109	11111	12.00 14.00	1	5	2,340	210 30	00000
8	0053	0111	HACR1160109	11111	12.00 14.00	1	4	2,340	210 30	00000
8	0053	0111	HACR1420073	11111	12.55 13.45	1	4	2,340	210 30	00000
8	0053	0111	HACR2560073	11111	12.55 13.45	1	3	2,340	210 30	00000
8	0053	0111	HACR1210072	11111	13.20 14.35	1	4	2,340	210 30	00000
8	0053	0111	HACR2510073	11111	13.50 15.05	1	4	2,340	210 30	00000
8	0053	0111	HACR2930073	11111	13.50 16.20	1	1	2,340	210 30	00000
	0053	0112	ELEC1311070	11111	8.00 10.15		3	2,390	210 30	00000
	0053	0112	ELEC1210069	11111	10.05 12.05	1	12	2,390	210 30	00000
	0053	0112	ELEC1430070	11111	10.20 11.15	1	12	2,390	210 30	00000
	0053	0112	ELEC1410070	11111	11.16 14.10		9	2,390	210 30	00000
	0053	0112	ELEC1220170	11111	11.25 12.20	1	2	2,390	210 30	00000
	0053	0112	ELEC1120071	11111	12.00 14.00	1	1	2,390	210 30	00000
	0053	0112	ELEC1210071	11111	12.00 14.00	1	7	2,390	210 30	00000
	0053	0112	ELEC2460069	11111	12.10 12.50	1	15	2,390	210 30	00000
	0053	0112	ELEC2460095	11111	12.10 12.50	1	3	2,390	210 30	00000
	0053	0112	ELEC1220069	11111	12.55 14.10		4	2,390	210 30	00000
	0053	0112	ELEC1230070	11111	14.15 15.30		11	2,390	210 30	00000
	0053	0113	IMMT1220035	11111	8.00 9.20		1	2,390	110 20	00000
	0053	0113	IMMT1110034	11111	8.00 10.00	1	4	2,390	110 20	00000
	0053	0113	IMMT1320034	11111	8.00 10.00	1	5	2,390	110 20	00000
	0053	0113	IMMT1210035	11111	9.30 11.00	1	1	2,390	110 20	00000
	0053	0113	IMMT1120035	111	10.05 11.20	1	5	2,390	110 20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
FALL DATA 2019
RUN DATE 10/29/2019 10:15:13
PAGE NUM 6

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFS	BEGIN - END TIMES	J A D I N L I N T T F C
	0053 0113	IMMT1330034	11111	10.15 12.10	1
	0053 0113	IMMT1110034	11111	12.00 13.15	1

LDCC - DELTA OUACHITA CAMPUS				
BRANCH				
PARISH				
RELATION				
OTHER				
TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY		RECRD NO.
6	2,390	110	20	00000
1	2,390	110	20	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT
 FALL DATA 2019
 RUN DATE 10/29/2019 10:15:13

LDCC - DELTA OUACHITA CAMPUS

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	25
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	54
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	1
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	80
TOTAL NUMBER OF RECORDS READ	- - - - -	257
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	256
NUMBER OF JOINT-CLASS RECORDS	- - - - -	175
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/29/2019 10:15:13

PAGE NUM 1

LDCC - DELTA OUACHITA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	5,359	622	5,981
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	551	54	605
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,274	1,256	17,530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,718	1,244	11,962
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.2	5.7	22.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.7	4.3	14.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.9	99.0	68.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			19
TOTAL NUMBER OF STATIONS (CAPACITY)			574
WEEKLY STUDENT CONTACT HOURS	5,359	622	5,981
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,710	950	2,660
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	551	54	605
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	51,660	28,700	80,360
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	16,274	1,256	17,530
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	10,718	1,244	11,962
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	32.2	5.7	22.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.7	4.3	14.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	65.9	99.0	68.2

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 10/29/2019 10:15:13
PAGE NUM 2

LDCC - DELTA OUACHITA CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*LABORATORY FACILITIES			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	6,940	886	7,826
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,074	92	1,166
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,392	2,585	29,977
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,880	1,773	15,653
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.1	5.1	23.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.6	4.3	13.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.7	68.6	52.2
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			36
TOTAL NUMBER OF STATIONS (CAPACITY)			829
WEEKLY STUDENT CONTACT HOURS	6,940	886	7,826
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,240	1,800	5,040
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,074	92	1,166
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	74,610	41,450	116,060
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	27,392	2,585	29,977
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	13,880	1,773	15,653
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	33.1	5.1	23.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.6	4.3	13.5
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	50.7	68.6	52.2

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY