

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2019  
 RUN DATE 11/15/2019 14:38:26  
 PAGE NUM 1

SLCC - LAFAYETTE CAMPUS  
 BRANCH  
 PARISH  
 RELATION

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETNG<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | OTHER | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|---------------------------|----------------------|-------------------------------|--------------|------------------------|-------|----------------------------|--------------|
|                              | A000               | 0100                | ENGL0083L14               | 1 1 1                | 9.15 10.20                    | 20           | 405                    | 110   | 18                         | 00000        |
| 8                            | A000               | 0100                | PSYC2010L12               | 1 1                  | 9.30 10.45                    | 29           | 405                    | 110   | 18                         | 00000        |
| 8                            | A000               | 0100                | MATH1105L14               | 1 1                  | 12.00 13.35                   | 28           | 405                    | 110   | 18                         | 00000        |
| 8                            | A000               | 0100                | GBUS1010L03               | 1 1                  | 13.00 14.15                   | 30           | 405                    | 110   | 18                         | 00000        |
|                              | A000               | 0110                | CIVL1240L01               | 1 1 1                | 8.00 8.50                     | 16           | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL2560L01               | 1 1                  | 8.00 9.15                     | 8            | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1480L01               | 1 1 1                | 9.00 9.50                     | 15           | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL2620L01               | 1 1                  | 9.30 10.45                    | 8            | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1430L01               | 1 1 1                | 10.00 10.50                   | 18           | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1120L01               | 1 1 1                | 11.00 11.50                   | 16           | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1320L01               | 1 1                  | 11.00 12.15                   | 6            | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1121L01               | 1                    | 12.20 14.10                   | 16           | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0110                | CIVL1321L01               | 1                    | 12.30 14.20                   | 6            | 1,034                  | 210   | 20                         | 00000        |
|                              | A000               | 0112A               | CULN1112L01               | 1 1                  | 8.00 9.15                     | 19           | 483                    | 110   | 15                         | 00000        |
|                              | A000               | 0112A               | CULN2409L01               | 1 1 1                | 8.00 12.40                    | 16           | 483                    | 110   | 15                         | 00000        |
|                              | A000               | 0112A               | CULN1203L01               | 1 1                  | 9.30 10.45                    | 18           | 483                    | 110   | 15                         | 00000        |
|                              | A000               | 0112A               | CULN1223L01               | 1 1                  | 11.30 12.45                   | 19           | 483                    | 110   | 15                         | 00000        |
|                              | A000               | 0112B               | CULN2303L01               | 1 1                  | 8.00 12.00                    | 12           | 3,648                  | 210   | 20                         | 00000        |
|                              | A000               | 0112B               | CULN1103L01               | 1 1 1                | 9.00 9.50                     | 19           | 3,648                  | 210   | 20                         | 00000        |
|                              | A000               | 0112B               | CULN1207L01               | 1 1 1                | 10.00 12.00                   | 18           | 3,648                  | 210   | 20                         | 00000        |
|                              | A000               | 0112B               | CULN2303L01               | 1 1                  | 12.30 14.40                   | 12           | 3,648                  | 210   | 20                         | 00000        |
|                              | A000               | 0112B               | CULN1207L01               | 1 1 1                | 12.30 15.10                   | 18           | 3,648                  | 210   | 20                         | 00000        |
|                              | A000               | 0114                | ASDV1205L01               | 1 1 1                | 8.00 9.10                     | 25           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV2115L01               | 1 1                  | 8.00 9.50                     | 25           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV2620L01               | 1 1 1                | 9.20 10.30                    | 14           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV1220L01               | 1 1                  | 10.00 11.50                   | 25           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV2550L01               | 1 1 1                | 10.40 11.50                   | 14           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV2520L01               | 1 1 1                | 12.20 13.30                   | 14           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0114                | ASDV2440L01               | 1 1                  | 12.20 14.10                   | 25           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | ARTS1200L01               | 1 1 1                | 7.00 7.50                     | 18           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | PSYC2010L20               | 1 1                  | 8.00 10.30                    | 27           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | ARTS1200L05               | 1 1                  | 9.30 10.45                    | 28           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | PSYC2010L23               | 1 1 1                | 11.00 12.05                   | 30           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | ARTS1100L02               | 1 1                  | 11.00 13.30                   | 26           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | BIOL2032L06               | 1 1                  | 13.00 14.15                   | 19           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0116                | DGMD2520L01               | 1 1                  | 14.00 15.50                   | 20           | 945                    | 210   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L01               | 1 1                  | 7.00 7.50                     | 11           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L02               | 1 1                  | 8.00 8.50                     | 27           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L10               | 1                    | 8.00 9.15                     | 14           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L03               | 1 1                  | 9.00 9.50                     | 26           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L11               | 1                    | 9.30 10.45                    | 14           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L04               | 1 1                  | 10.00 10.50                   | 28           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L05               | 1 1                  | 11.00 11.50                   | 24           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L07               | 1                    | 11.00 12.15                   | 28           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L06               | 1 1                  | 12.00 12.50                   | 28           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | MCIS1005L04               | 1                    | 12.00 13.35                   | 29           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L12               | 1                    | 12.30 13.45                   | 19           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L08               | 1                    | 13.00 14.15                   | 17           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L13               | 1                    | 14.00 15.15                   | 20           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0300                | SFSE1003L09               | 1                    | 14.30 15.45                   | 14           | 459                    | 110   | 30                         | 00000        |
|                              | A000               | 0301                | WELD1003L01               | 1 1 1                | 7.00 8.35                     | 18           | 1,000                  | 110   | 30                         | 00000        |

## BOR-CLASSROOM &amp; LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 14:38:26

PAGE NUM 2

SLCC - LAFAYETTE CAMPUS

BRANCH

PARISH

RELATION

OTHER

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETNG<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|---------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|
|                              | A000               | 0301                | WELD1103L01               | 1 1                  | 7.00 9.15                     | 18           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0301                | WELD1205L01               | 1 1 1                | 8.45 11.25                    | 19           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0301                | WELD1403L01               | 1 1                  | 9.25 11.40                    | 19           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0301                | WFMA1003L04               | 1 1                  | 12.30 13.45                   | 14           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0301                | INTC2700L01               | 1 1                  | 13.00 14.50                   | 17           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0301                | WFMA1003L03               | 1 1                  | 15.15 16.30                   | 16           | 1,000                  | 110 30                     | 00000        |
|                              | A000               | 0302                | ARTS2000L01               | 1 1 1                | 8.00 8.50                     | 30           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | ARTS1100L01               | 1                    | 8.00 9.15                     | 28           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | INTC2500L01               | 1 1                  | 10.00 11.50                   | 19           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | INTC1030L01               | 1 1                  | 10.00 11.50                   | 29           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | ARTS1200L02               | 1 1 1                | 12.00 12.50                   | 27           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | INTC2300L01               | 1 1                  | 13.00 14.50                   | 8            | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | INTC2300L02               | 1 1                  | 13.00 14.50                   | 15           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0302                | INTC2400L01               | 1 1                  | 15.00 16.50                   | 13           | 459                    | 210 20                     | 00000        |
|                              | A000               | 0500                | ETRN1004L01               | 1 1 1                | 8.00 9.50                     | 17           | 4,709                  | 210 22                     | 00000        |
|                              | A000               | 0500                | ETRN2840L01               | 1 1                  | 8.00 9.50                     | 17           | 4,709                  | 210 22                     | 00000        |
|                              | A000               | 0500                | ETRN2120L01               | 1 1 1                | 10.00 11.10                   | 17           | 4,709                  | 210 22                     | 00000        |
|                              | A000               | 0500                | ETRN1303L01               | 1 1                  | 10.00 11.50                   | 19           | 4,709                  | 210 22                     | 00000        |
|                              | A000               | 0500                | ETRN2620L01               | 1 1 1                | 11.20 12.30                   | 16           | 4,709                  | 210 22                     | 00000        |
|                              | A000               | 0500C               | ELEC2109L01               | 11111                | 8.00 10.40                    | 12           | 315                    | 110 15                     | 00000        |
|                              | A000               | 0500C               | ELEC2204L01               | 11111                | 10.50 11.50                   | 12           | 315                    | 110 15                     | 00000        |
|                              | A000               | 0500C               | ELEC2205L01               | 11111                | 12.20 13.50                   | 12           | 315                    | 110 15                     | 00000        |
|                              | A000               | 0501                | CLTS1453L01               | 1 1 1                | 8.00 9.10                     | 9            | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0501                | MLTS1030L01               | 1 1                  | 8.30 10.20                    | 22           | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0501                | CLTS2203L01               | 1 1 1                | 9.20 10.30                    | 9            | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0501                | CLTS1410L01               | 1 1                  | 10.30 13.05                   | 9            | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0501                | CLTS2060L01               | 1 1 1                | 10.40 11.30                   | 9            | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0501                | CLTS2061L02               | 1                    | 12.00 13.50                   | 9            | 2,394                  | 210 20                     | 00000        |
|                              | A000               | 0503A               | AUTO1604L01               | 11111                | 8.00 10.40                    | 16           | 2,080                  | 210 20                     | 00000        |
|                              | A000               | 0503A               | AUTO2204L01               | 1 1                  | 10.50 12.00                   | 12           | 2,080                  | 210 20                     | 00000        |
|                              | A000               | 0503A               | AUTO2204L01               | 1 1                  | 12.30 15.00                   | 12           | 2,080                  | 210 20                     | 00000        |
|                              | A000               | 0503E               | AUTO1002L01               | 1                    | 10.50 12.40                   | 16           | 308                    | 110 20                     | 00000        |
|                              | A000               | 0503G               | AUTO2114L01               | 1 1                  | 8.00 10.40                    | 12           | 5,135                  | 210 20                     | 00000        |
|                              | A000               | 0503G               | AUTO1225L01               | 1 1 1                | 8.00 12.40                    | 12           | 5,135                  | 210 20                     | 00000        |
|                              | A000               | 0503G               | AUTO1504L01               | 1 1                  | 12.00 14.40                   | 16           | 5,135                  | 210 20                     | 00000        |
|                              | A000               | 0504                | MTTC2304L01               | 11111                | 8.00 9.30                     | 7            | 3,528                  | 210 20                     | 00000        |
|                              | A000               | 0504                | MTTC2404L01               | 11111                | 9.40 11.10                    | 7            | 3,528                  | 210 20                     | 00000        |
|                              | A000               | 0504                | MTTC2504L01               | 11111                | 11.40 13.10                   | 9            | 3,528                  | 210 20                     | 00000        |
|                              | A000               | 0504                | MTTC2604L01               | 11111                | 13.15 14.45                   | 9            | 3,528                  | 210 20                     | 00000        |
|                              | A000               | 0601A               | INTE1100L01               | 11111                | 8.00 9.45                     | 25           | 775                    | 110 20                     | 00000        |
|                              | A000               | 0601A               | INTE2020L01               | 1 1 1                | 9.55 11.30                    | 17           | 775                    | 110 20                     | 00000        |
|                              | A000               | 0601A               | INTE1200L01               | 1 1                  | 9.55 12.10                    | 25           | 775                    | 110 20                     | 00000        |
|                              | A000               | 0601A               | INTE2840L01               | 1 1 1                | 12.00 13.35                   | 15           | 775                    | 110 20                     | 00000        |
|                              | A000               | 0601A               | INTE2850L01               | 1 1                  | 12.40 14.55                   | 13           | 775                    | 110 20                     | 00000        |
|                              | A000               | 0601G               | INTE2112L01               | 1 1 1                | 8.00 9.35                     | 18           | 748                    | 210 15                     | 00000        |
| 8                            | A000               | 0601G               | INTE2110L01               | 1 1 1                | 9.55 11.30                    | 25           | 748                    | 210 15                     | 00000        |
|                              | A000               | 0601G               | INTE2113L01               | 1 1                  | 10.00 12.15                   | 17           | 748                    | 210 15                     | 00000        |
| 8                            | A000               | 0601G               | INTE1210L01               | 1 1                  | 12.45 15.00                   | 24           | 748                    | 210 15                     | 00000        |
|                              | A000               | 0601G               | INTE2033L01               | 1 1 1                | 13.45 15.15                   | 12           | 748                    | 210 15                     | 00000        |
|                              | A000               | 0602                | DRFT1106L01               | 11111                | 8.00 11.30                    | 16           | 459                    | 110 15                     | 00000        |
|                              | A000               | 0602                | DRFT2106L01               | 11111                | 12.15 15.45                   | 16           | 459                    | 110 15                     | 00000        |

## BOR-CLASSROOM &amp; LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/15/2019 14:38:26

PAGE NUM 3

SLCC - LAFAYETTE CAMPUS

BRANCH

PARISH

RELATION

OTHER

| ERRORS/<br>WARNINGS<br>----- | BLDNG./ROOM<br>NO. | COURSE/SECT.<br>NO. | MEETNG<br>DAYS<br>MTWTFSS | BEGIN - END<br>TIMES | J A D I<br>N L I N<br>T T F C | TOTAL<br>REG | NET ASSIGN.<br>SQ. FT. | ROOM<br>TYPE &<br>CAPACITY | RECRD<br>NO. |
|------------------------------|--------------------|---------------------|---------------------------|----------------------|-------------------------------|--------------|------------------------|----------------------------|--------------|
|                              | A000               | 0603                | DRFT1306L01               | 11111                | 8.00 11.30                    |              | 10                     | 3,111                      | 210 30 00000 |
|                              | A000               | 0603                | DRFT2303L01               | 11111                | 12.15 15.05                   |              | 6                      | 3,111                      | 210 30 00000 |
| 8                            | A000               | 0605A               | DGMD2700L01               | 1 1                  | 8.00 9.50                     |              | 28                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1100L01               | 1 1                  | 8.00 9.50                     |              | 23                     | 744                        | 210 15 00000 |
| 8                            | A000               | 0605A               | DGMD2500L01               | 1 1                  | 10.00 11.50                   |              | 28                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1120L01               | 1 1                  | 10.00 11.50                   |              | 23                     | 744                        | 210 15 00000 |
| 8                            | A000               | 0605A               | DGMD2510L01               | 1 1                  | 12.00 13.50                   |              | 26                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1130L01               | 1 1                  | 12.00 13.50                   |              | 23                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | CMCN1170L01               | 1 1                  | 15.30 16.45                   |              | 19                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1130L02               | 1 1                  | 17.00 18.50                   |              | 20                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1100L02               | 1 1                  | 17.00 18.50                   |              | 17                     | 744                        | 210 15 00000 |
|                              | A000               | 0605A               | DGMD1120L02               | 1 1                  | 19.00 20.50                   |              | 18                     | 744                        | 210 15 00000 |
| 8                            | A000               | 0605B               | DGMD1140L01               | 1 1                  | 8.00 10.15                    |              | 24                     | 620                        | 210 10 00000 |
| 8                            | A000               | 0605B               | ARTS2250L01               | 1 1                  | 11.00 13.50                   |              | 21                     | 620                        | 210 10 00000 |
| 8                            | A000               | 0605B               | ARTS1210L01               | 1 1                  | 12.00 14.50                   |              | 22                     | 620                        | 210 10 00000 |
| 8                            | A000               | 0605B               | ARTS1010L01               | 1 1                  | 14.30 16.45                   |              | 23                     | 620                        | 210 10 00000 |
| 8                            | A000               | 0605B               | DGMD1140L02               | 1 1                  | 19.00 20.50                   |              | 19                     | 620                        | 210 10 00000 |
|                              | A000               | 0607                | INTC2200L02               | 1 1                  | 10.00 11.50                   |              | 18                     | 546                        | 110 20 00000 |
|                              | A000               | 0607                | MATH0083L41               | 1 1                  | 13.00 14.15                   |              | 20                     | 546                        | 110 20 00000 |
|                              | A000               | 0607                | INTC2070L01               | 1 1                  | 13.00 14.50                   |              | 9                      | 546                        | 110 20 00000 |
|                              | A000               | 0607                | INTC2070L02               | 1 1                  | 15.00 16.50                   |              | 9                      | 546                        | 110 20 00000 |
|                              | A000               | 0607                | INTC2680L01               | 1 1                  | 15.00 16.50                   |              | 25                     | 546                        | 110 20 00000 |
|                              | A000               | 0609B               | HACR1106L01               | 11111                | 8.00 9.50                     |              | 18                     | 374                        | 210 20 00000 |
|                              | A000               | 0609B               | HACR1206L01               | 11111                | 10.00 11.50                   |              | 18                     | 374                        | 210 20 00000 |
|                              | A000               | 0609B               | HACR1002L01               | 1 1                  | 12.20 13.35                   |              | 18                     | 374                        | 210 20 00000 |
| 4                            | G000               | 0114                | AVMT2407L01               | 11111                | 8.00 14.30                    |              | 12                     | 5,301                      | 210 20 00000 |
| 4                            | G000               | 0115                | AVMT2107L01               | 11111                | 8.00 14.30                    |              | 12                     | 5,301                      | 210 20 00000 |
| 4                            | G000               | 0116                | AVMT1107L01               | 11111                | 8.00 14.00                    |              | 15                     | 5,301                      | 210 20 00000 |

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
FALL DATA 2019  
RUN DATE 11/15/2019 14:38:26

SLCC - LAFAYETTE CAMPUS

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

|             |                                                                                                              |    |
|-------------|--------------------------------------------------------------------------------------------------------------|----|
| 1 = ERROR   | - CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -                  |    |
|             | THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,        |    |
|             | THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.                                                                |    |
| 2 = ERROR   | - THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -                       |    |
| 3 = ERROR   | - BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -                                            |    |
| 4 = WARNING | - CLASS TIME EXCEEDS 5 HOURS. - - - - -                                                                      | 3  |
| 5 = ERROR   | - ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -         |    |
|             | CIRCULATION, CUSTODIAL OR MECHANICAL.                                                                        |    |
| 7 = ERROR   | - THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -                                           |    |
| 8 = WARNING | - EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - - | 13 |
|             | PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.                                        |    |
| 9 = WARNING | - UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -                    |    |
|             | THERE SHOULD BE NO DUPLICATES.                                                                               |    |

----- T O T A L S -----

|                                                                    |           |     |
|--------------------------------------------------------------------|-----------|-----|
| TOTAL ERRORS                                                       | - - - - - |     |
| TOTAL WARNINGS                                                     | - - - - - | 16  |
| TOTAL NUMBER OF RECORDS READ                                       | - - - - - | 130 |
| TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION | - - - - - | 130 |
| NUMBER OF JOINT-CLASS RECORDS                                      | - - - - - |     |
| NUMBER OF ALTERATE WEEKS RECORDS                                   | - - - - - |     |
| NUMBER OF DIFFERENT TIMES RECORDS                                  | - - - - - |     |
| NUMBER OF INCONSISTENT RECORDS                                     | - - - - - |     |

SLCC - LAFAYETTE CAMPUS

|                                                                                      | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--------------------------------------------------------------------------------------|------------------------|--------------------------|--------------------------|
| *CLASSROOM FACILITIES                                                                |                        |                          |                          |
| TOTAL NUMBER OF ROOMS                                                                |                        |                          | 20                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)                                                  |                        |                          | 363                      |
| WEEKLY STUDENT CONTACT HOURS                                                         | 3,802                  |                          | 3,802                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 1,800                  | 1,000                    | 2,800                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 427                    |                          | 427                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 32,670                 | 18,150                   | 50,820                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 8,807                  |                          | 8,807                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 7,604                  |                          | 7,604                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE                                           | 23.7                   | .0                       | 15.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 23.3                   | .0                       | 15.0                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 86.3                   | .0                       | 86.3                     |
|                                                                                      | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| CLASSROOM                                                                            |                        |                          |                          |
| TOTAL NUMBER OF ROOMS                                                                |                        |                          | 20                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)                                                  |                        |                          | 363                      |
| WEEKLY STUDENT CONTACT HOURS                                                         | 3,802                  |                          | 3,802                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 1,800                  | 1,000                    | 2,800                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 427                    |                          | 427                      |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 32,670                 | 18,150                   | 50,820                   |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 8,807                  |                          | 8,807                    |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 7,604                  |                          | 7,604                    |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE                                           | 23.7                   | .0                       | 15.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 23.3                   | .0                       | 15.0                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 86.3                   | .0                       | 86.3                     |

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/15/2019 14:38:26  
PAGE NUM 2

SLCC - LAFAYETTE CAMPUS

|                                                                                      | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
|--------------------------------------------------------------------------------------|------------------------|--------------------------|--------------------------|
| *LABORATORY FACILITIES                                                               |                        |                          |                          |
| TOTAL NUMBER OF ROOMS                                                                |                        |                          | 42                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)                                                  |                        |                          | 747                      |
| WEEKLY STUDENT CONTACT HOURS                                                         | 7,780                  | 296                      | 8,076                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 3,780                  | 2,100                    | 5,880                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 988                    | 32                       | 1,020                    |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 67,230                 | 37,350                   | 104,580                  |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 20,677                 | 440                      | 21,117                   |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 15,560                 | 592                      | 16,152                   |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE                                           | 26.1                   | 1.5                      | 17.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 23.1                   | 1.6                      | 15.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 75.3                   | 134.5                    | 76.5                     |
|                                                                                      | DAY USE<br>(0600-1700) | NIGHT USE<br>(1700-2300) | T O T A L<br>(0600-2300) |
| CLASS LABORATORY                                                                     |                        |                          |                          |
| TOTAL NUMBER OF ROOMS                                                                |                        |                          | 42                       |
| TOTAL NUMBER OF STATIONS (CAPACITY)                                                  |                        |                          | 747                      |
| WEEKLY STUDENT CONTACT HOURS                                                         | 7,780                  | 296                      | 8,076                    |
| WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS                    | 3,780                  | 2,100                    | 5,880                    |
| WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS                       | 988                    | 32                       | 1,020                    |
| WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS         | 67,230                 | 37,350                   | 104,580                  |
| WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS | 20,677                 | 440                      | 21,117                   |
| WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS                    | 15,560                 | 592                      | 16,152                   |
| PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE                                           | 26.1                   | 1.5                      | 17.3                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE                                     | 23.1                   | 1.6                      | 15.4                     |
| PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS                   | 75.3                   | 134.5                    | 76.5                     |

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY