

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2019  
 RUN DATE 11/13/2019 16:12:16  
 PAGE NUM 1

CLTCC - LAMAR SALTER CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	000A	0025	OPET1111C01	11111	7.25 8.10		3	7,380	210 40 00000
	000A	0025	OPET1161C01	11111	7.25 8.10	1	2	7,380	210 40 00000
	000A	0025	OPET1311C01	11111	7.25 8.10	1	5	7,380	210 40 00000
	000A	0025	OPET2121C01	11111	7.25 8.10	1	3	7,380	210 40 00000
	000A	0025	OPET1121C01	11111	8.15 9.00		3	7,380	210 40 00000
	000A	0025	OPET1321C01	11111	8.15 9.00	1	5	7,380	210 40 00000
	000A	0025	OPET2131C01	11111	8.15 9.00	1	3	7,380	210 40 00000
	000A	0025	OPET1221C01	11111	8.15 9.45	1	2	7,380	210 40 00000
	000A	0025	OPET1131C01	11111	9.05 10.05	1	3	7,380	210 40 00000
	000A	0025	OPET1331C01	11111	9.05 10.05	1	5	7,380	210 40 00000
	000A	0025	OPET2141C01	11111	9.05 10.05	1	2	7,380	210 40 00000
	000A	0025	OPET1141C01	11111	10.10 11.45		5	7,380	210 40 00000
	000A	0025	OPET1341C01	11111	10.10 11.45	1	7	7,380	210 40 00000
	000A	0025	OPET2151C01	11111	10.10 11.45	1	1	7,380	210 40 00000
	000A	0025	OPET1151C01	11111	12.15 13.45		5	7,380	210 40 00000
	000A	0025	OPET2111C01	11111	12.15 13.45	1	7	7,380	210 40 00000
	000A	0025	OPET2161C01	11111	12.15 13.45	1	1	7,380	210 40 00000
	000A	0025	OPET2111C02	11111	13.50 14.50		1	7,380	210 40 00000
	000A	0029	AUTO1020C01	11111	7.30 8.42		2	323	110 20 00000
	000A	0029	AUTO1030C01	11111	7.50 8.40	1	6	323	110 20 00000
	000A	0029	AUTO1115C01	11111	8.45 9.57		1	323	110 20 00000
	000A	0029	AUTO1205C01	11111	8.45 10.45	1	4	323	110 20 00000
	000A	0029	AUTO1125C01	11111	9.58 10.50	1	1	323	110 20 00000
	000A	0029	AUTO1000C01	11111	11.30 12.20		3	323	110 20 00000
	000A	0029	AUTO1315C01	11111	11.30 12.44	1	6	323	110 20 00000
	000A	0029	AUTO1305C01	11111	11.55 13.55	1	6	323	110 20 00000
	000A	0029	AUTO1325C01	11111	12.45 13.35	1	5	323	110 20 00000
	000A	0029	AUTO1010C01	11111	14.00 16.00		7	323	110 20 00000
	000A	0029	AUTO1650C01	1 1	18.00 20.00		4	323	110 20 00000
	000A	0029	AUTO1700C01	1	18.00 20.00	1	1	323	110 20 00000
	000A	0030	WELD1110C01	11111	8.00 8.50		9	2,520	210 20 00000
	000A	0030	WELD2211C01	11111	8.00 9.20	1	6	2,520	210 20 00000
	000A	0030	WELD1412C01	11111	8.55 10.15	1	1	2,520	210 20 00000
	000A	0030	WELD1120C01	11111	9.00 10.00	1	9	2,520	210 20 00000
	000A	0030	WELD2311C01	11111	9.30 10.50	1	1	2,520	210 20 00000
8	000A	0030	WELD1510C01	11111	9.30 11.10	1	5	2,520	210 20 00000
8	000A	0030	WELD1130C01	11111	10.05 10.55	1	9	2,520	210 20 00000
8	000A	0030	WELD1420C01	11111	10.20 11.40	1	1	2,520	210 20 00000
8	000A	0030	WELD1140C01	11111	11.00 11.30	1	9	2,520	210 20 00000
8	000A	0030	WELD1511C01	11111	11.15 12.55	1	2	2,520	210 20 00000
8	000A	0030	WELD2310C01	11111	11.35 12.55	1	5	2,520	210 20 00000
8	000A	0030	WELD1210C01	11111	12.00 12.50	1	12	2,520	210 20 00000
8	000A	0030	WELD2110C01	11111	12.30 13.50	1	2	2,520	210 20 00000
8	000A	0030	WELD1512C01	11111	13.00 14.40	1	1	2,520	210 20 00000
8	000A	0030	WELD2111C01	11111	13.55 15.15	1	2	2,520	210 20 00000
8	000A	0030	WELD1410C01	11111	14.00 14.50	1	11	2,520	210 20 00000
	000A	0037	CARP1150C01	11111	7.30 9.25		5	323	110 20 00000
	000A	0037	CARP2320C01	11111	7.30 9.25	1	1	323	110 20 00000
	000A	0037	CARP2110C01	11111	9.30 10.25		3	323	110 20 00000
	000A	0037	CARP1130C01	11111	9.30 11.10	1	4	323	110 20 00000
	000A	0037	CARP2210C01	11111	9.30 11.45	1	1	323	110 20 00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT  
 FALL DATA 2019  
 RUN DATE 11/13/2019 16:12:16  
 PAGE NUM 2

CLTCC - LAMAR SALTER CAMPUS  
 BRANCH  
 PARISH  
 RELATION OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETING DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.	
	000A	0037	CARP2120C01	11111	10.30 12.25	1	5	323	110 20 00000	
	000A	0040	CARP2131C01	11111	7.30 9.25		5	2,520	210 40 00000	
	000A	0040	CARP2991C01	11111	10.00 10.55		1	2,520	210 40 00000	
	000A	0040	CARP2993C01	11111	11.00 12.00		1	2,520	210 40 00000	
	000A	0040	CARP1140C01	11111	11.15 12.10	1	6	2,520	210 40 00000	
	000A	0040	CARP2620C01	11111	12.15 14.25		4	2,520	210 40 00000	
	000A	0040	CARP2995C01	11111	12.30 13.40	1	1	2,520	210 40 00000	
	000A	0040	CARP2310C01	11111	12.30 15.00	1	3	2,520	210 40 00000	
	000A	0228	HNUR1000C02	1	9.00 11.00		5	630	210 20 00000	
	000A	0306	HNUR1302C01	1 1 1	8.00 11.00		38	1,509	110 40 00000	
89	000A	0306	HNUR1302C01	1	8.00 11.00		38	1,509	110 40 00000	
	000A	0306	HNUR1312C01	1	8.00 11.00		38	1,509	110 40 00000	
	000A	0306	HNUR1311C01	1	8.00 11.00		40	1,509	110 40 00000	
	000A	0306	HNUR1000C01	1	9.00 11.00		40	1,509	110 40 00000	
	000A	0306	HNUR1211C01	1111	11.45 14.45		36	1,509	110 40 00000	
8	000A	0306	HNUR1311C01	111	11.45 14.45	1	40	1,509	110 40 00000	
	000C	0005	PIPE1320C01	1	7.00 12.00		4	744	110 20 00000	
4	9	000C	0005	PIPE1320C01	1111	7.00 17.30	4	744	110 20 00000	
4		000C	0005	PIPE1410C01	1111	7.00 17.30	1	4	744	110 20 00000
4		000C	0005	PIPE1420C01	1111	7.00 17.30	1	4	744	110 20 00000
4		000C	0005	PIPE1430C01	1111	7.00 17.30	1	4	744	110 20 00000
4		000C	0005	PIPE1410C01	1	12.01 17.30	1	4	744	110 20 00000

D E S C R I P T I O N   A N D   S U M M A R Y   O F   E R R O R S   &   W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT, THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD.	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS.	5
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	13
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, THERE SHOULD BE NO DUPLICATES.	2
----- T O T A L S -----		
TOTAL ERRORS		
TOTAL WARNINGS		20
TOTAL NUMBER OF RECORDS READ		73
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION		71
NUMBER OF JOINT-CLASS RECORDS		47
NUMBER OF ALTERATE WEEKS RECORDS		
NUMBER OF DIFFERENT TIMES RECORDS		
NUMBER OF INCONSISTENT RECORDS		

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2019 16:12:16

PAGE NUM 1

CLTCC - LAMAR SALTER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*CLASSROOM FACILITIES</b>			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			340
WEEKLY STUDENT CONTACT HOURS	2,364	18	2,382
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	549	12	561
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	30,600	17,000	47,600
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,500	240	12,740
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,728	36	4,764
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	40.7	1.6	26.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	15.5	.2	10.0
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	37.8	15.0	37.4
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASSROOM</b>			
TOTAL NUMBER OF ROOMS			11
TOTAL NUMBER OF STATIONS (CAPACITY)			258
WEEKLY STUDENT CONTACT HOURS	2,364	18	2,382
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	990	550	1,540
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	549	12	561
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	23,220	12,900	36,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	12,500	240	12,740
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,728	36	4,764
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	55.5	2.2	36.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	20.4	.3	13.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	37.8	15.0	37.4

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/13/2019 16:12:16

PAGE NUM 2

CLTCC - LAMAR SALTER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>*LABORATORY FACILITIES</b>			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			273
WEEKLY STUDENT CONTACT HOURS	1,100		1,100
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	569		569
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,570	13,650	38,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,280		18,280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,200		2,200
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.2	.0	40.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.0	.0	5.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	12.0	.0	12.0
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
<b>CLASS LABORATORY</b>			
TOTAL NUMBER OF ROOMS			10
TOTAL NUMBER OF STATIONS (CAPACITY)			273
WEEKLY STUDENT CONTACT HOURS	1,100		1,100
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	900	500	1,400
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	569		569
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	24,570	13,650	38,220
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,280		18,280
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,200		2,200
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	63.2	.0	40.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	9.0	.0	5.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	12.0	.0	12.0

\*\* WEEKLY DENOTES MONDAY THRU FRIDAY ONLY