

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/11/2019 13:44:32

PAGE NUM 1

NWLTC - SHREVEPORT-BOSSIER CAMPUS

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
	MEAA A0104	BARB1023E01	1111	8.00 11.00		11	495	110 32	00000
	MEAA A0104	BARB1231E01	1111	8.00 11.45	1	6	495	110 32	00000
	MEAA A0104	BARB2053E01	11111	8.00 12.00	1	7	495	110 32	00000
	MEAA A0104	BARB1211E01	1111	8.00 12.00	1	6	495	110 32	00000
	MEAA A0104	BARB1033E01	1111	11.30 14.00	1	11	495	110 32	00000
8	MEAA A0104	BARB1013E01	111	12.00 14.30	1	10	495	110 32	00000
8	MEAA A0104	BARB1013E02	111	12.00 14.30	1	4	495	110 32	00000
8	MEAA A0104	BARB1243E01	1111	12.15 13.15	1	3	495	110 32	00000
8	MEAA A0104	BARB2043E01	11111	12.15 15.15	1	8	495	110 32	00000
8	MEAA A0104	BARB1220E01	1111	12.30 14.00	1	5	495	110 32	00000
8	MEAA A0104	BARB1420E01	1111	13.30 15.00	1	3	495	110 32	00000
8	MEAA A0104	BARB1350E01	1111	14.05 15.05	1	2	495	110 32	00000
8	MEAA A0104	BARB1160E01	1111	14.05 15.30	1	11	495	110 32	00000
8	MEAA A0104	BARB2111E01	11111	15.20 16.20	1	9	495	110 32	00000
	MEAA A0207	INTE2010E01	1 1	8.00 10.30		5	451	210 14	00000
	MEAA A0207	INTE2850E01	1 1	8.00 10.30	1	2	451	210 14	00000
	MEAA A0207	INTE2200E01	1	8.00 10.30	1	2	451	210 14	00000
4	MEAA A0207	INTE1100E01	1 1	8.00 13.40		5	451	210 14	00000
4	MEAA A0207	INTE1110E01	1 1	8.00 13.40		4	451	210 14	00000
	MEAA A0207	INTE2110E01	1111	11.05 12.30	1	6	451	210 14	00000
	MEAA A0207	INTE2140E01	1111	12.00 14.00	1	3	451	210 14	00000
	MEAA A0207	INTE2020E01	1111	12.45 13.55	1	1	451	210 14	00000
	MEAA A0207	INTE2130E01	1111	14.00 15.30		3	451	210 14	00000
	MEAA A0207	INTE2120E01	111	14.30 15.45	1	2	451	210 14	00000
	MEAA A0207	INTE2902M04	1111	14.30 16.30	1	1	451	210 14	00000
	MEAA A0209	LEAD1003E01	1111	8.00 9.30		26	1,149	220 22	00000
8	MEAA A0209	LEAD1003E02	1111	8.00 9.30	1	29	1,149	220 22	00000
	MEAA A0209	CPTR1002E01	1111	9.35 11.00		23	1,149	220 22	00000
8	MEAA A0209	CPTR1002E02	1111	9.35 11.00	1	27	1,149	220 22	00000
	MEAA A0209	LEAD1003EN1	11	17.00 20.00		23	1,149	220 22	00000
	MEAA A0213	LEAD1003E03	1111	8.00 9.30		20	781	110 37	00000
	MEAA A0213	WKSF1003E01	1111	9.35 11.05		20	781	110 37	00000
	MEAA A0213	WKSF1003E02	1111	9.35 11.05	1	9	781	110 37	00000
	MEAA A0213	CPTR1010E01	1111	11.00 13.30	1	5	781	110 37	00000
	MEAA A0213	WKSF1003EN1	1 1	17.00 20.00		12	781	110 37	00000
	MEAA A0213	WKSF1003EN2	1 1	17.00 20.00	1	8	781	110 37	00000
	MEAA A0213	LEAD1003EN2	11	17.00 20.00		25	781	110 37	00000
	MECC C0102	HVAC2033E01	1111	8.00 10.50		5	1,931	110 13	00000
	MECC C0102	HVAC1213E01	1111	8.00 12.45	1	5	1,931	110 13	00000
	MECC C0102	HVAC2013E01	1111	8.00 12.45	1	6	1,931	110 13	00000
4	MECC C0102	HVAC1033E01	1 1	8.00 13.40	1	8	1,931	110 13	00000
4	MECC C0102	HVAC1233E01	1111	8.00 13.50	1	3	1,931	110 13	00000
4	MECC C0102	HVAC1023E01	1 1	8.00 15.00	1	6	1,931	110 13	00000
8	MECC C0102	HVAC2043E01	1111	11.00 15.45	1	5	1,931	110 13	00000
8	MECC C0102	HVAC1013E01	1111	11.10 15.55	1	8	1,931	110 13	00000
8	MECC C0102	HVAC1223E01	1111	12.50 15.40	1	6	1,931	110 13	00000
8	MECC C0102	HVAC2023E01	1111	12.50 15.40	1	6	1,931	110 13	00000
8	MECC C0102	HVAC1243E01	1111	13.55 16.45	1	3	1,931	110 13	00000
8	MECC C0102	HVAC1013EN1	111	15.00 17.05	1	2	1,931	110 13	00000
8	MECC C0102	HVAC1023EN1	111	16.00 18.00	1	9	1,931	110 13	00000
8	MECC C0102	HVAC1033EN1	111	16.00 18.05	1	7	1,931	110 13	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019
 RUN DATE 11/11/2019 13:44:32
 PAGE NUM 2

NWLTC - SHREVEPORT-BOSSIER CAMPUS

BRANCH
 PARISH
 RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
8	MECC C0102	HVAC1233EN1	11	16.00 20.00	1	6	1,931	110 13	00000
8	MECC C0102	HVAC1213EN1	1 1	16.00 20.30	1	3	1,931	110 13	00000
8	MECC C0102	HVAC1243EN1	11	16.00 21.00	1	1	1,931	110 13	00000
8	MECC C0102	HVAC2013EN1	1	16.00 21.00	1	3	1,931	110 13	00000
	MEDD D0102	WELD1411E01	111111	8.00 10.15		17	1,040	110 43	00000
	MEDD D0102	WELD1510E01	111111	8.00 11.00	1	12	1,040	110 43	00000
	MEDD D0102	WELD1512E01	111111	8.00 11.00	1	6	1,040	110 43	00000
	MEDD D0102	WELD2231E01	111111	8.00 11.00	1	18	1,040	110 43	00000
	MEDD D0102	WELD1074E01	111111	8.00 11.45	1	11	1,040	110 43	00000
8	MEDD D0102	WELD2123E01	111111	10.20 12.35	1	7	1,040	110 43	00000
8	MEDD D0102	WELD1421E01	111111	10.20 13.20	1	21	1,040	110 43	00000
8	MEDD D0102	WELD2093E01	111111	11.05 13.20	1	11	1,040	110 43	00000
8	MEDD D0102	WELD1511E01	111111	11.05 14.05	1	14	1,040	110 43	00000
8	MEDD D0102	WELD2100E01	111111	11.50 14.05	1	10	1,040	110 43	00000
8	MEDD D0102	WELD1413E01	111111	12.00 14.15	1	18	1,040	110 43	00000
4	MEDD D0102	WELD1413EN1	1 1	15.30 21.00		3	1,040	110 43	00000
	MEDD D0102	WELD1411EN1	111	16.00 17.45	1	8	1,040	110 43	00000
	MEDD D0102	WELD1074EN1	111	16.00 21.00	1	1	1,040	110 43	00000
	MEDD D0102	WELD1421EN1	111	16.00 21.00	1	2	1,040	110 43	00000
	MEDD D0102	WELD1510EN1	111	16.00 21.00	1	1	1,040	110 43	00000
	MEDD D0102	WELD1511EN1	111	16.00 21.00	1	2	1,040	110 43	00000
	MEDD D0102	WELD1512EN1	111	16.00 21.00	1	3	1,040	110 43	00000
	MEDD D0102	WELD2093EN1	111	16.00 21.00	1	2	1,040	110 43	00000
	MEDD D0102	WELD2100EN1	111	16.00 21.00	1	1	1,040	110 43	00000
	MEDD D0102	WELD1122EN1	1	16.00 21.00	1	3	1,040	110 43	00000
	MEDD D0102	WELD2123EN1	111	17.00 21.00	1	1	1,040	110 43	00000
	MEDD D0106	DPET1231E01	111111	8.00 8.45		4	702	110 25	00000
	MEDD D0106	DPET1310E01	111111	8.50 9.35		6	702	110 25	00000
	MEDD D0106	DPET1130E01	111111	9.25 11.06	1	13	702	110 25	00000
	MEDD D0106	DPET2210E01	111111	9.40 10.37	1	5	702	110 25	00000
	MEDD D0106	DPET1140E01	111111	11.10 12.30		13	702	110 25	00000
	MEDD D0106	DPET1320E01	111111	12.30 13.50		3	702	110 25	00000
	MEDD D0106	DPET2110E01	111111	12.30 13.50	1	5	702	110 25	00000
	MEDD D0106	DPET2240E01	111111	13.00 14.45	1	14	702	110 25	00000
	MEDD D0106	DPET1150E01	111111	14.00 15.48	1	7	702	110 25	00000
	MEEE E0123	HNUR2128E01	1111	8.00 9.50		33	855	110 48	00000
	MEEE E0123	HNUR2712E01	1111	10.00 11.50		33	855	110 48	00000
	MEEE E0123	HNUR2722E01	1111	12.30 14.30		33	855	110 48	00000
	MEEE E0127	BOTH1210E01	11	8.00 9.50		4	1,732	210 35	00000
	MEEE E0127	HCOR1601E01	1	8.00 12.00		1	1,732	210 35	00000
	MEEE E0127	HNUR1211E02	111111	10.00 11.50	1	1	1,732	210 35	00000
	MEEE E0127	HCOR1212E02	111111	12.30 14.30		1	1,732	210 35	00000
	MEEE E0127	HCOR1200E01	1111	12.30 14.30	1	1	1,732	210 35	00000
	MEEE E0147	HNUR2118E01	1111	8.00 9.50		27	739	110 49	00000
	MEEE E0147	HNUR2611E01	1111	10.00 11.50		27	739	110 49	00000
	MEEE E0147	HNUR2522E01	1111	12.30 14.30		27	739	110 49	00000
	MEEE E0167	CULN1140E01	111111	8.00 9.55		3	1,556	110 30	00000
	MEEE E0167	CULN1160E01	1 1 1	8.00 11.10	1	1	1,556	110 30	00000
	MEEE E0167	CULN2410E01	1 1 1	8.00 11.45	1	1	1,556	110 30	00000
	MEEE E0167	CULN1243E01	1 1 1	8.00 12.25	1	5	1,556	110 30	00000
4	MEEE E0167	CULN2420E01	1 1	8.00 13.40		1	1,556	110 30	00000

BOR-CLASSROOM & LABORATORY UTILIZATION EDIT REPORT

FALL DATA 2019

RUN DATE 11/11/2019 13:44:32

PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS

BRANCH

PARISH

RELATION

OTHER

ERRORS/ WARNINGS -----	BLDNG./ROOM NO.	COURSE/SECT. NO.	MEETNG DAYS MTWTFSS	BEGIN - END TIMES	J A D I N L I N T T F C	TOTAL REG	NET ASSIGN. SQ. FT.	ROOM TYPE & CAPACITY	RECRD NO.
4	MEEE E0167	CULN2430E01	1 1	8.00 13.40	1	3	1,556	110 30	00000
4	MEEE E0167	CULN2310E01	1 1 1	8.00 14.15		6	1,556	110 30	00000
4	MEEE E0167	CULN1240E01	1 1	8.00 14.35		4	1,556	110 30	00000
4	MEEE E0167	CULN1321E01	1 1	8.00 14.35	1	4	1,556	110 30	00000
	MEEE E0167	CULN1110E01	11111	10.00 11.55	1	3	1,556	110 30	00000
	MEEE E0167	CULN1220E01	1 1 1	11.15 14.25	1	2	1,556	110 30	00000
	MEEE E0167	CULN1130E01	11111	11.30 13.25	1	2	1,556	110 30	00000
	MEEE E0167	CULN1170E01	11111	12.00 13.30	1	3	1,556	110 30	00000
	MEEE E0170	HNUR1100E01	1111	8.00 9.50		43	1,163	210 37	00000
	MEEE E0170	HNUR1000E01	1111	10.00 11.50		37	1,163	210 37	00000
8	MEEE E0170	HNUR1322E01	1111	10.00 11.50	1	31	1,163	210 37	00000
	MEEE E0170	HNUR1363E01	1 1	12.30 14.50		46	1,163	210 37	00000
	MEEE E0170	HNUR1211E01	1 1	12.30 14.50		46	1,163	210 37	00000
	MEFF F0108	AUTO1140E01	11111	8.00 10.15		35	583	110 31	00000
	MEFF F0108	AUTO1542E01	11111	10.20 11.37		33	583	110 31	00000
	MEFF F0108	AUTO1002E01	11111	12.00 12.46		23	583	110 31	00000
	MEFF F0108	AUTO1343E01	11111	12.50 15.05		35	583	110 31	00000
	MEFF F0108	AUTO1002EN1	1111	17.00 17.57		9	583	110 31	00000
	MEFF F0108	AUTO1542EN1	1	18.00 20.25		9	583	110 31	00000
	MEFF F0109	DPET1120E01	11111	8.00 9.20		13	583	110 20	00000
	MEFF F0115	ELEC2304E01	1 1 1	8.00 11.45		2	782	110 30	00000
	MEFF F0115	ELEC2993E01	1 1	8.00 12.00	1	3	782	110 30	00000
4	MEFF F0115	ELEC1204E01	1 1 1	8.00 13.40	1	4	782	110 30	00000
4	MEFF F0115	ELEC1330E01	1 1	8.00 13.40		4	782	110 30	00000
4	MEFF F0115	ELEC1214E01	1 1 1	8.00 13.45		5	782	110 30	00000
4	MEFF F0115	ELEC1230E01	1 1	9.00 14.40		2	782	110 30	00000
	MEFF F0115	IIET1012E01	1 1 1	9.35 12.00		9	782	110 30	00000
	MEFF F0115	IIET1012E02	1 1 1	9.35 12.00	1	1	782	110 30	00000
	MEFF F0115	IMMT1410E01	1 1	9.45 11.40		10	782	110 30	00000
	MEFF F0115	IMMT1411E01	1 1	11.45 16.00		9	782	110 30	00000
	MEFF F0115	IMMT1411E01	1 1	12.30 14.15		9	782	110 30	00000
	MEFF F0115	WBLE1003E01	1111	13.00 16.00	1	1	782	110 30	00000
	MEFF F0115	IMMT1120E01	1 1 1	13.50 15.05	1	4	782	110 30	00000
	MEFF F0119	IMMT1430E01	1 1 1	8.00 12.25		2	170	210 150	00000
	MEFF F0119	WBLE1012E01	1 1 1	11.05 12.00	1	2	170	210 150	00000
	MEFF F0119	ELEC1220E01	1 1 1	11.50 14.25	1	2	170	210 150	00000

D E S C R I P T I O N A N D S U M M A R Y O F E R R O R S & W A R N I N G S

1 = ERROR	- CLASS AND LABORATORY UTILIZATION FILE DOES NOT MATCH WITH BLDGS AND ROOMS FILE. - - - - -	
	THE ROOM, BUILDING, AND CLASS FILES MUST ALL MATCH. IF THE ROOM NUMBER ON THE UTILIZATION IS CORRECT,	
	THE ROOM SHOULD TO BE ADDED TO THE ROOM FILE.	
2 = ERROR	- THERE SHOULD BE AT LEAST ONE ENTRY IN THE DAYS-OF-WEEK-COURSE-MEETS FIELD. - - - - -	
3 = ERROR	- BEGIN-END-TIME FIELDS MUST BE BETWEEN 06.00 AND 23.00 - - - - -	
4 = WARNING	- CLASS TIME EXCEEDS 5 HOURS. - - - - -	15
5 = ERROR	- ROOM TYPE INVALID FOR TEACHING CLASS, CLASSES CANNOT BE SCHEDULED IN ROOMS DESIGNATED AS - - - - -	
	CIRCULATION, CUSTODIAL OR MECHANICAL.	
7 = ERROR	- THE TOTAL REGISTRANTS FIELD MUST NOT BE BLANK OR ZEROS - - - - -	
8 = WARNING	- EXCEEDS THE CAPACITY OF THE ROOM BY 50% (IF THIS IS A JOINT CLASS ITS REGISTRANTS ARE INCLUDED). - - - - -	33
	PLEASE CHECK THE CAPACITY OF THE ROOM AS IT APPEARS ON THE ROOM FILE.	
9 = WARNING	- UNLESS THERE IS A JOINT CLASS, ALTERNATE WEEKS OR INCONSISTENT MEETING TIMES, - - - - -	
	THERE SHOULD BE NO DUPLICATES.	

----- T O T A L S -----

TOTAL ERRORS	- - - - -	
TOTAL WARNINGS	- - - - -	48
TOTAL NUMBER OF RECORDS READ	- - - - -	138
TOTAL NUMBER OF RECORDS ACCEPTED FOR SPACE UTILIZATION COMPUTATION	- - - - -	138
NUMBER OF JOINT-CLASS RECORDS	- - - - -	86
NUMBER OF ALTERATE WEEKS RECORDS	- - - - -	
NUMBER OF DIFFERENT TIMES RECORDS	- - - - -	
NUMBER OF INCONSISTENT RECORDS	- - - - -	

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2019 13:44:32

PAGE NUM 1

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
*CLASSROOM FACILITIES			
TOTAL NUMBER OF ROOMS			37
TOTAL NUMBER OF STATIONS (CAPACITY)			1,183
WEEKLY STUDENT CONTACT HOURS	9,246	340	9,586
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,330	1,850	5,180
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,246	73	2,319
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	106,470	59,150	165,620
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	68,881	2,767	71,648
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,492	681	19,173
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	67.4	3.9	44.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	17.4	1.2	11.6
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.8	24.6	26.8
	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASSROOM			
TOTAL NUMBER OF ROOMS			34
TOTAL NUMBER OF STATIONS (CAPACITY)			1,117
WEEKLY STUDENT CONTACT HOURS	9,246	340	9,586
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,060	1,700	4,760
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	2,246	73	2,319
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	100,530	55,850	156,380
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	68,881	2,767	71,648
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	18,492	681	19,173
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	73.4	4.3	48.7
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	18.4	1.2	12.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	26.8	24.6	26.8

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2019 13:44:32

PAGE NUM 2

NWLTC - SHREVEPORT-BOSSIER CAMPUS

*LABORATORY FACILITIES

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
TOTAL NUMBER OF ROOMS			17
TOTAL NUMBER OF STATIONS (CAPACITY)			658
WEEKLY STUDENT CONTACT HOURS	2,326	138	2,464
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,530	850	2,380
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	389	12	401
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	59,220	32,900	92,120
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	15,842	264	16,106
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	4,652	276	4,928
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.4	1.4	16.8
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	7.9	.8	5.3
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	29.4	104.5	30.6

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
CLASS LABORATORY			
TOTAL NUMBER OF ROOMS			15
TOTAL NUMBER OF STATIONS (CAPACITY)			616
WEEKLY STUDENT CONTACT HOURS	1,696		1,696
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	1,350	750	2,100
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	341		341
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	55,440	30,800	86,240
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	14,786		14,786
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	3,392		3,392
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	25.3	.0	16.2
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	6.1	.0	3.9
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	22.9	.0	22.9

SPACE UTILIZATION - SUMMARY PAGE

RUN DATE 11/11/2019 13:44:32

PAGE NUM 3

NWLTC - SHREVEPORT-BOSSIER CAMPUS

	DAY USE (0600-1700)	NIGHT USE (1700-2300)	T O T A L (0600-2300)
OPEN LABBORATORY			
TOTAL NUMBER OF ROOMS			2
TOTAL NUMBER OF STATIONS (CAPACITY)			42
WEEKLY STUDENT CONTACT HOURS	630	138	768
WEEKLY TOTAL OF ROOMS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	180	100	280
WEEKLY TOTAL OF ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	48	12	60
WEEKLY TOTAL OF STUDENT STATIONS AVAILABLE - COUNTED IN HALF HOUR INCREMENTS	3,780	2,100	5,880
WEEKLY TOTAL OF STATIONS AVAILABLE IN ROOMS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,056	264	1,320
WEEKLY TOTAL OF STATIONS IN USE - COUNTED IN HALF HOUR INCREMENTS	1,260	276	1,536
PERCENT OF ROOMS IN USE TO ROOMS AVAILABLE	26.7	12.0	21.4
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE	33.3	13.1	26.1
PERCENT OF STATIONS IN USE TO STATIONS AVAILABLE IN OCCUPIED ROOMS	119.3	104.5	116.4

** WEEKLY DENOTES MONDAY THRU FRIDAY ONLY